

# Rafael Felipe Rfa De Almeida

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6971080/publications.pdf>

Version: 2024-02-01

42

papers

1,328

citations

1040056

9

h-index

377865

34

g-index

43

all docs

43

docs citations

43

times ranked

1519

citing authors

#	ARTICLE	IF	CITATIONS
1	Biogeography and character mapping of <i>Hiptage</i> (Malpighiaceae) corroborate Indochina's rainforests as one of the main sources of plant diversity in southeastern Asia. <i>Nordic Journal of Botany</i> , 2022, 2022, .	0.5	2
2	Molecular phylogeny and character mapping support generic adjustments in the Tetrapteroid clade (Malpighiaceae). <i>Nordic Journal of Botany</i> , 2021, 39, .	0.5	11
3	<i>Heteropterys rosmarinifolia</i> , a new species of Malpighiaceae with verticillate leaves from savannas grasslands of central Brazil. <i>PhytoKeys</i> , 2021, 175, 45-54.	1.0	1
4	Floral synorganization in acmantheroid clade suggests hypotheses to explain elaiophore suppression in Malpighiaceae. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 281, 151870.	1.2	3
5	Biogeography of <i>Stigmaphylloides</i> (Malpighiaceae) and a Meta-Analysis of Vascular Plant Lineages Diversified in the Brazilian Atlantic Rainforests Point to the Late Eocene Origins of This Megadiverse Biome. <i>Plants</i> , 2020, 9, 1569.	3.5	3
6	Can Statistical Evaluation Tools for Chromatographic Method Development Assist in the Natural Products Workflow? A Case Study on Selected Species of the Plant Family Malpighiaceae. <i>Journal of Natural Products</i> , 2020, 83, 3239-3249.	3.0	13
7	Anatomy of staminal glands in the Stigmaphylloid clade sheds light into new morphotypes of elaiophores and osmophores in Malpighiaceae. <i>Plant Systematics and Evolution</i> , 2020, 306, 1.	0.9	5
8	Phytochemical analysis of the methanolic leaves extract of <i>Niedenzuella multiglandulosa</i> (Malpighiaceae), a plant species toxic to cattle in Brazil. <i>Phytochemistry Letters</i> , 2020, 37, 10-16.	1.2	7
9	Taxonomic relevance of leaf anatomy in <i>Banisteriopsis</i> C.B. Rob. (Malpighiaceae). <i>Acta Botanica Brasilica</i> , 2020, 34, 214-228.	0.8	10
10	Leaf structure in Amorimia and closely related Neotropical genera and implications for their systematics and leaf evolution in Malpighiaceae. <i>Botanical Journal of the Linnean Society</i> , 2019, 191, 102-127.	1.6	8
11	First report of laticifers in lianas of Malpighiaceae and their phylogenetic implications. <i>American Journal of Botany</i> , 2019, 106, 1156-1172.	1.7	5
12	Taxonomic revision of <i>Mcvaughia</i> W.R.Anderson (Malpighiaceae): notes on vegetative and reproductive anatomy and the description of a new species. <i>PhytoKeys</i> , 2019, 117, 45-72.	1.0	8
13	Rediscovery of <i>Banisteriopsis magdalenensis</i> (Malpighiaceae): Notes on morphology, distribution, and ecology of an endemic and threatened species from the Atlantic Forest of Brazil. <i>Brittonia</i> , 2018, 70, 337-341.	0.2	5
14	Taxonomic revision of <i>Amorimia</i> W.R. Anderson (Malpighiaceae). <i>Hoehnea (revista)</i> , 2018, 45, 238-306.	0.2	7
15	Timing the origin and past connections between Andean and Atlantic Seasonally Dry Tropical Forests in South America: Insights from the biogeographical history of Amorimia (Malpighiaceae). <i>Taxon</i> , 2018, 67, 739-751.	0.7	11
16	Assembling the puzzle of <i>Byrsinima fanshawei</i> (Malpighiaceae): Emended description and new records for a rare species. <i>Brittonia</i> , 2018, 70, 356-363.	0.2	3
17	CHECK-LIST DE MALPIGHIAEAE DO ESTADO DE MATO GROSSO DO SUL. <i>Iheringia - Serie Botanica</i> , 2018, 73, 264-272.	0.1	3
18	Total evidence phylogeny of Pontederiaceae (Commeliniales) sheds light on the necessity of its recircumscription and synopsis of <i>Pontederia</i> L.. <i>PhytoKeys</i> , 2018, 108, 25-83.	1.0	35

#	ARTICLE	IF	CITATIONS
19	Taxonomic novelties in <i>Byrsonia</i> (Malpighiaceae) from the state of Minas Gerais, Brazil. <i>Phytotaxa</i> , 2017, 291, 133.	0.3	4
20	Leaf anatomy and macro-morphology uncover a new species of <i>Amorimia</i> (Malpighiaceae) from Southeastern Brazil. <i>Phytotaxa</i> , 2017, 305, 179.	0.3	11
21	A new infrageneric classification for <i>Amorimia</i> (Malpighiaceae) based on morphological, phytochemical and molecular evidence. <i>Phytotaxa</i> , 2017, 313, 231.	0.3	15
22	Amended description and conservation status of <i>Stigmaphyllon carautae</i> (Malpighiaceae). <i>Rodriguesia</i> , 2017, 68, 1471-1477.	0.9	4
23	Sinopse de Malpighiaceae no Estado do Espírito Santo, Brasil: <i>Stigmaphyllon A. Juss.</i> . <i>Hoehnea</i> (revista), 2016, 43, 601-633.	0.2	9
24	Taxonomic revision of Neotropical <i>Murdannia</i> Royle (Commelinaceae). <i>PhytoKeys</i> , 2016, 74, 35-78.	1.0	14
25	A generic synopsis of Malpighiaceae in the Atlantic Forest. <i>Nordic Journal of Botany</i> , 2016, 34, 285-301.	0.5	14
26	Taxonomic Revision of <i>Coleostachys</i> (Malpighiaceae). <i>Phytotaxa</i> , 2016, 277, 77.	0.3	4
27	Rediscovery, identity and typification of <i>Dichorisandra picta</i> (Commelinaceae) and comments on the short-stemmed Dichorisandra species. <i>Phytotaxa</i> , 2016, 245, 107.	0.3	6
28	<i>Stigmaphyllon occidentale</i> (Malpighiaceae), a new endemic species from Central Brazil. <i>Phytotaxa</i> , 2016, 288, 145.	0.3	2
29	Untangling the <i>Amorimia rigida</i> complex, a puzzling group of lianescent Malpighiaceae from Eastern Brazil. <i>Phytotaxa</i> , 2016, 284, 1.	0.3	10
30	Synopsis of <i>Bunchosia</i> Kunth (Malpighiaceae) from the Atlantic Forest. <i>Phytotaxa</i> , 2016, 257, 158.	0.3	6
31	Growing knowledge: an overview of Seed Plant diversity in Brazil. <i>Rodriguesia</i> , 2015, 66, 1085-1113.	0.9	1,032
32	<i>Stigmaphyllon mikanifolium</i> (Malpighiaceae), a new species from Espírito Santo State, Brazil. <i>Kew Bulletin</i> , 2015, 70, 1.	0.9	12
33	New records of <i>Stigmaphyllon puberulum</i> Griseb. (Malpighiaceae) from the Atlantic Forest, northeastern Brazil. <i>Check List</i> , 2015, 11, 1510.	0.4	4
34	An illustrated checklist of Malpighiaceae from the Chapada dos Veadeiros region, Goiás, Brazil. <i>Check List</i> , 2015, 11, 1801.	0.4	4
35	Checklist, conservation status, and sampling effort analysis of Malpighiaceae in Espírito Santo State, Brazil. <i>Revista Brasileira De Botanica</i> , 2014, 37, 329-337.	1.3	15
36	<i>Stigmaphyllon caatingicola</i> (Malpighiaceae), a new species from Seasonally Dry Tropical Forests in Brazil. <i>Phytotaxa</i> , 2014, 174, 82.	0.3	8

#	ARTICLE	IF	CITATIONS
37	First records of <i>Tovomita stergiosii</i> Cuello (Clusiaceae: Clusieae) in Brazil. Check List, 2014, 10, 1570.	0.4	4
38	New records on endangered and endemic species of <i>Stigmaphyllon</i> A. Juss. (Malpighiaceae) in Brazil. Check List, 2013, 9, 1084.	0.4	8
39	Malpighiaceae from Lenheiro Mountain Range, Minas Gerais, Brazil. Rodriguesia, 0, 72, .	0.9	1
40	Malpighiaceae Juss. in the Upper Paraná River Floodplain, States of Paraná and Mato Grosso do Sul, Brazil. Hoehnea (revista), 0, 47, .	0.2	0
41	Flora do Espírito Santo: <i>Banisteriopsis</i> (Malpighiaceae). Rodriguesia, 0, 71, .	0.9	1
42	Flora of Espírito Santo: Barnebyoid and Bunchosiod clades (Malpighiaceae). Rodriguesia, 0, 73, .	0.9	0