

Ding-Xiang Yan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6971256/ding-xiang-yan-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

7,575
citations

48
h-index

85
g-index

122
ext. papers

9,415
ext. citations

7.6
avg, IF

6.53
L-index

#	Paper	IF	Citations
120	Structured Reduced Graphene Oxide/Polymer Composites for Ultra-Efficient Electromagnetic Interference Shielding. <i>Advanced Functional Materials</i> , 2015 , 25, 559-566	15.6	802
119	Temperature dependence of graphene oxide reduced by hydrazine hydrate. <i>Nanotechnology</i> , 2011 , 22, 055705	3.4	495
118	Conductive polymer composites with segregated structures. <i>Progress in Polymer Science</i> , 2014 , 39, 1908-1933	19.3	470
117	Efficient electromagnetic interference shielding of lightweight graphene/polystyrene composite. <i>Journal of Materials Chemistry</i> , 2012 , 22, 18772		423
116	Cellulose composite aerogel for highly efficient electromagnetic interference shielding. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 4983-4991	13	200
115	Electrically conductive and electromagnetic interference shielding of polyethylene composites with devisable carbon nanotube networks. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 9369-9378	7.1	189
114	Highly Efficient and Reliable Transparent Electromagnetic Interference Shielding Film. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 11941-11949	9.5	189
113	Synergistic effect of graphene nanosheets and carbonyl iron/nickel alloy hybrid filler on electromagnetic interference shielding and thermal conductivity of cyanate ester composites. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1476-1486	7.1	169
112	Simultaneously improved electromagnetic interference shielding and mechanical performance of segregated carbon nanotube/polypropylene composite via solid phase molding. <i>Composites Science and Technology</i> , 2018 , 156, 87-94	8.6	158
111	Facile preparation of 3D regenerated cellulose/graphene oxide composite aerogel with high-efficiency adsorption towards methylene blue. <i>Journal of Colloid and Interface Science</i> , 2018 , 532, 58-67	9.3	137
110	Stretchable and durable conductive fabric for ultrahigh performance electromagnetic interference shielding. <i>Carbon</i> , 2019 , 144, 101-108	10.4	129
109	Gradient Structure Design of Flexible Waterborne Polyurethane Conductive Films for Ultraefficient Electromagnetic Shielding with Low Reflection Characteristic. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 19143-19152	9.5	125
108	Flexible and efficient electromagnetic interference shielding materials from ground tire rubber. <i>Carbon</i> , 2017 , 121, 267-273	10.4	113
107	High Strain Tolerant EMI Shielding Using Carbon Nanotube Network Stabilized Rubber Composite. <i>Advanced Materials Technologies</i> , 2017 , 2, 1700078	6.8	112
106	A high heat-resistance bioplastic foam with efficient electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , 2017 , 323, 29-36	14.7	110
105	Electromagnetic interference shielding of segregated polymer composite with an ultralow loading of in situ thermally reduced graphene oxide. <i>Nanotechnology</i> , 2014 , 25, 145705	3.4	104
104	Enhanced mechanical and thermal properties of rigid polyurethane foam composites containing graphene nanosheets and carbon nanotubes. <i>Polymer International</i> , 2012 , 61, 1107-1114	3.3	103

103	Super-tough conducting carbon nanotube/ultrahigh-molecular-weight polyethylene composites with segregated and double-percolated structure. <i>Journal of Materials Chemistry</i> , 2012 , 22, 23568		102
102	Lightweight and Robust Carbon Nanotube/Polyimide Foam for Efficient and Heat-Resistant Electromagnetic Interference Shielding and Microwave Absorption. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 8704-8712	9.5	99
101	The effect of electric field, annealing temperature and filler loading on the percolation threshold of polystyrene containing carbon nanotubes and graphene nanosheets. <i>Carbon</i> , 2011 , 49, 1980-1988	10.4	99
100	Formation of a Segregated Electrically Conductive Network Structure in a Low-Melt-Viscosity Polymer for Highly Efficient Electromagnetic Interference Shielding. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4137-4145	8.3	97
99	Tunable electromagnetic interference shielding effectiveness via multilayer assembly of regenerated cellulose as a supporting substrate and carbon nanotubes/polymer as a functional layer. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3130-3138	7.1	92
98	Robustly Superhydrophobic Conductive Textile for Efficient Electromagnetic Interference Shielding. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 1680-1688	9.5	90
97	Asymmetric conductive polymer composite foam for absorption dominated ultra-efficient electromagnetic interference shielding with extremely low reflection characteristics. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 9146-9159	13	89
96	A strong and tough polymer/carbon nanotube film for flexible and efficient electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8944-8951	7.1	83
95	Multilayer WPU conductive composites with controllable electro-magnetic gradient for absorption-dominated electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 129, 105692	8.4	81
94	Highly Sensitive and Stretchable Polyurethane Fiber Strain Sensors with Embedded Silver Nanowires. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 23649-23658	9.5	75
93	Large-scale preparation of segregated PLA/carbon nanotube composite with high efficient electromagnetic interference shielding and favourable mechanical properties. <i>Composites Part B: Engineering</i> , 2018 , 155, 405-413	10	75
92	Selective electromagnetic interference shielding performance and superior mechanical strength of conductive polymer composites with oriented segregated conductive networks. <i>Chemical Engineering Journal</i> , 2019 , 373, 556-564	14.7	74
91	Ultralight Cellulose Porous Composites with Manipulated Porous Structure and Carbon Nanotube Distribution for Promising Electromagnetic Interference Shielding. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40156-40167	9.5	73
90	Double-segregated carbon nanotube/polymer conductive composites as candidates for liquid sensing materials. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 4177	13	70
89	Large-scale fabrication and electrical properties of an anisotropic conductive polymer composite utilizing preferable location of carbon nanotubes in a polymer blend. <i>Composites Science and Technology</i> , 2010 , 70, 1973-1979	8.6	69
88	Lightweight and highly efficient electromagnetic wave-absorbing of 3D CNTs/GNS@CoFe ₂ O ₄ ternary composite aerogels. <i>Journal of Alloys and Compounds</i> , 2018 , 768, 6-14	5.7	68
87	Super-Robust Polylactide Barrier Films by Building Densely Oriented Lamellae Incorporated with Ductile in Situ Nanofibrils of Poly(butylene adipate-co-terephthalate). <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 8096-109	9.5	68
86	Towards tunable resistivity-strain behavior through construction of oriented and selectively distributed conductive networks in conductive polymer composites. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10048-10058	13	67

85	Highly Conductive and Machine-Washable Textiles for Efficient Electromagnetic Interference Shielding. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800503	6.8	67
84	Constructing highly oriented segregated structure towards high-strength carbon nanotube/ultrahigh-molecular-weight polyethylene composites for electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 110, 237-245	8.4	66
83	Electrical conductivity and major mechanical and thermal properties of carbon nanotube-filled polyurethane foams. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 3014-3019	2.9	63
82	Highly Stretchable and Sensitive Strain Sensor with Porous Segregated Conductive Network. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 37094-37102	9.5	62
81	Improved properties of highly oriented graphene/polymer nanocomposites. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 3167-3174	2.9	57
80	Flexible and conductive polyurethane composites for electromagnetic shielding and printable circuit. <i>Chemical Engineering Journal</i> , 2019 , 360, 1427-1436	14.7	55
79	Water-based conductive ink for highly efficient electromagnetic interference shielding coating. <i>Chemical Engineering Journal</i> , 2020 , 384, 123368	14.7	54
78	Highly conductive and stretchable carbon nanotube/thermoplastic polyurethane composite for wearable heater. <i>Composites Science and Technology</i> , 2019 , 181, 107695	8.6	53
77	Robust carbon nanotube foam for efficient electromagnetic interference shielding and microwave absorption. <i>Journal of Colloid and Interface Science</i> , 2018 , 530, 113-119	9.3	52
76	Synergistic Effect of Graphite and Carbon Nanotubes on Improved Electromagnetic Interference Shielding Performance in Segregated Composites. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 11929-11938	3.9	50
75	Flexible and highly conductive sandwich nylon/nickel film for ultra-efficient electromagnetic interference shielding. <i>Applied Surface Science</i> , 2018 , 455, 856-863	6.7	50
74	Highly thermally conductive liquid metal-based composites with superior thermostability for thermal management. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 2904-2911	7.1	50
73	Structuring Hierarchically Porous Architecture in Biomass-Derived Carbon Aerogels for Simultaneously Achieving High Electromagnetic Interference Shielding Effectiveness and High Absorption Coefficient. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 18840-18849	9.5	48
72	Largely enhanced mechanical property of segregated carbon nanotube/poly(vinylidene fluoride) composites with high electromagnetic interference shielding performance. <i>Composites Science and Technology</i> , 2018 , 167, 260-267	8.6	48
71	A Unique Double Percolated Polymer Composite for Highly Efficient Electromagnetic Interference Shielding. <i>Macromolecular Materials and Engineering</i> , 2016 , 301, 1232-1241	3.9	47
70	Structuring dense three-dimensional sheet-like skeleton networks in biomass-derived carbon aerogels for efficient electromagnetic interference shielding. <i>Carbon</i> , 2019 , 152, 316-324	10.4	46
69	Self-healing and flexible carbon nanotube/polyurethane composite for efficient electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2020 , 193, 108015	10	46
68	Wearable Polyethylene/Polyamide Composite Fabric for Passive Human Body Cooling. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41637-41644	9.5	45

67	A Highly Sensitive and Broad-Range Pressure Sensor Based on Polyurethane Mesodome Arrays Embedded with Silver Nanowires. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 19988-19999	9.5	44
66	Facile, green and affordable strategy for structuring natural graphite/polymer composite with efficient electromagnetic interference shielding. <i>RSC Advances</i> , 2015 , 5, 22587-22592	3.7	42
65	A highly efficient and heat-resistant electromagnetic interference shielding carbon nanotube/poly(phenylene sulfide) composite via sinter molding. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 10760-10766	7.1	41
64	Self-assembled reduced graphene oxide/nickel nanofibers with hierarchical core-shell structure for enhanced electromagnetic wave absorption. <i>Carbon</i> , 2020 , 167, 530-540	10.4	40
63	Integrated strength and toughness in graphene/calcium alginate films for highly efficient electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9166-9174	7.1	38
62	Ultrahigh gas barrier poly (vinyl alcohol) nanocomposite film filled with congregated and oriented Fe ₃ O ₄ @GO sheets induced by magnetic-field. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017 , 97, 1-9	8.4	37
61	Injection molding of segregated carbon nanotube/polypropylene composite with enhanced electromagnetic interference shielding and mechanical performance. <i>Composites Science and Technology</i> , 2020 , 197, 108253	8.6	36
60	Ultralight carbon nanotube/graphene/polyimide foam with heterogeneous interfaces for efficient electromagnetic interference shielding and electromagnetic wave absorption. <i>Carbon</i> , 2021 , 176, 118-125	10.4	36
59	Injection Molded Segregated Carbon Nanotube/Polypropylene Composite for Efficient Electromagnetic Interference Shielding. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 12378-12385	8.9	36
58	Characterization and performance of dodecyl amine functionalized graphene oxide and dodecyl amine functionalized graphene/high-density polyethylene nanocomposites: A comparative study. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	35
57	Stretchable Liquid Metal-Based Conductive Textile for Electromagnetic Interference Shielding. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 53230-53238	9.5	33
56	Ultrahigh molecular weight polyethylene composites with segregated nickel conductive network for highly efficient electromagnetic interference shielding. <i>Materials Letters</i> , 2017 , 209, 353-356	3.3	31
55	Novel passive cooling composite textile for both outdoor and indoor personal thermal management. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 130, 105738	8.4	31
54	Low-temperature carbonized carbon nanotube/cellulose aerogel for efficient microwave absorption. <i>Composites Part B: Engineering</i> , 2021 , 220, 108985	10	31
53	Temperature-Resistivity Behaviour of CNTs/UHMWPE Composites with a Two-Dimensional Conductive Network. <i>Polymer-Plastics Technology and Engineering</i> , 2009 , 48, 478-481		29
52	Ultra-low gas permeable cellulose nanofiber nanocomposite films filled with highly oriented graphene oxide nanosheets induced by shear field. <i>Carbohydrate Polymers</i> , 2019 , 209, 310-319	10.3	27
51	Highly crystallized poly (lactic acid) under high pressure. <i>AIP Advances</i> , 2012 , 2, 042159	1.5	27
50	Positive temperature coefficient and time-dependent resistivity of carbon nanotubes (CNTs)/ultrahigh molecular weight polyethylene (UHMWPE) composite. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 1002-1010	2.9	27

49	Efficient electromagnetic interference shielding of lightweight carbon nanotube/polyethylene composites compression molding plus salt-leaching.. <i>RSC Advances</i> , 2018 , 8, 8849-8855	3.7	24
48	3D-printing of segregated carbon nanotube/polylactic acid composite with enhanced electromagnetic interference shielding and mechanical performance. <i>Materials and Design</i> , 2021 , 197, 109222	8.1	24
47	Preparation and properties of carbon black/polymer composites with segregated and double-percolated network structures. <i>Journal of Materials Science</i> , 2013 , 48, 4892-4898	4.3	23
46	Enhanced Mechanical Performance of Segregated Carbon Nanotube/Poly(lactic acid) Composite for Efficient Electromagnetic Interference Shielding. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 4454-4461	3.9	23
45	Highly thermally conductive and mechanically robust composite of linear ultrahigh molecular weight polyethylene and boron nitride via constructing nacre-like structure. <i>Composites Science and Technology</i> , 2019 , 184, 107858	8.6	22
44	Towards efficient electromagnetic interference shielding performance for polyethylene composites by structuring segregated carbon black/graphite networks. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2016 , 34, 1490-1499	3.5	21
43	Percolation and resistivity-temperature behaviours of carbon nanotube-carbon black hybrid loaded ultrahigh molecular weight polyethylene composites with segregated structures. <i>RSC Advances</i> , 2015 , 5, 61318-61323	3.7	18
42	Healable polyurethane/carbon nanotube composite with segregated structure for efficient electromagnetic interference shielding. <i>Composites Science and Technology</i> , 2020 , 200, 108446	8.6	16
41	An electrically conductive polymer composite with a co-continuous segregated structure for enhanced mechanical performance. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 11546-11554	7.1	16
40	Baroplastics with Robust Mechanical Properties and Reserved Processability through Hydrogen-Bonded Interactions. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 12008-12016	9.5	16
39	Highly Bendable and Durable Waterproof Paper for Ultra-High Electromagnetic Interference Shielding. <i>Polymers</i> , 2019 , 11,	4.5	15
38	A Healable and Mechanically Enhanced Composite with Segregated Conductive Network Structure for High-Efficient Electromagnetic Interference Shielding. <i>Nano-Micro Letters</i> , 2021 , 13, 162	19.5	15
37	Aramid nanofiber assisted preparation of self-standing liquid metal-based films for ultrahigh electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , 2021 , 426, 131288	14.7	15
36	A facile strategy to fabricate microencapsulated expandable graphite as a flame-retardant for rigid polyurethane foams. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	13
35	Non-isothermal crystallization of ethylene-vinyl acetate copolymer containing a high weight fraction of graphene nanosheets and carbon nanotubes. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012 , 30, 879-892	3.5	13
34	Repeatable, room-temperature-processed baroplastic-carbon nanotube composites for electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12955-12964	7.1	13
33	Anisotropically conductive polypropylene/nickel coated glass fiber composite via magnetic field inducement. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 9126-9131	2.1	12
32	Tunable positive liquid coefficient of an anisotropically conductive carbon nanotube-polymer composite. <i>Journal of Polymer Research</i> , 2011 , 18, 2239-2243	2.7	12

31	Steric stabilizer-based promotion of uniform polyaniline shell for enhanced electromagnetic wave absorption of carbon nanotube/polyaniline hybrids. <i>Composites Part B: Engineering</i> , 2020 , 199, 108309	10	12
30	Facile Construction of a Superhydrophobic Surface on a Textile with Excellent Electrical Conductivity and Stretchability. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 7546-7553	3.9	11
29	Layer-Structured Design and Fabrication of Cyanate Ester Nanocomposites for Excellent Electromagnetic Shielding with Absorption-Dominated Characteristic. <i>Polymers</i> , 2018 , 10,	4.5	11
28	Non-isothermal crystallization kinetics of alkyl-functionalized graphene oxide/high-density polyethylene nanocomposites. <i>Composite Interfaces</i> , 2014 , 21, 203-215	2.3	11
27	Octadecylamine-Grafted Graphene Oxide Helps the Dispersion of Carbon Nanotubes in Ethylene Vinyl Acetate. <i>Polymers</i> , 2017 , 9,	4.5	11
26	Influence of surface polarity of carbon nanotubes on electric field induced aligned conductive network formation in a polymer melt. <i>RSC Advances</i> , 2013 , 3, 24185	3.7	10
25	Temperature resistivity behaviour in carbon nanotube/ultrahigh molecular weight polyethylene composites with segregated and double percolated structure. <i>Plastics, Rubber and Composites</i> , 2013 , 42, 59-65	1.5	10
24	A reliable and highly conductive carbon nanotube/thermoplastic polyurethane composite with an enhanced segregated structure for electrically driven heater applications. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 8814-8822	7.1	10
23	Ultrathin, flexible and sandwich-structured PHBV/silver nanowire films for high-efficiency electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3307-3315	7.1	10
22	Ultraporous poly(lactic acid) scaffolds with improved mechanical performance using high-pressure molding and salt leaching. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 3509-3520	2.9	9
21	Flexible Poly(vinylidene fluoride)-MXene/Silver Nanowire Electromagnetic Shielding Films with Joule Heating Performance. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 9824-9832	3.9	8
20	Effects of dodecyl amine functionalized graphene oxide on the crystallization behavior of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	7
19	Highly linear and low hysteresis porous strain sensor for wearable electronic skins. <i>Composites Communications</i> , 2021 , 26, 100809	6.7	7
18	Carbonized cotton textile with hierarchical structure for superhydrophobicity and efficient electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 149, 106555	8.4	7
17	Flexible and heat-resistant carbon nanotube/graphene/polyimide foam for broadband microwave absorption. <i>Composites Science and Technology</i> , 2021 , 212, 108848	8.6	6
16	A wearable multifunctional fabric with excellent electromagnetic interference shielding and passive radiation heating performance. <i>Composites Part B: Engineering</i> , 2021 , 225, 109299	10	6
15	Synergetic Toughening Effect of Carbon Nanotubes and Nucleating Agents on the Polypropylene Random Copolymer/Styrene-Ethylene-Butylene- Styrene Block Copolymer Blends. <i>Polymers</i> , 2018 , 11,	4.5	5
14	Highly stretchable and durable fibrous strain sensor with growth ring-like spiral structure for wearable electronics. <i>Composites Part B: Engineering</i> , 2021 , 225, 109275	10	5

13	Low-Voltage Actuator with Bilayer Structure for Various Biomimetic Locomotions. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 43449-43457	9.5	4
12	Highly enhanced microwave absorption for carbon nanotube/barium ferrite composite with ultra-low carbon nanotube loading. <i>Journal of Materials Science and Technology</i> , 2022 , 102, 115-122	9.1	4
11	A facile strategy to modulate the fluorescent properties of star polymers by varying the arm numbers. <i>Journal of Polymer Research</i> , 2012 , 19, 1	2.7	3
10	Resistivity Relaxation of Anisotropic Conductive Polymer Composites. <i>Journal of Macromolecular Science - Physics</i> , 2013 , 52, 788-796	1.4	3
9	Highly Thermally Conductive Fluorinated Graphene/Aramid Nanofiber Films with Superior Mechanical Properties and Thermostability. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 8451-8459	3.9	3
8	A Conductive Carbon Nanotube-Polymer Composite Based on a Co-continuous Blend. <i>Journal of Macromolecular Science - Physics</i> , 2013 , 52, 167-177	1.4	2
7	Efficient electromagnetic interference shielding of flexible Ag microfiber sponge/polydimethylsiloxane composite constructed by blow spinning. <i>Composites Science and Technology</i> , 2022 , 220, 109281	8.6	2
6	Polyaniline-decorated carbon fibers for enhanced mechanical and electromagnetic interference shielding performances of epoxy composites. <i>Materials and Design</i> , 2022 , 217, 110658	8.1	2
5	CNT-assisted design of stable liquid metal droplets for flexible multifunctional composites. <i>Composites Part B: Engineering</i> , 2022 , 109961	10	2
4	Effective electromagnetic interference shielding properties of micro-truss structured CNT/Epoxy composites fabricated based on visible light processing. <i>Composites Science and Technology</i> , 2022 , 221, 109296	8.6	1
3	Low-voltage and controllable-developed actuator with bilayer structure based on triple-shape actuation. <i>Composites Science and Technology</i> , 2022 , 222, 109399	8.6	1
2	Flexible and Water-proof nylon mesh with ultralow silver content for effective electromagnetic interference shielding effectiveness. <i>Chemical Engineering Journal</i> , 2022 , 439, 135662	14.7	0
1	Fabrication of multilayered carbon fibrous membranes for high-efficiency electromagnetic absorption. <i>Journal of Applied Physics</i> , 2021 , 130, 175302	2.5	