Emmanuelle Dé

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6971676/publications.pdf

Version: 2024-02-01

172457 214800 2,417 67 29 47 citations h-index g-index papers 67 67 67 3096 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Contribution of Resistance-Nodulation-Cell Division Efflux Systems to Antibiotic Resistance and Biofilm Formation in Acinetobacter baumannii. MBio, 2015, 6, .	4.1	165
2	A new mechanism of antibiotic resistance in Enterobacteriaceae induced by a structural modification of the major porin. Molecular Microbiology, 2001, 41, 189-198.	2.5	134
3	Incorporation of a Hydrophobic Antibacterial Peptide into Amphiphilic Polyelectrolyte Multilayers: A Bioinspired Approach to Prepare Biocidal Thin Coatings. Advanced Functional Materials, 2008, 18, 758-765.	14.9	118
4	Channel Formation by CarO, the Carbapenem Resistance-Associated Outer Membrane Protein of <i>Acinetobacter baumannii</i> . Antimicrobial Agents and Chemotherapy, 2005, 49, 4876-4883.	3.2	111
5	Growth Retardation, Reduced Invasiveness, and Impaired Colistin-Mediated Cell Death Associated with Colistin Resistance Development in Acinetobacter baumannii. Antimicrobial Agents and Chemotherapy, 2014, 58, 828-832.	3.2	94
6	Biofilm formation at the solid-liquid and air-liquid interfaces by Acinetobacter species. BMC Research Notes, 2011, 4, 5.	1.4	84
7	Lysine Succinylation and Acetylation in <i>Pseudomonas aeruginosa</i> . Journal of Proteome Research, 2018, 17, 2449-2459.	3.7	81
8	Global Comparison of the Membrane Subproteomes between a Multidrug-Resistant <i>Acinetobacter baumannii</i> Strain and a Reference Strain. Journal of Proteome Research, 2006, 5, 3385-3398.	3.7	80
9	Growth of Acinetobacter baumannii in Pellicle Enhanced the Expression of Potential Virulence Factors. PLoS ONE, 2011, 6, e26030.	2.5	80
10	Structure–function relationships of CarO, the carbapenem resistance-associated outer membrane protein of Acinetobacter baumannii. Journal of Antimicrobial Chemotherapy, 2011, 66, 2053-2056.	3.0	78
11	Characterisation of Pellicles Formed by Acinetobacter baumannii at the Air-Liquid Interface. PLoS ONE, 2014, 9, e111660.	2.5	75
12	Ionophore properties of OmpA of Escherichia coli. Biochimica Et Biophysica Acta - Biomembranes, 1993, 1145, 119-123.	2.6	66
13	Virstatin inhibits biofilm formation and motility of Acinetobacter baumannii. BMC Microbiology, 2014, 14, 62.	3.3	66
14	Enhanced Adhesion of Campylobacter jejuni to Abiotic Surfaces Is Mediated by Membrane Proteins in Oxygen-Enriched Conditions. PLoS ONE, 2012, 7, e46402.	2.5	60
15	Enterobacter aerogenesOmpX, a cation-selective channelmar- and osmo-regulated. FEBS Letters, 2004, 569, 27-30.	2.8	59
16	Unsaturated Fatty Acids Affect Quorum Sensing Communication System and Inhibit Motility and Biofilm Formation of Acinetobacter baumannii. International Journal of Molecular Sciences, 2018, 19, 214.	4.1	58
17	Comparison between the biofilm initiation of <i> Campylobacter jejuni < /i > and <i> Campylobacter coli </i> > strains to an inert surface using BioFilm Ring Test < sup > \hat{A}^{\otimes} < /sup > . Journal of Applied Microbiology, 2010, 108, 1303-1312.</i>	3.1	57
18	Deciphering the Function of the Outer Membrane Protein OprD Homologue of Acinetobacter baumannii. Antimicrobial Agents and Chemotherapy, 2012, 56, 3826-3832.	3.2	57

#	Article	IF	CITATIONS
19	The outer membrane porin OmpW of <i>Acinetobacter baumannii</i> is involved in iron uptake and colistin binding. FEBS Letters, 2016, 590, 224-231.	2.8	54
20	MOMP (major outer membrane protein) of Campylobacter jejuni; a versatile pore-forming protein. FEBS Letters, 2000, 469, 93-97.	2.8	53
21	Alteration of pore properties of Escherichia coli OmpF induced by mutation of key residues in anti-loop 3 region. Biochemical Journal, 2002, 363, 521.	3.7	53
22	Global Dynamic Proteome Study of a Pellicle-forming Acinetobacter baumannii Strain. Molecular and Cellular Proteomics, 2017, 16, 100-112.	3.8	48
23	Ion channel formation by N-terminal domain: a common feature of OprFs ofPseudomonasand OmpA ofEscherichia coli. FEMS Microbiology Letters, 2000, 190, 261-265.	1.8	38
24	Colistin-Resistant Acinetobacter baumannii Clinical Strains with Deficient Biofilm Formation. Antimicrobial Agents and Chemotherapy, 2016, 60, 1892-1895.	3.2	38
25	Isolation, amino acid sequence and functional assays of SGTx1. The first toxin purified from the venom of the spider Scodra griseipes. FEBS Journal, 1999, 265, 572-579.	0.2	37
26	Pore Size Dependence on Growth Temperature Is a Common Characteristic of the Major Outer Membrane Protein OprF in Psychrotrophic and Mesophilic Pseudomonas Species. Applied and Environmental Microbiology, 2004, 70, 6665-6669.	3.1	37
27	Proteomic characterization of Nα- and Nε-acetylation in Acinetobacter baumannii. Journal of Proteomics, 2016, 144, 148-158.	2.4	34
28	Purification, characterization and sequence analysis of Omp50,a new porin isolated from Campylobacter jejuni. Biochemical Journal, 2000, 352, 637-643.	3.7	32
29	Growth temperature dependence of channel size of the major outer-membrane protein (OprF) in psychrotrophic Pseudomonas fluorescens strains. Microbiology (United Kingdom), 1997, 143, 1029-1035.	1.8	31
30	Amphiphilic biopolymers (amphibiopols) as new surfactants for membrane protein solubilization. Protein Science, 2003, 12, 681-689.	7.6	30
31	Ionic channels formed by a primary amphipathic peptide containing a signal peptide and a nuclear localization sequence. Biochimica Et Biophysica Acta - Biomembranes, 1998, 1375, 52-60.	2.6	25
32	Antibody-Conjugated Nanocarriers for Targeted Antibiotic Delivery: Application in the Treatment of Bacterial Biofilms. Biomacromolecules, 2021, 22, 1639-1653.	5.4	25
33	Proteomic comparison of outer membrane protein patterns of sessile and planktonic Pseudomonas aeruginosa cells. Biofilms, 2005, 2, 27-36.	0.6	23
34	Anti-persister activity of squalamine against Acinetobacter baumannii. International Journal of Antimicrobial Agents, 2019, 53, 337-342.	2.5	19
35	Immobilization Induces Alterations in the Outer Membrane Protein Pattern of Yersiniaruckeri. Journal of Proteome Research, 2005, 4, 1988-1998.	3.7	18
36	Chemical modification of xanthan in the ordered and disordered states: An open route for tuning the physico-chemical properties. Carbohydrate Polymers, 2017, 178, 115-122.	10.2	18

#	Article	IF	Citations
37	Functional refolding of the Campylobacter jejuni MOMP (major outer membrane protein) porin by GroEL from the same species. Biochemical Journal, 2004, 378, 851-856.	3.7	16
38	Charge and aggregation pattern govern the interaction of plasticins with LPS monolayers mimicking the external leaflet of the outer membrane of Gram-negative bacteria. Biochimica Et Biophysica Acta - Biomembranes, 2015, 1848, 2967-2979.	2.6	16
39	Application of Polymeric Nanocarriers for Enhancing the Bioavailability of Antibiotics at the Target Site and Overcoming Antimicrobial Resistance. Applied Sciences (Switzerland), 2021, 11, 10695.	2.5	16
40	Synthesis and characterization of a new biotinylated gramicidin., 1998, 4, 371-377.		15
41	Evidence for association of lipopolysaccharide with Pseudomonas fluorescens strain MF0 porin OprF. Research in Microbiology, 2000, 151, 873-876.	2.1	15
42	Influence of the passenger domain of a model autotransporter on the properties of its translocator domain. Molecular Membrane Biology, 2008, 25, 192-202.	2.0	15
43	Adaptation of Salmonella enterica Hadar under static magnetic field: effects on outer membrane protein pattern. Proteome Science, 2012, 10, 6.	1.7	15
44	Carboxymethylpullulan Grafted with Aminoguaiacol: Synthesis, Characterization, and Assessment of Antibacterial and Antioxidant Properties. Biomacromolecules, 2017, 18, 3238-3251.	5.4	15
45	Chronic wound healing: A specific antibiofilm protein-asymmetric release system. Materials Science and Engineering C, 2020, 106, 110130.	7.3	15
46	Functional characterization of Pseudomonas fluorescens OprE and OprQ membrane proteins. Biochemical and Biophysical Research Communications, 2006, 346, 1048-1052.	2.1	14
47	Membrane phospholipid composition of Pseudomonas aeruginosa grown in a cystic fibrosis mucus-mimicking medium. Biochimica Et Biophysica Acta - Biomembranes, 2021, 1863, 183482.	2.6	14
48	Purification, characterization and sequence analysis of Omp50,a new porin isolated from Campylobacter jejuni. Biochemical Journal, 2000, 352, 637.	3.7	12
49	Involvement of the C-terminal part of Pseudomonas fluorescens OprF in the modulation of its pore-forming properties. Biochimica Et Biophysica Acta - Biomembranes, 2000, 1509, 237-244.	2.6	10
50	Stabilization of membranes upon interaction of amphipathic polymers with membrane proteins. Protein Science, 2008, 13, 3056-3058.	7.6	10
51	Identification by mass spectrometry of glucosaminylphosphatidylglycerol, a phosphatidylglycerol derivative, produced by <i>Pseudomonas aeruginosa</i> . Rapid Communications in Mass Spectrometry, 2018, 32, 2113-2121.	1.5	8
52	BioFluxâ,,¢ 200 Microfluidic System to Study A. baumannii Biofilm Formation in a Dynamic Mode of Growth. Methods in Molecular Biology, 2019, 1946, 167-176.	0.9	8
53	Determination of the collision cross sections of cardiolipins and phospholipids from Pseudomonas aeruginosa by traveling wave ion mobility spectrometry-mass spectrometry using a novel correction strategy. Analytical and Bioanalytical Chemistry, 2019, 411, 8123-8131.	3.7	8
54	MacAB-TolC Contributes to the Development of Acinetobacter baumannii Biofilm at the Solid–Liquid Interface. Frontiers in Microbiology, 2021, 12, 785161.	3.5	8

#	Article	IF	CITATIONS
55	Conformation and ion channel properties of a five-helix bundle protein. Journal of Peptide Science, 2001, 7, 41-49.	1.4	7
56	Characterization of new outer membrane proteins of Pseudomonas aeruginosa using a combinatorial peptide ligand library. Analytical and Bioanalytical Chemistry, 2015, 407, 1513-1518.	3.7	7
57	Design of an anti-adhesive surface by a pilicide strategy. Colloids and Surfaces B: Biointerfaces, 2016, 146, 895-901.	5.0	7
58	Isolation and characterisation of the major outer membrane protein of Erwinia carotovora. Biochimica Et Biophysica Acta - Biomembranes, 2001, 1515, 12-22.	2.6	6
59	Membrane proteomes of Pseudomonas aeruginosa and Acinetobacter baumannii. Pathologie Et Biologie, 2011, 59, e136-e139.	2.2	5
60	Unraveling the effects of static magnetic field stress on cytosolic proteins of Salmonella by using a proteomic approach. Canadian Journal of Microbiology, 2016, 62, 338-348.	1.7	5
61	Chromosomal His-tagging: An alternative approach to membrane protein purification. Proteomics, 2007, 7, 399-402.	2.2	3
62	Phosphorylation of Extracellular Proteins in Acinetobacter baumannii in Sessile Mode of Growth. Frontiers in Microbiology, 2021, 12, 738780.	3.5	3
63	lon channel formation by N-terminal domain: a common feature of OprFs of Pseudomonas and OmpA of Escherichia coli. FEMS Microbiology Letters, 2000, 190, 261-265.	1.8	3
64	Membrane Proteocomplexome of Campylobacter jejuni Using 2-D Blue Native/SDS-PAGE Combined to Bioinformatics Analysis. Frontiers in Microbiology, 2020, 11, 530906.	3.5	2
65	Modification of poly(dimethyl siloxane) surfaces with an antibacterial claramine-derivative through click-chemistry grafting. Reactive and Functional Polymers, 2021, , 105102.	4.1	2
66	Pseudomonas aeruginosa produces phosphatidyltris(hydroxymethyl)aminomethane and derivatives when grown in Tris-buffered medium. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 703-714.	2.4	1
67	Antibody Conjugated Nanocarriers for Targeted Antibiotic Delivery: Application in the Treatment of Bacterial Biofilm Infections. SSRN Electronic Journal, 0, , .	0.4	O