

Marina Ziche

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6971694/publications.pdf>

Version: 2024-02-01

132
papers

7,217
citations

53751

45
h-index

60583

81
g-index

133
all docs

133
docs citations

133
times ranked

9418
citing authors

#	ARTICLE	IF	CITATIONS
1	VEGF165b, an Inhibitory Vascular Endothelial Growth Factor Splice Variant. <i>Cancer Research</i> , 2004, 64, 7822-7835.	0.4	416
2	Role of Nitric Oxide in Angiogenesis and Tumor Progression in Head and Neck Cancer. <i>Journal of the National Cancer Institute</i> , 1998, 90, 587-596.	3.0	404
3	Nitric Oxide Is an Upstream Signal of Vascular Endothelial Growth Factor-induced Extracellular Signal-regulated Kinase $\frac{1}{2}$ Activation in Postcapillary Endothelium. <i>Journal of Biological Chemistry</i> , 1998, 273, 4220-4226.	1.6	392
4	VEGF upregulates ecNOS message, protein, and NO production in human endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 274, H1054-H1058.	1.5	366
5	Nitric oxide and angiogenesis. <i>Journal of Neuro-Oncology</i> , 2000, 50, 139-148.	1.4	315
6	Induction of inflammatory angiogenesis by monocyte chemoattractant protein-1. , 1999, 82, 765-770.		280
7	Substance P stimulates neovascularization in vivo and proliferation of cultured endothelial cells. <i>Microvascular Research</i> , 1990, 40, 264-278.	1.1	268
8	Luteolin Inhibits Vascular Endothelial Growth Factor-Induced Angiogenesis; Inhibition of Endothelial Cell Survival and Proliferation by Targeting Phosphatidylinositol 3 α -Kinase Activity. <i>Cancer Research</i> , 2004, 64, 7936-7946.	0.4	194
9	Nitric Oxide Promotes Proliferation and Plasminogen Activator Production by Coronary Venular Endothelium Through Endogenous bFGF. <i>Circulation Research</i> , 1997, 80, 845-852.	2.0	182
10	Analysis of the role of chemokines in angiogenesis. <i>Journal of Immunological Methods</i> , 2003, 273, 83-101.	0.6	168
11	Role of Nitric Oxide in the Modulation of Angiogenesis. <i>Current Pharmaceutical Design</i> , 2003, 9, 521-530.	0.9	161
12	The bradykinin/B1 receptor promotes angiogenesis by up α regulation of endogenous FGF α 2 in endothelium via the nitric oxide synthase pathway. <i>FASEB Journal</i> , 2001, 15, 1487-1489.	0.2	147
13	The heparin binding 25 kDa fragment of thrombospondin α 1 promotes angiogenesis and modulates gelatinase and TIMP α 2 production in endothelial cells. <i>FASEB Journal</i> , 2000, 14, 1674-1676.	0.2	146
14	Prostaglandin E2 Regulates Angiogenesis via Activation of Fibroblast Growth Factor Receptor-1. <i>Journal of Biological Chemistry</i> , 2008, 283, 2139-2146.	1.6	104
15	NK ₁ α receptors mediate the proliferative response of human fibroblasts to tachykinins. <i>British Journal of Pharmacology</i> , 1990, 100, 11-14.	2.7	101
16	Aminoflavone, a Ligand of the Aryl Hydrocarbon Receptor, Inhibits HIF-1 α Expression in an AhR-Independent Fashion. <i>Cancer Research</i> , 2010, 70, 6837-6848.	0.4	96
17	Abolished angiogenicity and tumorigenicity of Burkitt lymphoma by interleukin-10. <i>Blood</i> , 2000, 96, 2568-2573.	0.6	90
18	Functional and pharmacological characterization of a VEGF mimetic peptide on reparative angiogenesis. <i>Biochemical Pharmacology</i> , 2012, 84, 303-311.	2.0	88

#	ARTICLE	IF	CITATIONS
19	EP2 prostanoid receptor promotes squamous cell carcinoma growth through epidermal growth factor receptor transactivation and iNOS and ERK1/2 pathways. <i>FASEB Journal</i> , 2007, 21, 2418-2430.	0.2	86
20	Constitutive and Inducible Nitric Oxide Synthase: Role in Angiogenesis. <i>Antioxidants and Redox Signaling</i> , 2002, 4, 817-823.	2.5	85
21	Stemness marker ALDH1A1 promotes tumor angiogenesis via retinoic acid/HIF-1 α /VEGF signalling in MCF-7 breast cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 311.	3.5	83
22	B1 receptor involvement in the effect of bradykinin on venular endothelial cell proliferation and potentiation of FGF-2 effects. <i>British Journal of Pharmacology</i> , 1998, 124, 1286-1292.	2.7	80
23	VEGF induces signalling and angiogenesis by directing VEGFR2 internalisation via macropinocytosis.. <i>Journal of Cell Science</i> , 2016, 129, 4091-4104.	1.2	80
24	A α peptides accelerate the senescence of endothelial cells <i>in vitro</i> and <i>in vivo</i> , impairing angiogenesis. <i>FASEB Journal</i> , 2010, 24, 2385-2395.	0.2	79
25	Inhibitory Effect of Full-Length Human Endostatin on <i>in Vitro</i> Angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 1999, 263, 340-345.	1.0	75
26	Simulated hypogravity impairs the angiogenic response of endothelium by up-regulating apoptotic signals. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 491-499.	1.0	75
27	Antiproliferative activity of new 1-aryl-4-amino-1H-pyrazolo[3,4-d]pyrimidine derivatives toward the human epidermoid carcinoma A431 cell line. <i>European Journal of Medicinal Chemistry</i> , 2004, 39, 939-946.	2.6	71
28	Divergent effects of quercetin conjugates on angiogenesis. <i>British Journal of Nutrition</i> , 2006, 95, 1016-1023.	1.2	71
29	Genetic and pharmacologic inactivation of cannabinoid CB1 receptor inhibits angiogenesis. <i>Blood</i> , 2011, 117, 5541-5550.	0.6	70
30	Development of New Drugs in Angiogenesis. <i>Current Drug Targets</i> , 2004, 5, 485-493.	1.0	70
31	The natural compound n-butylidenephthalide derived from the volatile oil of <i>Radix Angelica sinensis</i> inhibits angiogenesis <i>in vitro</i> and <i>in vivo</i> . <i>Angiogenesis</i> , 2011, 14, 187-197.	3.7	69
32	Cell-Mediated Delivery of Fibroblast Growth Factor-2 and Vascular Endothelial Growth Factor onto the Chick Chorioallantoic Membrane: Endothelial Fenestration and Angiogenesis. <i>Journal of Vascular Research</i> , 2001, 38, 389-397.	0.6	66
33	Interaction of Fibroblast Growth Factor-2 (FGF-2) with Free Gangliosides: Biochemical Characterization and Biological Consequences in Endothelial Cell Cultures. <i>Molecular Biology of the Cell</i> , 1999, 10, 313-327.	0.9	65
34	N-myc oncogene overexpression down-regulates IL-6; evidence that IL-6 inhibits angiogenesis and suppresses neuroblastoma tumor growth. <i>Oncogene</i> , 2002, 21, 3552-3561.	2.6	65
35	Hepatocyte Growth Factor and Inducible Nitric Oxide Synthase Are Involved in Multidrug Resistance-Induced Angiogenesis in Hepatocellular Carcinoma Cell Lines. <i>Cancer Research</i> , 2006, 66, 2673-2682.	0.4	60
36	Inhibition of Hypoxia Inducible Factor-1 α by Dihydroxyphenylethanol, a Product from Olive Oil, Blocks Microsomal Prostaglandin-E Synthase-1/Vascular Endothelial Growth Factor Expression and Reduces Tumor Angiogenesis. <i>Clinical Cancer Research</i> , 2010, 16, 4207-4216.	3.2	59

#	ARTICLE	IF	CITATIONS
37	Nanostructured HA crystals up-regulate FGF-2 expression and activity in microvascular endothelium promoting angiogenesis. <i>Bone</i> , 2007, 41, 523-534.	1.4	58
38	Angiosuppressive and angiostimulatory effects exerted by synthetic partial sequences of endostatin. <i>Clinical Cancer Research</i> , 2003, 9, 5358-69.	3.2	57
39	Hydroxytyrosol, a product from olive oil, reduces colon cancer growth by enhancing epidermal growth factor receptor degradation. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 519-529.	1.5	56
40	Molecular regulation of tumour angiogenesis by nitric oxide. <i>European Cytokine Network</i> , 2009, 20, 164-170.	1.1	55
41	Protective effect of 4-coumaric acid from UVB ray damage in the rabbit eye. <i>Toxicology</i> , 2009, 255, 1-5.	2.0	53
42	Peroxynitrite inactivates human tissue inhibitor of metalloproteinase-4. <i>FEBS Letters</i> , 2008, 582, 1135-1140.	1.3	49
43	Mitochondrial aldehyde dehydrogenase-2 activation prevents β amyloids induced endothelial cell dysfunction and restores angiogenesis. <i>Journal of Cell Science</i> , 2013, 126, 1952-61.	1.2	49
44	Physiological levels of amyloid peptides stimulate the angiogenic response through FGF-2. <i>FASEB Journal</i> , 2004, 18, 1943-1945.	0.2	48
45	ERK1-2 and p38 MAPK regulate MMP/TIMP balance and function in response to thrombospondin-1 fragments in the microvascular endothelium. <i>Life Sciences</i> , 2004, 74, 2975-2985.	2.0	48
46	Prostaglandin E 2 Primes the Angiogenic Switch via a Synergic Interaction With the Fibroblast Growth Factor-2 Pathway. <i>Circulation Research</i> , 2009, 105, 657-666.	2.0	48
47	β PKC inhibition or δ PKC activation repairs endothelial vascular dysfunction by regulating eNOS post-translational modification. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 746-756.	0.9	43
48	Antagonism of Bradykinin B2 Receptor Prevents Inflammatory Responses in Human Endothelial Cells by Quenching the NF- κ B Pathway Activation. <i>PLoS ONE</i> , 2014, 9, e84358.	1.1	42
49	Dutch and arctic mutant peptides of β amyloid 1-40 differentially affect the FGF-2 pathway in brain endothelium. <i>Experimental Cell Research</i> , 2009, 315, 385-395.	1.2	39
50	Sulfhydryl Angiotensin-Converting Enzyme Inhibitor Promotes Endothelial Cell Survival through Nitric-Oxide Synthase, Fibroblast Growth Factor-2, and Telomerase Cross-Talk. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 776-784.	1.3	39
51	mPGES-1 in prostate cancer controls stemness and amplifies epidermal growth factor receptor-driven oncogenicity. <i>Endocrine-Related Cancer</i> , 2015, 22, 665-678.	1.6	39
52	Pharmacological Inhibition of Microsomal Prostaglandin E Synthase-1 Suppresses Epidermal Growth Factor Receptor-Mediated Tumor Growth and Angiogenesis. <i>PLoS ONE</i> , 2012, 7, e40576.	1.1	39
53	Effects of Substance P on Mesenteric Lymphatic Contractility in the Rat. <i>Lymphatic Research and Biology</i> , 2004, 2, 2-10.	0.5	38
54	H2S dependent and independent anti-inflammatory activity of zofenoprilat in cells of the vascular wall. <i>Pharmacological Research</i> , 2016, 113, 426-437.	3.1	38

#	ARTICLE	IF	CITATIONS
55	Gangliosides, copper ions and angiogenic capacity of adult tissues. <i>Cancer and Metastasis Reviews</i> , 1990, 9, 239-251.	2.7	37
56	Pyrazolo-pyrimidine-derived c-Src inhibitor reduces angiogenesis and survival of squamous carcinoma cells by suppressing vascular endothelial growth factor production and signaling. <i>International Journal of Cancer</i> , 2006, 120, 995-1004.	2.3	37
57	The sulphhydryl containing ACE inhibitor Zofenoprilat protects coronary endothelium from Doxorubicin-induced apoptosis. <i>Pharmacological Research</i> , 2013, 76, 171-181.	3.1	37
58	The Syndecan-4/Protein Kinase C β Pathway Mediates Prostaglandin E2-induced Extracellular Regulated Kinase (ERK) Activation in Endothelial Cells and Angiogenesis in Vivo. <i>Journal of Biological Chemistry</i> , 2013, 288, 12712-12721.	1.6	37
59	PGE2/EP3/SRC signaling induces EGFR nuclear translocation and growth through EGFR ligands release in lung adenocarcinoma cells. <i>Oncotarget</i> , 2017, 8, 31270-31287.	0.8	36
60	Fibroblast Growth Factor-2 Mediates Angiotensin-Converting Enzyme Inhibitor-Induced Angiogenesis in Coronary Endothelium. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 515-522.	1.3	35
61	Common Protective Strategies in Neurodegenerative Disease: Focusing on Risk Factors to Target the Cellular Redox System. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-18.	1.9	34
62	ALDH3A1 Overexpression in Melanoma and Lung Tumors Drives Cancer Stem Cell Expansion, Impairing Immune Surveillance through Enhanced PD-L1 Output. <i>Cancers</i> , 2019, 11, 1963.	1.7	33
63	Effects of cortisone with and without heparin on angiogenesis induced by prostaglandin e1 and by s180 cells, and on growth of murine transplantable tumours. <i>International Journal of Cancer</i> , 1985, 35, 549-552.	2.3	31
64	The soluble guanylyl cyclase inhibitor NS-2028 reduces vascular endothelial growth factor-induced angiogenesis and permeability. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 298, R824-R832.	0.9	31
65	A proangiogenic peptide derived from vascular endothelial growth factor receptor-1 acts through β 1 integrin. <i>Blood</i> , 2008, 111, 3479-3488.	0.6	30
66	Prostaglandin E2 transactivates the colony-stimulating factor-1 receptor and synergizes with colony-stimulating factor-1 in the induction of macrophage migration via the mitogen-activated protein kinase ERK1/2. <i>FASEB Journal</i> , 2015, 29, 2545-2554.	0.2	30
67	Inhibition of cell cycle progression by the hydroxytyrosol-cetuximab combination yields enhanced chemotherapeutic efficacy in colon cancer cells. <i>Oncotarget</i> , 2017, 8, 83207-83224.	0.8	30
68	Formulation of liposomes functionalized with Lotus lectin and effective in targeting highly proliferative cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 860-870.	1.1	29
69	Activation of MAPKs in Proximal Tubule Cells From Spontaneously Hypertensive and Control Wistar-Kyoto Rats. <i>Hypertension</i> , 2000, 35, 1160-1166.	1.3	28
70	PKC μ activation promotes FGF-2 exocytosis and induces endothelial cell proliferation and sprouting. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 63, 107-117.	0.9	28
71	ETB Receptors Promote Proliferation and Migration of Endothelial Cells. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 26, S284-286.	0.8	28
72	Cu(II) and Zn(II) complexes with hyaluronic acid and its sulphated derivative. <i>Journal of Inorganic Biochemistry</i> , 2000, 81, 229-237.	1.5	27

#	ARTICLE	IF	CITATIONS
73	Plasminogen Activators (Urokinase) Mediate Neovascularization: Possible Role in Tumor Angiogenesis. <i>Seminars in Thrombosis and Hemostasis</i> , 1986, 12, 337-338.	1.5	25
74	Prevention of ischemic brain injury by treatment with the membrane penetrating apoptosis inhibitor, TAT-BH4. <i>Cell Cycle</i> , 2009, 8, 1271-1278.	1.3	25
75	New Insights Into Blood-Brain Barrier Maintenance: The Homeostatic Role of β -Amyloid Precursor Protein in Cerebral Vasculature. <i>Frontiers in Physiology</i> , 2020, 11, 1056.	1.3	25
76	Linking microsomal prostaglandin E Synthase-1/PGE-2 pathway with miR-15a and β -tubulin expression: Novel mechanism of VEGF modulation in prostate cancer. <i>Oncotarget</i> , 2016, 7, 44350-44364.	0.8	24
77	ALDH2 Activity Reduces Mitochondrial Oxygen Reserve Capacity in Endothelial Cells and Induces Senescence Properties. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.	1.9	23
78	PGE2 mediates EGFR internalization and nuclear translocation via caveolin endocytosis promoting its transcriptional activity and proliferation in human NSCLC cells. <i>Oncotarget</i> , 2018, 9, 14939-14958.	0.8	23
79	Miniaturizing VEGF: Peptides mimicking the discontinuous VEGF receptor-binding site modulate the angiogenic response. <i>Scientific Reports</i> , 2016, 6, 31295.	1.6	21
80	Targeting endothelial-to-mesenchymal transition: the protective role of hydroxytyrosol sulfate metabolite. <i>European Journal of Nutrition</i> , 2020, 59, 517-527.	1.8	21
81	Monitoring Endothelial and Tissue Responses to Cobalt Ferrite Nanoparticles and Hybrid Hydrogels. <i>PLoS ONE</i> , 2016, 11, e0168727.	1.1	21
82	Targeting endothelial cell metabolism for cardio-protection from the toxicity of antitumor agents. <i>Cardio-Oncology</i> , 2016, 2, 3.	0.8	20
83	The effect of linomide on the migration and the proliferation of capillary endothelial cells elicited by vascular endothelial growth factor. <i>British Journal of Pharmacology</i> , 1996, 119, 619-621.	2.7	19
84	RNA-mediated gene silencing of FUT1 and FUT2 influences expression and activities of bovine and human fucosylated nucleolin and inhibits cell adhesion and proliferation. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 229-238.	1.2	19
85	Vimentin expression influences flow dependent VASP phosphorylation and regulates cell migration and proliferation. <i>Biochemical and Biophysical Research Communications</i> , 2010, 395, 401-406.	1.0	17
86	Calcitonin gene-related peptide selectively increases cAMP levels in the guinea-pig ureter. <i>European Journal of Pharmacology</i> , 1995, 289, 17-21.	2.7	16
87	Bradykinin B2 Receptor Contributes to Inflammatory Responses in Human Endothelial Cells by the Transactivation of the Fibroblast Growth Factor Receptor FGFR-1. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2638.	1.8	16
88	Sex-tailored pharmacology and COVID-19: Next steps towards appropriateness and health equity. <i>Pharmacological Research</i> , 2021, 173, 105848.	3.1	16
89	A Non-Peptide NK1 Receptor Agonist Showing Subpicomolar Affinity. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 1315-1318.	2.9	15
90	Endothelial Aldehyde Dehydrogenase 2 as a Target to Maintain Vascular Wellness and Function in Ageing. <i>Biomedicines</i> , 2020, 8, 4.	1.4	15

#	ARTICLE	IF	CITATIONS
91	A fucose-containing O-glycoepitope on bovine and human nucleolin. <i>Glycobiology</i> , 2008, 19, 337-343.	1.3	12
92	How to conjugate the stemness marker ALDH1A1 with tumor angiogenesis, progression, and drug resistance. , 2020, 3, 26-37.		12
93	Repurposing of drugs for triple negative breast cancer: an overview. <i>Ecancermedicalsecience</i> , 2020, 14, 1071.	0.6	12
94	Distinct capillary density and progression promoted by vascular endothelial growth factor-A homodimers and heterodimers. <i>Angiogenesis</i> , 1997, 1, 117-130.	3.7	11
95	Amyloid- β Precursor Protein APP Down-Regulation Alters Actin Cytoskeleton-Interacting Proteins in Endothelial Cells. <i>Cells</i> , 2020, 9, 2506.	1.8	11
96	The Corneal Pocket Assay. <i>Methods in Molecular Biology</i> , 2009, 467, 319-329.	0.4	11
97	Thapsigargin Inhibits the Response to Acetylcholine and Substance P But Does Not Interfere with the Responses to Endothelium-Independent Agents. <i>Journal of Cardiovascular Pharmacology</i> , 1996, 28, 82-88.	0.8	11
98	First-Line Pharmacotherapies and Survival among Patients Diagnosed with Non-Resectable NSCLC: A Real-Life Setting Study with Gender Prospective. <i>Cancers</i> , 2021, 13, 6129.	1.7	11
99	Linking of mPGES-1 and iNOS activates stem-like phenotype in EGFR-driven epithelial tumor cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2017, 66, 17-29.	1.2	10
100	ALDH1A1 overexpression in melanoma cells promotes tumor angiogenesis by activating the IL-8/Notch signaling cascade. <i>International Journal of Molecular Medicine</i> , 2022, 50, .	1.8	10
101	VEGF induces signalling and angiogenesis by directing VEGFR2 internalisation through macropinocytosis. <i>Development (Cambridge)</i> , 2016, 143, e1.1-e1.1.	1.2	9
102	Nitric oxide modulates the angiogenic phenotype of middle-T transformed endothelial cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2001, 33, 305-313.	1.2	8
103	The Corneal Pocket Assay. <i>Methods in Molecular Biology</i> , 2015, 1214, 15-28.	0.4	8
104	Involvement of Bradykinin B2 Receptor in Pathological Vascularization in Oxygen-Induced Retinopathy in Mice and Rabbit Cornea. <i>International Journal of Molecular Sciences</i> , 2018, 19, 330.	1.8	7
105	Therapeutic Implications of the Nitric Oxide Pathway in the Angiogenesis of Tumors and Inflammatory-Related Disorders. , 2019, , 65-91.		7
106	Influence of lithium on mammary tumor growth in vivo. <i>Cancer Letters</i> , 1980, 9, 219-224.	3.2	5
107	Vasorelaxant effects induced by the antiangiogenic drug linomide in aortic and saphenous vein preparations of the rabbit. <i>British Journal of Pharmacology</i> , 1997, 122, 1739-1745.	2.7	5
108	Hydrogen Peroxide Mediates Endothelium-Dependent Dilation of Coronary Arterioles in Obese Rats on a Low-Carbohydrate Diet. <i>Microcirculation</i> , 2013, 20, 599-608.	1.0	5

#	ARTICLE	IF	CITATIONS
109	The Rabbit Corneal Pocket Assay. <i>Methods in Molecular Biology</i> , 2016, 1430, 299-310.	0.4	5
110	mPGES-1 as a new target to overcome acquired resistance to gefitinib in non-small cell lung cancer cell lines. <i>Prostaglandins and Other Lipid Mediators</i> , 2019, 143, 106344.	1.0	5
111	Real word evidence on rituximab utilization: Combining administrative and hospital-pharmacy data. <i>PLoS ONE</i> , 2020, 15, e0229973.	1.1	5
112	Molecular Mechanisms of Resistance to Anti-Angiogenic Drugs. <i>Critical Reviews in Oncogenesis</i> , 2021, 26, 39-66.	0.2	5
113	Non-peptide NK1 receptor ligands based on the 4-phenylpyridine moiety. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2242-2251.	1.4	4
114	Studying Vascular Angiogenesis and Senescence in Zebrafish Embryos. <i>Methods in Molecular Biology</i> , 2016, 1430, 387-400.	0.4	4
115	Nitric Oxide and PGE-2 Cross-Talk in EGFR-Driven Epithelial Tumor Cells. <i>Critical Reviews in Oncogenesis</i> , 2016, 21, 325-331.	0.2	3
116	Sex differences in the utilization of drugs for COVID-19 treatment among elderly residents in a sample of Italian nursing homes. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 489-494.	0.9	3
117	Real-World Utilization of Target- and Immunotherapies for Lung Cancer: A Scoping Review of Studies Based on Routinely Collected Electronic Healthcare Data. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7679.	1.2	2
118	Trophic role of neurokinin in vitro models. <i>Pharmacological Research</i> , 1990, 22, 507.	3.1	1
119	Absence of PAF actions increases angiogenesis. <i>British Journal of Pharmacology</i> , 2004, 141, 1085-1086.	2.7	1
120	Late Breaking Science posters 657 Aldehyde Dehydrogenase 2 regulates senescence in the vascular endothelium 658 Monoamine oxidase is over-activated in the left and right ventricles from human ischemic hearts: an intriguing therapeutic target 659 A novel assay for regulating transcription factors by flow 660 Remote ischaemic conditioning reduces infarct size in animal in vivo models of ischaemia-reperfusion injury: a systematic review and meta-analysis 661 The Role of Histone Methyl-transferase G9a in Heart Homeostasis. <i>Cardiovascular Research</i> , 2016, 111, S117-S119.	1.8	1
121	Studying Angiogenesis in the Rabbit Corneal Pocket Assay. <i>Methods in Molecular Biology</i> , 2021, 2206, 89-101.	0.4	1
122	Endothelin promote growth and migration of capillary endothelial cells in vitro. <i>Pharmacological Research</i> , 1990, 22, 506.	3.1	0
123	Substance P induces migration of isolated capillary endothelial cells. <i>Pharmacological Research</i> , 1990, 22, 342.	3.1	0
124	The Italian 'Special Project on Angiogenesis'. <i>Angiogenesis</i> , 1997, 1, 20-21.	3.7	0
125	Biology and physiopathology of angiogenesis: the 1997 Philippe Laudat Conference. , 1998, 2, 111-113.		0
126	Funding Italian Research. <i>Science</i> , 1995, 269, 1499-1500.	6.0	0

#	ARTICLE	IF	CITATIONS
127	Interaction of Neutrophils with Endothelial Cells, Fibroblasts and Their Extracellular Matrices: Microscopic and Computerised Analysis. ATLA Alternatives To Laboratory Animals, 1988, 16, 48-53.	0.7	0
128	Real word evidence on rituximab utilization: Combining administrative and hospital-pharmacy data. , 2020, 15, e0229973.		0
129	Real word evidence on rituximab utilization: Combining administrative and hospital-pharmacy data. , 2020, 15, e0229973.		0
130	Real word evidence on rituximab utilization: Combining administrative and hospital-pharmacy data. , 2020, 15, e0229973.		0
131	Real word evidence on rituximab utilization: Combining administrative and hospital-pharmacy data. , 2020, 15, e0229973.		0
132	Development and validation of a case-finding algorithm for the identification of non-small cell lung cancers in a region-wide Italian pathology registry. PLoS ONE, 2022, 17, e0269232.	1.1	0