

# Chris Pantelis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6972076/publications.pdf>

Version: 2024-02-01

748  
papers

66,074  
citations

766

119  
h-index

1345

223  
g-index

842  
all docs

842  
docs citations

842  
times ranked

49596  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014, 511, 421-427.	13.7	6,934
2	LD Score regression distinguishes confounding from polygenicity in genome-wide association studies. <i>Nature Genetics</i> , 2015, 47, 291-295.	9.4	3,905
3	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. <i>Lancet, The</i> , 2003, 361, 281-288.	6.3	1,211
4	Modeling Linkage Disequilibrium Increases Accuracy of Polygenic Risk Scores. <i>American Journal of Human Genetics</i> , 2015, 97, 576-592.	2.6	1,098
5	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
6	Whole-brain anatomical networks: Does the choice of nodes matter?. <i>NeuroImage</i> , 2010, 50, 970-983.	2.1	1,072
7	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
8	Cognitive endophenotypes of bipolar disorder: A meta-analysis of neuropsychological deficits in euthymic patients and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2009, 113, 1-20.	2.0	855
9	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
10	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017, 174, 216-229.	4.0	685
11	Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 616-622.	1.3	680
12	Theory of mind impairment in schizophrenia: Meta-analysis. <i>Schizophrenia Research</i> , 2009, 109, 1-9.	1.1	640
13	Schizophrenia, neuroimaging and connectomics. <i>NeuroImage</i> , 2012, 62, 2296-2314.	2.1	640
14	Gray matter abnormalities in Major Depressive Disorder: A meta-analysis of voxel based morphometry studies. <i>Journal of Affective Disorders</i> , 2012, 138, 9-18.	2.0	638
15	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
16	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	0.7	627
17	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	13.5	623
18	Partitioning Heritability of Regulatory and Cell-Type-Specific Variants across 11 Common Diseases. <i>American Journal of Human Genetics</i> , 2014, 95, 535-552.	2.6	569

#	ARTICLE	IF	CITATIONS
19	Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis. Archives of General Psychiatry, 2006, 63, 139.	13.8	559
20	Normative Data From the Cantab. I: Development of Executive Function Over the Lifespan. Journal of Clinical and Experimental Neuropsychology, 2003, 25, 242-254.	0.8	550
21	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. Molecular Psychiatry, 2018, 23, 1261-1269.	4.1	522
22	Brain charts for the human lifespan. Nature, 2022, 604, 525-533.	13.7	518
23	Altered Corticostriatal Functional Connectivity in Obsessive-compulsive Disorder. Archives of General Psychiatry, 2009, 66, 1189.	13.8	508
24	Structural Brain Imaging Evidence for Multiple Pathological Processes at Different Stages of Brain Development in Schizophrenia. Schizophrenia Bulletin, 2005, 31, 672-696.	2.3	479
25	The genetic architecture of the human cerebral cortex. Science, 2020, 367, .	6.0	450
26	Cognitive impairment in euthymic major depressive disorder: a meta-analysis. Psychological Medicine, 2013, 43, 2017-2026.	2.7	412
27	Regional Brain Abnormalities Associated With Long-term Heavy Cannabis Use. Archives of General Psychiatry, 2008, 65, 694.	13.8	410
28	Disrupted Axonal Fiber Connectivity in Schizophrenia. Biological Psychiatry, 2011, 69, 80-89.	0.7	404
29	Neuroanatomical abnormalities in schizophrenia: A multimodal voxelwise meta-analysis and meta-regression analysis. Schizophrenia Research, 2011, 127, 46-57.	1.1	394
30	Frontal-striatal cognitive deficits in patients with chronic schizophrenia. Brain, 1997, 120, 1823-1843.	3.7	382
31	Accelerated Brain Aging in Schizophrenia and Beyond: A Neuroanatomical Marker of Psychiatric Disorders. Schizophrenia Bulletin, 2014, 40, 1140-1153.	2.3	369
32	Voxelwise Meta-Analysis of Gray Matter Abnormalities in Bipolar Disorder. Biological Psychiatry, 2010, 67, 1097-1105.	0.7	348
33	Memory Impairments Identified in People at Ultra-High Risk for Psychosis Who Later Develop First-Episode Psychosis. American Journal of Psychiatry, 2005, 162, 71-78.	4.0	342
34	Addiction, a condition of compulsive behaviour? Neuroimaging and neuropsychological evidence of inhibitory dysregulation. Addiction, 2004, 99, 1491-1502.	1.7	341
35	Comparison of set-shifting ability in patients with chronic schizophrenia and frontal lobe damage. Schizophrenia Research, 1999, 37, 251-270.	1.1	333
36	Hippocampal Volume in First-Episode Psychoses and Chronic Schizophrenia. Archives of General Psychiatry, 1999, 56, 133.	13.8	333

#	ARTICLE	IF	CITATIONS
37	Consistency and functional specialization in the default mode brain network. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9781-9786.	3.3	321
38	Executive function and attention deficit hyperactivity disorder: stimulant medication and better executive function performance in children. Psychological Medicine, 1999, 29, 527-538.	2.7	316
39	Mapping grey matter reductions in schizophrenia: An anatomical likelihood estimation analysis of voxel-based morphometry studies. Schizophrenia Research, 2009, 108, 104-113.	1.1	311
40	Progressive Gray Matter Reduction of the Superior Temporal Gyrus During Transition to Psychosis. Archives of General Psychiatry, 2009, 66, 366.	13.8	303
41	Cognitive Deficits in Obsessive-Compulsive Disorder on Tests of Frontal-Striatal Function. Biological Psychiatry, 1998, 43, 348-357.	0.7	294
42	Theory of mind impairments in first-episode psychosis, individuals at ultra-high risk for psychosis and in first-degree relatives of schizophrenia: Systematic review and meta-analysis. Schizophrenia Research, 2013, 144, 31-36.	1.1	290
43	Neuropsychological Deficits in Obsessive-compulsive Disorder. Archives of General Psychiatry, 1998, 55, 415.	13.8	286
44	Progressive brain structural changes mapped as psychosis develops in "at risk" individuals. Schizophrenia Research, 2009, 108, 85-92.	1.1	273
45	Genetic Influences on Cost-Efficient Organization of Human Cortical Functional Networks. Journal of Neuroscience, 2011, 31, 3261-3270.	1.7	273
46	Cognitive functioning in schizophrenia, schizoaffective disorder and affective psychoses: meta-analytic study. British Journal of Psychiatry, 2009, 195, 475-482.	1.7	264
47	Age of Onset of Schizophrenia: Perspectives From Structural Neuroimaging Studies. Schizophrenia Bulletin, 2011, 37, 504-513.	2.3	260
48	Effect of long-term cannabis use on axonal fibre connectivity. Brain, 2012, 135, 2245-2255.	3.7	259
49	A review of vulnerability and risks for schizophrenia: Beyond the two hit hypothesis. Neuroscience and Biobehavioral Reviews, 2016, 65, 185-194.	2.9	256
50	Evidence of a dimensional relationship between schizotypy and schizophrenia: A systematic review. Neuroscience and Biobehavioral Reviews, 2013, 37, 317-327.	2.9	255
51	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression. JAMA Psychiatry, 2018, 75, 1156.	6.0	251
52	Meta-analysis of Cognitive Impairment in First-Episode Bipolar Disorder: Comparison With First-Episode Schizophrenia and Healthy Controls. Schizophrenia Bulletin, 2015, 41, 1095-1104.	2.3	250
53	Biomarkers and clinical staging in psychiatry. World Psychiatry, 2014, 13, 211-223.	4.8	243
54	Meta-analysis of volumetric abnormalities in cortico-striatal-pallidal-thalamic circuits in major depressive disorder. Psychological Medicine, 2012, 42, 671-681.	2.7	240

#	ARTICLE	IF	CITATIONS
55	Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 1-15.	2.2	235
56	Neuropsychological function in young patients with unipolar major depression. <i>Psychological Medicine</i> , 1997, 27, 1277-1285.	2.7	231
57	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
58	Functional and Biochemical Alterations of the Medial Frontal Cortex in Obsessive-Compulsive Disorder. <i>Archives of General Psychiatry</i> , 2007, 64, 946.	13.8	227
59	Neuroanatomical Abnormalities That Predate the Onset of Psychosis. <i>Archives of General Psychiatry</i> , 2011, 68, 489.	13.8	227
60	Cognitive Impairment in Schizophrenia and Affective Psychoses: Implications for DSM-V Criteria and Beyond. <i>Schizophrenia Bulletin</i> , 2010, 36, 36-42.	2.3	226
61	The Impact of Cannabis Use on Cognitive Functioning in Patients With Schizophrenia: A Meta-analysis of Existing Findings and New Data in a First-Episode Sample. <i>Schizophrenia Bulletin</i> , 2012, 38, 316-330.	2.3	219
62	Generalized and Specific Cognitive Performance in Clinical High-Risk Cohorts: A Review Highlighting Potential Vulnerability Markers for Psychosis. <i>Schizophrenia Bulletin</i> , 2005, 32, 538-555.	2.3	218
63	Anatomical Abnormalities of the Anterior Cingulate Cortex in Schizophrenia: Bridging the Gap Between Neuroimaging and Neuropathology. <i>Schizophrenia Bulletin</i> , 2009, 35, 973-993.	2.3	218
64	Hemispheric and Gender-related Differences in the Gross Morphology of the Anterior Cingulate/Paracingulate Cortex in Normal Volunteers: An MRI Morphometric Study. <i>Cerebral Cortex</i> , 2001, 11, 17-25.	1.6	209
65	Spatial working memory ability is a marker of risk-for-psychosis. <i>Psychological Medicine</i> , 2003, 33, 1239-1247.	2.7	205
66	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016, 19, 420-431.	7.1	204
67	Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. <i>Biological Psychiatry</i> , 2005, 58, 417-423.	0.7	202
68	Meta-analysis of social cognition in attention-deficit/hyperactivity disorder (ADHD): comparison with healthy controls and autistic spectrum disorder. <i>Psychological Medicine</i> , 2016, 46, 699-716.	2.7	199
69	Medical comorbidity in schizophrenia. <i>Medical Journal of Australia</i> , 2003, 178, S67-70.	0.8	196
70	Obsessive-Compulsive Disorder, Impulse Control Disorders and Drug Addiction. <i>Drugs</i> , 2011, 71, 827-840.	4.9	194
71	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 725-741.	1.3	186
72	An optimized method for estimating intracranial volume from magnetic resonance images. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 973-977.	1.9	185

#	ARTICLE	IF	CITATIONS
73	Microglial activation and progressive brain changes in schizophrenia. <i>British Journal of Pharmacology</i> , 2016, 173, 666-680.	2.7	185
74	Structural Brain Development and Depression Onset During Adolescence: A Prospective Longitudinal Study. <i>American Journal of Psychiatry</i> , 2014, 171, 564-571.	4.0	184
75	Neurocognitive predictors of functional outcome two to 13years after identification as ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2011, 132, 1-7.	1.1	182
76	Modulation of Brain Resting-State Networks by Sad Mood Induction. <i>PLoS ONE</i> , 2008, 3, e1794.	1.1	181
77	Impairment of Olfactory Identification Ability in Individuals at Ultra-High Risk for Psychosis Who Later Develop Schizophrenia. <i>American Journal of Psychiatry</i> , 2003, 160, 1790-1794.	4.0	179
78	Task-induced deactivation of midline cortical regions in schizophrenia assessed with fMRI. <i>Schizophrenia Research</i> , 2007, 91, 82-86.	1.1	175
79	Clinical staging: a heuristic model for psychiatry and youth mental health. <i>Medical Journal of Australia</i> , 2007, 187, S40-2.	0.8	174
80	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013, 7, 31-43.	0.9	173
81	Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. <i>Schizophrenia Bulletin</i> , 2007, 34, 322-329.	2.3	169
82	Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. <i>Biological Psychiatry</i> , 2008, 64, 758-765.	0.7	169
83	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 5-10.	1.7	168
84	Accelerated Gray and White Matter Deterioration With Age in Schizophrenia. <i>American Journal of Psychiatry</i> , 2017, 174, 286-295.	4.0	168
85	Frontotemporal dementia presenting as schizophrenia-like psychosis in young people: clinicopathological series and review of cases. <i>British Journal of Psychiatry</i> , 2009, 194, 298-305.	1.7	166
86	Meta-analysis of Theory of Mind (ToM) impairment in bipolar disorder. <i>Psychological Medicine</i> , 2016, 46, 253-264.	2.7	164
87	Early and Late Neurodevelopmental Disturbances in Schizophrenia and Their Functional Consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 399-406.	1.3	161
88	Theory of mind impairment: a distinct traitâ€‘marker for schizophrenia spectrum disorders and bipolar disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 253-264.	2.2	160
89	Two distinct neuroanatomical subtypes of schizophrenia revealed using machine learning. <i>Brain</i> , 2020, 143, 1027-1038.	3.7	158
90	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. <i>Schizophrenia Research</i> , 2009, 111, 94-102.	1.1	156

#	ARTICLE	IF	CITATIONS
91	Gene expression imputation across multiple brain regions provides insights into schizophrenia risk. <i>Nature Genetics</i> , 2019, 51, 659-674.	9.4	154
92	Non-reduction in hippocampal volume is associated with higher risk of psychosis. <i>Schizophrenia Research</i> , 2002, 58, 145-158.	1.1	153
93	Altered Striatal Functional Connectivity in Subjects With an At-Risk Mental State for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 904-913.	2.3	152
94	Abnormal executive function in attention deficit hyperactivity disorder: the effect of stimulant medication and age on spatial working memory. <i>Psychological Medicine</i> , 2001, 31, 1107-1115.	2.7	151
95	Paracingulate morphologic differences in males with established schizophrenia: a magnetic resonance imaging morphometric study. <i>Biological Psychiatry</i> , 2002, 52, 15-23.	0.7	151
96	Childhood Maltreatment and Psychopathology Affect Brain Development During Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 940-952.e1.	0.3	151
97	Characterizing cognitive heterogeneity on the schizophreniaâ€“bipolar disorder spectrum. <i>Psychological Medicine</i> , 2017, 47, 1848-1864.	2.7	150
98	Increased Pituitary Volume in Antipsychotic-Free and Antipsychotic-Treated Patients of the Åšop First-Onset Psychosis Study. <i>Neuropsychopharmacology</i> , 2005, 30, 1923-1931.	2.8	148
99	Frontostriatal deficits in unipolar major depression. <i>Brain Research Bulletin</i> , 1998, 47, 297-310.	1.4	147
100	South Westminster Schizophrenia Survey. <i>British Journal of Psychiatry</i> , 1994, 164, 630-636.	1.7	145
101	Individual Differences in Anterior Cingulate/Paracingulate Morphology Are Related to Executive Functions in Healthy Males. <i>Cerebral Cortex</i> , 2004, 14, 424-431.	1.6	145
102	Anterior Cingulate Activation During Stroop Task Performance: A PET to MRI Coregistration Study of Individual Patients With Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 251-254.	4.0	144
103	Tourette's and comorbid syndromes Obsessive compulsive and attention deficit hyperactivity disorder. a common etiology?. <i>Clinical Psychology Review</i> , 1999, 19, 531-552.	6.0	138
104	Stability of Olfactory Identification Deficits in Neuroleptic-Naive Patients With First-Episode Psychosis. <i>American Journal of Psychiatry</i> , 2001, 158, 107-115.	4.0	137
105	Predicting the diagnosis of autism spectrum disorder using gene pathway analysis. <i>Molecular Psychiatry</i> , 2014, 19, 504-510.	4.1	136
106	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	6.0	136
107	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2001, 52, 37-46.	1.1	135
108	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	2.1	135

#	ARTICLE	IF	CITATIONS
109	Use and abuse of khat ( <i>Catha edulis</i> ): a review of the distribution, pharmacology, side effects and a description of psychosis attributed to khat chewing. <i>Psychological Medicine</i> , 1989, 19, 657-668.	2.7	134
110	Meta-analytic review of neurocognition in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 165-174.	2.2	134
111	Clinical deficits correlate with regional cerebral atrophy in progressive supranuclear palsy. <i>Brain</i> , 2005, 128, 1259-1266.	3.7	133
112	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2007, 41, 561-569.	1.5	132
113	Decreased cortical muscarinic receptors define a subgroup of subjects with schizophrenia. <i>Molecular Psychiatry</i> , 2009, 14, 1017-1023.	4.1	132
114	A combined spectroscopic and functional MRI investigation of the dorsal anterior cingulate region in opiate addiction. <i>Molecular Psychiatry</i> , 2007, 12, 691-702.	4.1	131
115	A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 807-817.	2.9	129
116	Neurobiological Markers of Illness Onset in Psychosis and Schizophrenia: The Search for a Moving Target. <i>Neuropsychology Review</i> , 2009, 19, 385-398.	2.5	129
117	A Review and New Report of Medial Temporal Lobe Dysfunction as a Vulnerability Indicator for Schizophrenia: A Magnetic Resonance Imaging Morphometric Family Study of the Parahippocampal Gyrus. <i>Schizophrenia Bulletin</i> , 2003, 29, 803-830.	2.3	128
118	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. <i>British Journal of Psychiatry</i> , 2003, 182, 518-524.	1.7	128
119	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 163, 116-125.	0.9	128
120	Cognitive functioning and symptomatology in chronic schizophrenia. <i>Psychological Medicine</i> , 1990, 20, 357-365.	2.7	126
121	Neuropsychological, olfactory, and hygiene deficits in men with negative symptom schizophrenia. <i>Biological Psychiatry</i> , 1996, 40, 1021-1031.	0.7	126
122	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. <i>Brain</i> , 2002, 125, 789-800.	3.7	126
123	Role of Positive Parenting in the Association Between Neighborhood Social Disadvantage and Brain Development Across Adolescence. <i>JAMA Psychiatry</i> , 2017, 74, 824.	6.0	126
124	A Hierarchical Model of Inhibitory Control. <i>Frontiers in Psychology</i> , 2018, 9, 1339.	1.1	126
125	Neurocognitive markers of psychosis in bipolar disorder: A meta-analytic study. <i>Journal of Affective Disorders</i> , 2010, 127, 1-9.	2.0	125
126	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	6.0	125



#	ARTICLE	IF	CITATIONS
127	Neuropathological, neurogenetic and neuroimaging evidence for white matter pathology in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2006, 30, 918-948.	2.9	124
128	Disruption of structure–function coupling in the schizophrenia connectome. <i>NeuroImage: Clinical</i> , 2014, 4, 779-787.	1.4	124
129	Social cognition in schizophrenia in comparison to bipolar disorder: A meta-analysis. <i>Schizophrenia Research</i> , 2016, 175, 72-78.	1.1	124
130	Effective connectivity within the frontoparietal control network differentiates cognitive control and working memory. <i>NeuroImage</i> , 2015, 106, 144-153.	2.1	122
131	A manual and automated MRI study of anterior cingulate and orbito-frontal cortices, and caudate nucleus in obsessive-compulsive disorder: comparison with healthy controls and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 99-113.	0.9	121
132	Is the Concept of Frontal–Subcortical Dementia Relevant to Schizophrenia?. <i>British Journal of Psychiatry</i> , 1992, 160, 442-460.	1.7	120
133	Neuroimaging and emerging psychotic disorders: The Melbourne ultra-high risk studies. <i>International Review of Psychiatry</i> , 2007, 19, 371-379.	1.4	119
134	Estimation of Genetic Correlation via Linkage Disequilibrium Score Regression and Genomic Restricted Maximum Likelihood. <i>American Journal of Human Genetics</i> , 2018, 102, 1185-1194.	2.6	119
135	Dopamine modulates neural networks involved in effort-based decision-making. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 383-393.	2.9	118
136	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. <i>Molecular Psychiatry</i> , 2009, 14, 976-986.	4.1	117
137	Neurological Soft Signs Are Not “Soft” in Brain Structure and Functional Networks: Evidence From ALE Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2014, 40, 626-641.	2.3	117
138	Functional connectivity during Stroop task performance. <i>NeuroImage</i> , 2005, 24, 181-191.	2.1	116
139	The effects of gender on grey matter abnormalities in major psychoses: a comparative voxelwise meta-analysis of schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2012, 42, 295-307.	2.7	116
140	Reduced orbitofrontal cortical thickness in male adolescents with internet addiction. <i>Behavioral and Brain Functions</i> , 2013, 9, 11.	1.4	115
141	White matter microstructure in opiate addiction. <i>Addiction Biology</i> , 2012, 17, 141-148.	1.4	114
142	Genetic correlation between amyotrophic lateral sclerosis and schizophrenia. <i>Nature Communications</i> , 2017, 8, 14774.	5.8	114
143	Proton Magnetic Resonance Spectroscopy in First Episode Psychosis and Ultra High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2003, 29, 831-843.	2.3	113
144	Large-Scale Brain Network Dynamics Supporting Adolescent Cognitive Control. <i>Journal of Neuroscience</i> , 2014, 34, 14096-14107.	1.7	112

#	ARTICLE	IF	CITATIONS
145	Comorbid non-alcohol substance misuse among people with schizophrenia. <i>British Journal of Psychiatry</i> , 2001, 179, 509-513.	1.7	111
146	Abnormal white matter microstructure in schizophrenia: A voxelwise analysis of axial and radial diffusivity. <i>Schizophrenia Research</i> , 2008, 101, 106-110.	1.1	111
147	Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. <i>NeuroImage</i> , 2010, 52, 62-68.	2.1	111
148	Evidence and implications for early intervention in bipolar disorder. <i>Journal of Mental Health</i> , 2010, 19, 113-126.	1.0	110
149	Anterior Cingulate Glutamateâ€“Glutamine Levels Predict Symptom Severity in Women With Obsessiveâ€“Compulsive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 467-477.	1.3	108
150	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. <i>Human Brain Mapping</i> , 2008, 29, 478-489.	1.9	107
151	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. A 1H-MRS Study. <i>Neuropsychopharmacology</i> , 2008, 33, 2467-2473.	2.8	107
152	Medial temporal lobe glutathione concentration in first episode psychosis: A 1H-MRS investigation. <i>Neurobiology of Disease</i> , 2009, 33, 354-357.	2.1	107
153	Variability of the paracingulate sulcus and morphometry of the medial frontal cortex: Associations with cortical thickness, surface area, volume, and sulcal depth. <i>Human Brain Mapping</i> , 2008, 29, 222-236.	1.9	106
154	Cognitive Impairment in Affective Psychoses: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2010, 36, 112-125.	2.3	105
155	The influence of sulcal variability on morphometry of the human anterior cingulate and paracingulate cortex. <i>NeuroImage</i> , 2006, 33, 843-854.	2.1	104
156	White matter volume changes in people who develop psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 210-215.	1.7	103
157	One-year, low-dose neuroleptic study of in-patients with chronic schizophrenia characterised by persistent negative symptoms. <i>British Journal of Psychiatry</i> , 1997, 171, 564-568.	1.7	102
158	Functional Connectivity in Brain Networks Underlying Cognitive Control in Chronic Cannabis Users. <i>Neuropsychopharmacology</i> , 2012, 37, 1923-1933.	2.8	98
159	Expression profiling in monozygotic twins discordant for bipolar disorder reveals dysregulation of the WNT signalling pathway. <i>Molecular Psychiatry</i> , 2007, 12, 815-825.	4.1	97
160	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. <i>American Journal of Psychiatry</i> , 2019, 176, 552-563.	4.0	97
161	The relationship between regional and interâ€“regional functional connectivity deficits in schizophrenia. <i>Human Brain Mapping</i> , 2012, 33, 2535-2549.	1.9	96
162	Intra-dimensional/extra-dimensional set-shifting performance in schizophrenia: Impact of distractors. <i>Schizophrenia Research</i> , 2007, 89, 339-349.	1.1	95

#	ARTICLE	IF	CITATIONS
163	Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions. , 0, .		95
164	Neuroimaging and Treatment Evidence for Clinical Staging in Psychotic Disorders: From the At-Risk Mental State to Chronic Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 619-625.	0.7	94
165	Fragility and volatility of structural hubs in the human connectome. <i>Nature Neuroscience</i> , 2018, 21, 1107-1116.	7.1	93
166	Volumetric MRI study of the insular cortex in individuals with current and past major depression. <i>Journal of Affective Disorders</i> , 2010, 121, 231-238.	2.0	92
167	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. <i>Psychological Medicine</i> , 2002, 32, 429-438.	2.7	90
168	Australian Schizophrenia Research Bank: a database of comprehensive clinical, endophenotypic and genetic data for aetiological studies of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 1029-35.	1.3	90
169	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2009, 108, 49-56.	1.1	89
170	Volumetric Abnormalities Predating the Onset of Schizophrenia and Affective Psychoses: An MRI Study in Subjects at Ultrahigh Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1083-1091.	2.3	88
171	Paracingulate sulcus morphology is associated with hallucinations in the human brain. <i>Nature Communications</i> , 2015, 6, 8956.	5.8	86
172	White Matter Disruptions in Schizophrenia Are Spatially Widespread and Topologically Converge on Brain Network Hubs. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw100.	2.3	85
173	Cerebellar white-matter changes in cannabis users with and without schizophrenia. <i>Psychological Medicine</i> , 2011, 41, 2349-2359.	2.7	84
174	Towards a post-traumatic subtype of obsessive-compulsive disorder. <i>Journal of Anxiety Disorders</i> , 2012, 26, 377-383.	1.5	83
175	Systematic Review: Quantitative Susceptibility Mapping (QSM) of Brain Iron Profile in Neurodegenerative Diseases. <i>Frontiers in Neuroscience</i> , 2021, 15, 618435.	1.4	83
176	Spatial Working Memory Deficits in Schizophrenia: Relationship With Tardive Dyskinesia and Negative Symptoms. <i>American Journal of Psychiatry</i> , 2001, 158, 1276-1285.	4.0	81
177	Increased duration of illness is associated with reduced volume in right medial temporal/anterior cingulate grey matter in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2002, 57, 43-49.	1.1	80
178	Primate Olfaction: Anatomy and Evolution. , 0, , 135-166.		80
179	Anterior cingulate volume in adolescents with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 155-160.	0.9	80
180	Delayed Development of Brain Connectivity in Adolescents With Schizophrenia and Their Unaffected Siblings. <i>JAMA Psychiatry</i> , 2015, 72, 900.	6.0	80

#	ARTICLE	IF	CITATIONS
181	Gray Matter Abnormalities in Idiopathic Parkinson's Disease: Evaluation by Diffusional Kurtosis Imaging and Neurite Orientation Dispersion and Density Imaging. <i>Human Brain Mapping</i> , 2017, 38, 3704-3722.	1.9	78
182	Brain Subtyping Enhances The Neuroanatomical Discrimination of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1060-1069.	2.3	78
183	Individual deviations from normative models of brain structure in a large cross-sectional schizophrenia cohort. <i>Molecular Psychiatry</i> , 2021, 26, 3512-3523.	4.1	78
184	Morphology of the corpus callosum at different stages of schizophrenia: Cross-sectional study in first-episode and chronic illness. <i>British Journal of Psychiatry</i> , 2008, 192, 429-434.	1.7	77
185	White-matter abnormalities in adolescents with long-term inhalant and cannabis use: a diffusion magnetic resonance imaging study. <i>Journal of Psychiatry and Neuroscience</i> , 2010, 35, 409-412.	1.4	77
186	Hippocampal volume and sensitivity to maternal aggressive behavior: A prospective study of adolescent depressive symptoms. <i>Development and Psychopathology</i> , 2011, 23, 115-129.	1.4	77
187	Functional alterations of large-scale brain networks related to cognitive control in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2012, 33, 1089-1106.	1.9	76
188	Early maternal deprivation reduces prepulse inhibition and impairs spatial learning ability in adulthood: No further effect of post-pubertal chronic corticosterone treatment. <i>Behavioural Brain Research</i> , 2007, 176, 323-332.	1.2	75
189	Corpus callosum shape alterations in individuals prior to the onset of psychosis. <i>Schizophrenia Research</i> , 2008, 103, 1-10.	1.1	75
190	Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. <i>Translational Psychiatry</i> , 2017, 7, e1011-e1011.	2.4	75
191	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. <i>Schizophrenia Research</i> , 2005, 75, 295-301.	1.1	74
192	An MRI study of the superior temporal subregions in patients with current and past major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 98-103.	2.5	74
193	Gross morphological brain changes with chronic, heavy cannabis use. <i>British Journal of Psychiatry</i> , 2015, 206, 77-78.	1.7	74
194	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
195	Diseases of White Matter and Schizophrenia-Like Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 746-756.	1.3	73
196	Systematic review and critical appraisal of child abuse measurement instruments. <i>Psychiatry Research</i> , 2019, 272, 106-113.	1.7	73
197	Brain network dynamics in schizophrenia: Reduced dynamism of the default mode network. <i>Human Brain Mapping</i> , 2019, 40, 2212-2228.	1.9	72
198	Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level. <i>JAMA Psychiatry</i> , 2021, 78, 667.	6.0	72

#	ARTICLE	IF	CITATIONS
199	Anatomical abnormalities of the anterior cingulate and paracingulate cortex in patients with bipolar I disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 162, 123-132.	0.9	70
200	PET imaging of putative microglial activation in individuals at ultra-high risk for psychosis, recently diagnosed and chronically ill with schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1225-e1225.	2.4	70
201	Efficacy and Tolerability of Ziprasidone Versus Risperidone in Patients With Acute Exacerbation of Schizophrenia or Schizoaffective Disorder. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1624-1633.	1.1	70
202	Neuroanatomical Correlates of Temperament in Early Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 682-693.	0.3	69
203	Interaction of Parenting Experiences and Brain Structure in the Prediction of Depressive Symptoms in Adolescents. <i>Archives of General Psychiatry</i> , 2008, 65, 1377.	13.8	69
204	Neuregulin-1 and schizophrenia in the genome-wide association study era. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 387-409.	2.9	68
205	Evidence of altered prefrontal-thalamic circuitry in schizophrenia: An optimized diffusion MRI study. <i>NeuroImage</i> , 2006, 32, 16-22.	2.1	67
206	A brief assessment of executive control dysfunction: Discriminant validity and homogeneity of planning, set shift, and fluency measures. <i>Archives of Clinical Neuropsychology</i> , 1996, 11, 185-191.	0.3	66
207	Corpus callosum size and shape alterations in individuals with bipolar disorder and their first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1050-1057.	2.5	66
208	Dopamine, fronto-striato-thalamic circuits and risk for psychosis. <i>Schizophrenia Research</i> , 2017, 180, 48-57.	1.1	66
209	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. <i>Molecular Psychiatry</i> , 2017, 22, 396-406.	4.1	66
210	Anterior cingulate dysfunction: implications for psychiatric disorders?. <i>Journal of Psychiatry and Neuroscience</i> , 2003, 28, 350-4.	1.4	66
211	Drug Strategies and Treatment-Resistant Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996, 30, 20-37.	1.3	65
212	Saccadic and attentional abnormalities in patients with schizophrenia. <i>Psychological Medicine</i> , 1998, 28, 1091-1100.	2.7	64
213	Impairment of olfactory identification in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 1999, 29, 1227-1233.	2.7	64
214	Incidental radiological findings on brain magnetic resonance imaging in first-episode psychosis and chronic schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 331-336.	2.2	64
215	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. <i>Schizophrenia Research</i> , 2006, 88, 192-197.	1.1	64
216	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , 2009, 112, 104-113.	1.1	64

#	ARTICLE	IF	CITATIONS
217	White matter microstructure in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 42-46.	1.4	64
218	Selective bilateral hippocampal volume loss in chronic schizophrenia. <i>Biological Psychiatry</i> , 2001, 50, 531-539.	0.7	63
219	Managing patients with treatment-resistant schizophrenia. <i>Medical Journal of Australia</i> , 2003, 178, S62-6.	0.8	63
220	Relationship of behavioural and symptomatic syndromes in schizophrenia to spatial working memory and attentional set-shifting ability. <i>Psychological Medicine</i> , 2004, 34, 693-703.	2.7	63
221	The Camden Schizophrenia Surveys. <i>British Journal of Psychiatry</i> , 1996, 168, 418-426.	1.7	62
222	Altered corticostriatal functional connectivity in individuals with high social anhedonia. <i>Psychological Medicine</i> , 2016, 46, 125-135.	2.7	62
223	Implications of lipid biology for the pathogenesis of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 355-366.	1.3	61
224	Reconciling neuroimaging and neuropathological findings in schizophrenia and bipolar disorder. <i>Current Opinion in Psychiatry</i> , 2009, 22, 312-319.	3.1	61
225	The impact of premorbid and current intellect in schizophrenia: cognitive, symptom, and functional outcomes. <i>NPJ Schizophrenia</i> , 2015, 1, 15043.	2.0	60
226	Neuropsychological and olfactory dysfunction in schizophrenia: relationship of frontal syndromes to syndromes of schizophrenia. <i>Schizophrenia Research</i> , 1995, 17, 35-45.	1.1	59
227	Cognitive decline following psychosis onset. <i>British Journal of Psychiatry</i> , 2007, 191, s52-s57.	1.7	59
228	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009, 194, 426-433.	1.7	59
229	Differential effect of quetiapine and lithium on functional connectivity of the striatum in first episode mania. <i>Translational Psychiatry</i> , 2018, 8, 59.	2.4	59
230	Neurobiology of early psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s8-s18.	1.7	58
231	Evidence for neuronal dysfunction in the anterior cingulate of patients with schizophrenia: A proton magnetic resonance spectroscopy study at 3ÅT. <i>Schizophrenia Research</i> , 2007, 94, 328-331.	1.1	58
232	Maternal responses to adolescent positive affect are associated with adolescents' reward neuroanatomy. <i>Social Cognitive and Affective Neuroscience</i> , 2009, 4, 247-256.	1.5	58
233	Early origins of mental disorder - risk factors in the perinatal and infant period. <i>BMC Psychiatry</i> , 2016, 16, 270.	1.1	57
234	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	6.0	57

#	ARTICLE	IF	CITATIONS
235	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. <i>Psychological Medicine</i> , 2005, 35, 1053-1062.	2.7	56
236	Prediction of Functional Outcome 18 Months After a First Psychotic Episode. <i>Archives of General Psychiatry</i> , 2006, 63, 969.	13.8	56
237	Superior temporal gyrus volume in antipsychotic-naive people at risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 206-211.	1.7	56
238	Systematic evaluation of commercial pharmacogenetic testing in psychiatry. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 387-393.	0.7	56
239	Subthreshold attention-deficit/hyperactivity disorder is associated with functional impairments across domains: a comprehensive analysis in a large-scale community study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 627-636.	2.8	55
240	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. <i>Microbial Biotechnology</i> , 2015, 9, 487-497.	0.9	55
241	Neurobiological Changes of Schizotypy: Evidence From Both Volume-Based Morphometric Analysis and Resting-State Functional Connectivity. <i>Schizophrenia Bulletin</i> , 2015, 41, S444-S454.	2.3	55
242	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 162, 273-277.	0.9	54
243	Neuroprotective Effects of Low-dose Lithium in Individuals at Ultra-high Risk for Psychosis. A Longitudinal MRI/MRS Study. <i>Current Pharmaceutical Design</i> , 2012, 18, 570-575.	0.9	54
244	Alteration to hippocampal shape in cannabis users with and without schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 179-184.	1.1	54
245	Major psychoses with mixed psychotic and mood symptoms: are mixed psychoses associated with different neurobiological markers?. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 172-187.	2.2	53
246	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 77-82.	0.9	53
247	Differences in Neuropsychological Performance Between Subtypes of Obsessive-Compulsive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 216-226.	1.3	53
248	Understanding aberrant white matter development in schizophrenia: an avenue for therapy?. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 971-987.	1.4	53
249	Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. <i>Psychological Medicine</i> , 2015, 45, 515-527.	2.7	53
250	Quetiapine vs. lithium in the maintenance phase following a first episode of mania: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 413-421.	1.7	53
251	Neurobiology of schizophrenia spectrum disorders: the role of oxidative stress. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 396-6.	0.2	53
252	Neurobiological findings in early phase schizophrenia. <i>Brain Research Reviews</i> , 2000, 31, 157-165.	9.1	52

#	ARTICLE	IF	CITATIONS
253	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-naïve and early-treated first episode psychosis. <i>Schizophrenia Research</i> , 2008, 102, 163-170.	1.1	52
254	Structural neuroimaging across early-stage psychosis: Aberrations in neurobiological trajectories and implications for the staging model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 455-476.	1.3	52
255	The three-syndrome model of schizophrenia: Meta-analysis of an artefact. <i>Schizophrenia Research</i> , 1999, 39, 233-242.	1.1	51
256	The cognitive neuropsychiatric approach to investigating the neurobiology of schizophrenia and other disorders. <i>Journal of Psychosomatic Research</i> , 2002, 53, 655-664.	1.2	51
257	Delayed sleep onset in depressed young people. <i>BMC Psychiatry</i> , 2014, 14, 33.	1.1	51
258	A longitudinal study investigating sub-threshold symptoms and white matter changes in individuals with an "at risk mental state"™ (ARMS). <i>Schizophrenia Research</i> , 2015, 162, 7-13.	1.1	51
259	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. <i>JAMA Psychiatry</i> , 2016, 73, 497.	6.0	51
260	Connectome analysis with diffusion MRI in idiopathic Parkinson's disease: Evaluation using multi-shell, multi-tissue, constrained spherical deconvolution. <i>NeuroImage: Clinical</i> , 2018, 17, 518-529.	1.4	51
261	Reduced volume of parietal and frontal association areas in patients with schizophrenia characterized by passivity delusions. <i>Psychological Medicine</i> , 2005, 35, 783-789.	2.7	50
262	Monitoring the Safe Use of Clozapine. <i>CNS Drugs</i> , 2007, 21, 117-127.	2.7	50
263	Investigation of peripheral complement factors across stages of psychosis. <i>Schizophrenia Research</i> , 2019, 204, 30-37.	1.1	50
264	Neuropsychological and hypothalamic-pituitary-axis function in female patients with melancholic and non-melancholic depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 217-225.	1.8	49
265	Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. <i>Applied Neuropsychology: Child</i> , 2013, 2, 47-63.	0.7	49
266	White matter connectivity disruptions in early and chronic schizophrenia. <i>Psychological Medicine</i> , 2017, 47, 2797-2810.	2.7	49
267	Meta-analysis supports GWAS-implicated link between GRM3 and schizophrenia risk. <i>Translational Psychiatry</i> , 2017, 7, e1196-e1196.	2.4	49
268	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020, 177, 537-547.	4.0	49
269	Cognitive Function and Duration of Rooflessness in Entrants to a Hostel for Homeless Men. <i>British Journal of Psychiatry</i> , 1996, 169, 434-439.	1.7	48
270	Abnormalities of internally generated saccades in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 1999, 29, 1377-1385.	2.7	47



#	ARTICLE	IF	CITATIONS
271	Treatment of Psychogenic Polydipsia: Comparison of Risperidone and Olanzapine, and the Effects of an Adjunctive Angiotensin-II Receptor Blocking Drug (Irbesartan). Australian and New Zealand Journal of Psychiatry, 2001, 35, 65-68.	1.3	47
272	Prediction and prevention of transition to psychosis in young people at incipient risk for schizophrenia. American Journal of Medical Genetics Part A, 2002, 114, 929-937.	2.4	47
273	In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. Acta Psychiatrica Scandinavica, 2007, 116, 467-472.	2.2	47
274	Large-Scale Evidence for an Association Between Peripheral Inflammation and White Matter Free Water in Schizophrenia and Healthy Individuals. Schizophrenia Bulletin, 2021, 47, 542-551.	2.3	47
275	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. Schizophrenia Research, 2008, 105, 236-244.	1.1	46
276	Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2012, 201, 34-39.	0.9	46
277	Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2015, 77, 989-996.	0.7	46
278	Cognitive flexibility and complex integration in Parkinson's disease, Huntington's disease, and Schizophrenia. Journal of the International Neuropsychological Society, 1995, 1, 545-553.	1.2	45
279	A longitudinal study of obsessive-compulsive disorder in individuals at ultra-high risk for psychosis. Journal of Psychiatric Research, 2011, 45, 1140-1145.	1.5	45
280	Deficits in the endogenous redirection of covert visual attention in chronic schizophrenia. Neuropsychologia, 1996, 34, 1079-1084.	0.7	44
281	Variations in cortical folding patterns are related to individual differences in temperament. Psychiatry Research - Neuroimaging, 2009, 172, 68-74.	0.9	44
282	Pituitary volume in patients with bipolar disorder and their first-degree relatives. Journal of Affective Disorders, 2010, 124, 256-261.	2.0	44
283	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. Psychological Medicine, 2013, 43, 2349-2360.	2.7	44
284	Effects of oxytocin and genetic variants on brain and behaviour: Implications for treatment in schizophrenia. Schizophrenia Research, 2015, 168, 614-627.	1.1	44
285	Widespread Volumetric Reductions in Schizophrenia and Schizoaffective Patients Displaying Compromised Cognitive Abilities. Schizophrenia Bulletin, 2018, 44, 560-574.	2.3	44
286	Free-Water Imaging in White and Gray Matter in Parkinson's Disease. Cells, 2019, 8, 839.	1.8	44
287	Functional Connectivity of Corticostriatal Circuitry and Psychosis-like Experiences in the General Community. Biological Psychiatry, 2019, 86, 16-24.	0.7	44
288	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. Neuropsychopharmacology, 2021, 46, 1494-1501.	2.8	44

#	ARTICLE	IF	CITATIONS
289	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 260.	6.0	44
290	Gray matter reduction of the superior temporal gyrus in patients with established bipolar I disorder. <i>Journal of Affective Disorders</i> , 2010, 123, 276-282.	2.0	43
291	A magnetic resonance imaging study of hippocampal, amygdala and subgenual prefrontal cortex volumes in major depression subtypes: Melancholic versus psychotic depression. <i>Journal of Affective Disorders</i> , 2013, 146, 197-204.	2.0	43
292	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014, 44, 489-498.	2.7	43
293	Decreased expression of mGluR5 within the dorsolateral prefrontal cortex in autism and increased microglial number in mGluR5 knockout mice: Pathophysiological and neurobehavioral implications. <i>Brain, Behavior, and Immunity</i> , 2015, 49, 197-205.	2.0	43
294	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253.	2.1	43
295	The ubiquitin proteasome system and schizophrenia. <i>Lancet Psychiatry</i> , 2020, 7, 528-537.	3.7	43
296	Insight and Hopelessness in Forensic Patients with Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 169-173.	1.3	42
297	Corpus callosum size and shape in individuals with current and past depression. <i>Journal of Affective Disorders</i> , 2009, 115, 411-420.	2.0	42
298	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016, 173, 152-158.	1.1	42
299	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
300	Caudate nucleus volume in individuals at ultra-high risk of psychosis: A cross-sectional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 223-230.	0.9	41
301	Brain change trajectories that differentiate the major psychoses. <i>European Journal of Clinical Investigation</i> , 2016, 46, 658-674.	1.7	41
302	Substance use in youth at risk for psychosis. <i>Schizophrenia Research</i> , 2017, 181, 23-29.	1.1	41
303	Impact of CYP1A2, CYP2C19, and CYP2D6 genotype- and phenoconversion-predicted enzyme activity on clozapine exposure and symptom severity. <i>Pharmacogenomics Journal</i> , 2020, 20, 192-201.	0.9	41
304	Olfactory Impairments in Child Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1462-1468.	1.1	41
305	Four Behavioural Syndromes of Schizophrenia. <i>British Journal of Psychiatry</i> , 1996, 168, 562-570.	1.7	40
306	Increased pituitary volume in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2009, 108, 114-121.	1.1	40

#	ARTICLE	IF	CITATIONS
307	Schizophrenia genetic variants are not associated with intelligence. <i>Psychological Medicine</i> , 2013, 43, 2563-2570.	2.7	40
308	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 93-99.	1.1	40
309	Increased peripheral inflammation in schizophrenia is associated with worse cognitive performance and related cortical thickness reductions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 595-607.	1.8	40
310	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	6.0	40
311	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 168-177.	2.5	39
312	High heterogeneity and low reliability in the diagnosis of major depression will impair the development of new drugs. <i>BJPsych Open</i> , 2015, 1, e5-e7.	0.3	38
313	White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. <i>BMC Psychiatry</i> , 2016, 16, 287.	1.1	38
314	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
315	What have We Learned from Functional Imaging Studies in Schizophrenia? the Role of Frontal, Striatal and Temporal Areas. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996, 30, 195-209.	1.3	37
316	Magnetic Resonance Spectroscopy and Schizophrenia: What have we Learnt?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 14-25.	1.3	37
317	Size and shape of the caudate nucleus in individuals with bipolar affective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 340-351.	1.3	37
318	Pituitary volume mediates the relationship between pubertal timing and depressive symptoms during adolescence. <i>Psychoneuroendocrinology</i> , 2012, 37, 881-891.	1.3	37
319	A correction for sample overlap in genome-wide association studies in a polygenic pleiotropy-informed framework. <i>BMC Genomics</i> , 2018, 19, 494.	1.2	37
320	Corpus Callosum Size and Shape in Established Bipolar Affective Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 838-845.	1.3	36
321	Functional brain networks in treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2017, 184, 73-81.	1.1	36
322	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021, 26, 800-815.	4.1	36
323	Moyamoya disease in a patient with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2003, 9, 806-810.	1.2	35
324	Novel implications of Lingo-1 and its signaling partners in schizophrenia. <i>Translational Psychiatry</i> , 2014, 4, e348-e348.	2.4	35

#	ARTICLE	IF	CITATIONS
325	Prevalence and heritability of obsessive-compulsive spectrum and anxiety disorder symptoms: A survey of the Australian Twin Registry. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 314-325.	1.1	35
326	Cognitive intervention in early psychosis "preserving abilities versus remediating deficits. <i>Current Opinion in Behavioral Sciences</i> , 2015, 4, 63-72.	2.0	35
327	Insula Functional Connectivity in Schizophrenia: Subregions, Gradients, and Symptoms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 399-408.	1.1	35
328	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020, 88, 829-842.	0.7	35
329	Neurological, neuropsychiatric and neurodevelopmental complications of COVID-19. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 750-762.	1.3	35
330	Psychopathology, Social and Cognitive Functioning in a Hostel for Homeless Women. <i>British Journal of Psychiatry</i> , 1996, 168, 82-86.	1.7	34
331	Kinematic analysis of handwriting movements in Schizophrenic patients. <i>Biological Psychiatry</i> , 1997, 41, 830-833.	0.7	34
332	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 651-657.	2.5	34
333	The Positive Effect of Integrated Care on Depressive Symptoms in Stroke Survivors. <i>Cerebrovascular Diseases</i> , 2008, 26, 199-205.	0.8	33
334	Using longitudinal imaging to map the "relapse signature"™ of schizophrenia and other psychoses. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 219-225.	1.8	33
335	Common mechanisms of executive attention underlie executive function and effortful control in children. <i>Developmental Science</i> , 2020, 23, e12918.	1.3	33
336	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S113-S126.	1.3	32
337	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1708-1714.	2.5	32
338	Pituitary volume and early treatment response in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2009, 113, 65-71.	1.1	32
339	Transitions Study of predictors of illness progression in young people with mental ill health: study methodology. <i>Microbial Biotechnology</i> , 2015, 9, 38-47.	0.9	32
340	Aetiological overlap between obsessive-compulsive related and anxiety disorder symptoms: Multivariate twin study. <i>British Journal of Psychiatry</i> , 2016, 208, 26-33.	1.7	32
341	Meta-analysis reveals associations between genetic variation in the 5q and 3q regions of Neuregulin-1 and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1004-e1004.	2.4	32
342	Spatio-temporal dynamics of resting-state brain networks improve single-subject prediction of schizophrenia diagnosis. <i>Human Brain Mapping</i> , 2018, 39, 3663-3681.	1.9	32

#	ARTICLE	IF	CITATIONS
343	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S113-S126.	1.3	31
344	Is There Evidence of Brain White-Matter Abnormalities in Obsessive-Compulsive Disorder?. <i>Topics in Magnetic Resonance Imaging</i> , 2009, 20, 291-298.	0.7	31
345	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013, 3, e251-e251.	2.4	31
346	Elevated ubiquitinated proteins in brain and blood of individuals with schizophrenia. <i>Scientific Reports</i> , 2019, 9, 2307.	1.6	31
347	The Impact of Childhood Adversity on Cognitive Development in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 140-153.	2.3	31
348	Institutionalism and Schizophrenia 30 Years on. <i>British Journal of Psychiatry</i> , 1992, 160, 230-241.	1.7	30
349	Increased Risk of Neutropaenia and Agranulocytosis with Sodium Valproate Used Adjunctively with Clozapine. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 544-545.	1.3	30
350	Pituitary gland volume in currently depressed and remitted depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 55-60.	0.9	30
351	Ocular Abnormalities in Chronic Schizophrenia: Clinical Implications. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997, 31, 252-256.	1.3	29
352	Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naïve schizophreniform psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2006, 148, 23-31.	0.9	29
353	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. <i>Schizophrenia Research</i> , 2009, 113, 158-166.	1.1	29
354	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: A longitudinal MRI study. <i>Schizophrenia Research</i> , 2010, 116, 49-54.	1.1	29
355	Convergent evidence for mGluR5 in synaptic and neuroinflammatory pathways implicated in ASD. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 52, 172-177.	2.9	29
356	Abnormalities in orbitofrontal cortex gyrification and mental health outcomes in adolescents born extremely preterm and/or at an extremely low birth weight. <i>Human Brain Mapping</i> , 2015, 36, 1138-1150.	1.9	29
357	A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1395-1404.	1.6	29
358	The effects of stress-tension on depression and anxiety symptoms: evidence from a novel twin modelling analysis. <i>Psychological Medicine</i> , 2016, 46, 3213-3218.	2.7	29
359	Cell type-specific manifestations of cortical thickness heterogeneity in schizophrenia. <i>Molecular Psychiatry</i> , 2022, 27, 2052-2060.	4.1	29
360	Anterior cingulate activation in antipsychotic-naïve first-episode schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 155-158.	2.2	28

#	ARTICLE	IF	CITATIONS
361	White matter abnormalities and neurocognitive deficits associated with the passivity phenomenon in schizophrenia: A diffusion tensor imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 121-127.	0.9	28
362	Midline brain structures in patients with current and remitted major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1058-1063.	2.5	28
363	Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: A longitudinal T2 relaxometry pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 180-182.	0.9	28
364	An Investigation of the Relationship Between Cortical Connectivity and Schizotypy in the General Population. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 348-353.	0.5	28
365	Thickness profile generation for the corpus callosum using Laplace's equation. <i>Human Brain Mapping</i> , 2011, 32, 2131-2140.	1.9	28
366	Variability in Working Memory Performance Explained by Epistasis vs Polygenic Scores in the <i>ZNF804A</i> Pathway. <i>JAMA Psychiatry</i> , 2014, 71, 778.	6.0	28
367	Olfactory sulcus morphology in patients with current and past major depression. <i>Psychiatry Research - Neuroimaging</i> , 2016, 255, 60-65.	0.9	28
368	Multi-scale semi-supervised clustering of brain images: Deriving disease subtypes. <i>Medical Image Analysis</i> , 2022, 75, 102304.	7.0	28
369	Impairments of response conflict monitoring and resolution in schizophrenia. <i>Psychological Medicine</i> , 2002, 32, 1251-1260.	2.7	27
370	Thalamic and caudate volumes in monozygotic twins discordant for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 347-354.	1.3	27
371	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1395-1400.	2.5	27
372	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2009, 115, 163-172.	1.1	27
373	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 1592-1607.	2.7	27
374	MR g-ratio-weighted connectome analysis in patients with multiple sclerosis. <i>Scientific Reports</i> , 2019, 9, 13522.	1.6	27
375	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , 2019, 45, 1101-1111.	2.3	27
376	Cognitive validation of cross-diagnostic cognitive subgroups on the schizophrenia-bipolar spectrum. <i>Journal of Affective Disorders</i> , 2020, 266, 710-721.	2.0	27
377	Subcortical dysfunction in schizophrenia: a comparison with Parkinson's disease and Huntington's disease. <i>Schizophrenia Research</i> , 1996, 19, 121-128.	1.1	26
378	Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. <i>Schizophrenia Research</i> , 2012, 138, 206-211.	1.1	26

#	ARTICLE	IF	CITATIONS
379	Exploring Heterogeneity on the Wisconsin Card Sorting Test in Schizophrenia Spectrum Disorders: A Cluster Analytical Investigation. <i>Journal of the International Neuropsychological Society</i> , 2019, 25, 750-760.	1.2	26
380	State, trait and biochemical influences on human anterior cingulate function. <i>NeuroImage</i> , 2007, 34, 1766-1773.	2.1	25
381	Pituitary volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 257-261.	0.9	25
382	Abnormal Hippocampal Distribution of TDP-43 in Patients With-Late Onset Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 739-745.	1.3	25
383	Midline brain abnormalities in established bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2010, 122, 301-305.	2.0	25
384	Cingulum bundle integrity associated with delusions of control in schizophrenia: Preliminary evidence from diffusion-tensor tractography. <i>Schizophrenia Research</i> , 2015, 161, 36-41.	1.1	25
385	Abnormal white matter integrity in synthetic cannabinoid users. <i>European Neuropsychopharmacology</i> , 2016, 26, 1818-1825.	0.3	25
386	A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. <i>European Psychiatry</i> , 2016, 31, 20-28.	0.1	25
387	Elevated peripheral expression of neuregulin-1 (NRG1) mRNA isoforms in clozapine-treated schizophrenia patients. <i>Translational Psychiatry</i> , 2017, 7, 1280.	2.4	25
388	Effects of cigarette smoking on cortical thickness in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017, 84, 1-8.	1.5	25
389	Attentional set-shifting and social abilities in children with schizotypal and comorbid autism spectrum disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 68-77.	1.3	25
390	Midline brain structures in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 842-846.	2.5	24
391	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014, 153, 18-24.	1.1	24
392	The neural cascade of olfactory processing: A combined fMRI&#x2013;EEG study. <i>Respiratory Physiology and Neurobiology</i> , 2014, 204, 71-77.	0.7	24
393	Olfactory identification deficits at identification as ultra-high risk for psychosis are associated with poor functional outcome. <i>Schizophrenia Research</i> , 2015, 161, 156-162.	1.1	24
394	Linking Cortical and Connectional Pathology in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 911-923.	2.3	24
395	A machine-learning framework for robust and reliable prediction of short- and long-term treatment response in initially antipsychotic-naïve schizophrenia patients based on multimodal neuropsychiatric data. <i>Translational Psychiatry</i> , 2020, 10, 276.	2.4	24
396	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. <i>Brain</i> , 2002, 125, 789-800.	3.7	24

#	ARTICLE	IF	CITATIONS
397	Characterizing anterior cingulate activation in chronic schizophrenia: a group and single-subject fMRI study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 271-279.	2.2	23
398	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. <i>Medical Journal of Australia</i> , 2009, 190, S10-3.	0.8	23
399	Inhibitory control in young adolescents: The role of sex, intelligence, and temperament.. <i>Neuropsychology</i> , 2012, 26, 347-356.	1.0	23
400	Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. <i>Psychological Medicine</i> , 2018, 48, 132-141.	2.7	23
401	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
402	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. <i>Schizophrenia Bulletin</i> , 2021, 47, 1130-1140.	2.3	23
403	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
404	Test-retest Reliability of the National Adult Reading Test (NART) as an Estimate of Premorbid IQ in Patients with Schizophrenia. <i>Cognitive Neuropsychiatry</i> , 1998, 3, 71-80.	0.7	22
405	Adjunctive Risperidone Treatment in Patients with Clozapine-Resistant Schizophrenia™. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 533-534.	1.3	22
406	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2012, 135, 175-180.	1.1	22
407	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 39-44.	1.1	22
408	A cluster analysis exploration of autism spectrum disorder subgroups in children without intellectual disability. <i>Research in Autism Spectrum Disorders</i> , 2017, 36, 66-78.	0.8	22
409	Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultra-high risk for psychosis. <i>Human Brain Mapping</i> , 2019, 40, 5185-5201.	1.9	22
410	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2022, 27, 1167-1176.	4.1	22
411	Attention Deficit Hyperactivity Disorder: Anxiety Phenomena in Children Treated with Psychostimulant Medication for 6 Months or More. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 399-406.	1.3	21
412	Increased Prefrontal Cerebral Blood flow in First-Episode Schizophrenia Following Treatment: Longitudinal Positron Emission Tomography Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 129-135.	1.3	21
413	Fiber geometry in the corpus callosum in schizophrenia: Evidence for transcallosal misconnection. <i>Schizophrenia Research</i> , 2011, 132, 69-74.	1.1	21
414	Sex-specific prediction of hypothalamic-pituitary-adrenal axis activity by pituitary volume during adolescence: A longitudinal study from 12 to 17 years of age. <i>Psychoneuroendocrinology</i> , 2013, 38, 2694-2704.	1.3	21



#	ARTICLE	IF	CITATIONS
415	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 43, sbw086.	2.3	21
416	Positive Allosteric Modulation of the Muscarinic M <sub>1</sub> Receptor Improves Efficacy of Antipsychotics in Mouse Glutamatergic Deficit Models of Behavior. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 359, 354-365.	1.3	21
417	Pathway-wide association study identifies five shared pathways associated with schizophrenia in three ancestral distinct populations. <i>Translational Psychiatry</i> , 2017, 7, e1037-e1037.	2.4	21
418	Interrogating the Evolutionary Paradox of Schizophrenia: A Novel Framework and Evidence Supporting Recent Negative Selection of Schizophrenia Risk Alleles. <i>Frontiers in Genetics</i> , 2019, 10, 389.	1.1	21
419	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A113-A126.	1.3	20
420	Muscarinic M1 receptor sequence: Preliminary studies on its effects on cognition and expression. <i>Schizophrenia Research</i> , 2012, 138, 94-98.	1.1	20
421	The Melbourne Assessment of Schizotypy in Kids: A Useful Measure of Childhood Schizotypal Personality Disorder. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	20
422	Peripheral Transcription of NRG-ErbB Pathway Genes Are Upregulated in Treatment-Resistant Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 225.	1.3	20
423	Occupational Performance of People Diagnosed with Schizophrenia in Supported Housing and Outreach Programmes in Australia. <i>British Journal of Occupational Therapy</i> , 2006, 69, 409-419.	0.5	19
424	Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. <i>Psychiatry Research</i> , 2007, 149, 97-104.	1.7	19
425	Increased pituitary volume in patients with established bipolar affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1245-1249.	2.5	19
426	Olfaction and schizophrenia clinical risk status: Just the facts. <i>Schizophrenia Research</i> , 2012, 139, 260-261.	1.1	19
427	Markers of brain illness may be hidden in your olfactory ability: A Japanese perspective. <i>Neuroscience Letters</i> , 2013, 549, 182-185.	1.0	19
428	The schizophrenia genetics knowledgebase: a comprehensive update of findings from candidate gene studies. <i>Translational Psychiatry</i> , 2019, 9, 205.	2.4	19
429	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
430	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	0.9	19
431	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	0.9	19
432	Parenting – Brain Development interactions as predictors of adolescent depressive symptoms and well-being: Differential susceptibility or diathesis-stress?. <i>Development and Psychopathology</i> , 2020, 32, 139-150.	1.4	19

#	ARTICLE	IF	CITATIONS
433	Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study. Australian and New Zealand Journal of Psychiatry, 2018, 52, 864-875.	1.3	18
434	Heritability of specific cognitive functions and associations with schizophrenia spectrum disorders using CANTAB: a nation-wide twin study. Psychological Medicine, 2022, 52, 1101-1114.	2.7	18
435	The FOCIS international survey on psychiatrists' opinions on cognition in schizophrenia. Schizophrenia Research, 2005, 74, 253-261.	1.1	17
436	Insular cortex volume in established bipolar affective disorder: A preliminary MRI study. Psychiatry Research - Neuroimaging, 2010, 182, 187-190.	0.9	17
437	Relational Memory in First Episode Psychosis: Implications for Progressive Hippocampal Dysfunction After Illness Onset. Australian and New Zealand Journal of Psychiatry, 2011, 45, 206-213.	1.3	17
438	Brain functional connectivity during induced sadness in patients with obsessive-compulsive disorder. Journal of Psychiatry and Neuroscience, 2012, 37, 231-240.	1.4	17
439	Markers of vulnerability to obsessive-compulsive disorder in an ultra-high risk sample of patients who developed psychosis. Microbial Biotechnology, 2012, 6, 201-206.	0.9	17
440	Ventricular volumes across stages of schizophrenia and other psychoses. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1041-1051.	1.3	17
441	Age at first birth in women is genetically associated with increased risk of schizophrenia. Scientific Reports, 2018, 8, 10168.	1.6	17
442	Hippocampal subfields and visuospatial associative memory across stages of schizophrenia-spectrum disorder. Psychological Medicine, 2019, 49, 2452-2462.	2.7	17
443	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12-43 years. Psychological Medicine, 2021, 51, 1570-1580.	2.7	17
444	Cue dependent right hemineglect in schizophrenia: a kinematic analysis. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 65, 454-459.	0.9	16
445	Bimanual Coordination in Chronic Schizophrenia. Brain and Cognition, 2001, 45, 325-341.	0.8	16
446	Neuronal, physiological and brain-behavioural abnormalities in opiate-addicted individuals. Molecular Psychiatry, 2007, 12, 611-611.	4.1	16
447	A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. Medical Journal of Australia, 2009, 190, S33-6.	0.8	16
448	New rather than old? For working memory tasks with abstract patterns the $P_3$ and the single-trial delta response are larger for modified than identical probe stimuli. Psychophysiology, 2012, 49, 920-932.	1.2	16
449	Brain structural, neurochemical and neuroinflammatory markers of psychosis onset and relapse. International Clinical Psychopharmacology, 2013, , 1.	0.9	16
450	Social neuroscience in psychiatry: pathways to discovering neurobiological risk and resilience. World Psychiatry, 2014, 13, 146-147.	4.8	16

#	ARTICLE	IF	CITATIONS
451	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
452	Four behavioural syndromes of schizophrenia: a replication in a second inner-London epidemiological sample. <i>Schizophrenia Research</i> , 1999, 37, 165-176.	1.1	15
453	Use of Advance Information in Patients with Schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2000, 22, 472-482.	0.8	15
454	Structural Trait Markers of Bipolar Disorder: Disruption of White Matter Integrity and Localized Gray Matter Abnormalities in Anterior Fronto-Limbic Regions. <i>Biological Psychiatry</i> , 2011, 69, 299-300.	0.7	15
455	Risk and resilience brain networks in treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 284-292.	1.1	15
456	Brain-Predicted Age Associates With Psychopathology Dimensions in Youths. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 410-419.	1.1	15
457	Brain morphology is differentially impacted by peripheral cytokines in schizophrenia-spectrum disorder. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 299-309.	2.0	15
458	Frontostriatothalamic effective connectivity and dopaminergic function in the psychosis continuum. <i>Brain</i> , 2023, 146, 372-386.	3.7	15
459	Neurobiologically Based Stratification of Recent-Onset Depression and Psychosis: Identification of Two Distinct Transdiagnostic Phenotypes. <i>Biological Psychiatry</i> , 2022, 92, 552-562.	0.7	15
460	Structure and Function of the Olfactory System. , 2006, , 3-27.		14
461	Lack of progressive gray matter reduction of the superior temporal subregions in chronic schizophrenia. <i>Schizophrenia Research</i> , 2010, 117, 101-102.	1.1	14
462	Functional and Structural Alterations in the Cingulate Motor Area Relate to Decreased Fronto-Striatal Coupling in Major Depressive Disorder with Psychomotor Disturbances. <i>Frontiers in Psychiatry</i> , 2014, 5, 176.	1.3	14
463	Cortical Representations of Cognitive Control and Working Memory Are Dependent Yet Non-Interacting. <i>Cerebral Cortex</i> , 2014, 26, bhu208.	1.6	14
464	Olfactory sulcus morphology in established bipolar affective disorder. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 114-117.	0.9	14
465	Blood and brain protein levels of ubiquitin-conjugating enzyme E2K (UBE2K) are elevated in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2019, 113, 51-57.	1.5	14
466	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
467	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 1484-1493.	2.8	14
468	Evaluating brain activity in obsessive-compulsive disorder: Preliminary insights from a multivariate analysis. <i>Psychiatry Research - Neuroimaging</i> , 2006, 147, 227-231.	0.9	13

#	ARTICLE	IF	CITATIONS
469	Fractionation of Verbal Memory Impairment in Schizophrenia and Schizophreniform Psychosis. Australian and New Zealand Journal of Psychiatry, 2007, 41, 732-739.	1.3	13
470	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2010, 182, 73-76.	0.9	13
471	Hoarding Behaviors in Children With Learning Disabilities. Journal of Child Neurology, 2011, 26, 574-579.	0.7	13
472	Relationship between amygdala volume and emotion recognition in adolescents at ultra-high risk for psychosis. Psychiatry Research - Neuroimaging, 2014, 224, 159-167.	0.9	13
473	The effect of a muscarinic receptor 1 gene variant on grey matter volume in schizophrenia. Psychiatry Research - Neuroimaging, 2015, 234, 182-187.	0.9	13
474	The trajectory of cognitive functioning following first episode mania: A 12-month follow-up study. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1186-1197.	1.3	13
475	No preliminary evidence of differences in astrocyte density within the white matter of the dorsolateral prefrontal cortex in autism. Molecular Autism, 2017, 8, 64.	2.6	13
476	Mind the prevalence rate: overestimating the clinical utility of psychiatric diagnostic classifiers. Psychological Medicine, 2018, 48, 1225-1227.	2.7	13
477	Imaging of neuroinflammation in adult Niemann-Pick type C disease. Neurology, 2020, 94, e1716-e1725.	1.5	13
478	The Psychopathology and Neuroanatomical Markers of Depression in Early Psychosis. Schizophrenia Bulletin, 2021, 47, 249-258.	2.3	13
479	Effect of childhood physical abuse on social anxiety is mediated via reduced frontal lobe and amygdala-hippocampus complex volume in adult clinical high-risk subjects. Schizophrenia Research, 2021, 227, 101-109.	1.1	13
480	Stimulus Relevance in Eliciting Utilisation Behaviour: Case Study in a Patient with a Caudate Lesion. Cognitive Neuropsychiatry, 1998, 3, 287-298.	0.7	12
481	Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2010, 183, 30-37.	0.9	12
482	Investigation of orbitofrontal sulcogyral pattern in chronic schizophrenia. Psychiatry Research - Neuroimaging, 2015, 234, 280-283.	0.9	12
483	Neurocognitive similarities between severe chronic schizophrenia and behavioural variant frontotemporal dementia. Psychiatry Research, 2015, 225, 658-666.	1.7	12
484	Patterns of Cortical Structures and Cognition in Antipsychotic-Na <sup>+</sup> Patients With First-Episode Schizophrenia: A Partial Least Squares Correlation Analysis. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 444-453.	1.1	12
485	Cognitive reserve attenuates age-related cognitive decline in the context of putatively accelerated brain ageing in schizophrenia-spectrum disorders. Psychological Medicine, 2020, 50, 1475-1489.	2.7	12
486	Pineal Gland Volume in Major Depressive and Bipolar Disorders. Frontiers in Psychiatry, 2020, 11, 450.	1.3	12

#	ARTICLE	IF	CITATIONS
487	Associations between cognitive and affective empathy and internalizing symptoms in late childhood. <i>Journal of Affective Disorders</i> , 2021, 290, 245-253.	2.0	12
488	Cognitive development in adolescence: cerebral underpinnings, neural trajectories, and the impact of aberrations. , 2004, , 69-88.		12
489	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. , 0, .		12
490	The South Camden Schizophrenia Survey: An experience of community-based research. <i>Psychiatric Bulletin</i> , 1988, 12, 98-101.	0.3	12
491	Genome-wide association analyses of symptom severity among clozapine-treated patients with schizophrenia spectrum disorders. <i>Translational Psychiatry</i> , 2022, 12, 145.	2.4	12
492	Acute exacerbation of psychosis with buspirone?. <i>Journal of Psychopharmacology</i> , 1993, 7, 295-300.	2.0	11
493	Attenuation of perceptual asymmetries in patients with early-onset schizophrenia: Evidence in favour of reduced hemispheric differentiation in schizophrenia?. <i>Laterality</i> , 2004, 9, 79-91.	0.5	11
494	Delusions of Body Malodour: The Olfactory Reference Syndrome. , 2006, , 334-354.		11
495	The role of executive functions in psychiatric disorders. , 2009, , 117-137.		11
496	Downregulation of plasma SELENBP1 protein in patients with recent-onset schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 85, 1-6.	2.5	11
497	Protocol for Clozapine Rechallenge in a Case of Clozapine-Induced Myocarditis. <i>Canadian Journal of Psychiatry</i> , 2020, 65, 448-453.	0.9	11
498	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
499	Brain morphology does not clearly map to cognition in individuals on the bipolar-schizophrenia-spectrum: a cross-diagnostic study of cognitive subgroups. <i>Journal of Affective Disorders</i> , 2021, 281, 776-785.	2.0	11
500	Virtual Ontogeny of Cortical Growth Preceding Mental Illness. <i>Biological Psychiatry</i> , 2022, 92, 299-313.	0.7	11
501	Letter to the editor. <i>Journal of Substance Abuse Treatment</i> , 1989, 6, 205-206.	1.5	10
502	Cognitive precursors of severe mental disorders. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 1-8.	0.7	10
503	Predictors and consequences of health anxiety symptoms: a novel twin modeling study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 241-251.	2.2	10
504	Neuregulin-1 ( <i>NRG1</i> ) polymorphisms linked with psychosis transition are associated with enlarged lateral ventricles and white matter disruption in schizophrenia. <i>Psychological Medicine</i> , 2018, 48, 801-809.	2.7	10

#	ARTICLE	IF	CITATIONS
505	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , 2018, 260, 60-66.	1.7	10
506	Exploring the moderating effects of dopaminergic polymorphisms and childhood adversity on brain morphology in schizophrenia-spectrum disorders. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 61-68.	0.9	10
507	An fMRI study of theory of mind in individuals with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 1-11.	0.9	10
508	Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. <i>Microbial Biotechnology</i> , 2019, 13, 1373-1381.	0.9	10
509	Longitudinal changes in striatum and sub-threshold positive symptoms in individuals with an "at risk mental state" (ARMS). <i>Psychiatry Research - Neuroimaging</i> , 2019, 285, 25-30.	0.9	10
510	An Interleukin-1 beta (IL1B) haplotype linked with psychosis transition is associated with IL1B gene expression and brain structure. <i>Schizophrenia Research</i> , 2019, 204, 201-205.	1.1	10
511	Predicting individual improvement in schizophrenia symptom severity at 1-year follow-up: Comparison of connectomic, structural, and clinical predictors. <i>Human Brain Mapping</i> , 2020, 41, 3342-3357.	1.9	10
512	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
513	Network Analysis of Symptom Comorbidity in Schizophrenia: Relationship to Illness Course and Brain White Matter Microstructure. <i>Schizophrenia Bulletin</i> , 2021, 47, 1156-1167.	2.3	10
514	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 403-413.	1.8	10
515	Brain Imaging in Schizophrenia. , 0, , 403-417.		10
516	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
517	Plasma neurofilament light chain protein is not increased in treatment-resistant schizophrenia and first-degree relatives. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1295-1305.	1.3	10
518	The transition to psychosis: risk factors and brain changes. <i>Epidemiologia E Psichiatria Sociale</i> , 2004, 13, 137-140.	1.0	9
519	Structural brain correlates of alcohol and cannabis use in recreational users. <i>Acta Neuropsychiatrica</i> , 2006, 18, 226-229.	1.0	9
520	The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 111-119.	0.9	9
521	Differential effect of disease-associated ST8SIA2 haplotype on cerebral white matter diffusion properties in schizophrenia and healthy controls. <i>Translational Psychiatry</i> , 2018, 8, 21.	2.4	9
522	Schizophrenia moderates the relationship between white matter integrity and cognition. <i>Schizophrenia Research</i> , 2018, 199, 250-256.	1.1	9

#	ARTICLE	IF	CITATIONS
523	Prucalopride in clozapine-induced constipation. Australian and New Zealand Journal of Psychiatry, 2018, 52, 804-804.	1.3	9
524	Neuroanatomical alterations in people with high and low cannabis dependence. Australian and New Zealand Journal of Psychiatry, 2020, 54, 68-75.	1.3	9
525	Wnt receptor gene FZD1 was associated with schizophrenia in genome-wide SNP analysis of the Australian Schizophrenia Research Bank cohort. Australian and New Zealand Journal of Psychiatry, 2020, 54, 902-908.	1.3	9
526	No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis—A Randomized Clinical Trial. Frontiers in Psychiatry, 2020, 11, 873.	1.3	9
527	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. Schizophrenia Research, 2020, 224, 116-125.	1.1	9
528	Altered empathy-related resting-state functional connectivity in adolescents with early-onset schizophrenia and autism spectrum disorders. Asian Journal of Psychiatry, 2020, 53, 102167.	0.9	9
529	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. Schizophrenia Bulletin, 2021, 47, 444-455.	2.3	9
530	Global fractional anisotropy predicts transition to psychosis after 12 months in individuals at ultra-high risk for psychosis. Acta Psychiatrica Scandinavica, 2021, 144, 448-463.	2.2	9
531	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 100-110.	2.3	9
532	Attention and neuropsychiatric disorders. Current Opinion in Psychiatry, 1999, 12, 339-344.	3.1	9
533	Cognitive and olfactory deficits: Course from high risk to first-episode psychosis. Schizophrenia Research, 1998, 29, 54-55.	1.1	8
534	Atypical Antipsychotics Cause an Acute Increase in Cutaneous Hand Blood Flow in Patients with Schizophrenia and Schizoaffective Disorder. Australian and New Zealand Journal of Psychiatry, 2011, 45, 646-653.	1.3	8
535	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. Psychiatry Research, 2012, 199, 8-11.	1.7	8
536	Diagnostic stability and long-term symptomatic and functional outcomes in first-episode antipsychotic-naïve patients with schizophrenia. European Psychiatry, 2019, 62, 130-137.	0.1	8
537	The impact of schizophrenia and intelligence on the relationship between age and brain volume. Schizophrenia Research: Cognition, 2019, 15, 1-6.	0.7	8
538	A Systematic Review of Cognition-Brain Morphology Relationships on the Schizophrenia-Bipolar Disorder Spectrum. Schizophrenia Bulletin, 2021, 47, 1557-1600.	2.3	8
539	The relative and interactive impact of multiple risk factors in schizophrenia spectrum disorders: a combined register-based and clinical twin study. Psychological Medicine, 2023, 53, 1266-1276.	2.7	8
540	Prediction of Early Symptom Remission in Two Independent Samples of First-Episode Psychosis Patients Using Machine Learning. Schizophrenia Bulletin, 2022, 48, 122-133.	2.3	8

#	ARTICLE	IF	CITATIONS
541	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. Journal of Psychiatric Research, 2020, 129, 88-97.	1.5	8
542	Should we redefine the concept of endophenotype in schizophrenia?. Revista Brasileira De Psiquiatria, 2010, 32, 106-107.	0.9	8
543	A brief assessment of executive control dysfunction: Discriminant validity and homogeneity of planning, set shift, and fluency measures. Archives of Clinical Neuropsychology, 1996, 11, 185-191.	0.3	7
544	Brief Report: Bradyphrenia in Parkinson's Disease, Huntington's Disease, and Schizophrenia. Cognitive Neuropsychiatry, 1996, 1, 165-170.	0.7	7
545	Olfaction and Memory. , 2006, , 65-82.		7
546	Ventricle volumes in emerging psychosis. A cross-sectional and longitudinal MRI study. European Psychiatry, 2007, 22, S30-S31.	0.1	7
547	Neurobiological endophenotypes of psychosis and schizophrenia. , 2009, , 61-80.		7
548	Olfactory Sensitivity. Vitamins and Hormones, 2010, 83, 305-329.	0.7	7
549	Gender effects on brain changes in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1193-1205.	2.8	7
550	Can youth at high risk of illness progression be identified by measures of rumination and sleep-wake disturbance. Microbial Biotechnology, 2019, 13, 1214-1219.	0.9	7
551	The impact of smoking status on cognition and brain morphology in schizophrenia spectrum disorders. Psychological Medicine, 2022, 52, 3097-3115.	2.7	7
552	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. Translational Psychiatry, 2021, 11, 312.	2.4	7
553	A pilot study of subcortical dementia in schizophrenia. Schizophrenia Research, 1989, 2, 69.	1.1	6
554	Response programming in patients with schizophrenia: A kinematic analysis. Neuropsychologia, 1998, 36, 603-610.	0.7	6
555	Health behaviours of community-treated patients with psychosis. Australasian Psychiatry, 2012, 20, 208-213.	0.4	6
556	Delusional Misidentification Syndromes in Obsessive-Compulsive Disorder. Psychiatric Quarterly, 2013, 84, 175-181.	1.1	6
557	Genetic variation in cytokine genes and risk for transition to psychosis among individuals at ultra-high risk. Schizophrenia Research, 2018, 195, 589-590.	1.1	6
558	Clozapine rechallenge in a patient with clozapine-induced hepatitis. Australasian Psychiatry, 2019, 27, 535-535.	0.4	6



#	ARTICLE	IF	CITATIONS
559	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , 2020, 289, 112909.	1.7	6
560	Neural Correlates of Audiovisual Temporal Binding Window in Individuals With Schizotypal and Autistic Traits: Evidence From Resting-state Functional Connectivity. <i>Autism Research</i> , 2021, 14, 668-680.	2.1	6
561	The non-specific nature of mental health and structural brain outcomes following childhood trauma. <i>Psychological Medicine</i> , 2023, 53, 1005-1014.	2.7	6
562	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2021, 237, 192-201.	1.1	6
563	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	6.0	6
564	A one-year dose reduction study in chronic schizophrenic inpatients: Amisulpride vs haloperidol. <i>Schizophrenia Research</i> , 1992, 6, 107.	1.1	5
565	Test-retest reliability of the national adult reading test (NART) as an estimate of premorbid IQ in patients with schizophrenia. <i>Schizophrenia Research</i> , 1998, 29, 62-63.	1.1	5
566	Olfactory Processing and Brain Maturation. , 0, , 103-118.		5
567	Assessment of Olfaction. , 2006, , 235-258.		5
568	Sex Differences and Olfactory Function. , 2006, , 183-202.		5
569	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019, 85, e35-e39.	0.7	5
570	White Matter Alterations Between Brain Network Hubs Underlie Processing Speed Impairment in Patients With Schizophrenia. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab033.	0.9	5
571	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	0.7	5
572	Associations between cognition and white matter microstructure in first-episode antipsychotic-naïve patients with schizophrenia and healthy controls: A multivariate pattern analysis. <i>Cortex</i> , 2021, 139, 282-297.	1.1	5
573	Diseases of white matter and schizophrenia-like psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 746-756.	1.3	5
574	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 552175.	1.3	5
575	A Meta-analysis of Mental Time Travel in Individuals with Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2023, 53, 1509-1528.	1.7	5
576	Imaging in schizophrenia: looking back and peering ahead. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 440-2.	0.2	5

#	ARTICLE	IF	CITATIONS
577	Characteristics of the New Long-Stay Population in an Inner Melbourne Acute Psychiatric Hospital. Australian and New Zealand Journal of Psychiatry, 1997, 31, 488-495.	1.3	4
578	Volume of parahippocampal gyrus and hippocampus in schizophrenia. British Journal of Psychiatry, 1999, 175, 388-388.	1.7	4
579	Olfactory Hallucinations. , 2006, , 322-333.		4
580	Pillow talk: catatonia. Acta Neuropsychiatrica, 2008, 20, 44-45.	1.0	4
581	Is <i>â€ˆ&lt;i&gt;This Kinesia&lt;/i&gt;â€™™ or tardive dystonia?. Acta Neuropsychiatrica, 2008, 20, 216-217.</i>	1.0	4
582	Response to Belgard et al.. Molecular Psychiatry, 2014, 19, 407-409.	4.1	4
583	Decreased peripheral TNF alpha (TNF- $\hat{\pm}$ ) mRNA expression in patients with treatment-resistant schizophrenia. Schizophrenia Research, 2018, 202, 387-388.	1.1	4
584	Symptom recovery and relationship to structure of corpus callosum in individuals with an <i>â€ˆ&lt;i&gt;at risk mental stateâ€™™</i> . Psychiatry Research - Neuroimaging, 2018, 272, 1-6.	0.9	4
585	Olfactory sulcus morphology in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2019, 292, 1-4.	0.9	4
586	Failing to Gain: Another Explanation of Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. American Journal of Psychiatry, 2020, 177, 354-354.	4.0	4
587	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 3929.	1.0	4
588	The South Camden Schizophrenia Survey: An experience of community-based research. Bulletin of the Royal College of Psychiatrists, 1988, 12, 98-101.	0.1	4
589	Cognitive behavioral markers of neurodevelopmental trajectories in rodents. Translational Psychiatry, 2021, 11, 556.	2.4	4
590	Effects of prenatal nutrient supplementation and early life exposures on neurodevelopment at age 10: a randomised controlled trial - the COPSYPH study protocol. BMJ Open, 2022, 12, e047706.	0.8	4
591	Brain Morphological Characteristics of Cognitive Subgroups of Schizophrenia-Spectrum Disorders and Bipolar Disorder: A Systematic Review with Narrative Synthesis. Neuropsychology Review, 2022, , 1.	2.5	4
592	Cortico-cognition coupling in treatment resistant schizophrenia. NeuroImage: Clinical, 2022, 35, 103064.	1.4	4
593	Ziprasidone vs risperidone in schizophrenia: An 8-week, double-blind trial. European Neuropsychopharmacology, 2002, 12, 314.	0.3	3
594	Verbal paired associate learning in schizophrenia, schizophreniform psychosis and <i>â€ˆ&lt;i&gt;at riskâ€™™</i> mental state. Schizophrenia Research, 2003, 60, 151-152.	1.1	3

#	ARTICLE	IF	CITATIONS
595	Role of the Insula in Smell and Disgust. , 2006, , 50-64.		3
596	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processing”Reply. Archives of General Psychiatry, 2007, 64, 252.	13.8	3
597	Neurobiological and neuropsychological pathways into substance abuse and addictive behavior. , 2009, , 326-341.		3
598	Domains of cognitive impairment in bipolar disorder: commentary on “The International Society for Bipolar Disorders-Battery for Assessment of Neurocognition (ISBD-BANC)” Bipolar Disorders, 2011, 13, 217-218.	1.1	3
599	Antidepressant Effects of ECT may be related to Hippocampal Neurogenesis. Brain Stimulation, 2015, 8, 424-425.	0.7	3
600	66. Increased C3 and C4 Proteins in Serum of FEP and UHR Patients: Implications for Inflammatory Subtyping in SCZ. Biological Psychiatry, 2017, 81, S27-S28.	0.7	3
601	The effects of a muscarinic receptor 1 gene variant on cortical thickness and surface area in schizophrenia. Psychiatry Research - Neuroimaging, 2018, 280, 62-64.	0.9	3
602	Schizotypal Disorder in Children”A Neglected Diagnosis. Schizophrenia Bulletin Open, 2020, 1, .	0.9	3
603	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. Schizophrenia Bulletin Open, 2020, 1, .	0.9	3
604	Heritability of Memory Functions and Related Brain Volumes: A Schizophrenia Spectrum Study of 214 Twins. Schizophrenia Bulletin Open, 2020, 1, .	0.9	3
605	Differential involvement of hippocampal subfields in Niemann-Pick type C disease: a case”control study. Metabolic Brain Disease, 2021, 36, 2071-2078.	1.4	3
606	Characterization and interrelationships of theory of mind, socially competitive emotions and affective empathy in bipolar disorder. British Journal of Clinical Psychology, 2022, 61, 76-92.	1.7	3
607	Disruptions in white matter microstructure associated with impaired visual associative memory in schizophrenia-spectrum illness. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 971-983.	1.8	3
608	White Matter Pathology in Schizophrenia. , 2020, , 71-91.		3
609	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression. World Journal of Biological Psychiatry, 2022, 23, 573-581.	1.3	3
610	Individual differences in brain structure and self-reported empathy in children. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 1078-1089.	1.0	3
611	Add-On MEmantine to Dopamine Antagonism to Improve Negative Symptoms at First Psychosis- the AMEND Trial Protocol. Frontiers in Psychiatry, 2022, 13, .	1.3	3
612	Procedure for volumetric analysis of brain MRI images by segmentation into CSF spaces, cortical gray, cortical white, and subcortical gray matter using a semi-automated multi-level threshold technique. Schizophrenia Research, 1993, 9, 206.	1.1	2

#	ARTICLE	IF	CITATIONS
613	Seeking asylum. <i>Australasian Psychiatry</i> , 2002, 10, 242-245.	0.4	2
614	The Impact of Olfaction on Human Social Functioning. , 2006, , 220-232.		2
615	P.1.b.003 The impact of regular cannabis use on human brain structure. <i>European Neuropsychopharmacology</i> , 2012, 22, S164-S165.	0.3	2
616	Adolescent Cognitive Control. , 2016, , 177-185.		2
617	O1.6. INCREASED COMPLEMENT FACTORS C3 AND C4 IN SCHIZOPHRENIA AND THE EARLY STAGES OF PSYCHOSIS: IMPLICATIONS FOR CLINICAL SYMPTOMATOLOGY AND CORTICAL THICKNESS. <i>Schizophrenia Bulletin</i> , 2018, 44, S74-S74.	2.3	2
618	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 223-231.	1.1	2
619	Right Unilateral Ultrabrief Electroconvulsive Therapy in the Maintenance Treatment of Schizophrenia. <i>Journal of ECT</i> , 2019, 35, e34-e35.	0.3	2
620	The effects of a muscarinic receptor 1 gene variant on executive and non-executive cognition in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2019, 273, 178-180.	1.7	2
621	T162. THICKER PREFRONTAL CORTEX IS ASSOCIATED WITH SUBCLINICAL NEGATIVE SYMPTOMS IN SCHIZOTYPY - AN ENIGMA CONSORTIUM META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S292-S293.	2.3	2
622	Structural and functional brain abnormalities in children with schizotypal disorder: a pilot study. <i>NPJ Schizophrenia</i> , 2020, 6, 6.	2.0	2
623	Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum. <i>Biological Psychiatry</i> , 2021, 89, S356.	0.7	2
624	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021, , .	1.6	2
625	Insight and Hopelessness in Forensic Patients with Schizophrenia. , 0, .		2
626	Different Frequency of Heschl's Gyrus Duplication Patterns in Neuropsychiatric Disorders: An MRI Study in Bipolar and Major Depressive Disorders. <i>Frontiers in Human Neuroscience</i> , 0, 16, .	1.0	2
627	Alcohol use in schizophrenia: Symptomatology, relationship with tardive dyskinesia and age at onset. <i>Schizophrenia Research</i> , 1992, 6, 122.	1.1	1
628	The camden schizophrenia surveys: Chronic mental illness in primary care. <i>Schizophrenia Research</i> , 1992, 6, 174.	1.1	1
629	Dysfluency in Huntington's disease, Parkinson's disease and schizophrenia. <i>Applied Neuropsychology</i> , 1995, 2, 29-34.	1.5	1
630	Validation of the clinical antisaccade task to assess distractibility across three stages of psychosis. <i>Schizophrenia Research</i> , 1998, 29, 117-118.	1.1	1

#	ARTICLE	IF	CITATIONS
631	Characteristics of the new long-stay population in an acute psychiatric hospital in inner Melbourne. Schizophrenia Research, 1998, 29, 196-197.	1.1	1
632	Reduced left anterior cingulate/paracingulate fissurization in males with first-episode psychoses but not females: A MRI morphometric study. Schizophrenia Research, 2000, 41, 6-7.	1.1	1
633	The nature of the memory deficit in schizophrenia. Schizophrenia Research, 2000, 41, 279.	1.1	1
634	Response inhibition and practice effects on a stroop paradigm in schizophrenia and obsessive-compulsive disorder (OCD). Schizophrenia Research, 2000, 41, 292.	1.1	1
635	Bioactive lipids and cognitive function in first-episode psychosis. Schizophrenia Research, 2003, 60, 153.	1.1	1
636	ADDICTION, DISINHIBITION, IMPULSIVITY, COMPULSIVITY: WHAT'S THE DIFFERENCE, WHY DOES IT MATTER AND WHAT IS THE ROLE OF CONTEXT?. Addiction, 2004, 99, 1506-1507.	1.7	1
637	Olfaction and the Temporal Lobes. , 2006, , 28-49.		1
638	Olfactory Impairment in Neuropsychiatric Disorders. , 2006, , 259-278.		1
639	A Tale of Two Cities: A Neuroimaging Investigation of Melbourneâ€™Sydney Rivalry Comparing Cortical Thickness in Healthy Adults. Australasian Psychiatry, 2007, 15, 67-71.	0.4	1
640	S.14.02 Transition to psychosis â€™ what happens in the brain?. European Neuropsychopharmacology, 2008, 18, S176.	0.3	1
641	Neuropsychology of ADHD and other disorders of childhood. , 2009, , 285-299.		1
642	Neuropsychology of obsessive-compulsive disorder. , 2009, , 342-352.		1
643	Developmental neuropsychology: normative trajectories and risk for psychiatric illness. , 2009, , 4-14.		1
644	CARDIOMETABOLIC HEALTH BEHAVIOURS OF COMMUNITY-TREATED PATIENTS WITH PSYCHOSIS. Schizophrenia Research, 2010, 117, 527-528.	1.1	1
645	The neurobiology of Bipolar II disorder. , 0, , 89-99.		1
646	The effects of stressâ€™tension on depression and anxiety symptoms: evidence from a novel twin modelling analysis. Psychological Medicine, 2017, 47, 1865-1865.	2.7	1
647	Can we raise the standard of care in treating schizophrenia: A cautionary note!. Australian and New Zealand Journal of Psychiatry, 2017, 51, 557-559.	1.3	1
648	O6.5. LINKING CORTICAL AND CONNECTIONAL PATHOLOGY IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S91-S91.	2.3	1

#	ARTICLE	IF	CITATIONS
649	Neuroimaging and Staging. , 2019, , 103-139.		1
650	O5.1. GREY MATTER BRAIN CHANGES IN MEDICATED AND UNMEDICATED FIRST EPISODE PSYCHOSIS: A RANDOMISED PLACEBO-CONTROLLED TRIAL. Schizophrenia Bulletin, 2019, 45, S172-S173.	2.3	1
651	O11.8. RELATIONSHIP BETWEEN SCHIZOTYPY AND SUBCORTICAL BRAIN VOLUMES IN 1084 INDIVIDUALS VIA THE ENIGMA CONSORTIUM. Schizophrenia Bulletin, 2019, 45, S196-S197.	2.3	1
652	O4.6. HERITABILITY OF SPECIFIC COGNITIVE FUNCTIONS AND ASSOCIATIONS WITH SCHIZOPHRENIA SPECTRUM DISORDERS USING CANTAB: A NATION-WIDE TWIN STUDY. Schizophrenia Bulletin, 2019, 45, S171-S171.	2.3	1
653	T195. Neuroanatomical Heterogeneity of Schizophrenia Quantified via Semi-Supervised Machine Learning Reveals Two Distinct Subtypes: Results From the PHENOM Consortium. Biological Psychiatry, 2019, 85, S205-S206.	0.7	1
654	Electroencephalography identifies encephalopathy associated with adjunctive lithium and zuclopenthixol. Australian and New Zealand Journal of Psychiatry, 2019, 53, 814-815.	1.3	1
655	Ondansetron augmentation for the management of obsessive-compulsive disorder in a patient with treatment-resistant schizophrenia. Australian and New Zealand Journal of Psychiatry, 2020, 55, 000486742096372.	1.3	1
656	Neurofilament light chain in psychiatric and neurodegenerative disorders: A "reactive protein" for the brain?. Alzheimer's and Dementia, 2020, 16, e041347.	0.4	1
657	Clonidine induced sexual disinhibition in a patient with treatment-resistant schizophrenia: A case report. Australian and New Zealand Journal of Psychiatry, 2021, 55, 522-522.	1.3	1
658	Neurobiology of psychiatric disorders: Recent work in schizophrenia, OCD and ADHD. Australian and New Zealand Journal of Psychiatry, 2000, 34, A50-A50.	1.3	1
659	Using combined environmental "clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression. British Journal of Psychiatry, 2022, 220, 229-245.	1.7	1
660	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis. NPJ Schizophrenia, 2022, 8, 19.	2.0	1
661	Whole-genome sequencing analysis of clozapine-induced myocarditis. Pharmacogenomics Journal, 2022, 22, 173-179.	0.9	1
662	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. Schizophrenia Research, 2022, 244, 1-7.	1.1	1
663	Olfactory agnosia, hygiene and fronto-limbic system dysfunction: Neuropsychological subtypes in males with schizophrenia. Schizophrenia Research, 1995, 15, 110.	1.1	0
664	Bilateral hippocampal volume reduction in chronic schizophrenia on MRI volumetric analysis. Schizophrenia Research, 1996, 18, 186.	1.1	0
665	Olfactory and neuropsychological deficits in first episode psychosis. Schizophrenia Research, 1996, 18, 224-225.	1.1	0
666	Abnormal movements can be identified in "atypical" populations. Behavioral and Brain Sciences, 1996, 19, 84-85.	0.4	0

#	ARTICLE	IF	CITATIONS
667	Comorbid substance misuse among people with schizophrenia in the community: An epidemiological study in central London. <i>Schizophrenia Research</i> , 1997, 24, 256.	1.1	0
668	Incidental findings on brain magnetic resonance imaging in first-episode and chronic schizophrenia. <i>Schizophrenia Research</i> , 2000, 41, 116.	1.1	0
669	Working memory and participation in activities in people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2000, 41, 279.	1.1	0
670	Olfactory acuity and identification: Dissociated abilities in psychosis and temporal lobe epilepsy. <i>Schizophrenia Research</i> , 2000, 41, 296.	1.1	0
671	90. A longitudinal study of hippocampal volumes in schizophrenia. <i>Biological Psychiatry</i> , 2000, 47, S27.	0.7	0
672	Perceptual and working memory impairments in first-episode and chronic schizophrenia. <i>Schizophrenia Research</i> , 2003, 60, 145-146.	1.1	0
673	Spatial working memory deficits in first-episode psychosis: Relationship with negative symptoms. <i>Schizophrenia Research</i> , 2003, 60, 146.	1.1	0
674	Grey and white matter deficits in males with chronic schizophrenia: An automated MR image analysis. <i>Schizophrenia Research</i> , 2003, 60, 206-207.	1.1	0
675	Incipient neurovulnerability and neuroprotection in early psychosis: A proton spectroscopy study of the anterior hippocampus at 3Tesla. <i>Schizophrenia Research</i> , 2003, 60, 238.	1.1	0
676	02-02 Pituitary volume in adolescents with first-presentation borderline personality disorder. <i>Acta Neuropsychiatrica</i> , 2006, 18, 317-317.	1.0	0
677	A T2-relaxometric investigation of the brain in early psychosis: preliminary findings. <i>Acta Neuropsychiatrica</i> , 2006, 18, 276-276.	1.0	0
678	The Role of Pheromones and Chemistry: Lessons from Comparative Anatomy. , 0, , 203-219.		0
679	Olfaction in Psychosis. , 2006, , 296-321.		0
680	Olfactory Neurogenesis: A Window on Brain Development. , 2006, , 83-102.		0
681	Olfaction in Parkinsonian Syndromes. , 0, , 279-295.		0
682	Probes of Behaviour Regulation: Olfactory Models in Addiction. , 0, , 119-132.		0
683	Genetics and Family Influences on Olfaction: A Focus in Schizophrenia. , 0, , 167-182.		0
684	Clozapine and cardiotoxicity: echocardiography findings from Barwon Health. <i>Acta Neuropsychiatrica</i> , 2006, 18, 249-250.	1.0	0

#	ARTICLE	IF	CITATIONS
685	02-03 An MRI study of pituitary volume and suicidal behaviour in adolescents with first-presentation borderline personality disorder. <i>Acta Neuropsychiatrica</i> , 2006, 18, 317-317.	1.0	0
686	The metabolic syndrome in patients with a prolonged psychotic illness within a community setting: age and gender issues. <i>Acta Neuropsychiatrica</i> , 2006, 18, 260-260.	1.0	0
687	S.22.01 Brain changes during the development of psychosis. <i>European Neuropsychopharmacology</i> , 2007, 17, S209.	0.3	0
688	P.1.e.016 Anatomical abnormalities of the anterior cingulate cortex before the onset of psychosis. <i>European Neuropsychopharmacology</i> , 2008, 18, S268-S269.	0.3	0
689	The neural basis of attention. , 2009, , 105-116.		0
690	Processes and mechanisms in neuropsychiatry: sensory-perceptual. , 2009, , 15-24.		0
691	Processes and mechanisms in neuropsychiatry: motor-executive processes. , 2009, , 25-36.		0
692	Associative memory. , 2009, , 96-104.		0
693	Psychopharmacological modeling of psychiatric illness. , 2009, , 252-270.		0
694	Dopamine dysregulation in the brain network of decision-making: Can this explain the psychopathology of schizophrenia?. <i>Medical Psychiatry</i> , 2009, , 131-151.	0.2	0
695	Corpus Callosum Size and Shape in Individuals with Bipolar Disorder and Their Relatives. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
696	EVIDENCE FOR ALTERED ASYMMETRY OF FRONTAL CORTEX T2 RELAXATION TIME IN PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 534.	1.1	0
697	WHY TRANSITION TO PSYCHOSIS IS NOT THE WHOLE STORY - NEUROCOGNITIVE MARKERS OF TRANSITION AND POOR FUNCTIONAL OUTCOME SEVEN TO 14 YEARS AFTER IDENTIFICATION AS ULTRA-HIGH RISK AT THE PACE CLINIC. <i>Schizophrenia Research</i> , 2010, 117, 174-175.	1.1	0
698	IDENTIFYING THE MARKERS OF MENTAL ILLNESS IN PRIMARY SCHOOL-AGED CHILDREN: A SERIES OF CASE STUDIES EXAMINING COGNITIVE, MOTOR, LANGUAGE AND PSYCHOSOCIAL FACTORS. <i>Schizophrenia Research</i> , 2010, 117, 321-322.	1.1	0
699	Evidencia de neuroimagen y de tratamiento respecto a los estadios clínicos en los trastornos psicóticos: del estado mental de riesgo a la esquizofrenia crónica. <i>Psiquiatría Biológica</i> , 2011, 18, 117-123.	0.0	0
700	Commentary on "Should the diagnostic boundaries of schizophrenia be expanded?". <i>Cognitive Neuropsychiatry</i> , 2011, 16, 107-112.	0.7	0
701	BRAIN IMAGING MARKERS OF PSYCHOSIS RELAPSE. IS THERE EVIDENCE FOR A PSYCHOSIS RELAPSE SIGNATURE?. <i>Schizophrenia Research</i> , 2014, 153, S77-S78.	1.1	0
702	Response to Robinson et al.. <i>Molecular Psychiatry</i> , 2015, 20, 794-794.	4.1	0



#	ARTICLE	IF	CITATIONS
703	P.7.b.008 Progressive loss of gray matter volume in the frontal lobe is associated with decreased working memory performance over time in adolescent psychosis. <i>European Neuropsychopharmacology</i> , 2015, 25, S639-S640.	0.3	0
704	743. Brain Network Resilience and Accelerated Brain Aging in Schizophrenia. <i>Biological Psychiatry</i> , 2017, 81, S301.	0.7	0
705	Challenges facing the identification of distinctive cognitive and neurobiological features of schizophrenia and bipolar disorder and the need for a data-driven approach: Response to Dr. Martino. <i>Schizophrenia Research</i> , 2017, 183, 163.	1.1	0
706	T47. Empathy and Depressive Symptoms During Childhood: An Investigation of Neural Mechanisms Using Resting State Functional Connectivity. <i>Biological Psychiatry</i> , 2018, 83, S147.	0.7	0
707	T239. SINGLE-SUBJECT PREDICTION OF FUNCTIONAL OUTCOMES IN CLINICAL HIGH RISK SUBJECTS USING CLINICAL DATA. <i>Schizophrenia Bulletin</i> , 2018, 44, S209-S210.	2.3	0
708	T157. FRONTOSTRIATAL CONNECTIVITY IN TREATMENT-RESISTANT SCHIZOPHRENIA: RELATIONSHIP TO POSITIVE SYMPTOMS AND COGNITIVE FLEXIBILITY. <i>Schizophrenia Bulletin</i> , 2018, 44, S176-S177.	2.3	0
709	F158. FUNCTIONAL CONNECTIVITY DIVERSITY OF THE INSULA CORTEX IN SCHIZOPHRENIA: SUBREGIONS OR CONTINUA?. <i>Schizophrenia Bulletin</i> , 2018, 44, S282-S282.	2.3	0
710	Reply to Searcy and colleagues. <i>Pharmacogenetics and Genomics</i> , 2018, 28, 108-109.	0.7	0
711	45INTERROGATING THE EVOLUTIONARY PARADOX OF SCHIZOPHRENIA: A NOVEL EVIDENCE FROM NEANDERTHALS AND DENISOVANS. <i>European Neuropsychopharmacology</i> , 2019, 29, S1092-S1093.	0.3	0
712	The Neurobiology of Bipolar II Disorder. , 2019, , 91-107.		0
713	F40. ASSOCIATIONS BETWEEN BRAIN MORPHOLOGY AND COGNITION IN INDIVIDUALS WITH SCHIZOPHRENIA AND BIPOLAR DISORDER: A REVIEW. <i>Schizophrenia Bulletin</i> , 2019, 45, S270-S271.	2.3	0
714	T88. THE IMPACT OF AGE OF ONSET AND ILLNESS DURATION ON WHITE MATTER AND COGNITION TRAJECTORIES IN SCHIZOPHRENIA: A 7-YEAR FOLLOW-UP STUDY ACROSS MULTIPLE TIME-POINTS. <i>Schizophrenia Bulletin</i> , 2019, 45, S237-S238.	2.3	0
715	T97. PATTERNS OF COGNITIVE FUNCTION ARE UNIQUELY ASSOCIATED WITH WHITE MATTER-MICROSTRUCTURE IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S241-S242.	2.3	0
716	4.3 HIPPOCAMPAL SUBFIELDS AND VISUOSPATIAL ASSOCIATIVE MEMORY ACROSS STAGES OF SCHIZOPHRENIA-SPECTRUM DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S92-S92.	2.3	0
717	F95. DISRUPTION IN HIPPOCAMPAL-PREFRONTAL WHITE MATTER PATHWAYS AND MEMORY PERFORMANCE ACROSS STAGES OF SCHIZOPHRENIA-SPECTRUM DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S290-S290.	2.3	0
718	S35. UNDERSTANDING THE RELATIONSHIP BETWEEN COGNITIVE HETEROGENEITY AND BRAIN MORPHOLOGY IN SCHIZOPHRENIA AND BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S319-S319.	2.3	0
719	P.095 Increased peripheral inflammation in schizophrenia is associated with worse cognitive performance and related cortical thickness reductions. <i>European Neuropsychopharmacology</i> , 2019, 29, S82.	0.3	0
720	T18. EFFECTS OF COGNITIVE REMEDIATION ON WHITE MATTER IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS – A RANDOMIZED, CONTROLLED CLINICAL TRIAL. <i>Schizophrenia Bulletin</i> , 2020, 46, S237-S238.	2.3	0

#	ARTICLE	IF	CITATIONS
721	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , 2020, 46, S238-S239.	2.3	0
722	T60. GENETIC INFLUENCES ON MEMORY FUNCTIONS AND RELATED BRAIN STRUCTURES AND ASSOCIATIONS WITH SCHIZOPHRENIA SPECTRUM DISORDERS: A NATION-WIDE TWIN STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S254-S254.	2.3	0
723	T223. MULTIVARIATE PREDICTION OF FOLLOW UP SOCIAL AND OCCUPATIONAL OUTCOME IN CLINICAL HIGH-RISK INDIVIDUALS BASED ON GRAY MATTER VOLUMES AND HISTORY OF ENVIRONMENTAL ADVERSE EVENTS. <i>Schizophrenia Bulletin</i> , 2020, 46, S317-S318.	2.3	0
724	M1. INVESTIGATING THE RELATIONSHIP BETWEEN CHILDHOOD TRAUMA AND PSYCHIATRIC DISEASE USING MACHINE LEARNING TECHNIQUES. <i>Schizophrenia Bulletin</i> , 2020, 46, S133-S133.	2.3	0
725	S94. PREDICTION OF CANNABIS RELAPSE IN CLINICAL HIGH-RISK INDIVIDUALS AND RECENT ONSET PSYCHOSIS - PRELIMINARY RESULTS FROM THE PRONIA STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S69-S70.	2.3	0
726	S166. EFFECTIVE CONNECTIVITY OF FRONTOSTRIATAL SYSTEMS IN FIRST-EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S99-S100.	2.3	0
727	S187. EXPLORING NEURODEVELOPMENTAL AND FAMILIAL ORIGINS OF NEUROLOGICAL SOFT SIGNS IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020, 46, S109-S109.	2.3	0
728	Neuroanatomical Dimensional Phenotypes of Schizophrenia: Expression in Youth With Psychosis-Spectrum Symptoms and Correlation With Cognition. <i>Biological Psychiatry</i> , 2020, 87, S119.	0.7	0
729	Neuroanatomical Correlates of Psychotic-Like Experiences Assessed in 2,695 Individuals via the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, S313-S314.	0.7	0
730	Two Neuroanatomical Subtypes of Schizophrenia Defined by Multi-Site Machine Learning. <i>Biological Psychiatry</i> , 2020, 87, S28-S29.	0.7	0
731	O2.3. ABNORMAL BRAIN AGING IN YOUTH WITH SUBCLINICAL PSYCHOSIS AND OBSESSIVE-COMPULSIVE SYMPTOMS. <i>Schizophrenia Bulletin</i> , 2020, 46, S4-S4.	2.3	0
732	O6.4. ASSOCIATION BETWEEN CLUSTERS OF FORMAL THOUGHT DISORDERS SEVERITY AND NEUROCOGNITIVE AND FUNCTIONAL OUTCOME INDICES IN THE EARLY STAGES OF PSYCHOSIS – RESULTS FROM THE PRONIA COHORT. <i>Schizophrenia Bulletin</i> , 2020, 46, S14-S15.	2.3	0
733	O8.5. SIGNS OF ADVERSITY - A NOVEL MACHINE LEARNING APPROACH TO CHILDHOOD TRAUMA, BRAIN STRUCTURE AND CLINICAL PROFILES. <i>Schizophrenia Bulletin</i> , 2020, 46, S20-S20.	2.3	0
734	Brain Network Architecture Intricately Linked to Morphological Abnormalities in Major Psychiatric Disorders. <i>Biological Psychiatry</i> , 2021, 89, S229-S230.	0.7	0
735	Cortical and Subcortical Neuroanatomical Signatures of Schizotypy in 2,952 Individuals Assessed in a Worldwide ENIGMA Study. <i>Biological Psychiatry</i> , 2021, 89, S182.	0.7	0
736	Patterns of Structural Covariance Abnormalities and Clinical Correlations in Schizophrenia. <i>Biological Psychiatry</i> , 2021, 89, S371-S372.	0.7	0
737	Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. <i>Biological Psychiatry</i> , 2021, 89, S174.	0.7	0
738	Three Distinct Neuroanatomical Subtypes of Autism Spectrum Disorder, Revealed via Machine Learning, and Their Similarities With Schizophrenia Subtypes. <i>Biological Psychiatry</i> , 2021, 89, S374-S375.	0.7	0

#	ARTICLE	IF	CITATIONS
739	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1475-1485.	1.8	0
740	Detailed clinical phenotyping and generalisability in prognostic models of functioning in at-risk populations. <i>British Journal of Psychiatry</i> , 2021, , 1-4.	1.7	0
741	Executive function and adhd: Stimulant medication and better executive function performance in children. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A5-A5.	1.3	0
742	Frontal-subcortical circuits in obsessive-compulsive disorder: Role of the dopamine D1receptor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A49-A49.	1.3	0
743	Dr. Addington and Colleagues reply to Methodological Issues in a Comparative Study of Ziprasidone and Risperidone. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 163-164.	1.1	0
744	Clinical Pharmacology of Psychotherapeutic Drugs. (3rd edn). By Leo E. Hollister and John G. Csernansky, London: Churchill Livingstone. 1990. 194 pp. Â£27.00.. <i>British Journal of Psychiatry</i> , 1991, 158, 588-589.	1.7	0
745	â€˜The Secret of the NIMHâ€™™. <i>Psychiatric Bulletin</i> , 1994, 18, 106-108.	0.3	0
746	Extracting complex tissues of MRI brain images using conjugate transformation for medical visual information systems. <i>Lecture Notes in Computer Science</i> , 1997, , 162-175.	1.0	0
747	Construction of a Genetic Classifier for ASD Using Gene Pathway Analysis. , 2014, , 119-143.		0
748	The relationship between grey matter volume and clinical and functional outcomes in people at clinical high risk for psychosis. <i>Schizophrenia Bulletin Open</i> , 0, , .	0.9	0