

Chris Pantelis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6972076/chris-pantelis-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

697 papers	50,212 citations	110 h-index	204 g-index
842 ext. papers	60,638 ext. citations	5.5 avg, IF	8.14 L-index

#	Paper	IF	Citations
697	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-9	3.8	0
696	Effects of prenatal nutrient supplementation and early life exposures on neurodevelopment at age 10: a randomised controlled trial - the COPSYPH study protocol.. <i>BMJ Open</i> , 2022 , 12, e047706	3	
695	Cell type-specific manifestations of cortical thickness heterogeneity in schizophrenia.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	3
694	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222	2.8	0
693	Brain Morphological Characteristics of Cognitive Subgroups of Schizophrenia-Spectrum Disorders and Bipolar Disorder: A Systematic Review with Narrative Synthesis.. <i>Neuropsychology Review</i> , 2022 , 1	7.7	0
692	Using combined environmental-clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression.. <i>British Journal of Psychiatry</i> , 2022 , 1-17	5.4	0
691	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis.. <i>NPJ Schizophrenia</i> , 2022 , 8, 19	5.5	
690	Individual differences in brain structure and self-reported empathy in children.. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2022 , 1	3.5	1
689	Genome-wide association analyses of symptom severity among clozapine-treated patients with schizophrenia spectrum disorders.. <i>Translational Psychiatry</i> , 2022 , 12, 145	8.6	1
688	Brain charts for the human lifespan.. <i>Nature</i> , 2022 ,	50.4	15
687	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders.. <i>Schizophrenia Research</i> , 2022 , 244, 1-7	3.6	
686	Cortico-cognition Coupling in Treatment Resistant Schizophrenia. <i>NeuroImage: Clinical</i> , 2022 , 103064	5.3	
685	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12-43 years. <i>Psychological Medicine</i> , 2021 , 51, 1570-1580	6.9	9
684	Neurological, neuropsychiatric and neurodevelopmental complications of COVID-19. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 750-762	2.6	13
683	Multi-scale semi-supervised clustering of brain images: Deriving disease subtypes. <i>Medical Image Analysis</i> , 2021 , 75, 102304	15.4	1
682	Plasma neurofilament light chain protein is not increased in treatment-resistant schizophrenia and first-degree relatives.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211058684	2.6	1
681	A Meta-analysis of Mental Time Travel in Individuals with Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	2

680	Detailed clinical phenotyping and generalisability in prognostic models of functioning in at-risk populations.. <i>British Journal of Psychiatry</i> , 2021 , 1-4	5.4	
679	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1
678	Cognitive behavioral markers of neurodevelopmental trajectories in rodents. <i>Translational Psychiatry</i> , 2021 , 11, 556	8.6	1
677	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604	15.1	7
676	Individual deviations from normative models of brain structure in a large cross-sectional schizophrenia cohort. <i>Molecular Psychiatry</i> , 2021 , 26, 3512-3523	15.1	15
675	Ondansetron augmentation for the management of obsessive-compulsive disorder in a patient with treatment-resistant schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 830-831	2.6	0
674	Network Analysis of Symptom Comorbidity in Schizophrenia: Relationship to Illness Course and Brain White Matter Microstructure. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1156-1167	1.3	1
673	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021 , 46, 1484-1493	8.7	5
672	Increased peripheral inflammation in schizophrenia is associated with worse cognitive performance and related cortical thickness reductions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 595-607	5.1	9
671	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
670	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021 , 11, 312	8.6	3
669	Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level: A Mega-analysis of Individual Participant-Level Data. <i>JAMA Psychiatry</i> , 2021 , 78, 667-681	14.5	21
668	Differential involvement of hippocampal subfields in Niemann-Pick type C disease: a case-control study. <i>Metabolic Brain Disease</i> , 2021 , 36, 2071-2078	3.9	
667	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021 , 24, 100194	2.8	2
666	A Systematic Review of Cognition-Brain Morphology Relationships on the Schizophrenia-Bipolar Disorder Spectrum. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1557-1600	1.3	2
665	Associations between cognition and white matter microstructure in first-episode antipsychotic-naïve patients with schizophrenia and healthy controls: A multivariate pattern analysis. <i>Cortex</i> , 2021 , 139, 282-297	3.8	1
664	Brain morphology is differentially impacted by peripheral cytokines in schizophrenia-spectrum disorder. <i>Brain, Behavior, and Immunity</i> , 2021 , 95, 299-309	16.6	3
663	Associations between cognitive and affective empathy and internalizing symptoms in late childhood. <i>Journal of Affective Disorders</i> , 2021 , 290, 245-253	6.6	3

662	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 753-766	14.5	17
661	Characterization and interrelationships of theory of mind, socially competitive emotions and affective empathy in bipolar disorder. <i>British Journal of Clinical Psychology</i> , 2021 ,	3.6	1
660	The Psychopathology and Neuroanatomical Markers of Depression in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 249-258	1.3	9
659	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297	7.9	10
658	Brain-Predicted Age Associates With Psychopathology Dimensions in Youths. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 410-419	3.4	3
657	Clonidine induced sexual disinhibition in a patient with treatment-resistant schizophrenia: A case report. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 522	2.6	1
656	Large-Scale Evidence for an Association Between Peripheral Inflammation and White Matter Free Water in Schizophrenia and Healthy Individuals. <i>Schizophrenia Bulletin</i> , 2021 , 47, 542-551	1.3	8
655	Brain morphology does not clearly map to cognition in individuals on the bipolar-schizophrenia-spectrum: a cross-diagnostic study of cognitive subgroups. <i>Journal of Affective Disorders</i> , 2021 , 281, 776-785	6.6	5
654	Neural Correlates of Audiovisual Temporal Binding Window in Individuals With Schizotypal and Autistic Traits: Evidence From Resting-State Functional Connectivity. <i>Autism Research</i> , 2021 , 14, 668-680 ^{5.1}	5.1	2
653	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTIMISE Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 444-455	1.3	1
652	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
651	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90	14.5	19
650	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021 , 26, 800-815	15.1	15
649	The impact of smoking status on cognition and brain morphology in schizophrenia spectrum disorders. <i>Psychological Medicine</i> , 2021 , 1-19	6.9	2
648	Effect of childhood physical abuse on social anxiety is mediated via reduced frontal lobe and amygdala-hippocampus complex volume in adult clinical high-risk subjects. <i>Schizophrenia Research</i> , 2021 , 227, 101-109	3.6	4
647	White Matter Alterations Between Brain Network Hubs Underlie Processing Speed Impairment in Patients With Schizophrenia.. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgab033	2.2	
646	Systematic Review: Quantitative Susceptibility Mapping (QSM) of Brain Iron Profile in Neurodegenerative Diseases. <i>Frontiers in Neuroscience</i> , 2021 , 15, 618435	5.1	14
645	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1130-1140	1.3	3

644	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021 , 78, 195-209	14.5	31
643	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028	1.3	2
642	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021 , 46, 1494-1501	8.7	5
641	The non-specific nature of mental health and structural brain outcomes following childhood trauma. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
640	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1475-1485	5.1	
639	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
638	Global fractional anisotropy predicts transition to psychosis after 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 448-463	6.5	2
637	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
636	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021 ,	5.1	1
635	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2021 , 78, 994-1004	14.5	6
634	Disruptions in white matter microstructure associated with impaired visual associative memory in schizophrenia-spectrum illness. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
633	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
632	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 192-201	3.6	0
631	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
630	Neurofilament light chain in psychiatric and neurodegenerative disorders: A β -reactive protein for the brain?. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041347	1.2	
629	Heritability of Memory Functions and Related Brain Volumes: A Schizophrenia Spectrum Study of 214 Twins. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	2
628	Altered empathy-related resting-state functional connectivity in adolescents with early-onset schizophrenia and autism spectrum disorders. <i>Asian Journal of Psychiatry</i> , 2020 , 53, 102167	6.7	3
627	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020 , 88, 829-842	7.9	15

626	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
625	Pineal Gland Volume in Major Depressive and Bipolar Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 450	5	6
624	Predicting individual improvement in schizophrenia symptom severity at 1-year follow-up: Comparison of connectomic, structural, and clinical predictors. <i>Human Brain Mapping</i> , 2020 , 41, 3342-3357	5.9	4
623	Structural and functional brain abnormalities in children with schizotypal disorder: a pilot study. <i>NPJ Schizophrenia</i> , 2020 , 6, 6	5.5	2
622	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020 , 367,	33.3	156
621	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020 , 177, 537-547	11.9	21
620	Imaging of neuroinflammation in adult Niemann-Pick type C disease: A cross-sectional study. <i>Neurology</i> , 2020 , 94, e1716-e1725	6.5	6
619	Two distinct neuroanatomical subtypes of schizophrenia revealed using machine learning. <i>Brain</i> , 2020 , 143, 1027-1038	11.2	53
618	The ubiquitin proteasome system and schizophrenia. <i>Lancet Psychiatry</i> , 2020 , 7, 528-537	23.3	19
617	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833	1.3	7
616	Cognitive validation of cross-diagnostic cognitive subgroups on the schizophrenia-bipolar spectrum. <i>Journal of Affective Disorders</i> , 2020 , 266, 710-721	6.6	17
615	Failing to Gain: Another Explanation of Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , 2020 , 177, 354	11.9	1
614	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , 2020 , 289, 112909	9.9	2
613	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552175	5	2
612	White Matter Pathology in Schizophrenia 2020 , 71-91		3
611	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , 2020 , 129, 88-97	5.2	4
610	Common mechanisms of executive attention underlie executive function and effortful control in children. <i>Developmental Science</i> , 2020 , 23, e12918	4.5	16
609	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200	14.5	14

608	Wnt receptor gene was associated with schizophrenia in genome-wide SNP analysis of the Australian Schizophrenia Research Bank cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 902-908	2.6	4
607	Protocol for Clozapine Rechallenge in a Case of Clozapine-Induced Myocarditis. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 448-453	4.8	3
606	T18. EFFECTS OF COGNITIVE REMEDIATION ON WHITE MATTER IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS □ A RANDOMIZED, CONTROLLED CLINICAL TRIAL. <i>Schizophrenia Bulletin</i> , 2020 , 46, S237-S238	1.3	78
605	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S238-S239	1.3	78
604	T60. GENETIC INFLUENCES ON MEMORY FUNCTIONS AND RELATED BRAIN STRUCTURES AND ASSOCIATIONS WITH SCHIZOPHRENIA SPECTRUM DISORDERS: A NATION-WIDE TWIN STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S254-S254	1.3	78
603	T162. THICKER PREFRONTAL CORTEX IS ASSOCIATED WITH SUBCLINICAL NEGATIVE SYMPTOMS IN SCHIZOTYPY - AN ENIGMA CONSORTIUM META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S292-S293	1.3	2
602	T223. MULTIVARIATE PREDICTION OF FOLLOW UP SOCIAL AND OCCUPATIONAL OUTCOME IN CLINICAL HIGH-RISK INDIVIDUALS BASED ON GRAY MATTER VOLUMES AND HISTORY OF ENVIRONMENTAL ADVERSE EVENTS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S317-S318	1.3	78
601	M1. INVESTIGATING THE RELATIONSHIP BETWEEN CHILDHOOD TRAUMA AND PSYCHIATRIC DISEASE USING MACHINE LEARNING TECHNIQUES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S133-S133	1.3	78
600	S94. PREDICTION OF CANNABIS RELAPSE IN CLINICAL HIGH-RISK INDIVIDUALS AND RECENT ONSET PSYCHOSIS - PRELIMINARY RESULTS FROM THE PRONIA STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S69-S70	1.3	78
599	S166. EFFECTIVE CONNECTIVITY OF FRONTOSTRIATAL SYSTEMS IN FIRST-EPIISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S99-S100	1.3	78
598	S187. EXPLORING NEURODEVELOPMENTAL AND FAMILIAL ORIGINS OF NEUROLOGICAL SOFT SIGNS IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020 , 46, S109-S109	1.3	78
597	Schizotypal Disorder in Children □ Neglected Diagnosis. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	1
596	No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis-A Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2020 , 11, 873	5	4
595	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
594	O2.3. ABNORMAL BRAIN AGING IN YOUTH WITH SUBCLINICAL PSYCHOSIS AND OBSESSIVE-COMPULSIVE SYMPTOMS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S4-S4	1.3	78
593	O6.4. ASSOCIATION BETWEEN CLUSTERS OF FORMAL THOUGHT DISORDERS SEVERITY AND NEUROCOGNITIVE AND FUNCTIONAL OUTCOME INDICES IN THE EARLY STAGES OF PSYCHOSIS □ RESULTS FROM THE PRONIA COHORT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S14-S15	1.3	78
592	O8.5. SIGNS OF ADVERSITY - A NOVEL MACHINE LEARNING APPROACH TO CHILDHOOD TRAUMA, BRAIN STRUCTURE AND CLINICAL PROFILES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S20-S20	1.3	78
591	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	2

590	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , 2020 , 224, 116-125	3.6	2
589	A machine-learning framework for robust and reliable prediction of short- and long-term treatment response in initially antipsychotic-naïve schizophrenia patients based on multimodal neuropsychiatric data. <i>Translational Psychiatry</i> , 2020 , 10, 276	8.6	7
588	Heritability of specific cognitive functions and associations with schizophrenia spectrum disorders using CANTAB: a nation-wide twin study. <i>Psychological Medicine</i> , 2020 , 1-14	6.9	6
587	Parenting Brain Development interactions as predictors of adolescent depressive symptoms and well-being: Differential susceptibility or diathesis-stress?. <i>Development and Psychopathology</i> , 2020 , 32, 139-150	4.3	11
586	The Impact of Childhood Adversity on Cognitive Development in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 140-153	1.3	11
585	Impact of CYP1A2, CYP2C19, and CYP2D6 genotype- and phenoconversion-predicted enzyme activity on clozapine exposure and symptom severity. <i>Pharmacogenomics Journal</i> , 2020 , 20, 192-201	3.5	20
584	Cognitive reserve attenuates age-related cognitive decline in the context of putatively accelerated brain ageing in schizophrenia-spectrum disorders. <i>Psychological Medicine</i> , 2020 , 50, 1475-1489	6.9	9
583	Neuroanatomical alterations in people with high and low cannabis dependence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 68-75	2.6	4
582	The Neurobiology of Bipolar II Disorder 2019 , 91-107		
581	F40. ASSOCIATIONS BETWEEN BRAIN MORPHOLOGY AND COGNITION IN INDIVIDUALS WITH SCHIZOPHRENIA AND BIPOLAR DISORDER: A REVIEW. <i>Schizophrenia Bulletin</i> , 2019 , 45, S270-S271	1.3	78
580	T88. THE IMPACT OF AGE OF ONSET AND ILLNESS DURATION ON WHITE MATTER AND COGNITION TRAJECTORIES IN SCHIZOPHRENIA: A 7-YEAR FOLLOW-UP STUDY ACROSS MULTIPLE TIME-POINTS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S237-S238	1.3	78
579	T97. PATTERNS OF COGNITIVE FUNCTION ARE UNIQUELY ASSOCIATED WITH WHITE MATTER-MICROSTRUCTURE IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S241-S242	1.3	78
578	O5.1. GREY MATTER BRAIN CHANGES IN MEDICATED AND UNMEDICATED FIRST EPISODE PSYCHOSIS: A RANDOMISED PLACEBO-CONTROLLED TRIAL. <i>Schizophrenia Bulletin</i> , 2019 , 45, S172-S173 ¹⁻³	1.3	1
577	O11.8. RELATIONSHIP BETWEEN SCHIZOTYPY AND SUBCORTICAL BRAIN VOLUMES IN 1084 INDIVIDUALS VIA THE ENIGMA CONSORTIUM. <i>Schizophrenia Bulletin</i> , 2019 , 45, S196-S197	1.3	1
576	The schizophrenia genetics knowledgebase: a comprehensive update of findings from candidate gene studies. <i>Translational Psychiatry</i> , 2019 , 9, 205	8.6	10
575	Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultra-high risk for psychosis. <i>Human Brain Mapping</i> , 2019 , 40, 5185-5201	5.9	13
574	MR g-ratio-weighted connectome analysis in patients with multiple sclerosis. <i>Scientific Reports</i> , 2019 , 9, 13522	4.9	15
573	Clozapine rechallenge in a patient with clozapine-induced hepatitis. <i>Australasian Psychiatry</i> , 2019 , 27, 535	1.7	2

572	Brain network dynamics in schizophrenia: Reduced dynamism of the default mode network. <i>Human Brain Mapping</i> , 2019 , 40, 2212-2228	5.9	27
571	Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. <i>Microbial Biotechnology</i> , 2019 , 13, 1373-1381	3.3	6
570	Longitudinal changes in striatum and sub-threshold positive symptoms in individuals with an 'at risk mental state' (ARMS). <i>Psychiatry Research - Neuroimaging</i> , 2019 , 285, 25-30	2.9	7
569	Exploring Heterogeneity on the Wisconsin Card Sorting Test in Schizophrenia Spectrum Disorders: A Cluster Analytical Investigation. <i>Journal of the International Neuropsychological Society</i> , 2019 , 25, 750-760	2.1	16
568	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. <i>American Journal of Psychiatry</i> , 2019 , 176, 552-563	11.9	42
567	Interrogating the Evolutionary Paradox of Schizophrenia: A Novel Framework and Evidence Supporting Recent Negative Selection of Schizophrenia Risk Alleles. <i>Frontiers in Genetics</i> , 2019 , 10, 389	4.5	9
566	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
565	4.3 HIPPOCAMPAL SUBFIELDS AND VISUOSPATIAL ASSOCIATIVE MEMORY ACROSS STAGES OF SCHIZOPHRENIA-SPECTRUM DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S92-S92	1.3	78
564	O4.6. HERITABILITY OF SPECIFIC COGNITIVE FUNCTIONS AND ASSOCIATIONS WITH SCHIZOPHRENIA SPECTRUM DISORDERS USING CANTAB: A NATION-WIDE TWIN STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S171-S171	1.3	0
563	F95. DISRUPTION IN HIPPOCAMPAL-PREFRONTAL WHITE MATTER PATHWAYS AND MEMORY PERFORMANCE ACROSS STAGES OF SCHIZOPHRENIA-SPECTRUM DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S290-S290	1.3	78
562	S35. UNDERSTANDING THE RELATIONSHIP BETWEEN COGNITIVE HETEROGENEITY AND BRAIN MORPHOLOGY IN SCHIZOPHRENIA AND BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S319-S319	1.3	78
561	Gene expression imputation across multiple brain regions provides insights into schizophrenia risk. <i>Nature Genetics</i> , 2019 , 51, 659-674	36.3	99
560	Blood and brain protein levels of ubiquitin-conjugating enzyme E2K (UBE2K) are elevated in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2019 , 113, 51-57	5.2	8
559	Functional Connectivity of Corticostriatal Circuitry and Psychosis-like Experiences in the General Community. <i>Biological Psychiatry</i> , 2019 , 86, 16-24	7.9	21
558	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 223-231	3.5	2
557	Free-Water Imaging in White and Gray Matter in Parkinson's Disease. <i>Cells</i> , 2019 , 8,	7.9	19
556	Neuroimaging and Staging 2019 , 103-139		0
555	Olfactory sulcus morphology in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 292, 1-4	2.9	2

554	Diagnostic stability and long-term symptomatic and functional outcomes in first-episode antipsychotic-naïve patients with schizophrenia. <i>European Psychiatry</i> , 2019 , 62, 130-137	6	5
553	Cognitive Functioning and Symptomatology in Schizophrenia: The Role of Frontal-subcortical Systems 2019 , 215-229		
552	Elevated ubiquitinated proteins in brain and blood of individuals with schizophrenia. <i>Scientific Reports</i> , 2019 , 9, 2307	4.9	14
551	Right Unilateral Ultrabrief Electroconvulsive Therapy in the Maintenance Treatment of Schizophrenia. <i>Journal of ECT</i> , 2019 , 35, e34-e35	2	1
550	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
549	An Interleukin-1 beta (IL1B) haplotype linked with psychosis transition is associated with IL1B gene expression and brain structure. <i>Schizophrenia Research</i> , 2019 , 204, 201-205	3.6	6
548	Linking Cortical and Connectional Pathology in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 911-923	1.3	15
547	Systematic review and critical appraisal of child abuse measurement instruments. <i>Psychiatry Research</i> , 2019 , 272, 106-113	9.9	38
546	Investigation of peripheral complement factors across stages of psychosis. <i>Schizophrenia Research</i> , 2019 , 204, 30-37	3.6	29
545	Insula Functional Connectivity in Schizophrenia: Subregions, Gradients, and Symptoms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 399-408	3.4	16
544	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39	7.9	4
543	The effects of a muscarinic receptor 1 gene variant on executive and non-executive cognition in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2019 , 273, 178-180	9.9	2
542	Electroencephalography identifies encephalopathy associated with adjunctive lithium and zuclopenthixol. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 814-815	2.6	0
541	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1101-1111	1.3	13
540	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled-trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019 , 13, 1345-1356	3.3	10
539	Hippocampal subfields and visuospatial associative memory across stages of schizophrenia-spectrum disorder. <i>Psychological Medicine</i> , 2019 , 49, 2452-2462	6.9	13
538	Can youth at high risk of illness progression be identified by measures of rumination and sleep-wake disturbance. <i>Microbial Biotechnology</i> , 2019 , 13, 1214-1219	3.3	6
537	The impact of schizophrenia and intelligence on the relationship between age and brain volume. <i>Schizophrenia Research: Cognition</i> , 2019 , 15, 1-6	2.8	7

536	Patterns of Cortical Structures and Cognition in Antipsychotic-Naïve Patients With First-Episode Schizophrenia: A Partial Least Squares Correlation Analysis. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 444-453	3.4	6
535	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low-risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019 , 13, 953-960	3.3	10
534	Differential effect of quetiapine and lithium on functional connectivity of the striatum in first episode mania. <i>Translational Psychiatry</i> , 2018 , 8, 59	8.6	40
533	Brain Subtyping Enhances The Neuroanatomical Discrimination of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1060-1069	1.3	44
532	Differential effect of disease-associated ST8SIA2 haplotype on cerebral white matter diffusion properties in schizophrenia and healthy controls. <i>Translational Psychiatry</i> , 2018 , 8, 21	8.6	4
531	Predictors and consequences of health anxiety symptoms: a novel twin modeling study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 241-251	6.5	3
530	Decreased peripheral TNF alpha (TNF- α) mRNA expression in patients with treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2018 , 202, 387-388	3.6	3
529	Schizophrenia moderates the relationship between white matter integrity and cognition. <i>Schizophrenia Research</i> , 2018 , 199, 250-256	3.6	6
528	Downregulation of plasma SELENBP1 protein in patients with recent-onset schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 85, 1-6	5.5	4
527	Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. <i>Psychological Medicine</i> , 2018 , 48, 132-141	6.9	13
526	Attentional set-shifting and social abilities in children with schizotypal and comorbid autism spectrum disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 68-77	2.6	16
525	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018 , 44, 584-592	1.3	25
524	Risk and resilience brain networks in treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2018 , 193, 284-292	3.6	12
523	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 1261-1269	15.1	324
522	Neuregulin-1 (NRG1) polymorphisms linked with psychosis transition are associated with enlarged lateral ventricles and white matter disruption in schizophrenia. <i>Psychological Medicine</i> , 2018 , 48, 801-809	6.9	9
521	Widespread Volumetric Reductions in Schizophrenia and Schizoaffective Patients Displaying Compromised Cognitive Abilities. <i>Schizophrenia Bulletin</i> , 2018 , 44, 560-574	1.3	31
520	Genetic variation in cytokine genes and risk for transition to psychosis among individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2018 , 195, 589-590	3.6	4
519	Fragility and volatility of structural hubs in the human connectome. <i>Nature Neuroscience</i> , 2018 , 21, 1107-1116	15.6	68

518	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
517	A correction for sample overlap in genome-wide association studies in a polygenic pleiotropy-informed framework. <i>BMC Genomics</i> , 2018 , 19, 494	4.5	11
516	Prucalopride in clozapine-induced constipation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 804	2.6	4
515	Spatio-temporal dynamics of resting-state brain networks improve single-subject prediction of schizophrenia diagnosis. <i>Human Brain Mapping</i> , 2018 , 39, 3663-3681	5.9	20
514	O1.6. INCREASED COMPLEMENT FACTORS C3 AND C4 IN SCHIZOPHRENIA AND THE EARLY STAGES OF PSYCHOSIS: IMPLICATIONS FOR CLINICAL SYMPTOMATOLOGY AND CORTICAL THICKNESS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S74-S74	1.3	1
513	An fMRI study of theory of mind in individuals with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 281, 1-11	2.9	6
512	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
511	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 1592-1607	6.9	17
510	Symptom recovery and relationship to structure of corpus callosum in individuals with an 'at risk mental state'. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 272, 1-6	2.9	4
509	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , 2018 , 260, 60-66	9.9	9
508	Connectome analysis with diffusion MRI in idiopathic Parkinson's disease: Evaluation using multi-shell, multi-tissue, constrained spherical deconvolution. <i>NeuroImage: Clinical</i> , 2018 , 17, 518-529	5.3	33
507	T239. SINGLE-SUBJECT PREDICTION OF FUNCTIONAL OUTCOMES IN CLINICAL HIGH RISK SUBJECTS USING CLINICAL DATA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S209-S210	1.3	78
506	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 1156-1172	14.5	156
505	T157. FRONTOSTRIATAL CONNECTIVITY IN TREATMENT-RESISTANT SCHIZOPHRENIA: RELATIONSHIP TO POSITIVE SYMPTOMS AND COGNITIVE FLEXIBILITY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S176-S177	1.3	78
504	Exploring the moderating effects of dopaminergic polymorphisms and childhood adversity on brain morphology in schizophrenia-spectrum disorders. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 281, 61-68	2.9	8
503	F158. FUNCTIONAL CONNECTIVITY DIVERSITY OF THE INSULA CORTEX IN SCHIZOPHRENIA: SUBREGIONS OR CONTINUA?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S282-S282	1.3	78
502	O6.5. LINKING CORTICAL AND CONNECTIONAL PATHOLOGY IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S91-S91	1.3	1
501	The effects of a muscarinic receptor 1 gene variant on cortical thickness and surface area in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 280, 62-64	2.9	3

500	A Hierarchical Model of Inhibitory Control. <i>Frontiers in Psychology</i> , 2018 , 9, 1339	3.4	58
499	Reply to Searcy and colleagues. <i>Pharmacogenetics and Genomics</i> , 2018 , 28, 108-109	1.9	
498	Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 864-875	2.6	10
497	Estimation of Genetic Correlation via Linkage Disequilibrium Score Regression and Genomic Restricted Maximum Likelihood. <i>American Journal of Human Genetics</i> , 2018 , 102, 1185-1194	11	55
496	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
495	Age at first birth in women is genetically associated with increased risk of schizophrenia. <i>Scientific Reports</i> , 2018 , 8, 10168	4.9	11
494	Functional brain networks in treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2017 , 184, 73-81	3.6	27
493	Meta-analysis reveals associations between genetic variation in the 5' and 3' regions of Neuregulin-1 and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1004	8.6	29
492	Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. <i>Translational Psychiatry</i> , 2017 , 7, e1011	8.6	60
491	Pathway-wide association study identifies five shared pathways associated with schizophrenia in three ancestral distinct populations. <i>Translational Psychiatry</i> , 2017 , 7, e1037	8.6	16
490	Characterizing cognitive heterogeneity on the schizophrenia-bipolar disorder spectrum. <i>Psychological Medicine</i> , 2017 , 47, 1848-1864	6.9	95
489	Quetiapine lithium in the maintenance phase following a first episode of mania: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 413-421	5.4	41
488	A cluster analysis exploration of autism spectrum disorder subgroups in children without intellectual disability. <i>Research in Autism Spectrum Disorders</i> , 2017 , 36, 66-78	3	15
487	The effects of stress-tension on depression and anxiety symptoms: evidence from a novel twin modelling analysis. <i>Psychological Medicine</i> , 2017 , 47, 1865	6.9	0
486	Gray Matter Abnormalities in Idiopathic Parkinson's Disease: Evaluation by Diffusional Kurtosis Imaging and Neurite Orientation Dispersion and Density Imaging. <i>Human Brain Mapping</i> , 2017 , 38, 3704-3722	5.9	53
485	Challenges facing the identification of distinctive cognitive and neurobiological features of schizophrenia and bipolar disorder and the need for a data-driven approach: Response to Dr. Martino. <i>Schizophrenia Research</i> , 2017 , 183, 163	3.6	
484	Role of Positive Parenting in the Association Between Neighborhood Social Disadvantage and Brain Development Across Adolescence. <i>JAMA Psychiatry</i> , 2017 , 74, 824-832	14.5	75
483	White matter connectivity disruptions in early and chronic schizophrenia. <i>Psychological Medicine</i> , 2017 , 47, 2797-2810	6.9	25

482	Genetic correlation between amyotrophic lateral sclerosis and schizophrenia. <i>Nature Communications</i> , 2017 , 8, 14774	17.4	85
481	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017 , 174, 216-229	11.9	408
480	Accelerated Gray and White Matter Deterioration With Age in Schizophrenia. <i>American Journal of Psychiatry</i> , 2017 , 174, 286-295	11.9	117
479	No preliminary evidence of differences in astrocyte density within the white matter of the dorsolateral prefrontal cortex in autism. <i>Molecular Autism</i> , 2017 , 8, 64	6.5	8
478	White Matter Disruptions in Schizophrenia Are Spatially Widespread and Topologically Converge on Brain Network Hubs. <i>Schizophrenia Bulletin</i> , 2017 , 43, 425-435	1.3	60
477	PET imaging of putative microglial activation in individuals at ultra-high risk for psychosis, recently diagnosed and chronically ill with schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1225	8.6	54
476	66. Increased C3 and C4 Proteins in Serum of FEP and UHR Patients: Implications for Inflammatory Subtyping in SCZ. <i>Biological Psychiatry</i> , 2017 , 81, S27-S28	7.9	2
475	Meta-analysis supports GWAS-implicated link between GRM3 and schizophrenia risk. <i>Translational Psychiatry</i> , 2017 , 7, e1196	8.6	35
474	Systematic evaluation of commercial pharmacogenetic testing in psychiatry: a focus on CYP2D6 and CYP2C19 allele coverage and results reporting. <i>Pharmacogenetics and Genomics</i> , 2017 , 27, 387-393	1.9	46
473	Elevated peripheral expression of neuregulin-1 (NRG1) mRNA isoforms in clozapine-treated schizophrenia patients. <i>Translational Psychiatry</i> , 2017 , 7, 1280	8.6	21
472	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1041-1051	2.6	13
471	Structural neuroimaging across early-stage psychosis: Aberrations in neurobiological trajectories and implications for the staging model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 455-476	2.6	44
470	Dopamine, fronto-striato-thalamic circuits and risk for psychosis. <i>Schizophrenia Research</i> , 2017 , 180, 48-57	3.6	37
469	Substance use in youth at risk for psychosis. <i>Schizophrenia Research</i> , 2017 , 181, 23-29	3.6	32
468	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017 , 145, 246-253	7.9	29
467	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. <i>Molecular Psychiatry</i> , 2017 , 22, 396-406	15.1	46
466	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017 , 49, 27-35	36.3	530
465	Effects of cigarette smoking on cortical thickness in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017 , 84, 1-8	5.2	17

464	Peripheral Transcription of Pathway Genes Are Upregulated in Treatment-Resistant Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017 , 8, 225	5	16
463	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 449-458	1.3	15
462	Microglial activation and progressive brain changes in schizophrenia. <i>British Journal of Pharmacology</i> , 2016 , 173, 666-80	8.6	126
461	Olfactory sulcus morphology in patients with current and past major depression. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 255, 60-5	2.9	19
460	Meta-analysis of social cognition in attention-deficit/hyperactivity disorder (ADHD): comparison with healthy controls and autistic spectrum disorder. <i>Psychological Medicine</i> , 2016 , 46, 699-716	6.9	128
459	The effects of stress-tension on depression and anxiety symptoms: evidence from a novel twin modelling analysis. <i>Psychological Medicine</i> , 2016 , 46, 3213-3218	6.9	15
458	Abnormal white matter integrity in synthetic cannabinoid users. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1818-1825	1.2	20
457	Early origins of mental disorder - risk factors in the perinatal and infant period. <i>BMC Psychiatry</i> , 2016 , 16, 270	4.2	35
456	Positive Allosteric Modulation of the Muscarinic M1 Receptor Improves Efficacy of Antipsychotics in Mouse Glutamatergic Deficit Models of Behavior. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 359, 354-365	4.7	15
455	Neuregulin-1 and schizophrenia in the genome-wide association study era. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 68, 387-409	9	50
454	A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. <i>European Psychiatry</i> , 2016 , 31, 20-8	6	20
453	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. <i>JAMA Psychiatry</i> , 2016 , 73, 497-505	14.5	40
452	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016 , 173, 152-158	3.6	31
451	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016 , 19, 420-431	25.5	163
450	Aetiological overlap between obsessive-compulsive related and anxiety disorder symptoms: multivariate twin study. <i>British Journal of Psychiatry</i> , 2016 , 208, 26-33	5.4	22
449	The trajectory of cognitive functioning following first episode mania: A 12-month follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1186-1197	2.6	8
448	Cortical Representations of Cognitive Control and Working Memory Are Dependent Yet Non-Interacting. <i>Cerebral Cortex</i> , 2016 , 26, 557-65	5.1	12
447	Adolescent Cognitive Control: Brain Network Dynamics		1

446	Altered corticostriatal functional connectivity in individuals with high social anhedonia. <i>Psychological Medicine</i> , 2016 , 46, 125-35	6.9	46
445	White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. <i>BMC Psychiatry</i> , 2016 , 16, 287	4.2	29
444	Meta-analysis of Theory of Mind (ToM) impairment in bipolar disorder. <i>Psychological Medicine</i> , 2016 , 46, 253-64	6.9	119
443	A review of vulnerability and risks for schizophrenia: Beyond the two hit hypothesis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 65, 185-94	9	185
442	Social cognition in schizophrenia in comparison to bipolar disorder: A meta-analysis. <i>Schizophrenia Research</i> , 2016 , 175, 72-78	3.6	92
441	A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1395-1404	4.5	24
440	Brain change trajectories that differentiate the major psychoses. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 658-74	4.6	35
439	Convergent evidence for mGluR5 in synaptic and neuroinflammatory pathways implicated in ASD. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 52, 172-7	9	18
438	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1193-205	5.5	4
437	Antidepressant Effects of ECT may be related to Hippocampal Neurogenesis. <i>Brain Stimulation</i> , 2015 , 8, 424-425	5.1	3
436	Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. <i>Psychological Medicine</i> , 2015 , 45, 515-27	6.9	42
435	Effects of oxytocin and genetic variants on brain and behaviour: Implications for treatment in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 614-27	3.6	36
434	Delayed Development of Brain Connectivity in Adolescents With Schizophrenia and Their Unaffected Siblings. <i>JAMA Psychiatry</i> , 2015 , 72, 900-8	14.5	57
433	A longitudinal study investigating sub-threshold symptoms and white matter changes in individuals with an 'at risk mental state' (ARMS). <i>Schizophrenia Research</i> , 2015 , 162, 7-13	3.6	43
432	Discrete alterations of brain network structural covariance in individuals at ultra-high risk for psychosis. <i>Biological Psychiatry</i> , 2015 , 77, 989-96	7.9	38
431	Modeling Linkage Disequilibrium Increases Accuracy of Polygenic Risk Scores. <i>American Journal of Human Genetics</i> , 2015 , 97, 576-92	11	649
430	Transitions Study of predictors of illness progression in young people with mental ill health: study methodology. <i>Microbial Biotechnology</i> , 2015 , 9, 38-47	3.3	24
429	Abnormalities in orbitofrontal cortex gyrification and mental health outcomes in adolescents born extremely preterm and/or at an extremely low birth weight. <i>Human Brain Mapping</i> , 2015 , 36, 1138-50	5.9	20

428	Cognitive intervention in early psychosis [preserving abilities versus remediating deficits. <i>Current Opinion in Behavioral Sciences</i> , 2015 , 4, 63-72	4	28
427	Response to Robinson et al. <i>Molecular Psychiatry</i> , 2015 , 20, 794	15.1	
426	Decreased expression of mGluR5 within the dorsolateral prefrontal cortex in autism and increased microglial number in mGluR5 knockout mice: Pathophysiological and neurobehavioral implications. <i>Brain, Behavior, and Immunity</i> , 2015 , 49, 197-205	16.6	28
425	The effect of a muscarinic receptor 1 gene variant on grey matter volume in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 182-7	2.9	11
424	Investigation of orbitofrontal sulcogyral pattern in chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 280-3	2.9	10
423	Paracingulate sulcus morphology is associated with hallucinations in the human brain. <i>Nature Communications</i> , 2015 , 6, 8956	17.4	48
422	Neurobiological changes of schizotypy: evidence from both volume-based morphometric analysis and resting-state functional connectivity. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S444-54	1.3	42
421	Neurocognitive similarities between severe chronic schizophrenia and behavioural variant frontotemporal dementia. <i>Psychiatry Research</i> , 2015 , 225, 658-66	9.9	10
420	Effective connectivity within the frontoparietal control network differentiates cognitive control and working memory. <i>NeuroImage</i> , 2015 , 106, 144-53	7.9	86
419	Psychotic Disorders 2015 , 1-16		
418	The impact of premorbid and current intellect in schizophrenia: cognitive, symptom, and functional outcomes. <i>NPJ Schizophrenia</i> , 2015 , 1, 15043	5.5	49
417	The Melbourne assessment of Schizotypy in kids: a useful measure of childhood schizotypal personality disorder. <i>BioMed Research International</i> , 2015 , 2015, 635732	3	8
416	Cingulum bundle integrity associated with delusions of control in schizophrenia: Preliminary evidence from diffusion-tensor tractography. <i>Schizophrenia Research</i> , 2015 , 161, 36-41	3.6	20
415	The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 111-9	2.9	6
414	Olfactory identification deficits at identification as ultra-high risk for psychosis are associated with poor functional outcome. <i>Schizophrenia Research</i> , 2015 , 161, 156-62	3.6	18
413	Meta-analysis of Cognitive Impairment in First-Episode Bipolar Disorder: Comparison With First-Episode Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1095-104	1.3	193
412	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. <i>Microbial Biotechnology</i> , 2015 , 9, 487-97	3.3	42
411	LD Score regression distinguishes confounding from polygenicity in genome-wide association studies. <i>Nature Genetics</i> , 2015 , 47, 291-5	36.3	2096

410	Gross morphological brain changes with chronic, heavy cannabis use. <i>British Journal of Psychiatry</i> , 2015 , 206, 77-8	5.4	62
409	Prevalence and heritability of obsessive-compulsive spectrum and anxiety disorder symptoms: A survey of the Australian Twin Registry. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 314-25	3.5	25
408	Variability in working memory performance explained by epistasis vs polygenic scores in the ZNF804A pathway. <i>JAMA Psychiatry</i> , 2014 , 71, 778-785	14.5	24
407	Predicting the diagnosis of autism spectrum disorder using gene pathway analysis. <i>Molecular Psychiatry</i> , 2014 , 19, 504-10	15.1	106
406	Altered striatal functional connectivity in subjects with an at-risk mental state for psychosis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 904-13	1.3	123
405	Accelerated brain aging in schizophrenia and beyond: a neuroanatomical marker of psychiatric disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1140-53	1.3	235
404	Partitioning heritability of regulatory and cell-type-specific variants across 11 common diseases. <i>American Journal of Human Genetics</i> , 2014 , 95, 535-52	11	411
403	The neural cascade of olfactory processing: a combined fMRI-EEG study. <i>Respiratory Physiology and Neurobiology</i> , 2014 , 204, 71-7	2.8	18
402	Biomarkers and clinical staging in psychiatry. <i>World Psychiatry</i> , 2014 , 13, 211-23	14.4	170
401	Neurological soft signs are not "soft" in brain structure and functional networks: evidence from ALE meta-analysis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 626-41	1.3	92
400	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 39-44	3.6	15
399	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014 , 511, 421-7	50.4	5249
398	Large-scale brain network dynamics supporting adolescent cognitive control. <i>Journal of Neuroscience</i> , 2014 , 34, 14096-107	6.6	86
397	Subthreshold attention-deficit/hyperactivity disorder is associated with functional impairments across domains: a comprehensive analysis in a large-scale community study. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 627-36	5.5	33
396	Delayed sleep onset in depressed young people. <i>BMC Psychiatry</i> , 2014 , 14, 33	4.2	37
395	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2014 , 154, 93-9	3.6	34
394	Olfactory sulcus morphology in established bipolar affective disorder. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 222, 114-7	2.9	8
393	Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 1-15	6.5	174

392	Disruption of structure-function coupling in the schizophrenia connectome. <i>NeuroImage: Clinical</i> , 2014 , 4, 779-87	5.3	84
391	Functional and structural alterations in the cingulate motor area relate to decreased fronto-striatal coupling in major depressive disorder with psychomotor disturbances. <i>Frontiers in Psychiatry</i> , 2014 , 5, 176	5	9
390	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
389	Response to Belgard et al. <i>Molecular Psychiatry</i> , 2014 , 19, 407-9	15.1	2
388	Novel implications of Lingo-1 and its signaling partners in schizophrenia. <i>Translational Psychiatry</i> , 2014 , 4, e348	8.6	28
387	Social neuroscience in psychiatry: pathways to discovering neurobiological risk and resilience. <i>World Psychiatry</i> , 2014 , 13, 146-7	14.4	15
386	Relationship between amygdala volume and emotion recognition in adolescents at ultra-high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 159-67	2.9	9
385	Using longitudinal imaging to map the 'relapse signature' of schizophrenia and other psychoses. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 219-25	5.1	26
384	Structural brain development and depression onset during adolescence: a prospective longitudinal study. <i>American Journal of Psychiatry</i> , 2014 , 171, 564-71	11.9	132
383	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014 , 44, 489-98	6.9	37
382	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014 , 153, 18-24	3.6	19
381	Construction of a Genetic Classifier for ASD Using Gene Pathway Analysis 2014 , 119-143		
380	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013 , 7, 31-43	3.3	132
379	Reduced orbitofrontal cortical thickness in male adolescents with internet addiction. <i>Behavioral and Brain Functions</i> , 2013 , 9, 11	4.1	93
378	Delusional misidentification syndromes in obsessive-compulsive disorder. <i>Psychiatric Quarterly</i> , 2013 , 84, 175-81	4.1	5
377	Cognitive precursors of severe mental disorders. <i>Cognitive Neuropsychiatry</i> , 2013 , 18, 1-8	2	8
376	Markers of brain illness may be hidden in your olfactory ability: a Japanese perspective. <i>Neuroscience Letters</i> , 2013 , 549, 182-5	3.3	15
375	Evidence of a dimensional relationship between schizotypy and schizophrenia: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 317-27	9	195

374	Alteration to hippocampal shape in cannabis users with and without schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 179-84	3.6	45
373	Sex-specific prediction of hypothalamic-pituitary-adrenal axis activity by pituitary volume during adolescence: a longitudinal study from 12 to 17 years of age. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2694-704	5.04	20
372	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 168-77	5.5	35
371	A magnetic resonance imaging study of hippocampal, amygdala and subgenual prefrontal cortex volumes in major depression subtypes: melancholic versus psychotic depression. <i>Journal of Affective Disorders</i> , 2013 , 146, 197-204	6.6	32
370	Cognitive impairment in euthymic major depressive disorder: a meta-analysis. <i>Psychological Medicine</i> , 2013 , 43, 2017-26	6.9	327
369	Theory of mind impairments in first-episode psychosis, individuals at ultra-high risk for psychosis and in first-degree relatives of schizophrenia: systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2013 , 144, 31-6	3.6	227
368	Childhood maltreatment and psychopathology affect brain development during adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 940-952.e1	7.2	110
367	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013 , 3, e251	8.6	25
366	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2013 , 43, 2349-60	6.9	39
365	Schizophrenia genetic variants are not associated with intelligence. <i>Psychological Medicine</i> , 2013 , 43, 2563-70	6.9	34
364	Clinical neuropsychology within adolescent and young-adult psychiatry: conceptualizing theory and practice. <i>Applied Neuropsychology: Child</i> , 2013 , 2, 47-63	1.4	43
363	Gray matter abnormalities in Major Depressive Disorder: a meta-analysis of voxel based morphometry studies. <i>Journal of Affective Disorders</i> , 2012 , 138, 9-18	6.6	520
362	Markers of vulnerability to obsessive-compulsive disorder in an ultra-high risk sample of patients who developed psychosis. <i>Microbial Biotechnology</i> , 2012 , 6, 201-6	3.3	15
361	Pituitary volume mediates the relationship between pubertal timing and depressive symptoms during adolescence. <i>Psychoneuroendocrinology</i> , 2012 , 37, 881-91	5	31
360	Amygdala and insula volumes prior to illness onset in bipolar disorder: a magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 201, 34-9	2.9	36
359	Inhibitory control in young adolescents: the role of sex, intelligence, and temperament. <i>Neuropsychology</i> , 2012 , 26, 347-56	3.8	18
358	The impact of cannabis use on cognitive functioning in patients with schizophrenia: a meta-analysis of existing findings and new data in a first-episode sample. <i>Schizophrenia Bulletin</i> , 2012 , 38, 316-30	1.3	190
357	Functional connectivity in brain networks underlying cognitive control in chronic cannabis users. <i>Neuropsychopharmacology</i> , 2012 , 37, 1923-33	8.7	81

356	Effect of long-term cannabis use on axonal fibre connectivity. <i>Brain</i> , 2012 , 135, 2245-55	11.2	216
355	P.1.b.003 The impact of regular cannabis use on human brain structure. <i>European Neuropsychopharmacology</i> , 2012 , 22, S164-S165	1.2	2
354	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: testing the evidence for an endophenotypic marker. <i>Psychiatry Research</i> , 2012 , 199, 8-11	9.9	8
353	New rather than old? For working memory tasks with abstract patterns the P3 and the single-trial delta response are larger for modified than identical probe stimuli. <i>Psychophysiology</i> , 2012 , 49, 920-32	4.1	15
352	Towards a post-traumatic subtype of obsessive-compulsive disorder. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 377-83	10.9	64
351	Schizophrenia, neuroimaging and connectomics. <i>NeuroImage</i> , 2012 , 62, 2296-314	7.9	503
350	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2012 , 135, 175-80	3.6	17
349	Muscarinic M1 receptor sequence: preliminary studies on its effects on cognition and expression. <i>Schizophrenia Research</i> , 2012 , 138, 94-8	3.6	17
348	Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. <i>Schizophrenia Research</i> , 2012 , 138, 206-11	3.6	21
347	Olfaction and schizophrenia clinical risk status: just the facts. <i>Schizophrenia Research</i> , 2012 , 139, 260-1; author reply 262-3	3.6	16
346	Functional alterations of large-scale brain networks related to cognitive control in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2012 , 33, 1089-106	5.9	63
345	The relationship between regional and inter-regional functional connectivity deficits in schizophrenia. <i>Human Brain Mapping</i> , 2012 , 33, 2535-49	5.9	81
344	White matter microstructure in opiate addiction. <i>Addiction Biology</i> , 2012 , 17, 141-8	4.6	97
343	Health behaviours of community-treated patients with psychosis. <i>Australasian Psychiatry</i> , 2012 , 20, 208-13	1.7	3
342	Brain functional connectivity during induced sadness in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 231-40	4.5	14
341	Volumetric abnormalities predating the onset of schizophrenia and affective psychoses: an MRI study in subjects at ultrahigh risk of psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1083-91	1.3	73
340	Neuroprotective effects of low-dose lithium in individuals at ultra-high risk for psychosis. A longitudinal MRI/MRS study. <i>Current Pharmaceutical Design</i> , 2012 , 18, 570-5	3.3	42
339	Size and shape of the caudate nucleus in individuals with bipolar affective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 340-51	2.6	30

338	Meta-analysis of volumetric abnormalities in cortico-striatal-pallidal-thalamic circuits in major depressive disorder. <i>Psychological Medicine</i> , 2012 , 42, 671-81	6.9	189
337	The effects of gender on grey matter abnormalities in major psychoses: a comparative voxelwise meta-analysis of schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2012 , 42, 295-307	6.9	102
336	Disrupted axonal fiber connectivity in schizophrenia. <i>Biological Psychiatry</i> , 2011 , 69, 80-9	7.9	363
335	Structural trait markers of bipolar disorder: disruption of white matter integrity and localized gray matter abnormalities in anterior fronto-limbic regions. <i>Biological Psychiatry</i> , 2011 , 69, 299-300	7.9	13
334	Neuroimaging and treatment evidence for clinical staging in psychotic disorders: from the at-risk mental state to chronic schizophrenia. <i>Biological Psychiatry</i> , 2011 , 70, 619-25	7.9	77
333	Neuroanatomical abnormalities in schizophrenia: a multimodal voxelwise meta-analysis and meta-regression analysis. <i>Schizophrenia Research</i> , 2011 , 127, 46-57	3.6	339
332	Neurocognitive predictors of functional outcome two to 13 years after identification as ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2011 , 132, 1-7	3.6	166
331	Fiber geometry in the corpus callosum in schizophrenia: evidence for transcallosal misconnection. <i>Schizophrenia Research</i> , 2011 , 132, 69-74	3.6	18
330	Obsessive-compulsive disorder, impulse control disorders and drug addiction: common features and potential treatments. <i>Drugs</i> , 2011 , 71, 827-40	12.1	158
329	Genetic influences on cost-efficient organization of human cortical functional networks. <i>Journal of Neuroscience</i> , 2011 , 31, 3261-70	6.6	235
328	Understanding aberrant white matter development in schizophrenia: an avenue for therapy?. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 971-87	4.3	45
327	An investigation of the relationship between cortical connectivity and schizotypy in the general population. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 348-53	1.8	24
326	Domains of cognitive impairment in bipolar disorder: commentary on "The International Society for Bipolar Disorders-Battery for Assessment of Neurocognition (ISBD-BANC)". <i>Bipolar Disorders</i> , 2011 , 13, 217-8	3.8	3
325	Meta-analytic review of neurocognition in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 165-74	6.5	114
324	A longitudinal study of obsessive-compulsive disorder in individuals at ultra-high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1140-5	5.2	36
323	Thickness profile generation for the corpus callosum using Laplace's equation. <i>Human Brain Mapping</i> , 2011 , 32, 2131-40	5.9	22
322	Evidencia de neuroimagen y de tratamiento respecto a los estadios clínicos en los trastornos psicóticos: del estado mental de riesgo a la esquizofrenia crónica. <i>Psiquiatria Biologica</i> , 2011 , 18, 117-123	0.2	
321	Commentary on "Should the diagnostic boundaries of schizophrenia be expanded?". <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 107-12	2	

320	Neuroanatomical abnormalities that predate the onset of psychosis: a multicenter study. <i>Archives of General Psychiatry</i> , 2011 , 68, 489-95		196
319	Relational memory in first episode psychosis: implications for progressive hippocampal dysfunction after illness onset. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 206-13	2.6	16
318	Age of onset of schizophrenia: perspectives from structural neuroimaging studies. <i>Schizophrenia Bulletin</i> , 2011 , 37, 504-13	1.3	181
317	Hoarding behaviors in children with learning disabilities. <i>Journal of Child Neurology</i> , 2011 , 26, 574-9	2.5	10
316	Hippocampal volume and sensitivity to maternal aggressive behavior: a prospective study of adolescent depressive symptoms. <i>Development and Psychopathology</i> , 2011 , 23, 115-29	4.3	65
315	Cerebellar white-matter changes in cannabis users with and without schizophrenia. <i>Psychological Medicine</i> , 2011 , 41, 2349-59	6.9	74
314	White matter microstructure in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2011 , 36, 42-6	4.5	59
313	Atypical antipsychotics cause an acute increase in cutaneous hand blood flow in patients with schizophrenia and schizoaffective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 646-53	2.6	6
312	Cognitive impairment in schizophrenia and affective psychoses: implications for DSM-V criteria and beyond. <i>Schizophrenia Bulletin</i> , 2010 , 36, 36-42	1.3	184
311	Evidence and implications for early intervention in bipolar disorder. <i>Journal of Mental Health</i> , 2010 , 19, 113-26	2.7	89
310	Cognitive impairment in affective psychoses: a meta-analysis. <i>Schizophrenia Bulletin</i> , 2010 , 36, 112-25	1.3	87
309	White-matter abnormalities in adolescents with long-term inhalant and cannabis use: a diffusion magnetic resonance imaging study. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 409-12	4.5	67
308	Olfactory sensitivity: functioning in schizophrenia and implications for understanding the nature and progression of psychosis. <i>Vitamins and Hormones</i> , 2010 , 83, 305-29	2.5	7
307	EVIDENCE FOR ALTERED ASYMMETRY OF FRONTAL CORTEX T2 RELAXATION TIME IN PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2010 , 117, 534	3.6	
306	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: a longitudinal MRI study. <i>Schizophrenia Research</i> , 2010 , 116, 49-54	3.6	24
305	Voxelwise meta-analysis of gray matter abnormalities in bipolar disorder. <i>Biological Psychiatry</i> , 2010 , 67, 1097-105	7.9	307
304	Lack of progressive gray matter reduction of the superior temporal subregions in chronic schizophrenia. <i>Schizophrenia Research</i> , 2010 , 117, 101-2	3.6	13
303	Hippocampal pathology in individuals at ultra-high risk for psychosis: a multi-modal magnetic resonance study. <i>NeuroImage</i> , 2010 , 52, 62-8	7.9	96

302	An MRI study of the superior temporal subregions in patients with current and past major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 98-103	5.5	51
301	Whole-brain anatomical networks: does the choice of nodes matter?. <i>NeuroImage</i> , 2010 , 50, 970-83	7.9	877
300	Superior temporal gyrus volume in antipsychotic-naïve people at risk of psychosis. <i>British Journal of Psychiatry</i> , 2010 , 196, 206-11	5.4	53
299	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 73-6	2.9	11
298	Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: a longitudinal T2 relaxometry pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 180-2	2.9	25
297	Insular cortex volume in established bipolar affective disorder: a preliminary MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 187-90	2.9	14
296	Caudate nucleus volume in individuals at ultra-high risk of psychosis: a cross-sectional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 223-30	2.9	35
295	Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 30-7	2.9	12
294	Volumetric MRI study of the insular cortex in individuals with current and past major depression. <i>Journal of Affective Disorders</i> , 2010 , 121, 231-8	6.6	82
293	Gray matter reduction of the superior temporal gyrus in patients with established bipolar I disorder. <i>Journal of Affective Disorders</i> , 2010 , 123, 276-82	6.6	36
292	Midline brain abnormalities in established bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2010 , 122, 301-5	6.6	19
291	Pituitary volume in patients with bipolar disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2010 , 124, 256-61	6.6	34
290	Neurocognitive markers of psychosis in bipolar disorder: a meta-analytic study. <i>Journal of Affective Disorders</i> , 2010 , 127, 1-9	6.6	104
289	Australian Schizophrenia Research Bank: a database of comprehensive clinical, endophenotypic and genetic data for aetiological studies of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 1029-35	2.6	75
288	Dopamine dysregulation in the brain network of decision-making: Can this explain the psychopathology of schizophrenia?. <i>Medical Psychiatry</i> , 2009 , 131-151		
287	Progressive gray matter reduction of the superior temporal gyrus during transition to psychosis. <i>Archives of General Psychiatry</i> , 2009 , 66, 366-76		266
286	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 426-33	5.4	49
285	Maternal responses to adolescent positive affect are associated with adolescents' reward neuroanatomy. <i>Social Cognitive and Affective Neuroscience</i> , 2009 , 4, 247-56	4	47

284	Abnormal hippocampal distribution of TDP-43 in patients with-late onset psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 739-45	2.6	19
283	Corpus callosum size and shape in established bipolar affective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 838-45	2.6	30
282	Altered corticostriatal functional connectivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2009 , 66, 1189-200		438
281	Is there evidence of brain white-matter abnormalities in obsessive-compulsive disorder?: a narrative review. <i>Topics in Magnetic Resonance Imaging</i> , 2009 , 20, 291-8	2.3	31
280	Medial temporal lobe glutathione concentration in first episode psychosis: a 1H-MRS investigation. <i>Neurobiology of Disease</i> , 2009 , 33, 354-7	7.5	95
279	Variations in cortical folding patterns are related to individual differences in temperament. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 172, 68-74	2.9	28
278	Pituitary gland volume in currently depressed and remitted depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 172, 55-60	2.9	25
277	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 173, 77-82	2.9	49
276	Anterior cingulate volume in adolescents with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 172, 155-60	2.9	68
275	White matter abnormalities and neurocognitive deficits associated with the passivity phenomenon in schizophrenia: a diffusion tensor imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 172, 121-7	2.9	23
274	Cognitive endophenotypes of bipolar disorder: a meta-analysis of neuropsychological deficits in euthymic patients and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2009 , 113, 1-20	6.6	724
273	Corpus callosum size and shape in individuals with current and past depression. <i>Journal of Affective Disorders</i> , 2009 , 115, 411-20	6.6	37
272	A disturbed sense of self in the psychosis prodrome: linking phenomenology and neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 807-17	9	116
271	Neurobiological markers of illness onset in psychosis and schizophrenia: The search for a moving target. <i>Neuropsychology Review</i> , 2009 , 19, 385-98	7.7	105
270	Decreased cortical muscarinic receptors define a subgroup of subjects with schizophrenia. <i>Molecular Psychiatry</i> , 2009 , 14, 1017-23	15.1	96
269	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. <i>Molecular Psychiatry</i> , 2009 , 14, 976-86	15.1	99
268	Theory of mind impairment: a distinct trait-marker for schizophrenia spectrum disorders and bipolar disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 253-64	6.5	133
267	Dopamine modulates neural networks involved in effort-based decision-making. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 383-93	9	106

266	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 651-7	5.5	28
265	Midline brain structures in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 842-6	5.5	20
264	Corpus callosum size and shape alterations in individuals with bipolar disorder and their first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1050-7	5.5	57
263	Midline brain structures in patients with current and remitted major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1058-63	5.5	22
262	Increased pituitary volume in patients with established bipolar affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1245-9	5.5	18
261	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1395-400	5.5	21
260	Progressive brain structural changes mapped as psychosis develops in 'at risk' individuals. <i>Schizophrenia Research</i> , 2009 , 108, 85-92	3.6	231
259	Mapping grey matter reductions in schizophrenia: an anatomical likelihood estimation analysis of voxel-based morphometry studies. <i>Schizophrenia Research</i> , 2009 , 108, 104-13	3.6	276
258	Increased pituitary volume in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2009 , 108, 114-21	3.6	35
257	Theory of mind impairment in schizophrenia: meta-analysis. <i>Schizophrenia Research</i> , 2009 , 109, 1-9	3.6	523
256	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 49-56	3.6	76
255	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. <i>Schizophrenia Research</i> , 2009 , 111, 94-102	3.6	125
254	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , 2009 , 112, 104-13	3.6	55
253	Pituitary volume and early treatment response in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2009 , 113, 65-71	3.6	27
252	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. <i>Schizophrenia Research</i> , 2009 , 113, 158-66	3.6	27
251	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2009 , 115, 163-72	3.6	25
250	Corpus Callosum Size and Shape in Individuals with Bipolar Disorder and Their Relatives. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
249	Frontotemporal dementia presenting as schizophrenia-like psychosis in young people: clinicopathological series and review of cases. <i>British Journal of Psychiatry</i> , 2009 , 194, 298-305	5.4	133

248	Anatomical abnormalities of the anterior cingulate cortex in schizophrenia: bridging the gap between neuroimaging and neuropathology. <i>Schizophrenia Bulletin</i> , 2009 , 35, 973-93	1.3	177
247	Differences in neuropsychological performance between subtypes of obsessive-compulsive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 216-26	2.6	48
246	Reconciling neuroimaging and neuropathological findings in schizophrenia and bipolar disorder. <i>Current Opinion in Psychiatry</i> , 2009 , 22, 312-9	4.9	48
245	Cognitive functioning in schizophrenia, schizoaffective disorder and affective psychoses: meta-analytic study. <i>British Journal of Psychiatry</i> , 2009 , 195, 475-82	5.4	223
244	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. <i>Medical Journal of Australia</i> , 2009 , 190, S10-3	4	19
243	A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. <i>Medical Journal of Australia</i> , 2009 , 190, S33-6	4	12
242	Neurobiology of schizophrenia spectrum disorders: the role of oxidative stress. <i>Annals of the Academy of Medicine, Singapore</i> , 2009 , 38, 396-6	2.8	52
241	Imaging in schizophrenia: looking back and peering ahead. <i>Annals of the Academy of Medicine, Singapore</i> , 2009 , 38, 440-2	2.8	5
240	Anatomical abnormalities of the anterior cingulate and paracingulate cortex in patients with bipolar I disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 162, 123-32	2.9	62
239	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 116-25	2.9	112
238	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 162, 273-7	2.9	44
237	Abnormal white matter microstructure in schizophrenia: a voxelwise analysis of axial and radial diffusivity. <i>Schizophrenia Research</i> , 2008 , 101, 106-10	3.6	100
236	Corpus callosum shape alterations in individuals prior to the onset of psychosis. <i>Schizophrenia Research</i> , 2008 , 103, 1-10	3.6	67
235	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2008 , 105, 236-44	3.6	44
234	Anatomic abnormalities of the anterior cingulate cortex before psychosis onset: an MRI study of ultra-high-risk individuals. <i>Biological Psychiatry</i> , 2008 , 64, 758-65	7.9	149
233	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1708-14	5.5	28
232	S.14.02 Transition to psychosis [what happens in the brain?]. <i>European Neuropsychopharmacology</i> , 2008 , 18, S176	1.2	1
231	P.1.e.016 Anatomical abnormalities of the anterior cingulate cortex before the onset of psychosis. <i>European Neuropsychopharmacology</i> , 2008 , 18, S268-S269	1.2	

230	Anterior cingulate glutamate-glutamine levels predict symptom severity in women with obsessive-compulsive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 467-77	2.6	94
229	Regional brain abnormalities associated with long-term heavy cannabis use. <i>Archives of General Psychiatry</i> , 2008 , 65, 694-701		352
228	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-naïve and early-treated first episode psychosis. <i>Schizophrenia Research</i> , 2008 , 102, 163-70	3.6	46
227	Neuroanatomical correlates of temperament in early adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 682-693	7.2	57
226	The positive effect of integrated care on depressive symptoms in stroke survivors. <i>Cerebrovascular Diseases</i> , 2008 , 26, 199-205	3.2	30
225	White matter volume changes in people who develop psychosis. <i>British Journal of Psychiatry</i> , 2008 , 193, 210-5	5.4	90
224	Ethyl-eicosapentaenoic acid in first-episode psychosis. A 1H-MRS study. <i>Neuropsychopharmacology</i> , 2008 , 33, 2467-73	8.7	100
223	Consistency and functional specialization in the default mode brain network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9781-6	11.5	269
222	Interaction of parenting experiences and brain structure in the prediction of depressive symptoms in adolescents. <i>Archives of General Psychiatry</i> , 2008 , 65, 1377-85		62
221	Morphology of the corpus callosum at different stages of schizophrenia: cross-sectional study in first-episode and chronic illness. <i>British Journal of Psychiatry</i> , 2008 , 192, 429-34	5.4	65
220	Neuropsychological and hypothalamic-pituitary-axis function in female patients with melancholic and non-melancholic depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 217-25	5.1	45
219	Variability of the paracingulate sulcus and morphometry of the medial frontal cortex: associations with cortical thickness, surface area, volume, and sulcal depth. <i>Human Brain Mapping</i> , 2008 , 29, 222-36	5.9	91
218	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. <i>Human Brain Mapping</i> , 2008 , 29, 478-89	5.9	94
217	Major psychoses with mixed psychotic and mood symptoms: are mixed psychoses associated with different neurobiological markers?. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 172-87	6.5	47
216	Pillow talk: catatonia. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 44-45	3.9	3
215	Is this Kinesia or tardive dystonia?. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 216-217	3.9	4
214	Progressive changes in the development toward schizophrenia: studies in subjects at increased symptomatic risk. <i>Schizophrenia Bulletin</i> , 2008 , 34, 322-9	1.3	145
213	Modulation of brain resting-state networks by sad mood induction. <i>PLoS ONE</i> , 2008 , 3, e1794	3.7	161

212	Olfactory impairments in child attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1462-8	4.6	32
211	Intra-dimensional/extra-dimensional set-shifting performance in schizophrenia: impact of distractors. <i>Schizophrenia Research</i> , 2007 , 89, 339-49	3.6	89
210	Task-induced deactivation of midline cortical regions in schizophrenia assessed with fMRI. <i>Schizophrenia Research</i> , 2007 , 91, 82-6	3.6	164
209	Evidence for neuronal dysfunction in the anterior cingulate of patients with schizophrenia: a proton magnetic resonance spectroscopy study at 3 T. <i>Schizophrenia Research</i> , 2007 , 94, 328-31	3.6	53
208	Clinical staging: a heuristic model for psychiatry and youth mental health. <i>Medical Journal of Australia</i> , 2007 , 187, S40-2	4	127
207	A combined spectroscopic and functional MRI investigation of the dorsal anterior cingulate region in opiate addiction. <i>Molecular Psychiatry</i> , 2007 , 12, 611, 691-702	15.1	116
206	Expression profiling in monozygotic twins discordant for bipolar disorder reveals dysregulation of the WNT signalling pathway. <i>Molecular Psychiatry</i> , 2007 , 12, 815-25	15.1	93
205	Neuronal, physiological and brainBehavioural abnormalities in opiate-addicted individuals. <i>Molecular Psychiatry</i> , 2007 , 12, 611-611	15.1	12
204	Anterior cingulate activation in antipsychotic-naïve first-episode schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 155-8	6.5	26
203	Characterizing anterior cingulate activation in chronic schizophrenia: a group and single-subject fMRI study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 271-9	6.5	20
202	In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 467-72	6.5	39
201	Pituitary volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 257-61	2.9	21
200	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2007 , 41, 561-9	5.2	106
199	Cognitive decline following psychosis onset: data from the PACE clinic. <i>British Journal of Psychiatry</i> , 2007 , 51, s52-7	5.4	49
198	A tale of two cities: a neuroimaging investigation of Melbourne-Sydney rivalry comparing cortical thickness in healthy adults. <i>Australasian Psychiatry</i> , 2007 , 15, 67-71	1.7	1
197	Increased prefrontal cerebral blood flow in first-episode schizophrenia following treatment: longitudinal positron emission tomography study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 129-35	2.6	18
196	Functional and biochemical alterations of the medial frontal cortex in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2007 , 64, 946-55		201
195	Fractionation of verbal memory impairment in schizophrenia and schizophreniform psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 732-9	2.6	12

194	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processing. <i>Archives of General Psychiatry</i> , 2007 , 64, 252		2
193	Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. <i>Psychiatry Research</i> , 2007 , 149, 97-104	9.9	18
192	Early maternal deprivation reduces prepulse inhibition and impairs spatial learning ability in adulthood: no further effect of post-pubertal chronic corticosterone treatment. <i>Behavioural Brain Research</i> , 2007 , 176, 323-32	3.4	66
191	Ventricle volumes in emerging psychosis. A cross-sectional and longitudinal MRI study. <i>European Psychiatry</i> , 2007 , 22, S30-S31	6	7
190	State, trait and biochemical influences on human anterior cingulate function. <i>NeuroImage</i> , 2007 , 34, 1766-73	7.3	21
189	S.22.01 Brain changes during the development of psychosis. <i>European Neuropsychopharmacology</i> , 2007 , 17, S209	1.2	
188	Neuroimaging and emerging psychotic disorders: the Melbourne ultra-high risk studies. <i>International Review of Psychiatry</i> , 2007 , 19, 371-81	3.6	98
187	Monitoring the safe use of clozapine: a consensus view from Victoria, Australia. <i>CNS Drugs</i> , 2007 , 21, 117-27	6.7	40
186	Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naïve schizophreniform psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 148, 23-31	2.9	27
185	Evaluating brain activity in obsessive-compulsive disorder: preliminary insights from a multivariate analysis. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 227-31	2.9	11
184	Occupational Performance of People Diagnosed with Schizophrenia in Supported Housing and Outreach Programmes in Australia. <i>British Journal of Occupational Therapy</i> , 2006 , 69, 409-419	1	16
183	Hippocampal and amygdala volumes according to psychosis stage and diagnosis: a magnetic resonance imaging study of chronic schizophrenia, first-episode psychosis, and ultra-high-risk individuals. <i>Archives of General Psychiatry</i> , 2006 , 63, 139-49		496
182	Stress, the hippocampus and the hypothalamic-pituitary-adrenal axis: implications for the development of psychotic disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 725-41	2.6	151
181	Generalized and specific cognitive performance in clinical high-risk cohorts: a review highlighting potential vulnerability markers for psychosis. <i>Schizophrenia Bulletin</i> , 2006 , 32, 538-55	1.3	199
180	Evidence of altered prefrontal-thalamic circuitry in schizophrenia: an optimized diffusion MRI study. <i>NeuroImage</i> , 2006 , 32, 16-22	7.9	59
179	The influence of sulcal variability on morphometry of the human anterior cingulate and paracingulate cortex. <i>NeuroImage</i> , 2006 , 33, 843-54	7.9	88
178	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 88, 192-7	3.6	48
177	Clinical staging of psychiatric disorders: a heuristic framework for choosing earlier, safer and more effective interventions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 616-22	2.6	548

176	02-02 Pituitary volume in adolescents with first-presentation borderline personality disorder. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 317	3.9	
175	A T2-relaxometric investigation of the brain in early psychosis: preliminary findings. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 276	3.9	
174	Clozapine and cardiotoxicity: echocardiography findings from Barwon Health. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 249-50	3.9	
173	02-03 An MRI study of pituitary volume and suicidal behaviour in adolescents with first-presentation borderline personality disorder. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 317	3.9	
172	The metabolic syndrome in patients with a prolonged psychotic illness within a community setting: age and gender issues. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 260	3.9	
171	Prediction of functional outcome 18 months after a first psychotic episode: a proton magnetic resonance spectroscopy study. <i>Archives of General Psychiatry</i> , 2006 , 63, 969-76		48
170	Structural brain correlates of alcohol and cannabis use in recreational users. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 226-9	3.9	9
169	Neuropathological, neurogenetic and neuroimaging evidence for white matter pathology in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2006 , 30, 918-48	9	119
168	Clinical deficits correlate with regional cerebral atrophy in progressive supranuclear palsy. <i>Brain</i> , 2005 , 128, 1259-66	11.2	125
167	Reduced volume of parietal and frontal association areas in patients with schizophrenia characterized by passivity delusions. <i>Psychological Medicine</i> , 2005 , 35, 783-9	6.9	45
166	Functional connectivity during Stroop task performance. <i>NeuroImage</i> , 2005 , 24, 181-91	7.9	101
165	Structural brain imaging evidence for multiple pathological processes at different stages of brain development in schizophrenia. <i>Schizophrenia Bulletin</i> , 2005 , 31, 672-96	1.3	409
164	Pituitary volume predicts future transition to psychosis in individuals at ultra-high risk of developing psychosis. <i>Biological Psychiatry</i> , 2005 , 58, 417-23	7.9	174
163	The FOCIS international survey on psychiatrists' opinions on cognition in schizophrenia. <i>Schizophrenia Research</i> , 2005 , 74, 253-61	3.6	14
162	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. <i>Schizophrenia Research</i> , 2005 , 75, 295-301	3.6	71
161	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. <i>Psychological Medicine</i> , 2005 , 35, 1053-62	6.9	54
160	Neurobiology of early psychosis. <i>British Journal of Psychiatry</i> , 2005 , 48, s8-18	5.4	51
159	A manual and automated MRI study of anterior cingulate and orbito-frontal cortices, and caudate nucleus in obsessive-compulsive disorder: comparison with healthy controls and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 138, 99-113	2.9	105

158	Memory impairments identified in people at ultra-high risk for psychosis who later develop first-episode psychosis. <i>American Journal of Psychiatry</i> , 2005 , 162, 71-8	11.9	317
157	Increased pituitary volume in antipsychotic-free and antipsychotic-treated patients of the AESop first-onset psychosis study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1923-31	8.7	129
156	Diseases of white matter and schizophrenia-like psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 746-56	2.6	57
155	Attenuation of perceptual asymmetries in patients with early-onset schizophrenia: evidence in favour of reduced hemispheric differentiation in schizophrenia?. <i>Laterality</i> , 2004 , 9, 79-91	2	10
154	Insight and hopelessness in forensic patients with schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 169-73	2.6	35
153	Individual differences in anterior cingulate/paracingulate morphology are related to executive functions in healthy males. <i>Cerebral Cortex</i> , 2004 , 14, 424-31	5.1	104
152	Relationship of behavioural and symptomatic syndromes in schizophrenia to spatial working memory and attentional set-shifting ability. <i>Psychological Medicine</i> , 2004 , 34, 693-703	6.9	56
151	Addiction, a condition of compulsive behaviour? Neuroimaging and neuropsychological evidence of inhibitory dysregulation. <i>Addiction</i> , 2004 , 99, 1491-502	4.6	299
150	ADDICTION, DISINHIBITION, IMPULSIVITY, COMPULSIVITY: WHAT'S THE DIFFERENCE, WHY DOES IT MATTER AND WHAT IS THE ROLE OF CONTEXT?. <i>Addiction</i> , 2004 , 99, 1506-1507	4.6	1
149	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 5-10	5.4	147
148	Efficacy and tolerability of ziprasidone versus risperidone in patients with acute exacerbation of schizophrenia or schizoaffective disorder: an 8-week, double-blind, multicenter trial. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1624-33	4.6	66
147	Cognitive development in adolescence: cerebral underpinnings, neural trajectories, and the impact of aberrations 2004 , 69-88		10
146	A review and new report of medial temporal lobe dysfunction as a vulnerability indicator for schizophrenia: a magnetic resonance imaging morphometric family study of the parahippocampal gyrus. <i>Schizophrenia Bulletin</i> , 2003 , 29, 803-30	1.3	118
145	Proton magnetic resonance spectroscopy in first episode psychosis and ultra high-risk individuals. <i>Schizophrenia Bulletin</i> , 2003 , 29, 831-43	1.3	101
144	Impairment of olfactory identification ability in individuals at ultra-high risk for psychosis who later develop schizophrenia. <i>American Journal of Psychiatry</i> , 2003 , 160, 1790-4	11.9	157
143	Spatial working memory ability is a marker of risk-for-psychosis. <i>Psychological Medicine</i> , 2003 , 33, 1239-47	4.9	188
142	Moyamoya disease in a patient with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2003 , 9, 806-10	3.1	29
141	Managing patients with "treatment-resistant" schizophrenia. <i>Medical Journal of Australia</i> , 2003 , 178, S62-6	4	46

140	Medical comorbidity in schizophrenia. <i>Medical Journal of Australia</i> , 2003 , 178, S67-70	4	178
139	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. <i>British Journal of Psychiatry</i> , 2003 , 182, 518-24	5.4	108
138	Early and late neurodevelopmental disturbances in schizophrenia and their functional consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 399-406	2.6	137
137	Normative data from the CANTAB. I: development of executive function over the lifespan. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 242-54	2.1	462
136	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. <i>Lancet, The</i> , 2003 , 361, 281-8	4.0	1044
135	Anterior cingulate dysfunction: implications for psychiatric disorders?. <i>Journal of Psychiatry and Neuroscience</i> , 2003 , 28, 350-4	4.5	61
134	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. <i>Brain</i> , 2002 , 125, 789-800	11.2	115
133	Prediction and prevention of transition to psychosis in young people at incipient risk for schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 929-37		43
132	Incidental radiological findings on brain magnetic resonance imaging in first-episode psychosis and chronic schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 331-6	6.5	49
131	Implications of lipid biology for the pathogenesis of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 355-66	2.6	50
130	Thalamic and caudate volumes in monozygotic twins discordant for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 347-54	2.6	22
129	Seeking asylum. <i>Australasian Psychiatry</i> , 2002 , 10, 242-245	1.7	1
128	Anterior cingulate activation during Stroop task performance: a PET to MRI coregistration study of individual patients with schizophrenia. <i>American Journal of Psychiatry</i> , 2002 , 159, 251-4	11.9	131
127	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. <i>Psychological Medicine</i> , 2002 , 32, 429-38	6.9	80
126	Impairments of response conflict monitoring and resolution in schizophrenia. <i>Psychological Medicine</i> , 2002 , 32, 1251-60	6.9	24
125	Paracingulate morphologic differences in males with established schizophrenia: a magnetic resonance imaging morphometric study. <i>Biological Psychiatry</i> , 2002 , 52, 15-23	7.9	132
124	Increased duration of illness is associated with reduced volume in right medial temporal/anterior cingulate grey matter in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2002 , 57, 43-9	3.6	78
123	Non-reduction in hippocampal volume is associated with higher risk of psychosis. <i>Schizophrenia Research</i> , 2002 , 58, 145-58	3.6	143

122	Ziprasidone vs risperidone in schizophrenia: An 8-week, double-blind trial. <i>European Neuropsychopharmacology</i> , 2002 , 12, 314	1.2	2
121	The cognitive neuropsychiatric approach to investigating the neurobiology of schizophrenia and other disorders. <i>Journal of Psychosomatic Research</i> , 2002 , 53, 655-64	4.1	41
120	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. <i>Brain</i> , 2002 , 125, 789-800	11.2	18
119	Treatment of psychogenic polydipsia: comparison of risperidone and olanzapine, and the effects of an adjunctive angiotensin-II receptor blocking drug (irbesartan). <i>Australian and New Zealand Journal of Psychiatry</i> , 2001 , 35, 65-8	2.6	36
118	Increased risk of neutropaenia and agranulocytosis with sodium valproate used adjunctively with clozapine. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001 , 35, 544-5	2.6	23
117	Spatial working memory deficits in schizophrenia: relationship with tardive dyskinesia and negative symptoms. <i>American Journal of Psychiatry</i> , 2001 , 158, 1276-85	11.9	75
116	Hemispheric and gender-related differences in the gross morphology of the anterior cingulate/paracingulate cortex in normal volunteers: an MRI morphometric study. <i>Cerebral Cortex</i> , 2001 , 11, 17-25	5.1	189
115	Stability of olfactory identification deficits in neuroleptic-naive patients with first-episode psychosis. <i>American Journal of Psychiatry</i> , 2001 , 158, 107-15	11.9	118
114	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2001 , 52, 37-46	3.6	121
113	Selective bilateral hippocampal volume loss in chronic schizophrenia. <i>Biological Psychiatry</i> , 2001 , 50, 531-9	7.9	63
112	Abnormal executive function in attention deficit hyperactivity disorder: the effect of stimulant medication and age on spatial working memory. <i>Psychological Medicine</i> , 2001 , 31, 1107-15	6.9	136
111	Bimanual coordination in chronic schizophrenia. <i>Brain and Cognition</i> , 2001 , 45, 325-41	2.7	12
110	Comorbid non-alcohol substance misuse among people with schizophrenia: epidemiological study in central London. <i>British Journal of Psychiatry</i> , 2001 , 179, 509-13	5.4	99
109	Does a Neurodevelopmental Lesion Involving the Hippocampus Explain Memory Dysfunction in Schizophrenia?. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , 2001 , 12, 61-67	0.5	3
108	An optimized method for estimating intracranial volume from magnetic resonance images. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 973-7	4.4	168
107	Magnetic resonance spectroscopy and schizophrenia: what have we learnt?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 14-25	2.6	33
106	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S113-S126	2.6	28
105	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, A113-A126	2.6	19

104	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S113-26	2.6	22
103	Adjunctive risperidone treatment in patients with 'clozapine-resistant schizophrenia'. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 533-4	2.6	20
102	Neurobiological findings in early phase schizophrenia. <i>Brain Research Reviews</i> , 2000 , 31, 157-65		41
101	Use of advance information in patients with schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2000 , 22, 472-82	2.1	15
100	Volume of parahippocampal gyrus and hippocampus in schizophrenia. <i>British Journal of Psychiatry</i> , 1999 , 175, 388-9	5.4	4
99	Attention deficit hyperactivity disorder: anxiety phenomena in children treated with psychostimulant medication for 6 months or more. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 399-406	2.6	18
98	Tourette's and comorbid syndromes: obsessive compulsive and attention deficit hyperactivity disorder. A common etiology?. <i>Clinical Psychology Review</i> , 1999 , 19, 531-52	10.8	120
97	Four behavioural syndromes of schizophrenia: a replication in a second inner-London epidemiological sample. <i>Schizophrenia Research</i> , 1999 , 37, 165-76	3.6	14
96	Comparison of set-shifting ability in patients with chronic schizophrenia and frontal lobe damage. <i>Schizophrenia Research</i> , 1999 , 37, 251-70	3.6	315
95	The three-syndrome model of schizophrenia: meta-analysis of an artefact. <i>Schizophrenia Research</i> , 1999 , 39, 233-42	3.6	43
94	Hippocampal volume in first-episode psychoses and chronic schizophrenia: a high-resolution magnetic resonance imaging study. <i>Archives of General Psychiatry</i> , 1999 , 56, 133-41		292
93	Impairment of olfactory identification in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 1999 , 29, 1227-33	6.9	54
92	Executive function and attention deficit hyperactivity disorder: stimulant medication and better executive function performance in children. <i>Psychological Medicine</i> , 1999 , 29, 527-38	6.9	293
91	Abnormalities of internally generated saccades in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 1999 , 29, 1377-85	6.9	42
90	Attention and neuropsychiatric disorders. <i>Current Opinion in Psychiatry</i> , 1999 , 12, 339-344	4.9	7
89	Response programming in patients with schizophrenia: a kinematic analysis. <i>Neuropsychologia</i> , 1998 , 36, 603-10	3.2	5
88	Frontostriatal deficits in unipolar major depression. <i>Brain Research Bulletin</i> , 1998 , 47, 297-310	3.9	138
87	Cognitive deficits in obsessive-compulsive disorder on tests of frontal-striatal function. <i>Biological Psychiatry</i> , 1998 , 43, 348-57	7.9	263

86	Test-retest Reliability of the National Adult Reading Test (NART) as an Estimate of Premorbid IQ in Patients with Schizophrenia. <i>Cognitive Neuropsychiatry</i> , 1998 , 3, 71-80	2	21
85	Stimulus Relevance in Eliciting Utilisation Behaviour: Case Study in a Patient with a Caudate Lesion. <i>Cognitive Neuropsychiatry</i> , 1998 , 3, 287-298	2	12
84	Cognitive and olfactory deficits: Course from high risk to first-episode psychosis. <i>Schizophrenia Research</i> , 1998 , 29, 54-55	3.6	8
83	Cue dependent right hemineglect in schizophrenia: a kinematic analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998 , 65, 454-9	5.5	15
82	Neuropsychological deficits in obsessive-compulsive disorder: a comparison with unipolar depression, panic disorder, and normal controls. <i>Archives of General Psychiatry</i> , 1998 , 55, 415-23		252
81	Saccadic and attentional abnormalities in patients with schizophrenia. <i>Psychological Medicine</i> , 1998 , 28, 1091-100	6.9	59
80	Ocular abnormalities in chronic schizophrenia: clinical implications. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 252-6	2.6	21
79	Frontal-striatal cognitive deficits in patients with chronic schizophrenia. <i>Brain</i> , 1997 , 120 (Pt 10), 1823-43	1.2	312
78	Characteristics of the new long-stay population in an inner Melbourne acute psychiatric hospital. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 488-95	2.6	3
77	One-year, low-dose neuroleptic study of in-patients with chronic schizophrenia characterised by persistent negative symptoms. Amisulpride v. haloperidol. <i>British Journal of Psychiatry</i> , 1997 , 171, 564-8	5.4	85
76	Neuropsychological function in young patients with unipolar major depression. <i>Psychological Medicine</i> , 1997 , 27, 1277-85	6.9	189
75	Kinematic analysis of handwriting movements in schizophrenic patients. <i>Biological Psychiatry</i> , 1997 , 41, 830-3	7.9	30
74	Extracting complex tissues of MRI brain images using conjugate transformation for medical visual information systems. <i>Lecture Notes in Computer Science</i> , 1997 , 162-175	0.9	
73	Psychopathology, social and cognitive functioning in a hostel for homeless women. <i>British Journal of Psychiatry</i> , 1996 , 168, 82-6	5.4	33
72	Cognitive function and duration of rooflessness in entrants to a hostel for homeless men. <i>British Journal of Psychiatry</i> , 1996 , 169, 434-9	5.4	41
71	Subcortical dysfunction in schizophrenia: a comparison with Parkinson's disease and Huntington's disease. <i>Schizophrenia Research</i> , 1996 , 19, 121-8	3.6	24
70	Neuropsychological, olfactory, and hygiene deficits in men with negative symptom schizophrenia. <i>Biological Psychiatry</i> , 1996 , 40, 1021-31	7.9	110
69	A brief assessment of executive control dysfunction: Discriminant validity and homogeneity of planning, set shift, and fluency measures. <i>Archives of Clinical Neuropsychology</i> , 1996 , 11, 185-191	2.7	7

68	A brief assessment of executive control dysfunction: Discriminant validity and homogeneity of planning, set shift, and fluency measures. <i>Archives of Clinical Neuropsychology</i> , 1996 , 11, 185-191	2.7	61
67	Abnormal movements can be identified in EtypicalPopulations. <i>Behavioral and Brain Sciences</i> , 1996 , 19, 84-85	0.9	
66	The Camden schizophrenia surveys. II. High prevalence of schizophrenia in an inner London borough and its relationship to socio-demographic factors. <i>British Journal of Psychiatry</i> , 1996 , 168, 418-264	5.4	52
65	Four behavioural syndromes of schizophrenia. <i>British Journal of Psychiatry</i> , 1996 , 168, 562-70	5.4	37
64	Deficits in the endogenous redirection of covert visual attention in chronic schizophrenia. <i>Neuropsychologia</i> , 1996 , 34, 1079-84	3.2	42
63	Drug strategies and treatment-resistant schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996 , 30, 20-37	2.6	56
62	What have we learned from functional imaging studies in schizophrenia? The role of frontal, striatal and temporal areas. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996 , 30, 195-209	2.6	32
61	Brief report: bradyphrenia in Parkinson's disease, Huntington's disease, and schizophrenia. <i>Cognitive Neuropsychiatry</i> , 1996 , 1, 165-70	2	6
60	Dysfluency in Huntington's disease, Parkinson's disease and schizophrenia. <i>Applied Neuropsychology</i> , 1995 , 2, 29-34		1
59	Neuropsychological and olfactory dysfunction in schizophrenia: relationship of frontal syndromes to syndromes of schizophrenia. <i>Schizophrenia Research</i> , 1995 , 17, 35-45	3.6	55
58	Cognitive flexibility and complex integration in Parkinson's disease, Huntington's disease, and schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 1995 , 1, 545-53	3.1	35
57	South Westminster schizophrenia survey. Alcohol use and its relationship to symptoms, tardive dyskinesia and illness onset. <i>British Journal of Psychiatry</i> , 1994 , 164, 630-6	5.4	121
56	The Secret of the NIMH Visit to America: the Clinical Brain Disorders Branch, National Institute of Mental Health, Washington DC. <i>Psychiatric Bulletin</i> , 1994 , 18, 106-108		
55	Procedure for volumetric analysis of brain MRI images by segmentation into CSF spaces, cortical gray, cortical white, and subcortical gray matter using a semi-automated multi-level threshold technique. <i>Schizophrenia Research</i> , 1993 , 9, 206	3.6	2
54	Acute exacerbation of psychosis with buspirone?. <i>Journal of Psychopharmacology</i> , 1993 , 7, 295-300	4.6	10
53	Institutionalism and schizophrenia 30 years on. Clinical poverty and the social environment in three British mental hospitals in 1960 compared with a fourth in 1990. <i>British Journal of Psychiatry</i> , 1992 , 160, 230-41; discussion 241-3	5.4	27
52	Is the concept of frontal-subcortical dementia relevant to schizophrenia?. <i>British Journal of Psychiatry</i> , 1992 , 160, 442-60	5.4	106
51	A one-year dose reduction study in chronic schizophrenic inpatients: Amisulpride vs haloperidol. <i>Schizophrenia Research</i> , 1992 , 6, 107	3.6	5

50	Clinical Pharmacology of Psychotherapeutic Drugs. (3rd edn). By Leo E. Hollister and John G. Csernansky, London: Churchill Livingstone. 1990. 194 pp. £27.00.. <i>British Journal of Psychiatry</i> , 1991 , 158, 588-589	5.4	
49	Cognitive functioning and symptomatology in chronic schizophrenia. <i>Psychological Medicine</i> , 1990 , 20, 357-65	6.9	113
48	Khat, toxic reactions to this substance, its similarities to amphetamine, and the implications of treatment for such patients. <i>Journal of Substance Abuse Treatment</i> , 1989 , 6, 205-6	4.2	8
47	A pilot study of subcortical dementia in schizophrenia. <i>Schizophrenia Research</i> , 1989 , 2, 69	3.6	5
46	Use and abuse of khat (<i>Catha edulis</i>): a review of the distribution, pharmacology, side effects and a description of psychosis attributed to khat chewing. <i>Psychological Medicine</i> , 1989 , 19, 657-68	6.9	110
45	. <i>Psychiatric Bulletin</i> , 1988 , 12, 98-101		10
44	The South Camden Schizophrenia Survey: An experience of community-based research. <i>Bulletin of the Royal College of Psychiatrists</i> , 1988 , 12, 98-101		2
43	The neurobiology of Bipolar II disorder89-99		1
42	Neurobiological and neuropsychological pathways into substance abuse and addictive behavior326-341		3
41	The neural basis of attention105-116		
40	Neurobiologicalendophenotypes of psychosis and schizophrenia61-80		6
39	Neuropsychology of ADHD and other disorders of childhood285-299		1
38	Neuropsychology of obsessive-compulsive disorder342-352		1
37	Developmental neuropsychology: normative trajectories and risk for psychiatric illness4-14		1
36	Processes and mechanisms in neuropsychiatry: sensory-perceptual15-24		
35	Processes and mechanisms in neuropsychiatry: motor-executive processes25-36		
34	Associative memory96-104		
33	The role of executive functions in psychiatric disorders117-137		7

32	Psychopharmacological modeling of psychiatric illness252-270	
31	The neuropsychology of psychiatric disorders283-284	
30	Olfaction and the Temporal Lobes28-49	1
29	Olfactory Processing and Brain Maturation103-118	5
28	The Role of Pheromones and Chemistry: Lessons from Comparative Anatomy203-219	
27	Assessment of Olfaction235-258	5
26	Olfactory Hallucinations322-333	4
25	Olfaction and Memory65-82	6
24	Olfaction in Psychosis296-321	
23	Sex Differences and Olfactory Function183-202	5
22	Role of the Insula in Smell and Disgust50-64	2
21	Primate Olfaction: Anatomy and Evolution135-166	65
20	Olfactory Impairment in Neuropsychiatric Disorders259-278	1
19	Delusions of Body Malodour: The Olfactory Reference Syndrome334-354	9
18	Olfactory Neurogenesis: A Window on Brain Development83-102	
17	Olfaction in Parkinsonian Syndromes279-295	
16	Probes of Behaviour Regulation: Olfactory Models in Addiction119-132	
15	The Impact of Olfaction on Human Social Functioning220-232	2

14 Genetics and Family Influences on Olfaction: A Focus in Schizophrenia 167-182

13 Structure and Function of the Olfactory System 3-27

12

12 Brain ageing in schizophrenia: evidence from 26 international cohorts via the ENIGMA Schizophrenia consortium

1

11 Insight and Hopelessness in Forensic Patients with Schizophrenia

2

10 Diseases of White Matter and Schizophrenia-Like Psychosis

3

9 Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions

68

8 Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders

11

7 Individual deviations from normative models of brain structure in a large cross-sectional schizophrenia cohort

2

6 Psychiatric diagnoses: purposes, limitations and an alternative approach 178-193

1

5 Cortical and Subcortical Neuroanatomical Signatures of Schizotypy in 3,004 Individuals Assessed in a Worldwide ENIGMA Study

1

4 Brain charts for the human lifespan

8

3 The relative and interactive impact of multiple risk factors in schizophrenia spectrum disorders: a combined register-based and clinical twin study. *Psychological Medicine*, 1-11

6.9 1

2 Brain Imaging in Schizophrenia 403-417

7

1 Structural Brain Imaging in Schizophrenia and Related Populations 334-352

1