

Ai Koyanagi

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/6972295/publications.pdf](https://exaly.com/author-pdf/6972295/publications.pdf)

Version: 2024-02-01

555
papers

103,184
citations

4067

89
h-index

265

297
g-index

577
all docs

577
docs citations

577
times ranked

154484
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	12.1	9,267
2	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	12.1	5,921
3	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1545-1602.	12.1	5,538
4	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	12.1	5,415
5	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	12.1	5,141
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	12.1	4,401
7	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	12.1	3,733
8	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	12.1	3,512
9	Global, regional, and national burden of stroke and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology, The</i> , 2021, 20, 795-820.	10.4	3,012
10	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 459-480.	10.4	2,958
11	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	12.1	2,298
12	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	12.1	2,233
13	Global, regional, and national burden of stroke, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 439-458.	10.4	2,138
14	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	12.1	1,969
15	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	12.1	1,680
16	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	12.1	1,647
17	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 88-106.	10.4	1,630
18	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. <i>Lancet Public Health, The</i> , 2022, 7, e105-e125.	10.1	1,615

#	ARTICLE	IF	CITATIONS
19	Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021, 9, e144-e160.	6.3	1,390
20	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 389, 1885-1906.	12.1	1,379
21	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine</i> , 2020, 8, 585-596.	10.4	1,196
22	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 56-87.	10.4	1,194
23	Social disconnectedness, perceived isolation, and symptoms of depression and anxiety among older Americans (NSHAP): a longitudinal mediation analysis. <i>Lancet Public Health, The</i> , 2020, 5, e62-e70.	10.1	992
24	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 245-266.	8.2	951
25	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases, The</i> , 2018, 18, 1211-1228.	8.9	939
26	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712.	7.6	906
27	Estimates of global, regional, and national morbidity, mortality, and aetiologies of diarrhoeal diseases: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases, The</i> , 2017, 17, 909-948.	8.9	891
28	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	12.1	813
29	Global, Regional, and National Levels and Trends in Burden of Oral Conditions from 1990 to 2017: A Systematic Analysis for the Global Burden of Disease 2017 Study. <i>Journal of Dental Research</i> , 2020, 99, 362-373.	5.3	800
30	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1775-1812.	12.1	782
31	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 2337-2360.	12.1	752
32	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	12.1	678
33	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021, 9, e130-e143.	6.3	614
34	The association between social relationships and depression: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 175, 53-65.	4.2	604
35	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1725-1774.	12.1	604
36	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.	12.1	594

#	ARTICLE	IF	CITATIONS
37	Relationship between depression and frailty in older adults: A systematic review and meta-analysis. Ageing Research Reviews, 2017, 36, 78-87.	11.2	539
38	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€“2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	12.1	511
39	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980â€“2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	4.6	469
40	Hearing loss prevalence and years lived with disability, 1990â€“2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	12.1	449
41	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	12.1	433
42	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 205-214.	3.7	431
43	The global, regional, and national burden of stomach cancer in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 42-54.	8.2	421
44	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 934-947.	8.2	414
45	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980â€“2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet HIV,the, 2019, 6, e831-e859.	4.6	368
46	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2019, 7, 69-89.	10.4	360
47	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	12.1	357
48	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	6.2	321
49	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	12.1	313
50	The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). BMC Public Health, 2016, 16, 1098.	3.0	305
51	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995â€“2050. Lancet, The, 2019, 393, 2233-2260.	12.1	302
52	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	12.1	289
53	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 913-933.	8.2	286
54	Macrosomia in 23 developing countries: an analysis of a multicountry, facility-based, cross-sectional survey. Lancet, The, 2013, 381, 476-483.	12.1	271

#	ARTICLE	IF	CITATIONS
55	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 261-284.	8.9	257
56	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. <i>Sports Medicine</i> , 2020, 50, 151-170.	6.7	247
57	Loneliness, common mental disorders and suicidal behavior: Findings from a general population survey. <i>Journal of Affective Disorders</i> , 2016, 197, 81-87.	4.2	237
58	Physical activity and anxiety: A perspective from the World Health Survey. <i>Journal of Affective Disorders</i> , 2017, 208, 545-552.	4.2	226
59	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1329-1349.	8.9	205
60	Does loneliness contribute to mild cognitive impairment and dementia? A systematic review and meta-analysis of longitudinal studies. <i>Ageing Research Reviews</i> , 2019, 52, 7-16.	11.2	200
61	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-continent study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 312-321.	7.4	194
62	Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. <i>Lancet Psychiatry</i> , the, 2019, 6, 590-600.	7.6	180
63	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	36.2	175
64	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108488.	3.3	171
65	Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. <i>PLoS ONE</i> , 2014, 9, e114742.	2.5	167
66	The impact of pharmacological and non-pharmacological interventions to improve physical health outcomes in people with schizophrenia: a meta-review of meta-analyses of randomized controlled trials. <i>World Psychiatry</i> , 2019, 18, 53-66.	9.6	165
67	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. <i>BMC Medicine</i> , 2018, 16, 112.	5.7	164
68	The Association between Sleep Problems and Psychotic Symptoms in the General Population: A Global Perspective. <i>Sleep</i> , 2015, 38, 1875-1885.	1.1	154
69	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. <i>JAMA Pediatrics</i> , 2019, 173, e190337.	6.2	153
70	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 907-918.e4.	0.6	152
71	Morbidity Among Human Immunodeficiency Virus-exposed But Uninfected, Human Immunodeficiency Virus-infected, and Human Immunodeficiency Virus-unexposed Infants in Zimbabwe Before Availability of Highly Active Antiretroviral Therapy. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 45-51.	2.0	141
72	Loneliness and health risk behaviours among Russian and U.S. adolescents: a cross-sectional study. <i>BMC Public Health</i> , 2014, 14, 366.	3.0	134

#	ARTICLE	IF	CITATIONS
73	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. <i>British Journal of Sports Medicine</i> , 2022, 56, 901-912.	8.6	133
74	The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2016, 43, 63-70.	2.5	131
75	Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 981-988.e7.	2.6	130
76	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. <i>Lancet Psychiatry</i> , 2020, 7, 955-970.	7.6	128
77	Social relationships, loneliness, and mental health among older men and women in Ireland: A prospective community-based study. <i>Journal of Affective Disorders</i> , 2016, 204, 59-69.	4.2	126
78	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. <i>BMC Medicine</i> , 2016, 14, 189.	5.7	126
79	Association of Urbanicity With Psychosis in Low- and Middle-Income Countries. <i>JAMA Psychiatry</i> , 2018, 75, 678.	11.4	123
80	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , 2020, 20, 37-59.	8.9	123
81	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 6.	4.5	122
82	Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 417,839 people. <i>Lancet Psychiatry</i> , 2020, 7, 52-63.	7.6	122
83	Relationship between sedentary behavior and depression: A mediation analysis of influential factors across the lifespan among 42,469 people in low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 229, 231-238.	4.2	116
84	Alcohol Consumption and Psychological Distress in Adolescents: A Multi-Country Study. <i>Journal of Adolescent Health</i> , 2014, 54, 228-234.	2.5	112
85	Depression and physical health multimorbidity: primary data and country-wide meta-analysis of population data from 190 593 people across 43 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 2107-2117.	5.2	110
86	Depression and Anxiety in Adults With Hidradenitis Suppurativa. <i>JAMA Dermatology</i> , 2019, 155, 939.	4.2	109
87	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , 2020, 20, 60-79.	8.9	106
88	Factors Associated With Loneliness: An Umbrella Review Of Observational Studies. <i>Journal of Affective Disorders</i> , 2020, 271, 131-138.	4.2	105
89	Loneliness: Its Correlates and Association with Health Behaviours and Outcomes in Nine Countries of the Former Soviet Union. <i>PLoS ONE</i> , 2013, 8, e67978.	2.5	102
90	Sedentary behavior and depressive symptoms among 67,077 adolescents aged 12-15 years from 30 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 73.	4.5	102

#	ARTICLE	IF	CITATIONS
91	Handgrip strength and health outcomes: Umbrella review of systematic reviews with meta-analyses of observational studies. <i>Journal of Sport and Health Science</i> , 2021, 10, 290-295.	7.1	102
92	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , 2020, 396, 693-724.	12.1	98
93	Perceived stress and smoking across 41 countries: A global perspective across Europe, Africa, Asia and the Americas. <i>Scientific Reports</i> , 2017, 7, 7597.	3.4	97
94	Population prevalence of edentulism and its association with depression and self-rated health. <i>Scientific Reports</i> , 2016, 6, 37083.	3.4	95
95	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. <i>Lancet Rheumatology, The</i> , 2021, 3, e698-e706.	4.1	94
96	Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 546-556.	4.5	93
97	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019. <i>Lancet Regional Health - Europe, The</i> , 2022, 16, 100341.	7.8	93
98	Chronic Physical Conditions, Multimorbidity, and Mild Cognitive Impairment in Low- and Middle-income Countries. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 721-727.	2.9	92
99	Negative perceptions of ageing predict the onset and persistence of depression and anxiety: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2016, 199, 132-138.	4.2	91
100	Loneliness and its association with psychological and somatic health problems among Czech, Russian and U.S. adolescents. <i>BMC Psychiatry</i> , 2016, 16, 128.	2.7	91
101	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. <i>BMC Medicine</i> , 2017, 15, 209.	5.7	88
102	Physical multimorbidity and loneliness: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0191651.	2.5	85
103	The relationship between chronic physical conditions, multimorbidity and anxiety in the general population: A global perspective across 42 countries. <i>General Hospital Psychiatry</i> , 2017, 45, 1-6.	2.5	82
104	The association of relationship quality and social networks with depression, anxiety, and suicidal ideation among older married adults: Findings from a cross-sectional analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2015, 179, 134-141.	4.2	79
105	Formal social participation protects physical health through enhanced mental health: A longitudinal mediation analysis using three consecutive waves of the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>Social Science and Medicine</i> , 2020, 251, 112906.	4.0	79
106	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 248, 91-98.	4.2	76
107	Sarcopenia in Autoimmune and Rheumatic Diseases: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5678.	4.2	76
108	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020, 26, i67-i74.	2.2	76

#	ARTICLE	IF	CITATIONS
109	Physical chronic conditions, multimorbidity and sedentary behavior amongst middle-aged and older adults in six low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 147.	4.5	75
110	Cannabis use and suicide attempts among 86,254 adolescents aged 12â€“15 years from 21 low- and middle-income countries. <i>European Psychiatry</i> , 2019, 56, 8-13.	0.2	74
111	Depression and pain: primary data and meta-analysis among 237,952 people across 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 2906-2917.	5.2	73
112	Immunopathogenesis of ANCA-Associated Vasculitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7319.	4.2	72
113	Incidence, prevalence, and global burden of autism spectrum disorder from 1990 to 2019 across 204 countries. <i>Molecular Psychiatry</i> , 2022, 27, 4172-4180.	8.2	72
114	Zinc and infection: a review. <i>Annals of Tropical Paediatrics</i> , 2005, 25, 149-160.	1.0	70
115	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. <i>PLoS ONE</i> , 2019, 14, e0215182.	2.5	70
116	Handgrip strength and depression among 34,129 adults aged 50 years and older in six low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 243, 448-454.	4.2	70
117	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017, 186, 979-989.	3.7	68
118	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Psychiatric Research</i> , 2018, 96, 115-123.	3.2	68
119	Sleep problems and depression among 237,023 community-dwelling adults in 46 low- and middle-income countries. <i>Scientific Reports</i> , 2019, 9, 12011.	3.4	67
120	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12200.	3.9	67
121	Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990â€“2019: results from the Global Burden of Disease Study 2019. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 222-241.	8.9	66
122	Tea Consumption and Risk of Cancer: An Umbrella Review and Meta-Analysis of Observational Studies. <i>Advances in Nutrition</i> , 2020, 11, 1437-1452.	6.6	64
123	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. <i>Experimental Gerontology</i> , 2015, 69, 27-35.	2.9	63
124	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 858-867.	2.7	63
125	Prevalence, correlates and misperception of depression symptoms in the United States, NHANES 2015â€“2018. <i>Journal of Affective Disorders</i> , 2020, 269, 51-57.	4.2	63
126	Telomere length and health outcomes: An umbrella review of systematic reviews and meta-analyses of observational studies. <i>Ageing Research Reviews</i> , 2019, 51, 1-10.	11.2	62

#	ARTICLE	IF	CITATIONS
127	Attention-deficit/hyperactivity disorder symptoms and suicide ideation and attempts: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2016, 189, 321-328.	4.2	61
128	The association between obesity and back pain in nine countries: a cross-sectional study. <i>BMC Public Health</i> , 2015, 15, 123.	3.0	60
129	Stress Sensitivity and Psychotic Experiences in 39 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2016, 42, 1353-1362.	4.6	60
130	Correlates of sedentary behavior in the general population: A cross-sectional study using nationally representative data from six low- and middle-income countries. <i>PLoS ONE</i> , 2018, 13, e0202222.	2.5	59
131	Behavioral interventions to reduce the transmission of HIV infection among sex workers and their clients in low- and middle-income countries. <i>The Cochrane Library</i> , 2012, , CD005272.	2.8	58
132	Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. <i>Experimental Gerontology</i> , 2015, 64, 70-77.	2.9	58
133	Correlations of Clinical and Laboratory Characteristics of COVID-19: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5026.	2.7	58
134	COVID-19 dimensions are related to depression and anxiety among US college students: Findings from the Healthy Minds Survey 2020. <i>Journal of Affective Disorders</i> , 2021, 292, 270-275.	4.2	58
135	Environmental risk factors and nonpharmacological and nonsurgical interventions for obesity: An umbrella review of meta-analyses of cohort studies and randomized controlled trials. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12982.	3.4	57
136	Predictors of mortality in thrombotic thrombocytopenia after adenoviral COVID-19 vaccination: the FAPIC score. <i>European Heart Journal</i> , 2021, 42, 4053-4063.	2.3	56
137	Association between depression and smoking: A global perspective from 48 low- and middle-income countries. <i>Journal of Psychiatric Research</i> , 2018, 103, 142-149.	3.2	55
138	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. <i>Social Science and Medicine</i> , 2015, 147, 134-143.	4.0	54
139	Relationships between serum concentrations of C-reactive protein and micronutrients, in patients with tuberculosis. <i>Annals of Tropical Medicine and Parasitology</i> , 2004, 98, 391-399.	1.5	53
140	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw111.	4.6	52
141	Fried potato consumption is associated with elevated mortality: an 8-y longitudinal cohort study. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 162-167.	4.6	52
142	Protecting physical health in people with mental illness – Authors' reply. <i>Lancet Psychiatry</i> , the, 2019, 6, 890-891.	7.6	52
143	Magnesium and health outcomes: an umbrella review of systematic reviews and meta-analyses of observational and intervention studies. <i>European Journal of Nutrition</i> , 2020, 59, 263-272.	4.0	52
144	Consumption of Fish and ω -3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. <i>Advances in Nutrition</i> , 2020, 11, 1134-1149.	6.6	51

#	ARTICLE	IF	CITATIONS
145	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1708.	2.7	51
146	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.2	50
147	Mild cognitive impairment is associated with falls among older adults: Findings from the Irish Longitudinal Study on Ageing (TILDA). <i>Experimental Gerontology</i> , 2016, 75, 42-47.	2.9	49
148	n-3 Fatty acids, Mediterranean diet and cognitive function in normal aging: A systematic review. <i>Experimental Gerontology</i> , 2017, 91, 39-50.	2.9	49
149	Discrimination and suicidality among racial and ethnic minorities in the United States. <i>Journal of Affective Disorders</i> , 2019, 245, 517-523.	4.2	49
150	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 607-612.	2.6	48
151	The global case fatality rate of coronavirus disease 2019 by continents and national income: A meta-analysis. <i>Journal of Medical Virology</i> , 2022, 94, 2402-2413.	5.0	48
152	Decline in sexuality and wellbeing in older adults: A population-based study. <i>Journal of Affective Disorders</i> , 2019, 245, 912-917.	4.2	47
153	Risk and functional significance of psychotic experiences among individuals with depression in 44 low- and middle-income countries. <i>Psychological Medicine</i> , 2016, 46, 2655-2665.	5.2	46
154	Psychotic experiences and disability: Findings from the Collaborative Psychiatric Epidemiology Surveys. <i>Schizophrenia Research</i> , 2018, 193, 343-347.	2.1	46
155	Skin picking disorder: prevalence, correlates, and associations with quality of life in a large sample. <i>CNS Spectrums</i> , 2018, 23, 311-320.	1.3	46
156	Leisure-time sedentary behavior and loneliness among 148,045 adolescents aged 12–15 years from 52 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 251, 149-155.	4.2	46
157	Mild cognitive impairment and physical activity in the general population: Findings from six low- and middle-income countries. <i>Experimental Gerontology</i> , 2017, 100, 100-105.	2.9	45
158	Multimorbidity and perceived stress: a population-based cross-sectional study among older adults across six low- and middle-income countries. <i>Maturitas</i> , 2018, 107, 84-91.	2.5	45
159	Is chocolate consumption associated with health outcomes? An umbrella review of systematic reviews and meta-analyses. <i>Clinical Nutrition</i> , 2019, 38, 1101-1108.	5.1	45
160	Subclinical psychosis and suicidal behavior in England: Findings from the 2007 Adult Psychiatric Morbidity Survey. <i>Schizophrenia Research</i> , 2015, 168, 62-67.	2.1	44
161	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e007313.	2.1	43
162	Is there a relationship between chocolate consumption and symptoms of depression? A cross-sectional survey of 13,626 US adults. <i>Depression and Anxiety</i> , 2019, 36, 987-995.	4.2	43

#	ARTICLE	IF	CITATIONS
163	Loneliness and health in Eastern Europe: findings from Moscow, Russia. <i>Public Health</i> , 2015, 129, 403-410.	3.0	42
164	Food Insecurity Is Associated with Mild Cognitive Impairment among Middle-Aged and Older Adults in South Africa: Findings from a Nationally Representative Survey. <i>Nutrients</i> , 2019, 11, 749.	4.2	42
165	Mediterranean diet and knee osteoarthritis outcomes: A longitudinal cohort study. <i>Clinical Nutrition</i> , 2019, 38, 2735-2739.	5.1	42
166	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	10.1	42
167	The epidemiological impact and cost-effectiveness of HIV testing, antiretroviral treatment and harm reduction programs. <i>Aids</i> , 2012, 26, 2069-2078.	2.2	41
168	Urinary incontinence, mental health and loneliness among community-dwelling older adults in Ireland. <i>BMC Urology</i> , 2017, 17, 29.	1.5	41
169	Statin Use and Knee Osteoarthritis Outcomes: A Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 1052-1058.	3.8	41
170	Incidence of Capillary Leak Syndrome as an Adverse Effect of Drugs in Cancer Patients: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 143.	2.5	41
171	Associations between handgrip strength and mild cognitive impairment in middle-aged and older adults in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 609-616.	2.7	41
172	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.2	41
173	The protective properties of Act-Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based study. <i>Experimental Gerontology</i> , 2017, 91, 79-87.	2.9	40
174	Sedentary behavior and anxiety: Association and influential factors among 42,469 community-dwelling adults in six low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2018, 50, 26-32.	2.5	40
175	Sexual behavior and suicide attempts among adolescents aged 12â€“15 years from 38 countries: A global perspective. <i>Psychiatry Research</i> , 2020, 287, 112564.	3.4	39
176	Effect of multi-session prefrontal transcranial direct current stimulation on cognition in schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 216, 367-373.	2.1	39
177	Update of the current knowledge on genetics, evolution, immunopathogenesis, and transmission for coronavirus disease 19 (COVID-19). <i>International Journal of Biological Sciences</i> , 2020, 16, 2906-2923.	6.3	39
178	Estimation of global case fatality rate of coronavirus disease 2019 (COVID-19) using meta-analyses: Comparison between calendar date and days since the outbreak of the first confirmed case. <i>International Journal of Infectious Diseases</i> , 2020, 100, 302-308.	3.3	39
179	Comparison of vaccine-induced thrombotic events between ChAdOx1 nCoV-19 and Ad26.COV.2.S vaccines. <i>Journal of Autoimmunity</i> , 2021, 122, 102681.	6.7	39
180	Childhood adversities and adult-onset chronic pain: Results from the World Mental Health Survey, Japan. <i>European Journal of Pain</i> , 2015, 19, 1418-1427.	2.9	38

#	ARTICLE	IF	CITATIONS
181	Association of leisure-time sedentary behavior with fast food and carbonated soft drink consumption among 133,555 adolescents aged 12â€“15 years in 44 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 35.	4.5	38
182	Perceived stress and depression in 45 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 274, 799-805.	4.2	38
183	Loneliness and its association with depressed mood, anxiety symptoms, and sleep problems in Europe during the COVID-19 pandemic. <i>Acta Neuropsychiatrica</i> , 2021, 33, 160-163.	2.2	38
184	Thrombosis patterns and clinical outcome of COVID-19 vaccine-induced immune thrombotic thrombocytopenia: A Systematic Review and Meta-Analysis. <i>International Journal of Infectious Diseases</i> , 2022, 119, 130-139.	3.3	38
185	Leisure-time sedentary behavior and suicide attempt among 126,392 adolescents in 43 countries. <i>Journal of Affective Disorders</i> , 2019, 250, 346-353.	4.2	37
186	Subnational mapping of HIV incidence and mortality among individuals aged 15â€“49 years in sub-Saharan Africa, 2000â€“18: a modelling study. <i>Lancet HIV</i> , 2021, 8, e363-e375.	4.6	37
187	Visual impairment and objectively measured physical activity and sedentary behaviour in US adolescents and adults: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027267.	2.1	36
188	Sedentary behavior and anxiety-induced sleep disturbance among 181,093 adolescents from 67 countries: a global perspective. <i>Sleep Medicine</i> , 2019, 58, 19-26.	2.3	36
189	Declines in Sexual Activity and Function Predict Incident Health Problems in Older Adults: Prospective Findings from the English Longitudinal Study of Ageing. <i>Archives of Sexual Behavior</i> , 2020, 49, 929-940.	2.2	36
190	Sedentary behavior and depression among community-dwelling adults aged â‰¥50 years: Results from the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2020, 262, 389-396.	4.2	36
191	Predictors of high and low mental well-being and common mental disorders: findings from a Danish population-based study. <i>European Journal of Public Health</i> , 2020, 30, 503-509.	0.3	36
192	Sarcopenia reduces quality of life in the long-term: longitudinal analyses from the English longitudinal study of ageing. <i>European Geriatric Medicine</i> , 2022, 13, 633-639.	2.9	36
193	Dietary inflammatory potential is linked to cardiovascular disease risk burden in the US adult population. <i>International Journal of Cardiology</i> , 2017, 240, 409-413.	1.6	35
194	Sedentary behaviour and sleep problems among 42,489 community-dwelling adults in six low- and middle-income countries. <i>Journal of Sleep Research</i> , 2018, 27, e12714.	3.3	35
195	Impact of the coronavirus 2019 (COVID-19) pandemic on anxiety diagnosis in general practices in Germany. <i>Journal of Psychiatric Research</i> , 2021, 143, 528-533.	3.2	35
196	Efficacy of Corticosteroids in Patients with SARS, MERS and COVID-19: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2392.	2.5	35
197	ADHD symptoms and pain among adults in England. <i>Psychiatry Research</i> , 2016, 246, 326-331.	3.4	34
198	Cognitive reserve is associated with quality of life: A population-based study. <i>Experimental Gerontology</i> , 2017, 87, 67-73.	2.9	34

#	ARTICLE	IF	CITATIONS
199	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2018, 232, 385-392.	4.2	34
200	Pain is not associated with cognitive decline in older adults: A four-year longitudinal study. <i>Maturitas</i> , 2018, 115, 92-96.	2.5	34
201	Hand grip strength and cognitive function among elderly cancer survivors. <i>PLoS ONE</i> , 2018, 13, e0197909.	2.5	34
202	Social Disconnectedness, Loneliness, and Mental Health Among Adolescents in Danish High Schools: A Nationwide Cross-Sectional Study. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 632906.	2.1	34
203	Psychotic symptoms and smoking in 44 countries. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 497-505.	4.5	33
204	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 531-542.	5.2	33
205	Attention-deficit/hyperactivity disorder and physical multimorbidity: A population-based study. <i>European Psychiatry</i> , 2017, 45, 227-234.	0.2	33
206	The association of grip strength with depressive symptoms and cortisol in hair: A cross-sectional study of older adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1604-1609.	2.9	33
207	Fast food consumption and suicide attempts among adolescents aged 12–15 years from 32 countries. <i>Journal of Affective Disorders</i> , 2020, 266, 63-70.	4.2	33
208	Effect of early exclusive breastfeeding on morbidity among infants born to HIV-negative mothers in Zimbabwe. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1375-1382.	4.6	32
209	Smoking status, nicotine dependence and happiness in nine countries of the former Soviet Union. <i>Tobacco Control</i> , 2015, 24, 190-197.	3.3	32
210	Diet-borne systemic inflammation is associated with prevalent tooth loss. <i>Clinical Nutrition</i> , 2018, 37, 1306-1312.	5.1	32
211	Correlates of low physical activity across 46 low- and middle-income countries: A cross-sectional analysis of community-based data. <i>Preventive Medicine</i> , 2018, 106, 107-113.	3.5	32
212	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12–15 years from 6 high-income, 22 middle-income, and 4 low-income countries. <i>Clinical Nutrition</i> , 2020, 39, 886-892.	5.1	32
213	Association between food insecurity and depression among older adults from low- and middle-income countries. <i>Depression and Anxiety</i> , 2021, 38, 439-446.	4.2	32
214	Roles of microRNAs in inflammatory bowel disease. <i>International Journal of Biological Sciences</i> , 2021, 17, 2112-2123.	6.3	32
215	Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. <i>PLoS ONE</i> , 2017, 12, e0186992.	2.5	31
216	Association of bullying victimization with overweight and obesity among adolescents from 41 low- and middle-income countries. <i>Pediatric Obesity</i> , 2020, 15, e12571.	2.8	31

#	ARTICLE	IF	CITATIONS
217	Pro-inflammatory dietary pattern is associated with fractures in women: an eight-year longitudinal cohort study. <i>Osteoporosis International</i> , 2018, 29, 143-151.	3.2	30
218	Cardiovascular events and safety outcomes associated with remdesivir using a World Health Organization international pharmacovigilance database. <i>Clinical and Translational Science</i> , 2022, 15, 501-513.	3.1	30
219	Multimorbidity increases the risk for sarcopenia onset: Longitudinal analyses from the English Longitudinal Study of Ageing. <i>Experimental Gerontology</i> , 2021, 156, 111624.	2.9	30
220	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. <i>Scientific Reports</i> , 2019, 9, 12417.	3.4	29
221	Monkeypox: Immune response, vaccination and preventive efforts. <i>Narra J</i> , 2022, 2, .	3.3	29
222	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1319-1329.	3.5	28
223	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 193, 412-417.	2.1	28
224	Leisure-time Sedentary Behavior and Obesity Among 116,762 Adolescents Aged 12–15 Years from 41 Low- and Middle-income Countries. <i>Obesity</i> , 2019, 27, 830-836.	3.2	28
225	Handgrip strength, chronic physical conditions and physical multimorbidity in middle-aged and older adults in six low- and middle income countries. <i>European Journal of Internal Medicine</i> , 2019, 61, 96-102.	2.3	28
226	The moderating role of social network size in the temporal association between formal social participation and mental health: a longitudinal analysis using two consecutive waves of the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 417-428.	3.4	28
227	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018, 201, 70-78.	2.1	27
228	Correlates of physical activity among 142,118 adolescents aged 12–15 years from 48 low- and middle-income countries. <i>Preventive Medicine</i> , 2019, 127, 105819.	3.5	27
229	Physical multimorbidity and suicidal behavior in the general population in the United States. <i>Journal of Affective Disorders</i> , 2020, 260, 604-609.	4.2	27
230	Childhood neglect and suicidal behavior: Findings from the National Comorbidity Survey Replication. <i>Child Abuse and Neglect</i> , 2020, 103, 104400.	2.8	27
231	Mild cognitive impairment and sedentary behavior: A multinational study. <i>Experimental Gerontology</i> , 2018, 108, 174-180.	2.9	26
232	Handgrip strength is associated with suicidal thoughts in men: Cross-sectional analyses from NHANES. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 92-99.	2.9	26
233	Temporal trends in leisure-time sedentary behavior among adolescents aged 12-15 years from 26 countries in Asia, Africa, and the Americas. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 102.	4.5	26
234	COVID-19 and Adverse Pregnancy Outcome: A Systematic Review of 104 Cases. <i>Journal of Clinical Medicine</i> , 2020, 9, 3441.	2.5	26

#	ARTICLE	IF	CITATIONS
235	Prevalence and factors associated with the use of alternative (folk) medicine practitioners in 8 countries of the former Soviet Union. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 83.	3.7	25
236	The association between psychosis and severe pain in community-dwelling adults: Findings from 44 low- and middle-income countries. <i>Journal of Psychiatric Research</i> , 2015, 69, 19-26.	3.2	25
237	Urban-rural differences in psychological distress in nine countries of the former Soviet Union. <i>Journal of Affective Disorders</i> , 2015, 178, 142-148.	4.2	25
238	Sleep disturbances are associated with psychotic experiences: Findings from the National Comorbidity Survey Replication. <i>Schizophrenia Research</i> , 2016, 171, 74-78.	2.1	25
239	Airborne pollen and suicide mortality in Tokyo, 2001-2011. <i>Environmental Research</i> , 2017, 155, 134-140.	7.7	25
240	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 234, 97-104.	4.2	25
241	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 164-173.	4.5	25
242	Prevalence of, and factors associated with, long-term COVID-19 sick leave in working-age patients followed in general practices in Germany. <i>International Journal of Infectious Diseases</i> , 2021, 109, 203-208.	3.3	25
243	Act-Belong-Commit Indicators Promote Mental Health and Wellbeing among Irish Older Adults. <i>American Journal of Health Behavior</i> , 2018, 42, 31-45.	1.5	24
244	Seasonal Allergies and Psychiatric Disorders in the United States. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1965.	2.7	24
245	Sedentary behavior and perceived stress among adults aged ≥50 years in six low- and middle-income countries. <i>Maturitas</i> , 2018, 116, 100-107.	2.5	24
246	The Relationship between Dietary Vitamin K and Depressive Symptoms in Late Adulthood: A Cross-Sectional Analysis from a Large Cohort Study. <i>Nutrients</i> , 2019, 11, 787.	4.2	24
247	Association of Tobacco Use and Exposure to Secondhand Smoke With Suicide Attempts Among Adolescents: Findings From 33 Countries. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1322-1329.	2.6	24
248	Sex difference in the association between physical activity and suicide attempts among adolescents from 48 countries: A global perspective. <i>Journal of Affective Disorders</i> , 2020, 266, 311-318.	4.2	24
249	Treatment of severe acute respiratory syndrome (SARS), Middle East respiratory syndrome (MERS), and coronavirus disease 2019 (COVID-19): a systematic review of <i>in vitro</i> , <i>in vivo</i> , and clinical trials. <i>Theranostics</i> , 2021, 11, 1207-1231.	9.9	24
250	The Association of Social Support and Loneliness with Symptoms of Depression, Anxiety, and Posttraumatic Stress during the COVID-19 Pandemic: A Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2765.	2.7	24
251	Mortality in unipolar depression preceding and following chronic somatic diseases. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 500-508.	4.5	23
252	Physical activity and loneliness among adults aged 50 years or older in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1855-1864.	2.7	23

#	ARTICLE	IF	CITATIONS
253	Correlates of leisure-time sedentary behavior among 181,793 adolescents aged 12-15 years from 66 low- and middle-income countries. <i>PLoS ONE</i> , 2019, 14, e0224339.	2.5	23
254	Psychotic experiences and physical health conditions in the United States. <i>Comprehensive Psychiatry</i> , 2019, 90, 1-6.	3.3	23
255	Psychotic-Like Experiences and Nonsuicidal Self-Injury in England: Results from a National Survey. <i>PLoS ONE</i> , 2015, 10, e0145533.	2.5	23
256	Food insecurity and mental health among young adult college students in the United States. <i>Journal of Affective Disorders</i> , 2022, 303, 359-363.	4.2	23
257	Adolescent binge drinking and risky health behaviours: Findings from northern Russia. <i>Drug and Alcohol Dependence</i> , 2013, 133, 838-844.	3.3	22
258	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017, 221, 81-88.	4.2	22
259	Low-dose vitamin D supplementation and incident frailty in older people: An eight year longitudinal study. <i>Experimental Gerontology</i> , 2018, 101, 1-6.	2.9	22
260	Participation in Physical Activity is Associated with Sexual Activity in Older English Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 489.	2.7	22
261	The association of social support networks and loneliness with negative perceptions of ageing: evidence from the Irish Longitudinal Study on Ageing (TILDA). <i>Ageing and Society</i> , 2019, 39, 1070-1090.	2.1	22
262	Psychotic experiences and subjective cognitive complaints among 224 842 people in 48 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e11.	4.1	22
263	Network analysis of the relationship between depressive symptoms, demographics, nutrition, quality of life and medical condition factors in the Osteoarthritis Initiative database cohort of elderly North-American adults with or at risk for osteoarthritis. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e14.	4.1	22
264	Physical Multimorbidity and Social Participation in Adult Aged 65 Years and Older From Six Low- and Middle-Income Countries. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021, 76, 1452-1462.	4.2	22
265	Sarcopenia and fall-related injury among older adults in five low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 147, 111262.	2.9	22
266	Associations between active travel and physical multi-morbidity in six low- and middle-income countries among community-dwelling older adults: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0203277.	2.5	21
267	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. <i>Nutrients</i> , 2020, 12, 706.	4.2	21
268	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1572-1578.	3.7	21
269	Physical multimorbidity and sedentary behavior in older adults: Findings from the Irish longitudinal study on ageing (TILDA). <i>Maturitas</i> , 2020, 134, 1-7.	2.5	21
270	Is dynapenia associated with the onset and persistence of depressive and anxiety symptoms among older adults? Findings from the Irish longitudinal study on ageing. <i>Aging and Mental Health</i> , 2021, 25, 468-475.	2.8	21

#	ARTICLE	IF	CITATIONS
271	Multimorbidity and obesity in older adults from six low- and middle-income countries. <i>Preventive Medicine</i> , 2021, 153, 106816.	3.5	21
272	Binge drinking among adolescents in Russia: Prevalence, risk and protective factors. <i>Addictive Behaviors</i> , 2013, 38, 1988-1995.	3.3	20
273	Suicidal Behavior in Juvenile Delinquents: The Role of ADHD and Other Comorbid Psychiatric Disorders. <i>Child Psychiatry and Human Development</i> , 2017, 48, 691-698.	2.1	20
274	Self-reported asthma diagnosis and mental health: Findings from the Collaborative Psychiatric Epidemiology Surveys. <i>Psychiatry Research</i> , 2019, 271, 721-725.	3.4	20
275	The Complete Protist Symbiont Communities of <i>Coptotermes formosanus</i> and <i>Coptotermes gestroi</i> : Morphological and Molecular Characterization of Five New Species. <i>Journal of Eukaryotic Microbiology</i> , 2020, 67, 626-641.	1.8	20
276	Tuberculosis and Non-Communicable Disease Multimorbidity: An Analysis of the World Health Survey in 48 Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2439.	2.7	20
277	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 123.	4.5	20
278	Genome Editing Using CRISPR-Cas9 and Autoimmune Diseases: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1337.	4.2	20
279	Attention-deficit/hyperactivity disorder symptoms and loneliness among adults in the general population. <i>Research in Developmental Disabilities</i> , 2017, 62, 115-123.	2.3	19
280	Clinical Characteristics of Asymptomatic and Symptomatic Pediatric Coronavirus Disease 2019 (COVID-19): A Systematic Review. <i>Medicina (Lithuania)</i> , 2020, 56, 474.	2.0	19
281	Associations Between Multiple Leisure Activities, Mental Health and Substance Use Among Adolescents in Denmark: A Nationwide Cross-Sectional Study. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 593340.	2.1	19
282	Self-reported and activPAL TM -monitored physical activity and sedentary behaviour in college students: Not all sitting behaviours are linked to perceived stress and anxiety. <i>Journal of Sports Sciences</i> , 2020, 38, 1566-1574.	2.0	19
283	Is loneliness associated with mild cognitive impairment in low- and middle-income countries?. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1345-1353.	2.7	19
284	Mortality attributable to COVID-19 in nursing home residents: a retrospective study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1745-1751.	2.9	19
285	Association between Food Insecurity and Sarcopenia among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>Nutrients</i> , 2021, 13, 1879.	4.2	19
286	Psychotic-like experiences and disordered eating in the English general population. <i>Psychiatry Research</i> , 2016, 241, 26-34.	3.4	18
287	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. <i>Journal of Psychiatric Research</i> , 2018, 98, 39-46.	3.2	18
288	Comparison of the indocyanine green dye method versus the combined method of indigo carmine blue dye with indocyanine green fluorescence imaging for sentinel lymph node biopsy in breast conservative therapy for stage IIA breast cancer. <i>BMC Women's Health</i> , 2018, 18, 151.	2.0	18

#	ARTICLE	IF	CITATIONS
289	Different patterns of alcohol consumption and the incidence and persistence of depressive and anxiety symptoms among older adults in Ireland: A prospective community-based study. <i>Journal of Affective Disorders</i> , 2018, 238, 651-658.	4.2	18
290	Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. <i>American Journal of Preventive Medicine</i> , 2020, 58, 613-621.	3.1	18
291	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1893-1899.	2.6	18
292	Economics of mental well-being: a prospective study estimating associated health care costs and sickness benefit transfers in Denmark. <i>European Journal of Health Economics</i> , 2021, 22, 1053-1065.	2.8	18
293	Estimating the COVID-19 Spread Through Real-time Population Mobility Patterns: Surveillance in Low- and Middle-Income Countries. <i>Journal of Medical Internet Research</i> , 2021, 23, e22999.	4.5	18
294	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. <i>Journal of Psychiatric Research</i> , 2021, 144, 45-53.	3.2	18
295	Burden of neurological diseases in Asia from 1990 to 2019: a systematic analysis using the Global Burden of Disease Study data. <i>BMJ Open</i> , 2022, 12, e059548.	2.1	18
296	Comparison Between Endoscope-assisted Partial Mastectomy With Filling of Dead Space Using Absorbable Mesh and Conventional Conservative Method on Cosmetic Outcome in Patients With Stage I or II Breast Cancer. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2012, 22, 68-72.	0.9	17
297	Weight Perception, Satisfaction, Control, and Low Energy Dietary Reporting in the US Adult Population: Results from the National Health and Nutrition Examination Survey 2007-2012. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 579-589.	0.8	17
298	Correlates of physical activity among depressed older people in six low-income and middle-income countries: A community-based cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e314-e322.	2.7	17
299	Attention-deficit/hyperactivity disorder symptoms and suicidal behavior in adult psychiatric outpatients. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 713-722.	2.3	17
300	Human Immunodeficiency Virus Infection and Diverse Physical Health Outcomes: An Umbrella Review of Meta-analyses of Observational Studies. <i>Clinical Infectious Diseases</i> , 2020, 70, 1809-1815.	5.7	17
301	Associations between self-reported physical activity and oral health: a cross-sectional analysis in 17,777 Spanish adults. <i>British Dental Journal</i> , 2020, 228, 361-365.	1.0	17
302	Moving more, ageing happy: findings from six low- and middle-income countries. <i>Age and Ageing</i> , 2021, 50, 488-497.	1.6	17
303	Loneliness and psychotic experiences among US university students: Findings from the Healthy Minds Study 2020. <i>Psychiatry Research</i> , 2022, 308, 114362.	3.4	17
304	Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. <i>Mental Health and Prevention</i> , 2022, 26, 200233.	1.3	17
305	Pain and severe sleep disturbance in the general population: Primary data and meta-analysis from 240,820 people across 45 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2018, 53, 52-58.	2.5	16
306	Physical activity and sleep problems in 38 low- and middle-income countries. <i>Sleep Medicine</i> , 2018, 48, 140-147.	2.3	16

#	ARTICLE	IF	CITATIONS
307	Major discriminatory events and suicidal thoughts and behaviors amongst Black Americans: Findings from the National Survey of American Life. <i>Journal of Affective Disorders</i> , 2020, 263, 47-53.	4.2	16
308	Discrimination and Multimorbidity Among Black Americans: Findings from the National Survey of American Life. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021, 8, 210-219.	3.5	16
309	Mild cognitive impairment is associated with fall-related injury among adults aged ≥65 years in low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 146, 111222.	2.9	16
310	Global burden of disease study at the world health organization: research methods for the most comprehensive global study of disease and underlying health policies. <i>Life Cycle</i> , 0, 2, .	0.0	16
311	Genistein production in rice seed via transformation with soybean IFS genes. <i>Plant Science</i> , 2014, 217-218, 27-35.	3.8	15
312	Binge Drinking and Eating Problems in Russian Adolescents. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 540-547.	2.5	15
313	Relationship between sexual orientation and psychotic experiences in the general population in England. <i>Psychological Medicine</i> , 2021, 51, 138-146.	5.2	15
314	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12–15 years from sixty-eight countries. <i>British Journal of Nutrition</i> , 2022, 127, 470-477.	2.7	15
315	Economic strain, parental education and psychotic experiences among college students in the United States: Findings from the Healthy Minds Study 2020. <i>Microbial Biotechnology</i> , 2022, 16, 770-781.	1.9	15
316	Lifetime self-reported arthritis is associated with elevated levels of mental health burden: A multi-national cross sectional study across 46 low- and middle-income countries. <i>Scientific Reports</i> , 2017, 7, 7138.	3.4	14
317	Physical activity correlates in people with anxiety: Data from 46 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2017, 49, 26-31.	2.5	14
318	Formal Volunteer Activity and Psychological Flourishing in Scandinavia: Findings from Two Cross-sectional Rounds of the European Social Survey. <i>Social Currents</i> , 2019, 6, 255-269.	1.2	14
319	Acculturative stress, disability, and health treatment utilization among Asian and Latin American immigrants in the United States. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1275-1284.	3.4	14
320	The association between diabetes and cataract among 42,469 community-dwelling adults in six low- and middle-income countries. <i>Diabetes Research and Clinical Practice</i> , 2019, 147, 102-110.	2.8	14
321	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2020, 271, 39-48.	4.2	14
322	Global, regional, and national burden of aortic aneurysm, 1990–2017: a systematic analysis of the Global Burden of Disease Study 2017. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1220-1232.	1.8	14
323	COVID-19 Infection and Psychotic Experiences: Findings From the Healthy Minds Study 2020. <i>Biological Psychiatry Global Open Science</i> , 2021, 1, 310-316.	2.8	14
324	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 138.	2.7	14

#	ARTICLE	IF	CITATIONS
325	Post-COVID-19 conditions in children and adolescents diagnosed with COVID-19. <i>Pediatric Research</i> , 2024, 95, 182-187.	2.4	14
326	Prevalence of and Factors Associated With Post-Coronavirus Disease 2019 (COVID-19) Condition in the 12 Months After the Diagnosis of COVID-19 in Adults Followed in General Practices in Germany. <i>Open Forum Infectious Diseases</i> , 2022, 9, .	0.9	14
327	Criminal victimisation and health: Examining the relation in nine countries of the former Soviet Union. <i>Social Science and Medicine</i> , 2013, 91, 76-83.	4.0	13
328	Social networks and mental health in post-conflict Mitrovica, Kosova. <i>BMC Public Health</i> , 2014, 14, 1169.	3.0	13
329	The association between Act-Belong-Commit indicators and problem drinking among older Irish adults: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Drug and Alcohol Dependence</i> , 2017, 180, 323-331.	3.3	13
330	Association between intelligence quotient and violence perpetration in the English general population. <i>Psychological Medicine</i> , 2019, 49, 1316-1323.	5.2	13
331	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brazil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.	4.5	13
332	Associations between sexual activity and weight status: Findings from the English Longitudinal Study of Ageing. <i>PLoS ONE</i> , 2019, 14, e0221979.	2.5	13
333	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brazil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.	4.2	13
334	Genetic variations in MicroRNA genes and cancer risk: A field synopsis and meta-analysis. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13203.	3.4	13
335	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15 years from 54 low- and middle-income countries. <i>Pediatric Obesity</i> , 2021, 16, e12700.	2.8	13
336	Health Conditions and Psychotic Experiences: Cross-Sectional Findings From the American Life Panel. <i>Frontiers in Psychiatry</i> , 2020, 11, 612084.	2.7	13
337	Cumulative risk of compromised physical, mental and social health in adulthood due to family conflict and financial strain during childhood: a retrospective analysis based on survey data representative of 19 European countries. <i>BMJ Global Health</i> , 2021, 6, e004144.	5.5	13
338	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged ≥50 years in low/middle-income countries. <i>British Journal of Ophthalmology</i> , 2022, 106, 1610-1616.	4.0	13
339	Participation in social leisure activities may benefit mental health particularly among individuals that lack social connectedness at work or school. <i>Mental Health and Social Inclusion</i> , 2021, 25, 341-351.	0.7	13
340	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1745-1754.	2.7	13
341	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. <i>Frontiers in Psychology</i> , 2020, 11, 627980.	2.3	13
342	Association of multimorbidity with higher levels of urinary incontinence: a cross-sectional study of 23 089 individuals aged ≥15 years residing in Spain. <i>British Journal of General Practice</i> , 2021, 71, e71-e77.	2.6	13

#	ARTICLE	IF	CITATIONS
343	Induction and Maintenance Treatment of Lupus Nephritis: A Comprehensive Review of Meta-Analyses. <i>Journal of Clinical Medicine</i> , 2022, 11, 343.	2.5	13
344	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged 18-50 years from low- and middle-income countries. <i>Depression and Anxiety</i> , 2022, 39, 376-386.	4.2	13
345	Correlates of Weapon Carrying in School among Adolescents in Three Countries. <i>American Journal of Health Behavior</i> , 2015, 39, 99-108.	1.5	12
346	Subclinical psychosis and pain in an English national sample: The role of common mental disorders. <i>Schizophrenia Research</i> , 2016, 175, 209-215.	2.1	12
347	Comparison of clinical outcomes with orodispersible versus standard oral olanzapine tablets in nonadherent patients with schizophrenia or bipolar disorder. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1019-1025.	1.9	12
348	Physical activity correlates in people with mild cognitive impairment: findings from six low- and middle-income countries. <i>Public Health</i> , 2018, 156, 15-25.	3.0	12
349	Mitochondrial genetic haplogroups and incident obesity: a longitudinal cohort study. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 587-592.	2.9	12
350	Association between cannabis use and sexual behavior among adolescents aged 12-15 years in 21 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019, 99, 106073.	3.3	12
351	Mitochondrial genetic haplogroups and cardiovascular diseases: Data from the Osteoarthritis Initiative. <i>PLoS ONE</i> , 2019, 14, e0213656.	2.5	12
352	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. <i>Preventive Medicine</i> , 2020, 132, 106007.	3.5	12
353	Visual, hearing, and dual sensory impairment are associated with higher depression and anxiety in women. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1378-1385.	2.7	12
354	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1970-1972.e3.	4.7	12
355	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. <i>Maturitas</i> , 2022, 160, 23-31.	2.5	12
356	Association of food insecurity with suicidal ideation and suicide attempts in adults aged 18-50 years from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 309, 446-452.	4.2	12
357	Vaccine strategy against COVID-19 with a focus on the Omicron and stealth Omicron variants: Life Cycle Committee Recommendations. <i>Life Cycle</i> , 0, 2, .	0.0	12
358	Leisure-time physical activity and sarcopenia among older adults from low- and middle-income countries. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2023, 14, 1130-1138.	7.4	12
359	Predictive Value of Weight Loss on Mortality of HIV-Positive Mothers in a Prolonged Breastfeeding Setting. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1141-1148.	1.2	11
360	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. <i>Journal of Affective Disorders</i> , 2017, 212, 10-16.	4.2	11

#	ARTICLE	IF	CITATIONS
361	Correlates of physical activity among community-dwelling individuals aged 65 years or older with anxiety in six low- and middle-income countries. <i>International Psychogeriatrics</i> , 2018, 30, 705-714.	1.1	11
362	Mental Disorders, Musculoskeletal Disorders and Income-Driven Patterns: Evidence from the Global Burden of Disease Study 2017. <i>Journal of Clinical Medicine</i> , 2020, 9, 2189.	2.5	11
363	The C-matrix augmentation in a multi-route reaction mechanism. <i>Applied Nanoscience (Switzerland)</i> , 2020, 10, 5383-5390.	3.1	11
364	Multidimensional frailty increases cardiovascular risk in older people: An 8-year longitudinal cohort study in the Osteoarthritis Initiative. <i>Experimental Gerontology</i> , 2021, 147, 111265.	2.9	11
365	Prevalence of and factors associated with COVID-19 diagnosis in symptomatic patients followed in general practices in Germany between March 2020 and March 2021. <i>International Journal of Infectious Diseases</i> , 2021, 111, 37-42.	3.3	11
366	Longitudinal association between perceived stress and depression among community-dwelling older adults: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 299, 457-462.	4.2	11
367	The global burden of sudden infant death syndrome from 1990 to 2019: a systematic analysis from the Global Burden of Disease study 2019. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2022, 115, 735-744.	0.5	11
368	Prospective Association between Multimorbidity and Falls and Its Mediators: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Clinical Medicine</i> , 2022, 11, 4470.	2.5	11
369	Peer victimisation and its association with psychological and somatic health problems among adolescents in northern Russia. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2013, 7, 15.	2.7	10
370	Interventions for improving outcomes for pregnant women who have experienced genital cutting. <i>The Cochrane Library</i> , 2013, , CD009872.	2.8	10
371	Is smoking tobacco associated with psychotic experiences across racial categories in the United States? Findings from the Collaborative Psychiatric Epidemiological Surveys. <i>Psychiatry Research</i> , 2016, 246, 58-61.	3.4	10
372	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. <i>Experimental Gerontology</i> , 2016, 76, 39-45.	2.9	10
373	Aspirin and incident depressive symptoms: A longitudinal cohort study over 8 years. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e193-e198.	2.7	10
374	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. <i>International Journal of Eating Disorders</i> , 2018, 51, 942-952.	4.6	10
375	Cannabis use and physical activity among 89,777 adolescents aged 12-15 years from 21 low- and middle-income countries. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107584.	3.3	10
376	Correlates of sedentary behavior in middle-aged and old age people with mild cognitive impairment: a multinational study. <i>International Psychogeriatrics</i> , 2019, 31, 579-589.	1.1	10
377	Urban upbringing and psychotic experiences in the United States: A racial and geographic comparison. <i>Psychiatry Research</i> , 2020, 293, 113372.	3.4	10
378	Associations between mental and oral health in Spain: a cross-sectional study of more than 23,000 people aged 15 years and over. <i>Journal of Affective Disorders</i> , 2020, 274, 67-72.	4.2	10

#	ARTICLE	IF	CITATIONS
379	A Multicountry Study of the Violence-Related Risk Factors for Early Sexual Debut and Risky Sexual Behavior in Adolescents. <i>Journal of Interpersonal Violence</i> , 2022, 37, NP1275-NP1297.	2.2	10
380	Perceived skin tone discrimination and psychotic experiences among Black Americans: Findings from the National Survey of American Life. <i>Schizophrenia Research</i> , 2021, 228, 541-546.	2.1	10
381	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. <i>International Journal of Sexual Health</i> , 2021, 33, 88-98.	2.2	10
382	Sleep problems and mild cognitive impairment among adults aged 50 years from low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 154, 111513.	2.9	10
383	The Impact of Pharmacological and Non-Pharmacological Interventions to Improve Physical Health Outcomes in People With Schizophrenia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. <i>Focus (American Psychiatric Publishing)</i> , 2021, 19, 116-128.	0.9	10
384	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 147, 79-84.	3.2	10
385	Sleep duration and sarcopenia in adults aged 65 years from low and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1573-1581.	2.9	10
386	Genetic Polymorphism of PTPN22 in Autoimmune Diseases: A Comprehensive Review. <i>Medicina (Lithuania)</i> , 2022, 58, 1034.	2.0	10
387	Childhood Hunger and Thoughts of Death or Suicide in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 1070-1078.	1.1	9
388	Correlates of sedentary behavior among community-dwelling adults with anxiety in six low- and middle-income countries. <i>Psychiatry Research</i> , 2019, 273, 501-508.	3.4	9
389	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12-15 Years From 53 Countries: A Global Perspective. <i>Journal of Sexual Medicine</i> , 2020, 17, 2148-2155.	0.7	9
390	Relationship between multidimensional prognostic index and incident depressive symptoms in older people: Findings from the Irish Longitudinal Study on Ageing. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1097-1104.	2.7	9
391	Physical Activity is Associated With Fewer Subjective Cognitive Complaints in 47 Low- and Middle-Income Countries. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1423-1429.e2.	2.6	9
392	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. <i>Maturitas</i> , 2021, 143, 157-164.	2.5	9
393	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. <i>Public Health</i> , 2021, 193, 76-82.	3.0	9
394	Public Interest in Immunity and the Justification for Intervention in the Early Stages of the COVID-19 Pandemic: Analysis of Google Trends Data. <i>Journal of Medical Internet Research</i> , 2021, 23, e26368.	4.5	9
395	Association between type 2 diabetes and chronic low back pain in general practices in Germany. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002426.	3.0	9
396	Social environmental impact of COVID-19 and erectile dysfunction: an explorative review. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 483-487.	3.4	9

#	ARTICLE	IF	CITATIONS
397	Lower Limb Muscle Strength and Muscle Mass Are Associated With Incident Symptomatic Knee Osteoarthritis: A Longitudinal Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 804560.	3.5	9
398	Multimorbidity, depression with anxiety symptoms, and decrements in health in 47 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 317, 176-184.	4.2	9
399	Crime and subjective well-being in the countries of the former Soviet Union. <i>BMC Public Health</i> , 2015, 15, 1010.	3.0	8
400	Male solitary drinking and hazardous alcohol use in nine countries of the former Soviet Union. <i>Drug and Alcohol Dependence</i> , 2015, 150, 105-111.	3.3	8
401	Determinants of the components of arterial pressure among older adults – The role of anthropometric and clinical factors: A multi-continent study. <i>Atherosclerosis</i> , 2015, 238, 240-249.	0.8	8
402	Birthdays are associated with an increased risk of suicide in Japan: Evidence from 27,007 deaths in Tokyo in 2001–2010. <i>Journal of Affective Disorders</i> , 2016, 200, 259-265.	4.2	8
403	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. <i>Psychiatry Research</i> , 2018, 261, 406-413.	3.4	8
404	ADHD and depressive symptoms in adolescents: the role of community violence exposure. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 683-691.	3.4	8
405	Psychotic experiences in the context of mood and anxiety disorders and their associations with health outcomes among people of color in the United States. <i>Journal of Psychosomatic Research</i> , 2019, 118, 27-33.	2.9	8
406	Network analysis of the relationship between depressive symptoms, demographics, nutrition, quality of life and medical condition factors in the Osteoarthritis Initiative database cohort of elderly North-American adults with or at risk for osteoarthritis – CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e22.	4.1	8
407	Serious physical injury and depressive symptoms among adolescents aged 12–15 years from 21 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 264, 172-180.	4.2	8
408	Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. <i>Brain Sciences</i> , 2020, 10, 692.	2.4	8
409	Chocolate Consumption and Indicators of Adiposity in US Adults. <i>American Journal of Medicine</i> , 2020, 133, 1082-1087.	1.4	8
410	Psychotic experiences as a health indicator: A provisional framework. <i>International Journal of Social Psychiatry</i> , 2022, 68, 244-252.	3.3	8
411	Objectively measured far vision impairment and sarcopenia among adults aged 65 years from six low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2995-3003.	2.9	8
412	The association between objective vision impairment and mild cognitive impairment among older adults in low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2695-2702.	2.9	8
413	Multimorbidity and Subjective Cognitive Complaints: Findings from 48 Low- and Middle-Income Countries of the World Health Survey 2002–2004. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1737-1747.	2.7	8
414	Hearing impairment and diverse health outcomes. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 1028-1041.	2.1	8

#	ARTICLE	IF	CITATIONS
415	Mental health economics: A prospective study on psychological flourishing and associations with healthcare costs and sickness benefit transfers in Denmark. <i>Mental Health and Prevention</i> , 2021, 24, 200222.	1.3	8
416	Association between food insecurity and fall-related injury among adults aged ≥65 years in low- and middle-income countries: The role of mental health conditions. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104438.	3.1	8
417	Association between age of first exposure and heavy internet use in a representative sample of 317,443 adolescents from 52 countries. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 395-403.	5.1	8
418	Environmental risk factors, protective factors, and biomarkers for postpartum depressive symptoms: an umbrella review. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 140, 104761.	6.6	8
419	Association between adhesive capsulitis and depression: A five-year retrospective cohort study including 58,516 adults from Germany. <i>Journal of Psychiatric Research</i> , 2022, 155, 395-400.	3.2	8
420	What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010, 375, 1668-1670.	12.1	7
421	Physical activity correlates in heavy episodic drinkers: Data from 46 low- and middle-income countries. <i>Mental Health and Physical Activity</i> , 2017, 13, 163-170.	1.8	7
422	Attention-deficit/hyperactivity disorder symptoms and happiness among adults in the general population. <i>Psychiatry Research</i> , 2018, 265, 317-323.	3.4	7
423	Psychotic experiences and accidents, injuries, and poisonings among adults in the United States. <i>Psychiatry Research</i> , 2019, 282, 112610.	3.4	7
424	Physical injury and depression in six low- and middle-income countries: A nationally representative study. <i>Journal of Affective Disorders</i> , 2019, 248, 99-107.	4.2	7
425	Attention-deficit/hyperactivity disorder symptoms and perceived mental health discrimination in adults in the general population. <i>European Psychiatry</i> , 2019, 56, 91-96.	0.2	7
426	Physical injury and psychotic experiences in 48 low- and middle-income countries. <i>Psychological Medicine</i> , 2020, 50, 2751-2758.	5.2	7
427	Violence and obesogenic behavior among adolescents aged 12–15 years from 62 countries: A global perspective. <i>Preventive Medicine</i> , 2020, 137, 106123.	3.5	7
428	Cross-sectional associations between angiotensin-converting enzyme inhibitor use and cancer diagnosis in US adults. <i>Clinical and Experimental Medicine</i> , 2020, 20, 409-416.	3.8	7
429	Childhood adversities, late-life stressors and the onset of depressive symptoms in community-dwelling older adults. <i>Aging and Mental Health</i> , 2022, 26, 828-833.	2.8	7
430	Physical multimorbidity and incident urinary incontinence among community-dwelling adults aged ≥50 years: findings from a prospective analysis of the Irish Longitudinal Study on Ageing. <i>Age and Ageing</i> , 2021, 50, 2038-2046.	1.6	7
431	Risk profile and mode of transmission of Mpox: A rapid review and individual patient data meta-analysis of case studies. <i>Reviews in Medical Virology</i> , 2023, 33, .	8.4	7
432	Causes for Retraction in the Biomedical Literature: A Systematic Review of Studies of Retraction Notices. <i>Journal of Korean Medical Science</i> , 2023, 38, .	4.0	7

#	ARTICLE	IF	CITATIONS
433	Mitochondrial genetic haplogroups and depressive symptoms: A large study among people in North America. <i>Journal of Affective Disorders</i> , 2017, 217, 55-59.	4.2	6
434	Child death and maternal psychosis-like experiences in 44 low- and middle-income countries: The role of depression. <i>Schizophrenia Research</i> , 2017, 183, 41-46.	2.1	6
435	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Schizophrenia Research</i> , 2018, 201, 79-84.	2.1	6
436	Psychotic experiences as an independent risk factor for angina pectoris in 48 low- and middle-income countries. <i>World Psychiatry</i> , 2018, 17, 232-234.	9.6	6
437	Sedentary behaviour and chronic stress in old age: A cross-sectional analysis of TV viewing and hair cortisol concentrations. <i>Psychoneuroendocrinology</i> , 2019, 109, 104375.	2.8	6
438	Dietary Protein Intake and Falls in Older People: Longitudinal Analyses From the Osteoarthritis Initiative. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1623-1627.	2.6	6
439	Association between intelligence quotient and disability: The role of socioeconomic status. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 296-301.	2.5	6
440	The relationship of childhood sexual and physical abuse with adulthood disability. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 332-339.	2.5	6
441	Urban birth and psychotic experiences in the United States. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 167-169.	4.5	6
442	Sedentary behaviours and cognitive function among community dwelling adults aged 50+ years: Results from the Irish longitudinal study of ageing. <i>Mental Health and Physical Activity</i> , 2020, 19, 100344.	1.8	6
443	Relationship between physical conditions and attempted or completed suicide in more than 9,300 individuals from the United Kingdom: a case-control study. <i>Journal of Affective Disorders</i> , 2020, 274, 457-463.	4.2	6
444	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. <i>Eye</i> , 2021, 35, 791-798.	2.3	6
445	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2021, 291, 57-64.	4.2	6
446	Association between incarceration and psychotic experiences in a general population sample. <i>Schizophrenia Research</i> , 2022, 243, 112-117.	2.1	6
447	Gender Differences in the Association Between Cataract and Mental Health in Adults With Diabetes: A Cross-Sectional Analysis From the Spanish National Health Survey 2017. <i>Frontiers in Public Health</i> , 2021, 9, 769155.	2.8	6
448	Association between depression and subjective cognitive complaints in 47 low- and middle-income countries. <i>Journal of Psychiatric Research</i> , 2022, 154, 28-34.	3.2	6
449	Acceptance and willingness to purchase a hypothetical COVID-19 vaccine in a region under Shariah law: A cross-sectional study in Aceh, Indonesia. <i>Narra J</i> , 2022, 2, .	3.3	6
450	Psychotic-like experiences and happiness in the English general population. <i>Journal of Affective Disorders</i> , 2017, 222, 211-217.	4.2	5

#	ARTICLE	IF	CITATIONS
451	Do Older People with Diabetes Meet the Recommended Weekly Physical Activity Targets? An Analysis of Objective Physical Activity Data. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2489.	2.7	5
452	Syndemic effects of HIV risk behaviours: results from the NHANES study. <i>Epidemiology and Infection</i> , 2019, 147, e241.	2.1	5
453	Vasculitis and crescentic glomerulonephritis in a newly established congenic mouse strain derived from ANCA-associated vasculitis-prone SCG/Kj mice. <i>Autoimmunity</i> , 2019, 52, 208-219.	2.6	5
454	Perceived discrimination and psychotic experiences in the English general population. <i>European Psychiatry</i> , 2019, 62, 50-57.	0.2	5
455	Perceived discrimination and psychological distress in nine countries of the former Soviet Union. <i>International Journal of Social Psychiatry</i> , 2019, 65, 158-168.	3.3	5
456	Association between skin disorders and depression in children and adolescents: A retrospective case-control study. <i>Journal of Affective Disorders</i> , 2021, 282, 939-944.	4.2	5
457	Flourishing and psychotic experiences among college students in the United States: findings from the healthy minds study 2020. <i>Journal of Positive Psychology</i> , 2022, 17, 754-759.	4.2	5
458	Association between physical activity and leisure-time sedentary behavior among 140,808 adolescents aged 12 to 15 from 47 low- and middle-income countries. <i>Public Health</i> , 2021, 199, 1-9.	3.0	5
459	Stigma associated with the labeling of schizophrenia, depression, and hikikomori in Japan.. <i>Stigma and Health</i> , 2020, 5, 472-476.	1.7	5
460	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1549-1556.	2.5	5
461	Sex-Differential Associations Between Body Mass Index and the Incidence of Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 631-639.	2.7	5
462	Distress related to psychotic experiences: Enhancing the world health organization composite international diagnostic interview psychosis screen. <i>International Journal of Methods in Psychiatric Research</i> , 2024, 33, .	2.3	5
463	Criminal victimization and psychotic experiences: cross-sectional associations in 35 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 44-54.	4.5	4
464	Evaluating the Clinical Relevance of Psychotic Experiences in Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2018, 44, 1167-1169.	4.6	4
465	Psychotic experiences and religiosity: Findings from the collaborative psychiatric epidemiological surveys. <i>Schizophrenia Research</i> , 2018, 201, 435-436.	2.1	4
466	Psychotic experiences as indicators of risk for cardiovascular disease. <i>Schizophrenia Research</i> , 2018, 202, 281-283.	2.1	4
467	Leisure-Time Sedentary Behavior, Alcohol Consumption, and Sexual Intercourse Among Adolescents Aged 12-15 Years in 19 Countries From Africa, the Americas, and Asia. <i>Journal of Sexual Medicine</i> , 2019, 16, 1355-1363.	0.7	4
468	Angiotensin-Converting Enzyme Inhibitor Use and Incident Frailty: A Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2019, 36, 387-393.	3.0	4

#	ARTICLE	IF	CITATIONS
469	Prospective associations between alcohol use, binge drinking and sexual activity in older adults: the English Longitudinal Study Of Ageing. <i>Psychology and Sexuality</i> , 2021, 12, 193-201.	2.2	4
470	Violence victimization and suicide attempts among adolescents aged 12–15 years from thirty-eight low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2020, 66, 147-153.	2.5	4
471	Socioeconomic inequality in the risk of intentional injuries among adolescents: a cross-sectional analysis of 89 countries. <i>Injury Prevention</i> , 2021, 27, 349-355.	2.2	4
472	Urban upbringing and psychiatric disorders in the United States: A racial comparison. <i>International Journal of Social Psychiatry</i> , 2021, 67, 307-314.	3.3	4
473	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. <i>Journal of Clinical Medicine</i> , 2021, 10, 1243.	2.5	4
474	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. <i>European Journal of Public Health</i> , 2021, 31, 835-840.	0.3	4
475	Body Mass Index and Mild Cognitive Impairment Among Middle-Aged and Older Adults from Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1095-1105.	2.7	4
476	The association of cooking fuels with depression and anxiety symptoms among adults aged 16–65 years from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 311, 494-499.	4.2	4
477	Food insecurity and insomnia-related symptoms among adults from low- and middle-income countries. <i>Journal of Sleep Research</i> , 2023, 32, .	3.3	4
478	Is there an association between breast cancer and incident adhesive capsulitis of the shoulder? A retrospective cohort study from Germany. <i>Supportive Care in Cancer</i> , 2023, 31, .	2.3	4
479	Close Relationships Matter: Family Well-being and its Effects on Health in Russia. <i>Europe-Asia Studies</i> , 2015, 67, 1635-1655.	1.0	3
480	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. <i>Experimental Gerontology</i> , 2018, 106, 137-144.	2.9	3
481	Cannabis use and leisure-time sedentary behavior among 94,035 adolescents aged 12–15 years from 24 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019, 99, 106104.	3.3	3
482	Attention-Deficit/Hyperactivity Disorder Symptoms and Community Violence Exposure in Russian Adolescents. <i>Journal of Interpersonal Violence</i> , 2021, 36, NP9738-NP9756.	2.2	3
483	Secondhand Smoking and Obesity Among Nonsmoking Adolescents Aged 12–15 Years From 38 Low- and Middle-Income Countries. <i>Nicotine and Tobacco Research</i> , 2020, 22, 2014-2021.	2.6	3
484	Ipsilateral breast tumor control following hypofractionated and conventional fractionated whole-breast irradiation for early breast cancer: a long-term follow-up. <i>Breast Cancer</i> , 2021, 28, 92-98.	3.0	3
485	Association between Arthritis and Migraine: A US Nationally Representative Study Including 2649 Adults. <i>Journal of Clinical Medicine</i> , 2021, 10, 342.	2.5	3
486	Physical activity and visual difficulties in 36 low- and middle-income countries. <i>Eye</i> , 2022, 36, 585-593.	2.3	3

#	ARTICLE	IF	CITATIONS
487	Association of objective and subjective far vision impairment with perceived stress among older adults in six low- and middle-income countries. <i>Eye</i> , 2022, 36, 1274-1280.	2.3	3
488	Multimorbidity and Anxiety Symptoms among Adults Aged 50 Years and Over from Six Low- and Middle-Income Countries. <i>Journal of Ageing and Longevity</i> , 2021, 1, 36-47.	0.7	3
489	A case of intrathyroid parathyroid tumor that was difficult to diagnose by ultrasonography. <i>Ultrasound Journal</i> , 2020, 12, 17.	3.3	3
490	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 309, 71-76.	4.2	3
491	Postpartum Plasma CD4 Change in HIV-Positive Women: Implications for Timing of HAART Initiation. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 547-552.	1.2	2
492	Pregnant and peripartum women are not at increased risk for psychotic experiences at the population level: Evidence from 46 countries. <i>Schizophrenia Research</i> , 2016, 174, 202-203.	2.1	2
493	Corrigendum to "Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007" [Journal of Affective Disorders 232 (2018) 385-392]. <i>Journal of Affective Disorders</i> , 2018, 235, 168.	4.2	2
494	Sexual Activity in Older Adults with Visual Impairment: Findings from the English Longitudinal Study of Ageing. <i>Sexuality and Disability</i> , 2019, 37, 475-487.	1.2	2
495	Attention deficit/hyperactivity disorder and future expectations in Russian adolescents. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019, 11, 279-287.	1.8	2
496	Injury and depression among 212 039 individuals in 40 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e32.	4.1	2
497	Associations in physical activity and sedentary behaviour among the immigrant and non-immigrant US population. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 655-661.	3.9	2
498	Psychotic experiences and psychiatric treatment utilization in Buenos Aires. <i>International Journal of Social Psychiatry</i> , 2020, 66, 344-348.	3.3	2
499	Predictors of physical activity recording in routine mental healthcare. <i>Mental Health and Physical Activity</i> , 2020, 18, 100329.	1.8	2
500	Immigrant status and psychotic experiences in the United States: revisiting an immigrant paradox. <i>Psychological Medicine</i> , 2023, 53, 301-303.	5.2	2
501	Is there an association between multiple sclerosis and osteoarthritis in Germany? A retrospective cohort study of 8,600 patients from Germany. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732110227.	1.1	2
502	Association between inflammatory central nervous system diseases and epilepsy: A retrospective cohort study of 4252 patients in Germany. <i>Epilepsy and Behavior</i> , 2021, 117, 107879.	1.8	2
503	Ten-year follow up of cosmetic outcome, overall survival, and disease-free survival in endoscope-assisted partial mastectomy with filling of dead space using absorbable mesh for stage IIA breast cancer: comparison with conventional conservative method. <i>BMC Women's Health</i> , 2021, 21, 253.	2.0	2
504	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 241.	3.1	2

#	ARTICLE	IF	CITATIONS
505	Challenging leisure activities and mental health: are they more beneficial for some people than for others?. <i>Mental Health and Social Inclusion</i> , 2022, 26, 34-46.	0.7	2
506	Association between diabetes and edentulism and their joint effects on health status in 40 low and middle-income countries. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002514.	3.0	2
507	Body mass index categories and anxiety symptoms among adults aged 18-50 years from low and middle income countries. <i>Wiener Klinische Wochenschrift</i> , 2023, 135, 142-150.	2.1	2
508	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Affective Disorders</i> , 2022, 298, 532-539.	4.2	2
509	Clinical significance of hepatosplenic thrombosis in vaccine-induced immune thrombotic thrombocytopenia after ChAdOx1 nCoV-19 vaccination. <i>International Journal of Infectious Diseases</i> , 2022, 116, 114-121.	3.3	2
510	Predictors of falls and fractures leading to hospitalisation in 36,101 people with affective disorders: a large representative cohort study. <i>BMJ Open</i> , 2022, 12, e055070.	2.1	2
511	A Case of Untreated Myeloid Sarcoma of the Pancreas Head Region: Diagnostic Process of AML Subtyping in an Autoptic Case. <i>Case Reports in Pathology</i> , 2021, 2021, 1-7.	0.3	2
512	Prevalence of and factors associated with long-term sick leave in working-age adults with osteoarthritis: a retrospective cohort study conducted in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2023, 96, 303-311.	2.5	2
513	Is there an association between depression, anxiety disorders and COVID-19 severity and mortality? A multicenter retrospective cohort study conducted in 50 hospitals in Germany. <i>Journal of Psychiatric Research</i> , 2023, 157, 192-196.	3.2	2
514	Impact of the coronavirus disease 2019 (COVID-19) pandemic on the diagnosis of neck and low back pain in outpatient practices in Germany. <i>Preventive Medicine Reports</i> , 2023, 31, 102096.	1.9	2
515	Effectiveness of famotidine on the risk of poor prognosis in patients with COVID-19: A nationwide cohort study in Korea. <i>Heliyon</i> , 2023, 9, e16171.	3.3	2
516	Temporal Trends in Food Insecurity (Hunger) among School-Going Adolescents from 31 Countries from Africa, Asia, and the Americas. <i>Nutrients</i> , 2023, 15, 3226.	4.2	2
517	Changes in out-of-pocket payments on utilisation of health care services. <i>The Cochrane Library</i> , 0, , .	2.8	1
518	An accessory thyroid gland that presented tumor-like images. <i>Journal of Medical Ultrasonics</i> (2001), 2013, 40, 163-168.	1.5	1
519	Mental health among older Irish adults: Act-Belong-Commit indicators promote subjective wellbeing. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	1
520	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 201, 406-412.	2.1	1
521	General thoughts of death and mortality: findings from the Komo-Ise cohort, Japan. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 662-669.	4.1	1
522	Prospective associations of cardiovascular disease with physical performance and disability. <i>Wiener Klinische Wochenschrift</i> , 2020, 132, 73-78.	2.1	1

#	ARTICLE	IF	CITATIONS
523	Association between intelligence quotient and obesity in England. <i>Lifestyle Medicine</i> , 2020, 1, e11.	0.9	1
524	Association between sexual orientation and subjective cognitive complaints in the general population in England. <i>Journal of Psychiatric Research</i> , 2021, 136, 1-6.	3.2	1
525	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. <i>Oral</i> , 2021, 1, 281-289.	0.7	1
526	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1285-1293.	2.9	1
527	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 146, 87-91.	3.2	1
528	Psychotic experiences, sexual minority status, and suicidal behavior among young adult college students in the United States. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1925-1929.	3.4	1
529	The mental and physical health correlates of psychotic experiences among US college students: Findings from the Healthy Mind Study 2020. <i>Journal of American College Health</i> , 2024, 72, 834-840.	1.8	1
530	Psychotic experiences among informal caregivers: findings from 48 low- and middle-income countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1771-1780.	3.4	1
531	Illicit and prescription drug use and psychotic experiences among university students in the United States. <i>Journal of Substance Use</i> , 2023, 28, 797-802.	0.7	1
532	Physical multimorbidity and wish to die among adults aged ≥65 years: A cross-sectional analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 313, 263-269.	4.2	1
533	The association of cannabis use with fast-food consumption, overweight, and obesity among adolescents aged 12-15 years from 28 countries. <i>Journal of Substance Use</i> , 2023, 28, 952-961.	0.7	1
534	Subjective and objective sleep alterations in medication-naïve children and adolescents with autism spectrum disorder: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2023, 32, .	4.1	1
535	Urbanicity and Psychosis—Reply. <i>JAMA Psychiatry</i> , 2018, 75, 1301.	11.4	0
536	Allergies, infections, and psychiatric disorders among Black Americans: findings from the National Survey of American Life. <i>Ethnicity and Health</i> , 2022, 27, 74-82.	2.6	0
537	Body Mass Index May Explain Some (But Not All) of the Association Between Declines in Sexual Activity and Incident Health Problems in Older Adults: Reply to Mullie (2019). <i>Archives of Sexual Behavior</i> , 2020, 49, 33-35.	2.2	0
538	Chronic skin disease and levels of physical activity in 17,777 Spanish adults: a cross-sectional study. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 516-524.	1.3	0
539	Sexual Orientation and Functional Limitations: Cross-sectional Analyses From the Adult Psychiatric Morbidity Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2117-2124.	1.0	0
540	Reply to Yi M et al. <i>Advances in Nutrition</i> , 2021, 12, 1595-1596.	6.6	0

#	ARTICLE	IF	CITATIONS
541	Endoscope-Assisted Partial Mastectomy. , 2016, , 55-61.		0
542	Changes in out-of-pocket payments on utilisation of health care services. The Cochrane Library, 0, , .	2.8	0
543	The Post-COVID-19 Future: State Capability in Ensuring Shared Prosperity. Institutions and Economies, 2022, 14, 27-47.	0.5	0
544	Association between asthma and work absence in working adults in the United States. Journal of Asthma, 2023, 60, 1115-1122.	1.7	0
545	Sexual Minority Status and Psychotic Experiences Among Young Adult College Students in the United States. Journal of Homosexuality, 2024, 71, 916-933.	2.3	0
546	Association between Syncope and the 6-Month Incidence of Ischemic Stroke, Arrhythmia, Brain Tumor, Epilepsy, and Anxiety Disorder. Healthcare (Switzerland), 2023, 11, 1913.	2.1	0
547	Is There an Association between Post-Traumatic Stress Disorder and the Incidence of Chronic Low Back Pain?. Journal of Clinical Medicine, 2023, 12, 5753.	2.5	0
548	International Classification of Diseases-10th Revision Surrogates of the Modified Frailty Index and 12-Month Referral to the Hospital in an Older Population from Germany. Journal of Clinical Medicine, 2023, 12, 7290.	2.5	0
549	Association between tuberculosis and psychotic experiences: Mediating factors and implications for patient care in low- and middle-income countries. Journal of Global Health, 0, 14, .	1.7	0
550	Sadness, counseling for sadness, and sleep time and COVID-19 pandemic in South Korea: Rapid review and a post-hoc analysis. Life Cycle, 0, 3, .	0.0	0
551	Prenatal and infant exposure to antibiotics and subsequent risk of neuropsychiatric disorders in children: a nationwide birth cohort study in South Korea. Psychiatry Research, 2024, , 116117.	3.4	0
552	National and Regional Trends in the Prevalence of Hypertension in South Korea Amid the Pandemic, 2009-2022: Nationwide Study of Over 3 Million Individuals. JMIR Public Health and Surveillance, 0, 10, e51891.	2.6	0
553	Association between sedentary behavior and wish to die among adults aged ≥50 years: findings from the Irish Longitudinal Study on Ageing. Journal of Psychiatric Research, 2024, , .	3.2	0
554	National Trends in the Prevalence of Unmet Health Care and Dental Care Needs During the COVID-19 Pandemic: Longitudinal Study in South Korea, 2009-2022. JMIR Public Health and Surveillance, 0, 10, e51481.	2.6	0
555	Machine Learning-Based Prediction of Neurodegenerative Disease in Patients With Type 2 Diabetes by Derivation and Validation in 2 Independent Korean Cohorts: Model Development and Validation Study. Journal of Medical Internet Research, 0, 26, e56922.	4.5	0