Ai Koyanagi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6972295/publications.pdf

Version: 2024-02-01

536	94,471	85 h-index	286
papers	citations		g-index
543	543	543	113396
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
2	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
3	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
4	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
5	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
7	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
8	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
9	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
10	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	10.2	2,308
11	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
12	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
13	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	10.2	2,005
14	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
15	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
16	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
17	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	10.2	1,512
18	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	13.7	1,281

#	Article	IF	CITATIONS
19	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	10.0	1,199
20	Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. The Lancet Global Health, 2021, 9, e144-e160.	6.3	1,148
21	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
22	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2020, 8, 585-596.	10.7	1,049
23	Social disconnectedness, perceived isolation, and symptoms of depression and anxiety among older Americans (NSHAP): a longitudinal mediation analysis. Lancet Public Health, The, 2020, 5, e62-e70.	10.0	901
24	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1211-1228.	9.1	862
25	Estimates of global, regional, and national morbidity, mortality, and aetiologies of diarrhoeal diseases: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2017, 17, 909-948.	9.1	837
26	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 245-266.	8.1	823
27	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	7.4	815
28	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740
29	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
30	Global, Regional, and National Levels and Trends in Burden of Oral Conditions from 1990 to 2017: A Systematic Analysis for the Global Burden of Disease 2017 Study. Journal of Dental Research, 2020, 99, 362-373.	5.2	645
31	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
32	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
33	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
34	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571
35	The association between social relationships and depression: A systematic review. Journal of Affective Disorders, 2015, 175, 53-65.	4.1	552
36	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. The Lancet Global Health, 2021, 9, e130-e143.	6.3	500

#	Article	IF	CITATIONS
37	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
38	Relationship between depression and frailty in older adults: A systematic review and meta-analysis. Ageing Research Reviews, 2017, 36, 78-87.	10.9	479
39	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	4.7	461
40	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	13.7	413
41	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 205-214.	3.6	404
42	The global, regional, and national burden of stomach cancer in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 42-54.	8.1	390
43	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 934-947.	8.1	372
44	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	13.7	358
45	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet HIV,the, 2019, 6, e831-e859.	4.7	341
46	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
47	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine, the, 2019, 7, 69-89.	10.7	326
48	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	6.2	306
49	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
50	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
51	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995–2050. Lancet, The, 2019, 393, 2233-2260.	13.7	283
52	The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). BMC Public Health, 2016, 16, 1098.	2.9	278
53	Macrosomia in 23 developing countries: an analysis of a multicountry, facility-based, cross-sectional survey. Lancet, The, 2013, 381, 476-483.	13.7	259
54	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 913-933.	8.1	259

#	Article	IF	CITATIONS
55	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2018, 18, 261-284.	9.1	246
56	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. Sports Medicine, 2020, 50, 151-170.	6.5	222
57	Loneliness, common mental disorders and suicidal behavior: Findings from a general population survey. Journal of Affective Disorders, 2016, 197, 81-87.	4.1	217
58	Physical activity and anxiety: A perspective from the World Health Survey. Journal of Affective Disorders, 2017, 208, 545-552.	4.1	211
59	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multiâ€continent study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 312-321.	7.3	182
60	Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. Lancet Psychiatry,the, 2019, 6, 590-600.	7.4	169
61	Does loneliness contribute to mild cognitive impairment and dementia? A systematic review and meta-analysis of longitudinal studies. Ageing Research Reviews, 2019, 52, 7-16.	10.9	167
62	Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. PLoS ONE, 2014, 9, e114742.	2.5	163
63	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
64	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. Drug and Alcohol Dependence, 2021, 219, 108488.	3.2	159
65	The impact of pharmacological and nonâ€pharmacological interventions to improve physical health outcomes in people with schizophrenia: a metaâ€review of metaâ€analyses of randomized controlled trials. World Psychiatry, 2019, 18, 53-66.	10.4	153
66	The Association between Sleep Problems and Psychotic Symptoms in the General Population: A Global Perspective. Sleep, 2015, 38, 1875-1885.	1.1	145
67	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	9.1	144
68	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. BMC Medicine, 2018, 16, 112.	5 . 5	143
69	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. JAMA Pediatrics, 2019, 173, e190337.	6.2	140
70	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 907-918.e4.	0.5	140
71	Morbidity Among Human Immunodeficiency Virus-exposed But Uninfected, Human Immunodeficiency Virus-infected, and Human Immunodeficiency Virus-unexposed Infants in Zimbabwe Before Availability of Highly Active Antiretroviral Therapy. Pediatric Infectious Disease Journal, 2011, 30, 45-51.	2.0	139
72	Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. Journal of the American Medical Directors Association, 2018, 19, 981-988.e7.	2.5	123

#	Article	IF	CITATIONS
73	The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. General Hospital Psychiatry, 2016, 43, 63-70.	2.4	122
74	Loneliness and health risk behaviours among Russian and U.S. adolescents: a cross-sectional study. BMC Public Health, 2014, 14, 366.	2.9	121
75	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. British Journal of Sports Medicine, 2022, 56, 901-912.	6.7	120
76	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. BMC Medicine, 2016, 14, 189.	5 . 5	119
77	Association of Urbanicity With Psychosis in Low- and Middle-Income Countries. JAMA Psychiatry, 2018, 75, 678.	11.0	119
78	Social relationships, loneliness, and mental health among older men and women in Ireland: A prospective community-based study. Journal of Affective Disorders, 2016, 204, 59-69.	4.1	117
79	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 6.	4.6	115
80	Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 4â€^717â€^839 people. Lancet Psychiatry,the, 2020, 7, 52-63.	7.4	109
81	Alcohol Consumption and Psychological Distress in Adolescents: A Multi-Country Study. Journal of Adolescent Health, 2014, 54, 228-234.	2.5	108
82	Relationship between sedentary behavior and depression: A mediation analysis of influential factors across the lifespan among 42,469 people in low- and middle-income countries. Journal of Affective Disorders, 2018, 229, 231-238.	4.1	107
83	Depression and physical health multimorbidity: primary data and country-wide meta-analysis of population data from 190 593 people across 43 low- and middle-income countries. Psychological Medicine, 2017, 47, 2107-2117.	4.5	106
84	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 37-59.	9.1	104
85	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. Lancet Psychiatry,the, 2020, 7, 955-970.	7.4	103
86	Depression and Anxiety in Adults With Hidradenitis Suppurativa. JAMA Dermatology, 2019, 155, 939.	4.1	100
87	Loneliness: Its Correlates and Association with Health Behaviours and Outcomes in Nine Countries of the Former Soviet Union. PLoS ONE, 2013, 8, e67978.	2.5	97
88	Sedentary behavior and depressive symptoms among 67,077 adolescents aged 12–15Âyears from 30 lowand middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 73.	4.6	95
89	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 60-79.	9.1	95
90	Maternal and perinatal outcomes among nulliparous adolescents in low†and middleâ€income countries: a multiâ€country study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 1622-1630.	2.3	93

#	Article	IF	CITATIONS
91	Perceived stress and smoking across 41 countries: A global perspective across Europe, Africa, Asia and the Americas. Scientific Reports, 2017, 7, 7597.	3.3	92
92	Population prevalence of edentulism and its association with depression and self-rated health. Scientific Reports, 2016, 6, 37083.	3.3	89
93	Factors Associated With Loneliness: An Umbrella Review Of Observational Studies. Journal of Affective Disorders, 2020, 271, 131-138.	4.1	89
94	Negative perceptions of ageing predict the onset and persistence of depression and anxiety: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). Journal of Affective Disorders, 2016, 199, 132-138.	4.1	88
95	Physical activity and depression: a large crossâ€sectional, populationâ€based study across 36 low―and middleâ€income countries. Acta Psychiatrica Scandinavica, 2016, 134, 546-556.	4.5	88
96	Chronic Physical Conditions, Multimorbidity, and Mild Cognitive Impairment in Low―and Middleâ€Income Countries. Journal of the American Geriatrics Society, 2018, 66, 721-727.	2.6	87
97	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. Lancet, The, 2020, 396, 693-724.	13.7	87
98	Handgrip strength and health outcomes: Umbrella review of systematic reviews with meta-analyses of observational studies. Journal of Sport and Health Science, 2021, 10, 290-295.	6.5	85
99	Loneliness and its association with psychological and somatic health problems among Czech, Russian and U.S. adolescents. BMC Psychiatry, 2016, 16, 128.	2.6	82
100	The relationship between chronic physical conditions, multimorbidity and anxiety in the general population: A global perspective across 42 countries. General Hospital Psychiatry, 2017, 45, 1-6.	2.4	80
101	Physical multimorbidity and loneliness: A population-based study. PLoS ONE, 2018, 13, e0191651.	2.5	80
102	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. BMC Medicine, 2017, 15, 209.	5.5	79
103	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. Journal of Affective Disorders, 2019, 248, 91-98.	4.1	75
104	The association of relationship quality and social networks with depression, anxiety, and suicidal ideation among older married adults: Findings from a cross-sectional analysis of the Irish Longitudinal Study on Ageing (TILDA). Journal of Affective Disorders, 2015, 179, 134-141.	4.1	74
105	Formal social participation protects physical health through enhanced mental health: A longitudinal mediation analysis using three consecutive waves of the Survey of Health, Ageing and Retirement in Europe (SHARE). Social Science and Medicine, 2020, 251, 112906.	3.8	74
106	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. Lancet Rheumatology, The, 2021, 3, e698-e706.	3.9	73
107	Prevalence and risk factors for third―and fourthâ€degree perineal lacerations during vaginal delivery: a multiâ€country study. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 340-347.	2.3	71
108	Depression and pain: primary data and meta-analysis among 237Â952 people across 47 low- and middle-income countries. Psychological Medicine, 2017, 47, 2906-2917.	4.5	70

#	Article	IF	CITATIONS
109	Physical chronic conditions, multimorbidity and sedentary behavior amongst middle-aged and older adults in six low- and middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 147.	4.6	70
110	Cannabis use and suicide attempts among 86,254 adolescents aged 12–15 years from 21 low- and middle-income countries. European Psychiatry, 2019, 56, 8-13.	0.2	70
111	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. Lancet Regional Health - Europe, The, 2022, 16, 100341.	5.6	70
112	Zinc and infection: a review. Annals of Tropical Paediatrics, 2005, 25, 149-160.	1.0	68
113	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. Injury Prevention, 2020, 26, i67-i74.	2.4	65
114	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. Journal of Psychiatric Research, 2018, 96, 115-123.	3.1	64
115	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. International Journal of Geriatric Psychiatry, 2016, 31, 858-867.	2.7	63
116	Handgrip strength and depression among 34,129 adults aged 50 years and older in six low- and middle-income countries. Journal of Affective Disorders, 2019, 243, 448-454.	4.1	63
117	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. Experimental Gerontology, 2015, 69, 27-35.	2.8	62
118	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. American Journal of Epidemiology, 2017, 186, 979-989.	3.4	62
119	Immunopathogenesis of ANCA-Associated Vasculitis. International Journal of Molecular Sciences, 2020, 21, 7319.	4.1	62
120	Sarcopenia in Autoimmune and Rheumatic Diseases: A Comprehensive Review. International Journal of Molecular Sciences, 2020, 21, 5678.	4.1	62
121	Sleep problems and depression among 237 023 community-dwelling adults in 46 low- and middle-income countries. Scientific Reports, 2019, 9, 12011.	3.3	61
122	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. PLoS ONE, 2019, 14, e0215182.	2.5	60
123	Tea Consumption and Risk of Cancer: An Umbrella Review and Meta-Analysis of Observational Studies. Advances in Nutrition, 2020, 11, 1437-1452.	6.4	60
124	Telomere length and health outcomes: An umbrella review of systematic reviews and meta-analyses of observational studies. Ageing Research Reviews, 2019, 51, 1-10.	10.9	59
125	Behavioral interventions to reduce the transmission of HIV infection among sex workers and their clients in low- and middle-income countries. The Cochrane Library, 2012, , CD005272.	2.8	58
126	Stress Sensitivity and Psychotic Experiences in 39 Low- and Middle-Income Countries. Schizophrenia Bulletin, 2016, 42, 1353-1362.	4.3	58

#	Article	IF	CITATIONS
127	The association between obesity and back pain in nine countries: a cross-sectional study. BMC Public Health, 2015, 15, 123.	2.9	57
128	Attention-deficit/hyperactivity disorder symptoms and suicide ideation and attempts: Findings from the Adult Psychiatric Morbidity Survey 2007. Journal of Affective Disorders, 2016, 189, 321-328.	4.1	57
129	Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. Experimental Gerontology, 2015, 64, 70-77.	2.8	56
130	Prevalence, correlates and misperception of depression symptoms in the United States, NHANES 2015â€"2018. Journal of Affective Disorders, 2020, 269, 51-57.	4.1	56
131	Environmental risk factors and nonpharmacological and nonsurgical interventions for obesity: An umbrella review of metaâ€analyses of cohort studies and randomized controlled trials. European Journal of Clinical Investigation, 2018, 48, e12982.	3.4	55
132	Correlations of Clinical and Laboratory Characteristics of COVID-19: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 5026.	2.6	55
133	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. Social Science and Medicine, 2015, 147, 134-143.	3.8	54
134	Relationships between serum concentrations of C-reactive protein and micronutrients, in patients with tuberculosis. Annals of Tropical Medicine and Parasitology, 2004, 98, 391-399.	1.6	53
135	Association between depression and smoking: A global perspective from 48 low- and middle-income countries. Journal of Psychiatric Research, 2018, 103, 142-149.	3.1	53
136	Correlates of sedentary behavior in the general population: A cross-sectional study using nationally representative data from six low- and middle-income countries. PLoS ONE, 2018, 13, e0202222.	2.5	53
137	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	3.7	53
138	Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990â€"2019: results from the Global Burden of Disease Study 2019. Lancet Infectious Diseases, The, 2022, 22, 222-241.	9.1	53
139	Incidence, prevalence, and global burden of autism spectrum disorder from 1990 to 2019 across 204 countries. Molecular Psychiatry, 2022, 27, 4172-4180.	7.9	52
140	Magnesium and health outcomes: an umbrella review of systematic reviews and meta-analyses of observational and intervention studies. European Journal of Nutrition, 2020, 59, 263-272.	3.9	51
141	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. Schizophrenia Bulletin, 2017, 43, sbw111.	4.3	49
142	n-3 Fatty acids, Mediterranean diet and cognitive function in normal aging: A systematic review. Experimental Gerontology, 2017, 91, 39-50.	2.8	49
143	Fried potato consumption is associated with elevated mortality: an 8-y longitudinal cohort study. American Journal of Clinical Nutrition, 2017, 106, 162-167.	4.7	49
144	COVID-19 dimensions are related to depression and anxiety among US college students: Findings from the Healthy Minds Survey 2020. Journal of Affective Disorders, 2021, 292, 270-275.	4.1	49

#	Article	IF	CITATIONS
145	Protecting physical health in people with mental illness – Authors' reply. Lancet Psychiatry,the, 2019, 6, 890-891.	7.4	48
146	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. International Journal of Environmental Research and Public Health, 2020, 17, 1708.	2.6	47
147	Mild cognitive impairment is associated with falls among older adults: Findings from the Irish Longitudinal Study on Ageing (TILDA). Experimental Gerontology, 2016, 75, 42-47.	2.8	46
148	Psychotic experiences and disability: Findings from the Collaborative Psychiatric Epidemiology Surveys. Schizophrenia Research, 2018, 193, 343-347.	2.0	46
149	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. Journal of the American Medical Directors Association, 2018, 19, 607-612.	2.5	46
150	The global case fatality rate of coronavirus disease 2019Âby continents and national income: A metaâ€analysis. Journal of Medical Virology, 2022, 94, 2402-2413.	5.0	46
151	Risk and functional significance of psychotic experiences among individuals with depression in 44 low- and middle-income countries. Psychological Medicine, 2016, 46, 2655-2665.	4.5	45
152	Leisure-time sedentary behavior and loneliness among 148,045 adolescents aged 12–15 years from 52 low- and middle-income countries. Journal of Affective Disorders, 2019, 251, 149-155.	4.1	44
153	Decline in sexuality and wellbeing in older adults: A population-based study. Journal of Affective Disorders, 2019, 245, 912-917.	4.1	44
154	Consumption of Fish and ω-3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. Advances in Nutrition, 2020, 11, 1134-1149.	6.4	44
155	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
156	Mild cognitive impairment and physical activity in the general population: Findings from six low- and middle-income countries. Experimental Gerontology, 2017, 100, 100-105.	2.8	43
157	Multimorbidity and perceived stress: a population-based cross-sectional study among older adults across six low- and middle-income countries. Maturitas, 2018, 107, 84-91.	2.4	43
158	The burden of mental disorders in the Eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 25-37.	2.3	43
159	Is chocolate consumption associated with health outcomes? An umbrella review of systematic reviews and meta-analyses. Clinical Nutrition, 2019, 38, 1101-1108.	5.0	43
160	Perceived Stress and Mild Cognitive Impairment among 32,715 Community-Dwelling Older Adults across Six Low- and Middle-Income Countries. Gerontology, 2019, 65, 155-163.	2.8	43
161	Discrimination and suicidality among racial and ethnic minorities in the United States. Journal of Affective Disorders, 2019, 245, 517-523.	4.1	43
162	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. BMJ Open, 2015, 5, e007313-e007313.	1.9	42

#	Article	IF	CITATIONS
163	Subclinical psychosis and suicidal behavior in England: Findings from the 2007 Adult Psychiatric Morbidity Survey. Schizophrenia Research, 2015, 168, 62-67.	2.0	42
164	Predictors of mortality in thrombotic thrombocytopenia after adenoviral COVID-19 vaccination: the FAPIC score. European Heart Journal, 2021, 42, 4053-4063.	2.2	42
165	The epidemiological impact and cost-effectiveness of HIV testing, antiretroviral treatment and harm reduction programs. Aids, 2012, 26, 2069-2078.	2.2	41
166	Skin picking disorder: prevalence, correlates, and associations with quality of life in a large sample. CNS Spectrums, 2018, 23, 311-320.	1.2	41
167	Incidence of Capillary Leak Syndrome as an Adverse Effect of Drugs in Cancer Patients: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2019, 8, 143.	2.4	40
168	Estimation of global case fatality rate of coronavirus disease 2019 (COVID-19) using meta-analyses: Comparison between calendar date and days since the outbreak of the first confirmed case. International Journal of Infectious Diseases, 2020, 100, 302-308.	3.3	39
169	Loneliness and health in Eastern Europe: findings from Moscow, Russia. Public Health, 2015, 129, 403-410.	2.9	38
170	Sedentary behavior and anxiety: Association and influential factors among 42,469 community-dwelling adults in six low- and middle-income countries. General Hospital Psychiatry, 2018, 50, 26-32.	2.4	38
171	Food Insecurity Is Associated with Mild Cognitive Impairment among Middle-Aged and Older Adults in South Africa: Findings from a Nationally Representative Survey. Nutrients, 2019, 11, 749.	4.1	38
172	Mediterranean diet and knee osteoarthritis outcomes: A longitudinal cohort study. Clinical Nutrition, 2019, 38, 2735-2739.	5.0	38
173	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	10.0	38
174	Urinary incontinence, mental health and loneliness among community-dwelling older adults in Ireland. BMC Urology, 2017, 17, 29.	1.4	37
175	Childhood adversities and adultâ€onset chronic pain: Results from the World Mental Health Survey, Japan. European Journal of Pain, 2015, 19, 1418-1427.	2.8	36
176	Associations between handgrip strength and mild cognitive impairment in middleâ€aged and older adults in six low―and middleâ€income countries. International Journal of Geriatric Psychiatry, 2019, 34, 609-616.	2.7	36
177	The protective properties of Act-Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based study. Experimental Gerontology, 2017, 91, 79-87.	2.8	35
178	Statin Use and Knee Osteoarthritis Outcomes: A Longitudinal Cohort Study. Arthritis Care and Research, 2019, 71, 1052-1058.	3.4	35
179	Association of leisure-time sedentary behavior with fast food and carbonated soft drink consumption among 133,555 adolescents aged 12–15 years in 44 low- and middle-income countries. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 35.	4.6	35
180	Dietary inflammatory potential is linked to cardiovascular disease risk burden in the US adult population. International Journal of Cardiology, 2017, 240, 409-413.	1.7	34

#	Article	IF	CITATIONS
181	Is there a relationship between chocolate consumption and symptoms of depression? A crossâ€sectional survey of 13,626 US adults. Depression and Anxiety, 2019, 36, 987-995.	4.1	34
182	Sexual behavior and suicide attempts among adolescents aged 12–15 years from 38 countries: A global perspective. Psychiatry Research, 2020, 287, 112564.	3.3	34
183	Efficacy of Corticosteroids in Patients with SARS, MERS and COVID-19: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2020, 9, 2392.	2.4	34
184	Loneliness and its association with depressed mood, anxiety symptoms, and sleep problems in Europe during the COVID-19 pandemic. Acta Neuropsychiatrica, 2021, 33, 160-163.	2.1	34
185	Comparison of vaccine-induced thrombotic events between ChAdOx1 nCoV-19 and Ad26.COV.2.S vaccines. Journal of Autoimmunity, 2021, 122, 102681.	6.5	34
186	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. Journal of Affective Disorders, 2018, 232, 385-392.	4.1	33
187	Sedentary behaviour and sleep problems among 42,489 communityâ€dwelling adults in six low―and middleâ€income countries. Journal of Sleep Research, 2018, 27, e12714.	3.2	33
188	Pain is not associated with cognitive decline in older adults: A four-year longitudinal study. Maturitas, 2018, 115, 92-96.	2.4	33
189	Sedentary behavior and anxiety-induced sleep disturbance among 181,093 adolescents from 67 countries: a global perspective. Sleep Medicine, 2019, 58, 19-26.	1.6	33
190	Effect of multi-session prefrontal transcranial direct current stimulation on cognition in schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2020, 216, 367-373.	2.0	33
191	Update of the current knowledge on genetics, evolution, immunopathogenesis, and transmission for coronavirus disease 19 (COVID-19). International Journal of Biological Sciences, 2020, 16, 2906-2923.	6.4	33
192	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376.	4.1	33
193	Effect of early exclusive breastfeeding on morbidity among infants born to HIV-negative mothers in Zimbabwe. American Journal of Clinical Nutrition, 2009, 89, 1375-1382.	4.7	32
194	Psychotic symptoms and smoking in 44 countries. Acta Psychiatrica Scandinavica, 2016, 133, 497-505.	4.5	32
195	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. Psychological Medicine, 2017, 47, 531-542.	4.5	32
196	Hand grip strength and cognitive function among elderly cancer survivors. PLoS ONE, 2018, 13, e0197909.	2.5	32
197	Leisure-time sedentary behavior and suicide attempt among 126,392 adolescents in 43 countries. Journal of Affective Disorders, 2019, 250, 346-353.	4.1	32
198	Declines in Sexual Activity and Function Predict Incident Health Problems in Older Adults: Prospective Findings from the English Longitudinal Study of Ageing. Archives of Sexual Behavior, 2020, 49, 929-940.	1.9	32

#	Article	IF	CITATIONS
199	Impact of the coronavirus 2019 (COVID-19) pandemic on anxiety diagnosis in general practices in Germany. Journal of Psychiatric Research, 2021, 143, 528-533.	3.1	32
200	Perceived stress and depression in 45 low- and middle-income countries. Journal of Affective Disorders, 2020, 274, 799-805.	4.1	32
201	Predictors of high and low mental well-being and common mental disorders: findings from a Danish population-based study. European Journal of Public Health, 2020, 30, 503-509.	0.3	32
202	Subnational mapping of HIV incidence and mortality among individuals aged 15–49 years in sub-Saharan Africa, 2000–18: a modelling study. Lancet HIV,the, 2021, 8, e363-e375.	4.7	32
203	ADHD symptoms and pain among adults in England. Psychiatry Research, 2016, 246, 326-331.	3.3	31
204	Cognitive reserve is associated with quality of life: A population-based study. Experimental Gerontology, 2017, 87, 67-73.	2.8	31
205	Correlates of low physical activity across 46 low- and middle-income countries: A cross-sectional analysis of community-based data. Preventive Medicine, 2018, 106, 107-113.	3.4	31
206	Visual impairment and objectively measured physical activity and sedentary behaviour in US adolescents and adults: a cross-sectional study. BMJ Open, 2019, 9, e027267.	1.9	31
207	Sedentary behavior and depression among community-dwelling adults aged ≥50 years: Results from the irish longitudinal study on Ageing. Journal of Affective Disorders, 2020, 262, 389-396.	4.1	31
208	Thrombosis patterns and clinical outcome of COVID-19 vaccine-induced immune thrombotic thrombocytopenia: A Systematic Review and Meta-Analysis. International Journal of Infectious Diseases, 2022, 119, 130-139.	3.3	31
209	Diet-borne systemic inflammation is associated with prevalent toothÂloss. Clinical Nutrition, 2018, 37, 1306-1312.	5.0	30
210	Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 177-186.	2.3	30
211	The association of grip strength with depressive symptoms and cortisol in hair: A crossâ€sectional study of older adults. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 1604-1609.	2.9	30
212	Fast food consumption and suicide attempts among adolescents aged 12–15 years from 32 countries. Journal of Affective Disorders, 2020, 266, 63-70.	4.1	30
213	The Impact of Depression on the Development of Mild Cognitive Impairment over 3 Years of Follow-Up: A Population-Based Study. Dementia and Geriatric Cognitive Disorders, 2017, 43, 155-169.	1.5	29
214	Attention-deficit/hyperactivity disorder and physical multimorbidity: A population-based study. European Psychiatry, 2017, 45, 227-234.	0.2	29
215	Association of bullying victimization with overweight and obesity among adolescents from 41 low― and middleâ€income countries. Pediatric Obesity, 2020, 15, e12571.	2.8	29
216	Social Disconnectedness, Loneliness, and Mental Health Among Adolescents in Danish High Schools: A Nationwide Cross-Sectional Study. Frontiers in Behavioral Neuroscience, 2021, 15, 632906.	2.0	29

#	Article	IF	CITATIONS
217	Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. PLoS ONE, 2017, 12, e0186992.	2.5	28
218	Pro-inflammatory dietary pattern is associated with fractures in women: an eight-year longitudinal cohort study. Osteoporosis International, 2018, 29, 143-151.	3.1	28
219	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12–15 years from 6 high-income, 22 middle-income, and 4 low-income countries. Clinical Nutrition, 2020, 39, 886-892.	5.0	28
220	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 907-918.e4.	0.5	28
221	Smoking status, nicotine dependence and happiness in nine countries of the former Soviet Union. Tobacco Control, 2015, 24, 190-197.	3.2	27
222	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329.	1.4	27
223	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. Schizophrenia Research, 2018, 201, 70-78.	2.0	27
224	Leisureâ€Time Sedentary Behavior and Obesity Among 116,762 Adolescents Aged 12â€15ÂYears from 41 Low†Middleâ€Income Countries. Obesity, 2019, 27, 830-836.	and 3.0	27
225	Physical multimorbidity and suicidal behavior in the general population in the United States. Journal of Affective Disorders, 2020, 260, 604-609.	4.1	27
226	Association between food insecurity and depression among older adults from low―and middleâ€income countries. Depression and Anxiety, 2021, 38, 439-446.	4.1	27
227	Correlates of physical activity among 142,118 adolescents aged 12–15†years from 48 low- and middle-income countries. Preventive Medicine, 2019, 127, 105819.	3.4	26
228	Sleep disturbances are associated with psychotic experiences: Findings from the National Comorbidity Survey Replication. Schizophrenia Research, 2016, 171, 74-78.	2.0	25
229	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. Schizophrenia Research, 2018, 193, 412-417.	2.0	25
230	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. Scientific Reports, 2019, 9, 12417.	3.3	25
231	Handgrip strength is associated with suicidal thoughts in men: Crossâ€sectional analyses from NHANES. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 92-99.	2.9	25
232	The moderating role of social network size in the temporal association between formal social participation and mental health: a longitudinal analysis using two consecutive waves of the Survey of Health, Ageing and Retirement in Europe (SHARE). Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 417-428.	3.1	25
233	Roles of microRNAs in inflammatory bowel disease. International Journal of Biological Sciences, 2021, 17, 2112-2123.	6.4	25
234	Sarcopenia reduces quality of life in the long-term: longitudinal analyses from the English longitudinal study of ageing. European Geriatric Medicine, 2022, 13, 633-639.	2.8	25

#	Article	IF	CITATIONS
235	Prevalence and factors associated with the use of alternative (folk) medicine practitioners in 8 countries of the former Soviet Union. BMC Complementary and Alternative Medicine, 2013, 13, 83.	3.7	24
236	The association between psychosis and severe pain in community-dwelling adults: Findings from 44 low- and middle-income countries. Journal of Psychiatric Research, 2015, 69, 19-26.	3.1	24
237	Urban–rural differences in psychological distress in nine countries of the former Soviet Union. Journal of Affective Disorders, 2015, 178, 142-148.	4.1	24
238	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. Acta Psychiatrica Scandinavica, 2019, 139, 164-173.	4.5	24
239	Handgrip strength, chronic physical conditions and physical multimorbidity in middle-aged and older adults in six low- and middle income countries. European Journal of Internal Medicine, 2019, 61, 96-102.	2.2	24
240	Treatment of severe acute respiratory syndrome (SARS), Middle East respiratory syndrome (MERS), and coronavirus disease 2019 (COVID-19): a systematic review of <i>in vitro</i> , <i>in vivo</i> , and clinical trials. Theranostics, 2021, 11, 1207-1231.	10.0	24
241	Non-alcoholic Fatty Liver Disease and COVID-19 Susceptibility and Outcomes: a Korean Nationwide Cohort. Journal of Korean Medical Science, 2021, 36, e291.	2.5	24
242	Airborne pollen and suicide mortality in Tokyo, 2001–2011. Environmental Research, 2017, 155, 134-140.	7.5	23
243	Sex difference in the association between physical activity and suicide attempts among adolescents from 48 countries: A global perspective. Journal of Affective Disorders, 2020, 266, 311-318.	4.1	23
244	Multimorbidity increases the risk for sarcopenia onset: Longitudinal analyses from the English Longitudinal Study of Ageing. Experimental Gerontology, 2021, 156, 111624.	2.8	23
245	Adolescent binge drinking and risky health behaviours: Findings from northern Russia. Drug and Alcohol Dependence, 2013, 133, 838-844.	3.2	22
246	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. Journal of Affective Disorders, 2018, 234, 97-104.	4.1	22
247	Mild cognitive impairment and sedentary behavior: A multinational study. Experimental Gerontology, 2018, 108, 174-180.	2.8	22
248	Act-Belong-Commit Indicators Promote Mental Health and Wellbeing among Irish Older Adults. American Journal of Health Behavior, 2018, 42, 31-45.	1.4	22
249	Relationship between attention-deficit hyperactivity disorder symptoms and problem gambling: A mediation analysis of influential factors among 7,403 individuals from the UK. Journal of Behavioral Addictions, 2018, 7, 781-791.	3.7	22
250	Mortality in unipolar depression preceding and following chronic somatic diseases. Acta Psychiatrica Scandinavica, 2018, 138, 500-508.	4.5	22
251	Participation in Physical Activity is Associated with Sexual Activity in Older English Adults. International Journal of Environmental Research and Public Health, 2019, 16, 489.	2.6	22
252	Psychotic experiences and physical health conditions in the United States. Comprehensive Psychiatry, 2019, 90, 1-6.	3.1	22

#	Article	IF	CITATIONS
253	Psychotic experiences and subjective cognitive complaints among 224 842 people in 48 low- and middle-income countries. Epidemiology and Psychiatric Sciences, 2020, 29, e11.	3.9	22
254	COVID-19 and Adverse Pregnancy Outcome: A Systematic Review of 104 Cases. Journal of Clinical Medicine, 2020, 9, 3441.	2.4	22
255	Psychotic-Like Experiences and Nonsuidical Self-Injury in England: Results from a National Survey. PLoS ONE, 2015, 10, e0145533.	2.5	22
256	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. Journal of Affective Disorders, 2017, 221, 81-88.	4.1	21
257	Low-dose vitamin D supplementation and incident frailty in older people: An eight year longitudinal study. Experimental Gerontology, 2018, 101, 1-6.	2.8	21
258	Associations between active travel and physical multi-morbidity in six low- and middle-income countries among community-dwelling older adults: A cross-sectional study. PLoS ONE, 2018, 13, e0203277.	2.5	21
259	Sedentary behavior and perceived stress among adults aged ≥50 years in six low- and middle-income countries. Maturitas, 2018, 116, 100-107.	2.4	21
260	Association of Tobacco Use and Exposure to Secondhand Smoke With Suicide Attempts Among Adolescents: Findings From 33 Countries. Nicotine and Tobacco Research, 2020, 22, 1322-1329.	2.6	21
261	Prevalence of, and factors associated with, long-term COVID-19 sick leave in working-age patients followed in general practices in Germany. International Journal of Infectious Diseases, 2021, 109, 203-208.	3.3	21
262	Cardiovascular events and safety outcomes associated with remdesivir using a World Health Organization international pharmacovigilance database. Clinical and Translational Science, 2022, 15, 501-513.	3.1	21
263	Binge drinking among adolescents in Russia: Prevalence, risk and protective factors. Addictive Behaviors, 2013, 38, 1988-1995.	3.0	20
264	Correlates of leisure-time sedentary behavior among 181,793 adolescents aged 12-15 years from 66 low-and middle-income countries. PLoS ONE, 2019, 14, e0224339.	2.5	20
265	The association of social support networks and loneliness with negative perceptions of ageing: evidence from the Irish Longitudinal Study on Ageing (TILDA). Ageing and Society, 2019, 39, 1070-1090.	1.7	20
266	Network analysis of the relationship between depressive symptoms, demographics, nutrition, quality of life and medical condition factors in the Osteoarthritis Initiative database cohort of elderly North-American adults with or at risk for osteoarthritis. Epidemiology and Psychiatric Sciences, 2020, 29, e14.	3.9	20
267	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1572-1578.	3.6	20
268	Sarcopenia and fall-related injury among older adults in five low- and middle-income countries. Experimental Gerontology, 2021, 147, 111262.	2.8	20
269	Seasonal Allergies and Psychiatric Disorders in the United States. International Journal of Environmental Research and Public Health, 2018, 15, 1965.	2.6	19
270	Physical activity and loneliness among adults aged 50 years or older in six low―and middle―ncome countries. International Journal of Geriatric Psychiatry, 2019, 34, 1855-1864.	2.7	19

#	Article	IF	Citations
271	The Relationship between Dietary Vitamin K and Depressive Symptoms in Late Adulthood: A Cross-Sectional Analysis from a Large Cohort Study. Nutrients, 2019, 11, 787.	4.1	19
272	Self-reported asthma diagnosis and mental health: Findings from the Collaborative Psychiatric Epidemiology Surveys. Psychiatry Research, 2019, 271, 721-725.	3. 3	19
273	Childhood neglect and suicidal behavior: Findings from the National Comorbidity Survey Replication. Child Abuse and Neglect, 2020, 103, 104400.	2.6	19
274	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. Nutrients, 2020, 12, 706.	4.1	19
275	A Comprehensive Review of Coronavirus Disease 2019: Epidemiology, Transmission, Risk Factors, and International Responses. Yonsei Medical Journal, 2021, 62, 1.	2.2	19
276	Physical Multimorbidity and Social Participation in Adult Aged 65 Years and Older From Six Low- and Middle-Income Countries. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2021, 76, 1452-1462.	3.9	19
277	Association between Food Insecurity and Sarcopenia among Adults Aged ≥65 Years in Low- and Middle-Income Countries. Nutrients, 2021, 13, 1879.	4.1	19
278	Multimorbidity and obesity in older adults from six low- and middle-income countries. Preventive Medicine, 2021, 153, 106816.	3.4	19
279	Suicidal Behavior in Juvenile Delinquents: The Role of ADHD and Other Comorbid Psychiatric Disorders. Child Psychiatry and Human Development, 2017, 48, 691-698.	1.9	18
280	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. Journal of Psychiatric Research, 2018, 98, 39-46.	3.1	18
281	Clinical Characteristics of Asymptomatic and Symptomatic Pediatric Coronavirus Disease 2019 (COVID-19): A Systematic Review. Medicina (Lithuania), 2020, 56, 474.	2.0	18
282	Physical multimorbidity and sedentary behavior in older adults: Findings from the Irish longitudinal study on ageing (TILDA). Maturitas, 2020, 134, 1-7.	2.4	18
283	Is dynapenia associated with the onset and persistence of depressive and anxiety symptoms among older adults? Findings from the Irish longitudinal study on ageing. Aging and Mental Health, 2021, 25, 468-475.	2.8	18
284	Tuberculosis and Non-Communicable Disease Multimorbidity: An Analysis of the World Health Survey in 48 Low- and Middle-Income Countries. International Journal of Environmental Research and Public Health, 2021, 18, 2439.	2.6	18
285	Mortality attributable to COVID-19 in nursing home residents: a retrospective study. Aging Clinical and Experimental Research, 2021, 33, 1745-1751.	2.9	18
286	Attention-deficit/hyperactivity disorder symptoms and loneliness among adults in the general population. Research in Developmental Disabilities, 2017, 62, 115-123.	2.2	17
287	Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. American Journal of Preventive Medicine, 2020, 58, 613-621.	3.0	17
288	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 1893-1899.	2.5	17

#	Article	lF	CITATIONS
289	Is loneliness associated with mild cognitive impairment in low―and middle―ncome countries?. International Journal of Geriatric Psychiatry, 2021, 36, 1345-1353.	2.7	17
290	Economics of mental well-being: a prospective study estimating associated health care costs and sickness benefit transfers in Denmark. European Journal of Health Economics, 2021, 22, 1053-1065.	2.8	17
291	A Review of Pre-Exposure Prophylaxis Adherence among Female Sex Workers. Yonsei Medical Journal, 2020, 61, 349.	2.2	17
292	Food insecurity and mental health among young adult college students in the United States. Journal of Affective Disorders, 2022, 303, 359-363.	4.1	17
293	Comparison Between Endoscope-assisted Partial Mastectomy With Filling of Dead Space Using Absorbable Mesh and Conventional Conservative Method on Cosmetic Outcome in Patients With Stage I or II Breast Cancer. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2012, 22, 68-72.	0.8	16
294	Psychotic-like experiences and disordered eating in the English general population. Psychiatry Research, 2016, 241, 26-34.	3.3	16
295	Comparison of the indocyanine green dye method versus the combined method of indigo carmine blue dye with indocyanine green fluorescence imaging for sentinel lymph node biopsy in breast conservative therapy for stage â‰#A breast cancer. BMC Women's Health, 2018, 18, 151.	2.0	16
296	Attentionâ€deficit/hyperactivity disorder symptoms and suicidal behavior in adult psychiatric outpatients. Psychiatry and Clinical Neurosciences, 2018, 72, 713-722.	1.8	16
297	Physical activity and sleep problems in 38 low- and middle-income countries. Sleep Medicine, 2018, 48, 140-147.	1.6	16
298	Estimating the COVID-19 Spread Through Real-time Population Mobility Patterns: Surveillance in Lowand Middle-Income Countries. Journal of Medical Internet Research, 2021, 23, e22999.	4.3	16
299	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 123.	4.6	16
300	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. Journal of Psychiatric Research, 2021, 144, 45-53.	3.1	16
301	Binge Drinking and Eating Problems in Russian Adolescents. Alcoholism: Clinical and Experimental Research, 2015, 39, 540-547.	2.4	15
302	Weight Perception, Satisfaction, Control, and Low Energy Dietary Reporting in the US Adult Population: Results from the National Health and Nutrition Examination Survey 2007-2012. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 579-589.	0.8	15
303	Correlates of physical activity among depressed older people in six lowâ€income and middleâ€income countries: A communityâ€based crossâ€sectional study. International Journal of Geriatric Psychiatry, 2018, 33, e314-e322.	2.7	15
304	Different patterns of alcohol consumption and the incidence and persistence of depressive and anxiety symptoms among older adults in Ireland: A prospective community-based study. Journal of Affective Disorders, 2018, 238, 651-658.	4.1	15
305	Human Immunodeficiency Virus Infection and Diverse Physical Health Outcomes: An Umbrella Review of Meta-analyses of Observational Studies. Clinical Infectious Diseases, 2020, 70, 1809-1815.	5.8	15
306	Self-reported and activPAL TM -monitored physical activity and sedentary behaviour in college students: Not all sitting behaviours are linked to perceived stress and anxiety. Journal of Sports Sciences, 2020, 38, 1566-1574.	2.0	15

#	Article	IF	CITATIONS
307	Discrimination and Multimorbidity Among Black Americans: Findings from the National Survey of American Life. Journal of Racial and Ethnic Health Disparities, 2021, 8, 210-219.	3.2	15
308	Physical activity correlates in people with anxiety: Data from 46 low- and middle-income countries. General Hospital Psychiatry, 2017, 49, 26-31.	2.4	14
309	Pain and severe sleep disturbance in the general population: Primary data and meta-analysis from 240,820 people across 45 low- and middle-income countries. General Hospital Psychiatry, 2018, 53, 52-58.	2.4	14
310	Associations Between Multiple Leisure Activities, Mental Health and Substance Use Among Adolescents in Denmark: A Nationwide Cross-Sectional Study. Frontiers in Behavioral Neuroscience, 2020, 14, 593340.	2.0	14
311	Social networks and mental health in post-conflict Mitrovica, Kosova. BMC Public Health, 2014, 14, 1169.	2.9	13
312	Trends in HIV/AIDS morbidity and mortality in Eastern Mediterranean countries, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 123-136.	2.3	13
313	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSAâ€Brasil. Acta Psychiatrica Scandinavica, 2019, 140, 552-562.	4.5	13
314	Associations between sexual activity and weight status: Findings from the English Longitudinal Study of Ageing. PLoS ONE, 2019, 14, e0221979.	2.5	13
315	Formal Volunteer Activity and Psychological Flourishing in Scandinavia: Findings from Two Cross-sectional Rounds of the European Social Survey. Social Currents, 2019, 6, 255-269.	1.3	13
316	Major discriminatory events and suicidal thoughts and behaviors amongst Black Americans: Findings from the National Survey of American Life. Journal of Affective Disorders, 2020, 263, 47-53.	4.1	13
317	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. Journal of Affective Disorders, 2020, 263, 252-257.	4.1	13
318	Temporal trends in leisure-time sedentary behavior among adolescents aged 12-15 years from 26 countries in Asia, Africa, and the Americas. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 102.	4.6	13
319	Associations between self-reported physical activity and oral health: a cross-sectional analysis in 17,777 Spanish adults. British Dental Journal, 2020, 228, 361-365.	0.6	13
320	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). Journal of Affective Disorders, 2020, 271, 39-48.	4.1	13
321	Moving more, ageing happy: findings from six low- and middle-income countries. Age and Ageing, 2021, 50, 488-497.	1.6	13
322	Relationship between sexual orientation and psychotic experiences in the general population in England. Psychological Medicine, 2021, 51, 138-146.	4.5	13
323	Mild cognitive impairment is associated with fall-related injury among adults aged ≥65Âyears in lowand middle-income countries. Experimental Gerontology, 2021, 146, 111222.	2.8	13
324	COVID-19 Infection and Psychotic Experiences: FindingsÂFrom the Healthy Minds Study 2020. Biological Psychiatry Global Open Science, 2021, 1, 310-316.	2.2	13

#	Article	IF	Citations
325	Economic strain, parental education and psychotic experiences among college students in the United States: Findings from the Healthy Minds Study 2020. Microbial Biotechnology, 2022, 16, 770-781.	1.7	13
326	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. International Journal of Environmental Research and Public Health, 2021, 18, 138.	2.6	13
327	Association of multimorbidity with higher levels of urinary incontinence: a cross-sectional study of 23 089 individuals aged ≥15 years residing in Spain. British Journal of General Practice, 2021, 71, e71-e77.	1.4	13
328	Genome Editing Using CRISPR-Cas9 and Autoimmune Diseases: A Comprehensive Review. International Journal of Molecular Sciences, 2022, 23, 1337.	4.1	13
329	Criminal victimisation and health: Examining the relation in nine countries ofÂtheÂformer Soviet Union. Social Science and Medicine, 2013, 91, 76-83.	3.8	12
330	Subclinical psychosis and pain in an English national sample: The role of common mental disorders. Schizophrenia Research, 2016, 175, 209-215.	2.0	12
331	The association between Act-Belong-Commit indicators and problem drinking among older Irish adults: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). Drug and Alcohol Dependence, 2017, 180, 323-331.	3.2	12
332	Burden of diarrhea in the Eastern Mediterranean Region, 1990–2015: Findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 109-121.	2.3	12
333	The association between diabetes and cataract among 42,469 community-dwelling adults in six lowand middle-income countries. Diabetes Research and Clinical Practice, 2019, 147, 102-110.	2.8	12
334	Effect of lowâ€dose aspirin on health outcomes: An umbrella review of systematic reviews and metaâ€analyses. British Journal of Clinical Pharmacology, 2020, 86, 1465-1475.	2.4	12
335	Genetic variations in MicroRNA genes and cancer risk: A field synopsis and metaâ€analysis. European Journal of Clinical Investigation, 2020, 50, e13203.	3.4	12
336	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. Preventive Medicine, 2020, 132, 106007.	3.4	12
337	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15 years from 54 low― and middleâ€income countries. Pediatric Obesity, 2021, 16, e12700.	2.8	12
338	Health Conditions and Psychotic Experiences: Cross-Sectional Findings From the American Life Panel. Frontiers in Psychiatry, 2020, 11, 612084.	2.6	12
339	Cumulative risk of compromised physical, mental and social health in adulthood due to family conflict and financial strain during childhood: a retrospective analysis based on survey data representative of 19 European countries. BMJ Global Health, 2021, 6, e004144.	4.7	12
340	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12–15 years from sixty-eight countries. British Journal of Nutrition, 2022, 127, 470-477.	2.3	12
341	Loneliness and psychotic experiences among US university students: Findings from the Healthy Minds Study 2020. Psychiatry Research, 2022, 308, 114362.	3.3	12
342	Predictive Value of Weight Loss on Mortality of HIV-Positive Mothers in a Prolonged Breastfeeding Setting. AIDS Research and Human Retroviruses, 2011, 27, 1141-1148.	1.1	11

#	Article	IF	Citations
343	Correlates of Weapon Carrying in School among Adolescents in Three Countries. American Journal of Health Behavior, 2015, 39, 99-108.	1.4	11
344	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. Journal of Affective Disorders, 2017, 212, 10-16.	4.1	11
345	Lifetime self-reported arthritis is associated with elevated levels of mental health burden: A multi-national cross sectional study across 46 low- and middle-income countries. Scientific Reports, 2017, 7, 7138.	3.3	11
346	Comparison of clinical outcomes with orodispersible versus standard oral olanzapine tablets in nonadherent patients with schizophrenia or bipolar disorder. Patient Preference and Adherence, 2017, Volume 11, 1019-1025.	1.8	11
347	Physical activity correlates in people with mild cognitive impairment: findings from six low- and middle-income countries. Public Health, 2018, 156, 15-25.	2.9	11
348	Mitochondrial genetic haplogroups and incident obesity: a longitudinal cohort study. European Journal of Clinical Nutrition, 2018, 72, 587-592.	2.9	11
349	Association between intelligence quotient and violence perpetration in the English general population. Psychological Medicine, 2019, 49, 1316-1323.	4.5	11
350	Association between cannabis use and sexual behavior among adolescents aged 12–15†years in 21 lowand middle-income countries. Addictive Behaviors, 2019, 99, 106073.	3.0	11
351	Mitochondrial genetic haplogroups and cardiovascular diseases: Data from the Osteoarthritis Initiative. PLoS ONE, 2019, 14, e0213656.	2.5	11
352	Acculturative stress, disability, and health treatment utilization among Asian and Latin American immigrants in the United States. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1275-1284.	3.1	11
353	Visual, hearing, and dual sensory impairment are associated with higher depression and anxiety in women. International Journal of Geriatric Psychiatry, 2021, 36, 1378-1385.	2.7	11
354	Global, regional, and national burden of aortic aneurysm, 1990–2017: a systematic analysis of the Global Burden of Disease Study 2017. European Journal of Preventive Cardiology, 2022, 29, 1220-1232.	1.8	11
355	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. Clinical Gastroenterology and Hepatology, 2021, 19, 1970-1972.e3.	4.4	11
356	Induction and Maintenance Treatment of Lupus Nephritis: A Comprehensive Review of Meta-Analyses. Journal of Clinical Medicine, 2022, 11, 343.	2.4	11
357	Vaccine strategy against COVID-19 with a focus on the Omicron and stealth Omicron variants: Life Cycle Committee Recommendations., 0, 2, .		11
358	Post-COVID-19 conditions in children and adolescents diagnosed with COVID-19. Pediatric Research, 2024, 95, 182-187.	2.3	11
359	Peer victimisation and its association with psychological and somatic health problems among adolescents in northern Russia. Child and Adolescent Psychiatry and Mental Health, 2013, 7, 15.	2.5	10
360	Is smoking tobacco associated with psychotic experiences across racial categories in the United States? Findings from the Collaborative Psychiatric Epidemiological Surveys. Psychiatry Research, 2016, 246, 58-61.	3.3	10

#	Article	IF	CITATIONS
361	Correlates of physical activity among community-dwelling individuals aged 65 years or older with anxiety in six low- and middle-income countries. International Psychogeriatrics, 2018, 30, 705-714.	1.0	10
362	Mental Disorders, Musculoskeletal Disorders and Income-Driven Patterns: Evidence from the Global Burden of Disease Study 2017. Journal of Clinical Medicine, 2020, 9, 2189.	2.4	10
363	Perceived skin tone discrimination and psychotic experiences among Black Americans: Findings from the National Survey of American Life. Schizophrenia Research, 2021, 228, 541-546.	2.0	10
364	Multidimensional frailty increases cardiovascular risk in older people: An 8-year longitudinal cohort study in the Osteoarthritis Initiative. Experimental Gerontology, 2021, 147, 111265.	2.8	10
365	Prevalence of and factors associated with COVID-19 diagnosis in symptomatic patients followed in general practices in Germany between March 2020 and March 2021. International Journal of Infectious Diseases, 2021, 111, 37-42.	3.3	10
366	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged ≥50 years from low―and middle―income countries. Depression and Anxiety, 2022, 39, 376	5-386.	10
367	Association of food insecurity with suicidal ideation and suicide attempts in adults aged ≥50Âyears from low- and middle-income countries. Journal of Affective Disorders, 2022, 309, 446-452.	4.1	10
368	Prevalence of and Factors Associated With Post-Coronavirus Disease 2019 (COVID-19) Condition in the 12 Months After the Diagnosis of COVID-19 in Adults Followed in General Practices in Germany. Open Forum Infectious Diseases, 2022, 9 , .	0.9	10
369	Interventions for improving outcomes for pregnant women who have experienced genital cutting. The Cochrane Library, 2013, , CD009872.	2.8	9
370	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. Experimental Gerontology, 2016, 76, 39-45.	2.8	9
371	Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 47-61.	2.3	9
372	Sociodemographic and behavioural correlates of lifetime number of sexual partners: findings from the English Longitudinal Study of Ageing. BMJ Sexual and Reproductive Health, 2019, 45, 138-146.	1.7	9
373	Urban upbringing and psychotic experiences in the United States: A racial and geographic comparison. Psychiatry Research, 2020, 293, 113372.	3.3	9
374	Relationship between multidimensional prognostic index and incident depressive symptoms in older people: Findings from the Irish Longitudinal Study on Ageing. International Journal of Geriatric Psychiatry, 2020, 35, 1097-1104.	2.7	9
375	Associations between mental and oral health in Spain: a cross-sectional study of more than 23,000 people aged 15 years and over. Journal of Affective Disorders, 2020, 274, 67-72.	4.1	9
376	Physical Activity is Associated With Fewer Subjective Cognitive Complaints in 47 Low- and Middle-Income Countries. Journal of the American Medical Directors Association, 2020, 21, 1423-1429.e2.	2.5	9
377	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. Maturitas, 2021, 143, 157-164.	2.4	9
378	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. International Journal of Sexual Health, 2021, 33, 88-98.	2.3	9

#	Article	IF	CITATIONS
379	Public Interest in Immunity and the Justification for Intervention in the Early Stages of the COVID-19 Pandemic: Analysis of Google Trends Data. Journal of Medical Internet Research, 2021, 23, e26368.	4.3	9
380	Social environmental impact of COVID-19 and erectile dysfunction: an explorative review. Journal of Endocrinological Investigation, 2022, 45, 483-487.	3.3	9
381	Sleep problems and mild cognitive impairment among adults aged ≥50Âyears from low- and middle-income countries. Experimental Gerontology, 2021, 154, 111513.	2.8	9
382	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany. Journal of Psychiatric Research, 2022, 147, 79-84.	3.1	9
383	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. Maturitas, 2022, 160, 23-31.	2.4	9
384	The global burden of sudden infant death syndrome from 1990 to 2019: a systematic analysis from the Global Burden of Disease study 2019. QJM - Monthly Journal of the Association of Physicians, 2022, 115, 735-744.	0.5	9
385	Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. Mental Health and Prevention, 2022, 26, 200233.	1.3	9
386	Global burden of disease study at the world health organization: research methods for the most comprehensive global study of disease and underlying health policies. , 0, 2, .		9
387	Crime and subjective well-being in the countries of the former Soviet Union. BMC Public Health, 2015, 15, 1010.	2.9	8
388	Birthdays are associated with an increased risk of suicide in Japan: Evidence from 27,007 deaths in Tokyo in 2001–2010. Journal of Affective Disorders, 2016, 200, 259-265.	4.1	8
389	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. Psychiatry Research, 2018, 261, 406-413.	3.3	8
390	Aspirin and incident depressive symptoms: A longitudinal cohort study over 8Âyears. International Journal of Geriatric Psychiatry, 2018, 33, e193-e198.	2.7	8
391	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. International Journal of Eating Disorders, 2018, 51, 942-952.	4.0	8
392	Childhood Hunger and Thoughts of Death or Suicide in Older Adults. American Journal of Geriatric Psychiatry, 2018, 26, 1070-1078.	1.2	8
393	Psychotic experiences in the context of mood and anxiety disorders and their associations with health outcomes among people of color in the United States. Journal of Psychosomatic Research, 2019, 118, 27-33.	2.6	8
394	Correlates of sedentary behavior in middle-aged and old age people with mild cognitive impairment: a multinational study. International Psychogeriatrics, 2019, 31, 579-589.	1.0	8
395	Objectively measured far vision impairment and sarcopenia among adults aged ≥ 65Âyears from six lo and middle-income countries. Aging Clinical and Experimental Research, 2021, 33, 2995-3003.)w- 2.9	8
396	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged ≥50 years in low/middle-income countries. British Journal of Ophthalmology, 2022, 106, 1610-1616.	3.9	8

#	Article	IF	Citations
397	Participation in social leisure activities may benefit mental health particularly among individuals that lack social connectedness at work or school. Mental Health and Social Inclusion, 2021, 25, 341-351.	0.6	8
398	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. Journal of Alzheimer's Disease, 2021, 82, 1745-1754.	2.6	8
399	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. Frontiers in Psychology, 2020, 11, 627980.	2.1	8
400	Longitudinal association between perceived stress and depression among community-dwelling older adults: Findings from the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2022, 299, 457-462.	4.1	8
401	Lower Limb Muscle Strength and Muscle Mass Are Associated With Incident Symptomatic Knee Osteoarthritis: A Longitudinal Cohort Study. Frontiers in Endocrinology, 2021, 12, 804560.	3.5	8
402	What do we really know about adult mortality worldwide?. Lancet, The, 2010, 375, 1668-1670.	13.7	7
403	Male solitary drinking and hazardous alcohol use in nine countries of the former Soviet Union. Drug and Alcohol Dependence, 2015, 150, 105-111.	3.2	7
404	Determinants of the components of arterial pressure among older adults – The role of anthropometric and clinical factors: A multi-continent study. Atherosclerosis, 2015, 238, 240-249.	0.8	7
405	Physical activity correlates in heavy episodic drinkers: Data from 46 low- and middle-income countries. Mental Health and Physical Activity, 2017, 13, 163-170.	1.8	7
406	Cannabis use and physical activity among 89,777 adolescents aged 12-15 years from 21 low- and middle-income countries. Drug and Alcohol Dependence, 2019, 205, 107584.	3.2	7
407	Physical injury and depression in six low- and middle-income countries: A nationally representative study. Journal of Affective Disorders, 2019, 248, 99-107.	4.1	7
408	ADHD and depressive symptoms in adolescents: the role of community violence exposure. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 683-691.	3.1	7
409	Correlates of sedentary behavior among community-dwelling adults with anxiety in six low- and middle-income countries. Psychiatry Research, 2019, 273, 501-508.	3.3	7
410	Serious physical injury and depressive symptoms among adolescents aged 12–15 years from 21 low- and middle-income countries. Journal of Affective Disorders, 2020, 264, 172-180.	4.1	7
411	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12–15ÂYears From 53 Countries: A Global Perspective. Journal of Sexual Medicine, 2020, 17, 2148-2155.	0.6	7
412	Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. Brain Sciences, 2020, 10, 692.	2.3	7
413	Violence and obesogenic behavior among adolescents aged 12–15Âyears from 62 countries: A global perspective. Preventive Medicine, 2020, 137, 106123.	3.4	7
414	Cross-sectional associations between angiotensin-converting enzyme inhibitor use and cancer diagnosis in US adults. Clinical and Experimental Medicine, 2020, 20, 409-416.	3.6	7

#	Article	IF	Citations
415	Chocolate Consumption and Indicators of Adiposity in US Adults. American Journal of Medicine, 2020, 133, 1082-1087.	1.5	7
416	The association between objective vision impairment and mild cognitive impairment among older adults in low- and middle-income countries. Aging Clinical and Experimental Research, 2021, 33, 2695-2702.	2.9	7
417	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. Public Health, 2021, 193, 76-82.	2.9	7
418	Multimorbidity and Subjective Cognitive Complaints: Findings from 48 Low- and Middle-Income Countries of the World Health Survey 2002–2004. Journal of Alzheimer's Disease, 2021, 81, 1737-1747.	2.6	7
419	Physical multimorbidity and incident urinary incontinence among community-dwelling adults aged ≥50Âyears: findings from a prospective analysis of the Irish Longitudinal Study on Ageing. Age and Ageing, 2021, 50, 2038-2046.	1.6	7
420	Association between type 2 diabetes and chronic low back pain in general practices in Germany. BMJ Open Diabetes Research and Care, 2021, 9, e002426.	2.8	7
421	Mental health economics: A prospective study on psychological flourishing and associations with healthcare costs and sickness benefit transfers in Denmark. Mental Health and Prevention, 2021, 24, 200222.	1.3	7
422	Association between food insecurity and fall-related injury among adults aged ≥65 years in low- and middle-income countries: The role of mental health conditions. Archives of Gerontology and Geriatrics, 2021, 96, 104438.	3.0	7
423	The Impact of Pharmacological and Non-Pharmacological Interventions to Improve Physical Health Outcomes in People With Schizophrenia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. Focus (American Psychiatric Publishing), 2021, 19, 116-128.	0.8	7
424	Mitochondrial genetic haplogroups and depressive symptoms: A large study among people in North America. Journal of Affective Disorders, 2017, 217, 55-59.	4.1	6
425	Child death and maternal psychosis-like experiences in 44 low- and middle-income countries: The role of depression. Schizophrenia Research, 2017, 183, 41-46.	2.0	6
426	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. Schizophrenia Research, 2018, 201, 79-84.	2.0	6
427	Psychotic experiences as an independent risk factor for angina pectoris in 48 low―and middle―ncome countries. World Psychiatry, 2018, 17, 232-234.	10.4	6
428	Sedentary behaviour and chronic stress in old age: A cross-sectional analysis of TV viewing and hair cortisol concentrations. Psychoneuroendocrinology, 2019, 109, 104375.	2.7	6
429	Dietary Protein Intake and Falls in Older People: Longitudinal Analyses From the Osteoarthritis Initiative. Journal of the American Medical Directors Association, 2019, 20, 1623-1627.	2.5	6
430	Association between intelligence quotient and disability: The role of socioeconomic status. Annals of Physical and Rehabilitation Medicine, 2020, 63, 296-301.	2.3	6
431	Urban birth and psychotic experiences in the United States. Acta Psychiatrica Scandinavica, 2020, 141, 167-169.	4.5	6
432	Relationship between physical conditions and attempted or completed suicide in more than 9,300 individuals from the United Kingdom: a case-control study. Journal of Affective Disorders, 2020, 274, 457-463.	4.1	6

#	Article	IF	Citations
433	A Multicountry Study of the Violence-Related Risk Factors for Early Sexual Debut and Risky Sexual Behavior in Adolescents. Journal of Interpersonal Violence, 2020, , 088626052092750.	2.0	6
434	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. Eye, 2021, 35, 791-798.	2.1	6
435	Childhood adversities, late-life stressors and the onset of depressive symptoms in community-dwelling older adults. Aging and Mental Health, 2022, 26, 828-833.	2.8	6
436	Is There an Association Between Self-Reported Physical Activity and Self-Rated Vision Over Time? Results From the Irish Longitudinal Study of Ageing. Journal of Aging and Physical Activity, 2020, 28, 774-781.	1.0	6
437	Sleep duration and sarcopenia in adults aged ≥ 65Âyears from low and middle-income countries. Agir Clinical and Experimental Research, 2022, 34, 1573-1581.	1g 2.9	6
438	Psychotic-like experiences and happiness in the English general population. Journal of Affective Disorders, 2017, 222, 211-217.	4.1	5
439	Correlates of Physical Activity Among Middle-Aged and Older Adults With Hazardous Drinking Habits in Six Low- and Middle-Income Countries. Journal of Aging and Physical Activity, 2018, 26, 589-598.	1.0	5
440	Attention-deficit/hyperactivity disorder symptoms and happiness among adults in the general population. Psychiatry Research, 2018, 265, 317-323.	3.3	5
441	Psychotic experiences and accidents, injuries, and poisonings among adults in the United States. Psychiatry Research, 2019, 282, 112610.	3.3	5
442	Vasculitis and crescentic glomerulonephritis in a newly established congenic mouse strain derived from ANCA-associated vasculitis-prone SCG/Kj mice. Autoimmunity, 2019, 52, 208-219.	2.6	5
443	Perceived discrimination and psychological distress in nine countries of the former Soviet Union. International Journal of Social Psychiatry, 2019, 65, 158-168.	3.1	5
444	Attention-deficit/hyperactivity disorder symptoms and perceived mental health discrimination in adults in the general population. European Psychiatry, 2019, 56, 91-96.	0.2	5
445	The relationship of childhood sexual and physical abuse with adulthood disability. Annals of Physical and Rehabilitation Medicine, 2020, 63, 332-339.	2.3	5
446	Physical injury and psychotic experiences in 48 low- and middle-income countries. Psychological Medicine, 2020, 50, 2751-2758.	4.5	5
447	Sedentary behaviours and cognitive function among community dwelling adults aged 50+Âyears: Results from the Irish longitudinal study of ageing. Mental Health and Physical Activity, 2020, 19, 100344.	1.8	5
448	Psychotic experiences as a health indicator: A provisional framework. International Journal of Social Psychiatry, 2021, , 002076402199280.	3.1	5
449	Association between skin disorders and depression in children and adolescents: A retrospective case-control study. Journal of Affective Disorders, 2021, 282, 939-944.	4.1	5
450	Hearing impairment and diverse health outcomes. Wiener Klinische Wochenschrift, 2021, 133, 1028-1041.	1.9	5

#	Article	IF	Citations
451	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from lowand middle-income countries. Journal of Affective Disorders, 2021, 291, 57-64.	4.1	5
452	Association between age of first exposure and heavy internet use in a representative sample of 317,443 adolescents from 52 countries. European Child and Adolescent Psychiatry, 2023, 32, 395-403.	4.7	5
453	Flourishing and psychotic experiences among college students in the United States: findings from the healthy minds study 2020. Journal of Positive Psychology, 2022, 17, 754-759.	4.0	5
454	Stigma associated with the labeling of schizophrenia, depression, and hikikomori in Japan Stigma and Health, 2020, 5, 472-476.	1.7	5
455	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany. International Archives of Occupational and Environmental Health, 2022, 95, 1549-1556.	2.3	5
456	Association between incarceration and psychotic experiences in a general population sample. Schizophrenia Research, 2022, 243, 112-117.	2.0	5
457	Gender Differences in the Association Between Cataract and Mental Health in Adults With Diabetes: A Cross-Sectional Analysis From the Spanish National Health Survey 2017. Frontiers in Public Health, 2021, 9, 769155.	2.7	5
458	Environmental risk factors, protective factors, and biomarkers for postpartum depressive symptoms: an umbrella review. Neuroscience and Biobehavioral Reviews, 2022, 140, 104761.	6.1	5
459	Criminal victimization and psychotic experiences: crossâ€sectional associations in 35 low―and middle―ncome countries. Acta Psychiatrica Scandinavica, 2018, 138, 44-54.	4.5	4
460	Psychotic experiences and religiosity: Findings from the collaborative psychiatric epidemiological surveys. Schizophrenia Research, 2018, 201, 435-436.	2.0	4
461	Psychotic experiences as indicators of risk for cardiovascular disease. Schizophrenia Research, 2018, 202, 281-283.	2.0	4
462	Leisure-Time Sedentary Behavior, Alcohol Consumption, and Sexual Intercourse Among Adolescents Aged 12-15 Years in 19 Countries From Africa, the Americas, and Asia. Journal of Sexual Medicine, 2019, 16, 1355-1363.	0.6	4
463	Syndemic effects of HIV risk behaviours: results from the NHANES study. Epidemiology and Infection, 2019, 147, e241.	2.1	4
464	Perceived discrimination and psychotic experiences in the English general population. European Psychiatry, 2019, 62, 50-57.	0.2	4
465	Angiotensin-Converting Enzyme Inhibitor Use and Incident Frailty: A Longitudinal Cohort Study. Drugs and Aging, 2019, 36, 387-393.	2.7	4
466	Prospective associations between alcohol use, binge drinking and sexual activity in older adults: the English Longitudinal Study Of Ageing. Psychology and Sexuality, 2021, 12, 193-201.	1.9	4
467	Violence victimization and suicide attempts among adolescents aged 12–15Âyears from thirty-eight low- and middle-income countries. General Hospital Psychiatry, 2020, 66, 147-153.	2.4	4
468	Socioeconomic inequality in the risk of intentional injuries among adolescents: a cross-sectional analysis of 89 countries. Injury Prevention, 2021, 27, injuryprev-2020-043905.	2.4	4

#	Article	IF	Citations
469	Urban upbringing and psychiatric disorders in the United States: A racial comparison. International Journal of Social Psychiatry, 2021, 67, 307-314.	3.1	4
470	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. Journal of Clinical Medicine, 2021, 10, 1243.	2.4	4
471	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. European Journal of Public Health, 2021, 31, 835-840.	0.3	4
472	Association between physical activity and leisure-time sedentary behavior among 140,808 adolescents aged 12 to 15 from 47 low- and middle-income countries. Public Health, 2021, 199, 1-9.	2.9	4
473	Sex-Differential Associations Between Body Mass Index and the Incidence of Dementia. Journal of Alzheimer's Disease, 2022, 88, 631-639.	2.6	4
474	Close Relationships Matter: Family Well-being and its Effects on Health in Russia. Europe-Asia Studies, 2015, 67, 1635-1655.	0.5	3
475	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. Experimental Gerontology, 2018, 106, 137-144.	2.8	3
476	Evaluating the Clinical Relevance of Psychotic Experiences in Low- and Middle-Income Countries. Schizophrenia Bulletin, 2018, 44, 1167-1169.	4.3	3
477	Attention-Deficit/Hyperactivity Disorder Symptoms and Community Violence Exposure in Russian Adolescents. Journal of Interpersonal Violence, 2021, 36, NP9738-NP9756.	2.0	3
478	Do Older People with Diabetes Meet the Recommended Weekly Physical Activity Targets? An Analysis of Objective Physical Activity Data. International Journal of Environmental Research and Public Health, 2019, 16, 2489.	2.6	3
479	Secondhand Smoking and Obesity Among Nonsmoking Adolescents Aged 12–15 Years From 38 Low- and Middle-Income Countries. Nicotine and Tobacco Research, 2020, 22, 2014-2021.	2.6	3
480	Ipsilateral breast tumor control following hypofractionated and conventional fractionated whole-breast irradiation for early breast cancer: a long-term follow-up. Breast Cancer, 2021, 28, 92-98.	2.9	3
481	Physical activity and visual difficulties in 36 low- and middle-income countries. Eye, 2022, 36, 585-593.	2.1	3
482	Multimorbidity and Anxiety Symptoms among Adults Aged 50 Years and Over from Six Low- and Middle-Income Countries. Journal of Ageing and Longevity, 2021, 1, 36-47.	0.6	3
483	Body Mass Index and Mild Cognitive Impairment Among Middle-Aged and Older Adults from Low- and Middle-Income Countries. Journal of Alzheimer's Disease, 2022, 85, 1095-1105.	2.6	3
484	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2022, 309, 71-76.	4.1	3
485	The association of cooking fuels with depression and anxiety symptoms among adults aged ≥65Âyears from low- and middle-income countries. Journal of Affective Disorders, 2022, 311, 494-499.	4.1	3
486	Association between depression and subjective cognitive complaints in 47 low- and middle-income countries. Journal of Psychiatric Research, 2022, 154, 28-34.	3.1	3

#	Article	IF	CITATIONS
487	Postpartum Plasma CD4 Change in HIV-Positive Women: Implications for Timing of HAART Initiation. AIDS Research and Human Retroviruses, 2010, 26, 547-552.	1.1	2
488	Pregnant and peripartum women are not at increased risk for psychotic experiences at the population level: Evidence from 46 countries. Schizophrenia Research, 2016, 174, 202-203.	2.0	2
489	Cannabis use and leisure-time sedentary behavior among 94,035 adolescents aged 12–15†years from 24 low- and middle-income countries. Addictive Behaviors, 2019, 99, 106104.	3.0	2
490	Sexual Activity in Older Adults with Visual Impairment: Findings from the English Longitudinal Study of Ageing. Sexuality and Disability, 2019, 37, 475-487.	1.0	2
491	Injury and depression among 212 039 individuals in 40 low- and middle-income countries. Epidemiology and Psychiatric Sciences, 2020, 29, e32.	3.9	2
492	Psychotic experiences and psychiatric treatment utilization in Buenos Aires. International Journal of Social Psychiatry, 2020, 66, 344-348.	3.1	2
493	Predictors of physical activity recording in routine mental healthcare. Mental Health and Physical Activity, 2020, 18, 100329.	1.8	2
494	Association between Arthritis and Migraine: A US Nationally Representative Study Including 2649 Adults. Journal of Clinical Medicine, 2021, 10, 342.	2.4	2
495	Is there an association between multiple sclerosis and osteoarthritis in Germany? A retrospective cohort study of 8,600 patients from Germany. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2021, 7, 205521732110227.	1.0	2
496	Association between inflammatory central nervous system diseases and epilepsy: A retrospective cohort study of 4252 patients in Germany. Epilepsy and Behavior, 2021, 117, 107879.	1.7	2
497	Association of objective and subjective far vision impairment with perceived stress among older adults in six low- and middle-income countries. Eye, 2022, 36, 1274-1280.	2.1	2
498	Ten-year follow up of cosmetic outcome, overall survival, and disease-free survival in endoscope-assisted partial mastectomy with filling of dead space using absorbable mesh for stage â‰ ≇ €‰IIA breast cancer: comparison with conventional conservative method. BMC Women's Health, 2021, 21, 253.	2.0	2
499	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. BMC Medical Informatics and Decision Making, 2021, 21, 241.	3.0	2
500	Challenging leisure activities and mental health: are they more beneficial for some people than for others?. Mental Health and Social Inclusion, 2022, 26, 34-46.	0.6	2
501	A case of intrathyroid parathyroid tumor that was difficult to diagnose by ultrasonography. Ultrasound Journal, 2020, 12, 17.	3.3	2
502	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. Journal of Affective Disorders, 2022, 298, 532-539.	4.1	2
503	The Association of Objective and Subjective Vision Impairment With Self-Reported Time Spent in Sedentary Behaviors in Low- and Middle-Income Countries. Journal of Physical Activity and Health, 2022, 19, 47-55.	2.0	2
504	Clinical significance of hepatosplenic thrombosis in vaccine-induced immune thrombotic thrombocytopenia after ChAdOx1 nCoV-19 vaccination. International Journal of Infectious Diseases, 2022, 116, 114-121.	3.3	2

#	Article	IF	Citations
505	Predictors of falls and fractures leading to hospitalisation in 36 101 people with affective disorders: a large representative cohort study. BMJ Open, 2022, 12, e055070.	1.9	2
506	Changes in out-of-pocket payments on utilisation of health care services. The Cochrane Library, 0, , .	2.8	1
507	Obstetric anal sphincter injury: a clinical audit. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 1152-1153.	2.3	1
508	An accessory thyroid gland that presented tumor-like images. Journal of Medical Ultrasonics (2001), 2013, 40, 163-168.	1.3	1
509	Mental health among older Irish adults: Act-Belong-Commit indicators promote subjective wellbeing. European Journal of Public Health, 2017, 27, .	0.3	1
510	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. Schizophrenia Research, 2018, 201, 406-412.	2.0	1
511	General thoughts of death and mortality: findings from the Komo-Ise cohort, Japan. Epidemiology and Psychiatric Sciences, 2019, 28, 662-669.	3.9	1
512	Attention deficit/hyperactivity disorder and future expectations in Russian adolescents. ADHD Attention Deficit and Hyperactivity Disorders, 2019, 11, 279-287.	1.7	1
513	Prospective associations of cardiovascular disease with physical performance and disability. Wiener Klinische Wochenschrift, 2020, 132, 73-78.	1.9	1
514	Association between intelligence quotient and obesity in England. Lifestyle Medicine, 2020, 1, e11.	0.8	1
515	Associations in physical activity and sedentary behaviour among the immigrant and non-immigrant US population. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-213754.	3.7	1
516	Immigrant status and psychotic experiences in the United States: revisiting an immigrant paradox. Psychological Medicine, 2021 , , $1-3$.	4.5	1
517	Association between sexual orientation and subjective cognitive complaints in the general population in England. Journal of Psychiatric Research, 2021, 136, 1-6.	3.1	1
518	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. Oral, 2021, 1, 281-289.	0.6	1
519	Association between diabetes and edentulism and their joint effects on health status in 40 low and middle-income countries. BMJ Open Diabetes Research and Care, 2021, 9, e002514.	2.8	1
520	Body mass index categories and anxiety symptoms among adults aged ≥â€⁻50Âyears from low and middle income countries. Wiener Klinische Wochenschrift, 2021, , 1.	1.9	1
521	A Case of Untreated Myeloid Sarcoma of the Pancreas Head Region: Diagnostic Process of AML Subtyping in an Autoptic Case. Case Reports in Pathology, 2021, 2021, 1-7.	0.3	1
522	Psychotic experiences, sexual minority status, and suicidal behavior among young adult college students in the United States. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1925-1929.	3.1	1

#	Article	IF	CITATIONS
523	The mental and physical health correlates of psychotic experiences among US college students: Findings from the Healthy Mind Study 2020. Journal of American College Health, 2022, , 1-7.	1.5	1
524	Urbanicity and Psychosis—Reply. JAMA Psychiatry, 2018, 75, 1301.	11.0	0
525	Allergies, infections, and psychiatric disorders among Black Americans: findings from the National Survey of American Life. Ethnicity and Health, 2022, 27, 74-82.	2.5	O
526	Body Mass Index May Explain Some (But Not All) of the Association Between Declines in Sexual Activity and Incident Health Problems in Older Adults: Reply to Mullie (2019). Archives of Sexual Behavior, 2020, 49, 33-35.	1.9	0
527	Chronic skin disease and levels of physical activity in 17Â777 Spanish adults: a crossâ€sectional study. Clinical and Experimental Dermatology, 2021, 46, 516-524.	1.3	0
528	Sexual Orientation and Functional Limitations: Cross-sectional Analyses From the Adult Psychiatric Morbidity Survey. Archives of Physical Medicine and Rehabilitation, 2021, 102, 2117-2124.	0.9	0
529	Reply to Yi M et al. Advances in Nutrition, 2021, 12, 1595-1596.	6.4	0
530	Endoscope-Assisted Partial Mastectomy. , 2016, , 55-61.		0
531	Changes in out-of-pocket payments on utilisation of health care services. The Cochrane Library, 0, , .	2.8	0
532	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. Aging Clinical and Experimental Research, 2022, , 1.	2.9	0
533	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany. Journal of Psychiatric Research, 2022, 146, 87-91.	3.1	0
534	Psychotic experiences among informal caregivers: findings from 48 low- and middle-income countries. Social Psychiatry and Psychiatric Epidemiology, 0, , .	3.1	0
535	Illicit and prescription drug use and psychotic experiences among university students in the United States. Journal of Substance Use, 2023, 28, 797-802.	0.7	0
536	Physical multimorbidity and wish to die among adults aged ≥65Âyears: A cross-sectional analysis of the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2022, 313, 263-269.	4.1	0