

Ai Koyanagi

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/6972295/publications.pdf](https://exaly.com/author-pdf/6972295/publications.pdf)

Version: 2024-02-01

555
papers

103,184
citations

4067

89
h-index

265

297
g-index

577
all docs

577
docs citations

577
times ranked

154484
citing authors

#	ARTICLE	IF	CITATIONS
1	The mental and physical health correlates of psychotic experiences among US college students: Findings from the Healthy Mind Study 2020. <i>Journal of American College Health</i> , 2024, 72, 834-840.	1.8	1
2	Post-COVID-19 conditions in children and adolescents diagnosed with COVID-19. <i>Pediatric Research</i> , 2024, 95, 182-187.	2.4	14
3	Sexual Minority Status and Psychotic Experiences Among Young Adult College Students in the United States. <i>Journal of Homosexuality</i> , 2024, 71, 916-933.	2.3	0
4	Distress related to psychotic experiences: Enhancing the world health organization composite international diagnostic interview psychosis screen. <i>International Journal of Methods in Psychiatric Research</i> , 2024, 33, .	2.3	5
5	Prenatal and infant exposure to antibiotics and subsequent risk of neuropsychiatric disorders in children: a nationwide birth cohort study in South Korea. <i>Psychiatry Research</i> , 2024, , 116117.	3.4	0
6	Association between sedentary behavior and wish to die among adults aged ≥50 years: findings from the Irish Longitudinal Study on Ageing. <i>Journal of Psychiatric Research</i> , 2024, , .	3.2	0
7	Immigrant status and psychotic experiences in the United States: revisiting an immigrant paradox. <i>Psychological Medicine</i> , 2023, 53, 301-303.	5.2	2
8	Association between age of first exposure and heavy internet use in a representative sample of 317,443 adolescents from 52 countries. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 395-403.	5.1	8
9	Body mass index categories and anxiety symptoms among adults aged ≥50 years from low and middle income countries. <i>Wiener Klinische Wochenschrift</i> , 2023, 135, 142-150.	2.1	2
10	Illicit and prescription drug use and psychotic experiences among university students in the United States. <i>Journal of Substance Use</i> , 2023, 28, 797-802.	0.7	1
11	The association of cannabis use with fast-food consumption, overweight, and obesity among adolescents aged 12-15 years from 28 countries. <i>Journal of Substance Use</i> , 2023, 28, 952-961.	0.7	1
12	Prevalence of and factors associated with long-term sick leave in working-age adults with osteoarthritis: a retrospective cohort study conducted in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2023, 96, 303-311.	2.5	2
13	Association between asthma and work absence in working adults in the United States. <i>Journal of Asthma</i> , 2023, 60, 1115-1122.	1.7	0
14	Is there an association between depression, anxiety disorders and COVID-19 severity and mortality? A multicenter retrospective cohort study conducted in 50 hospitals in Germany. <i>Journal of Psychiatric Research</i> , 2023, 157, 192-196.	3.2	2
15	Impact of the coronavirus disease 2019 (COVID-19) pandemic on the diagnosis of neck and low back pain in outpatient practices in Germany. <i>Preventive Medicine Reports</i> , 2023, 31, 102096.	1.9	2
16	Risk profile and mode of transmission of Mpox: A rapid review and individual patient data meta-analysis of case studies. <i>Reviews in Medical Virology</i> , 2023, 33, .	8.4	7
17	Leisure-time physical activity and sarcopenia among older adults from low- and middle-income countries. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2023, 14, 1130-1138.	7.4	12
18	The Association of Social Support and Loneliness with Symptoms of Depression, Anxiety, and Posttraumatic Stress during the COVID-19 Pandemic: A Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2765.	2.7	24

#	ARTICLE	IF	CITATIONS
19	Food insecurity and insomnia-related symptoms among adults from low- and middle-income countries. <i>Journal of Sleep Research</i> , 2023, 32, .	3.3	4
20	Is there an association between breast cancer and incident adhesive capsulitis of the shoulder? A retrospective cohort study from Germany. <i>Supportive Care in Cancer</i> , 2023, 31, .	2.3	4
21	Effectiveness of famotidine on the risk of poor prognosis in patients with COVID-19: A nationwide cohort study in Korea. <i>Heliyon</i> , 2023, 9, e16171.	3.3	2
22	Association between Syncope and the 6-Month Incidence of Ischemic Stroke, Arrhythmia, Brain Tumor, Epilepsy, and Anxiety Disorder. <i>Healthcare (Switzerland)</i> , 2023, 11, 1913.	2.1	0
23	Temporal Trends in Food Insecurity (Hunger) among School-Going Adolescents from 31 Countries from Africa, Asia, and the Americas. <i>Nutrients</i> , 2023, 15, 3226.	4.2	2
24	Is There an Association between Post-Traumatic Stress Disorder and the Incidence of Chronic Low Back Pain?. <i>Journal of Clinical Medicine</i> , 2023, 12, 5753.	2.5	0
25	Subjective and objective sleep alterations in medication-naïve children and adolescents with autism spectrum disorder: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2023, 32, .	4.1	1
26	Causes for Retraction in the Biomedical Literature: A Systematic Review of Studies of Retraction Notices. <i>Journal of Korean Medical Science</i> , 2023, 38, .	4.0	7
27	International Classification of Diseases-10th Revision Surrogates of the Modified Frailty Index and 12-Month Referral to the Hospital in an Older Population from Germany. <i>Journal of Clinical Medicine</i> , 2023, 12, 7290.	2.5	0
28	Allergies, infections, and psychiatric disorders among Black Americans: findings from the National Survey of American Life. <i>Ethnicity and Health</i> , 2022, 27, 74-82.	2.6	0
29	A Multicountry Study of the Violence-Related Risk Factors for Early Sexual Debut and Risky Sexual Behavior in Adolescents. <i>Journal of Interpersonal Violence</i> , 2022, 37, NP1275-NP1297.	2.2	10
30	Childhood adversities, late-life stressors and the onset of depressive symptoms in community-dwelling older adults. <i>Aging and Mental Health</i> , 2022, 26, 828-833.	2.8	7
31	Psychotic experiences as a health indicator: A provisional framework. <i>International Journal of Social Psychiatry</i> , 2022, 68, 244-252.	3.3	8
32	Physical activity and visual difficulties in 36 low- and middle-income countries. <i>Eye</i> , 2022, 36, 585-593.	2.3	3
33	Global, regional, and national burden of aortic aneurysm, 1990-2017: a systematic analysis of the Global Burden of Disease Study 2017. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1220-1232.	1.8	14
34	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12-15 years from sixty-eight countries. <i>British Journal of Nutrition</i> , 2022, 127, 470-477.	2.7	15
35	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged ≥50 years in low/middle-income countries. <i>British Journal of Ophthalmology</i> , 2022, 106, 1610-1616.	4.0	13
36	Association of objective and subjective far vision impairment with perceived stress among older adults in six low- and middle-income countries. <i>Eye</i> , 2022, 36, 1274-1280.	2.3	3

#	ARTICLE	IF	CITATIONS
37	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. <i>British Journal of Sports Medicine</i> , 2022, 56, 901-912.	8.6	133
38	Challenging leisure activities and mental health: are they more beneficial for some people than for others?. <i>Mental Health and Social Inclusion</i> , 2022, 26, 34-46.	0.7	2
39	Social environmental impact of COVID-19 and erectile dysfunction: an explorative review. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 483-487.	3.4	9
40	Economic strain, parental education and psychotic experiences among college students in the United States: Findings from the Healthy Minds Study 2020. <i>Microbial Biotechnology</i> , 2022, 16, 770-781.	1.9	15
41	Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990–2019: results from the Global Burden of Disease Study 2019. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 222-241.	8.9	66
42	Flourishing and psychotic experiences among college students in the United States: findings from the healthy minds study 2020. <i>Journal of Positive Psychology</i> , 2022, 17, 754-759.	4.2	5
43	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.2	41
44	Cardiovascular events and safety outcomes associated with remdesivir using a World Health Organization international pharmacovigilance database. <i>Clinical and Translational Science</i> , 2022, 15, 501-513.	3.1	30
45	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Affective Disorders</i> , 2022, 298, 532-539.	4.2	2
46	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1285-1293.	2.9	1
47	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 146, 87-91.	3.2	1
48	Loneliness and psychotic experiences among US university students: Findings from the Healthy Minds Study 2020. <i>Psychiatry Research</i> , 2022, 308, 114362.	3.4	17
49	Longitudinal association between perceived stress and depression among community-dwelling older adults: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 299, 457-462.	4.2	11
50	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 147, 79-84.	3.2	10
51	Genome Editing Using CRISPR-Cas9 and Autoimmune Diseases: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1337.	4.2	20
52	The global case fatality rate of coronavirus disease 2019 by continents and national income: A meta-analysis. <i>Journal of Medical Virology</i> , 2022, 94, 2402-2413.	5.0	48
53	Induction and Maintenance Treatment of Lupus Nephritis: A Comprehensive Review of Meta-Analyses. <i>Journal of Clinical Medicine</i> , 2022, 11, 343.	2.5	13
54	The Post-COVID-19 Future: State Capability in Ensuring Shared Prosperity. <i>Institutions and Economies</i> , 2022, 14, 27-47.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2022, 7, e105-e125.	10.1	1,615
56	Body Mass Index and Mild Cognitive Impairment Among Middle-Aged and Older Adults from Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1095-1105.	2.7	4
57	Sleep duration and sarcopenia in adults aged 65 years from low and middle-income countries. <i>Ageing Clinical and Experimental Research</i> , 2022, 34, 1573-1581.	2.9	10
58	Clinical significance of hepatosplenic thrombosis in vaccine-induced immune thrombotic thrombocytopenia after ChAdOx1 nCoV-19 vaccination. <i>International Journal of Infectious Diseases</i> , 2022, 116, 114-121.	3.3	2
59	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. <i>Maturitas</i> , 2022, 160, 23-31.	2.5	12
60	Food insecurity and mental health among young adult college students in the United States. <i>Journal of Affective Disorders</i> , 2022, 303, 359-363.	4.2	23
61	Sarcopenia reduces quality of life in the long-term: longitudinal analyses from the English longitudinal study of ageing. <i>European Geriatric Medicine</i> , 2022, 13, 633-639.	2.9	36
62	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1549-1556.	2.5	5
63	Predictors of falls and fractures leading to hospitalisation in 36,001 people with affective disorders: a large representative cohort study. <i>BMJ Open</i> , 2022, 12, e055070.	2.1	2
64	Thrombosis patterns and clinical outcome of COVID-19 vaccine-induced immune thrombotic thrombocytopenia: A Systematic Review and Meta-Analysis. <i>International Journal of Infectious Diseases</i> , 2022, 119, 130-139.	3.3	38
65	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged 50 years from low- and middle-income countries. <i>Depression and Anxiety</i> , 2022, 39, 376-386.	4.2	13
66	The global burden of sudden infant death syndrome from 1990 to 2019: a systematic analysis from the Global Burden of Disease study 2019. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2022, 115, 735-744.	0.5	11
67	Association between incarceration and psychotic experiences in a general population sample. <i>Schizophrenia Research</i> , 2022, 243, 112-117.	2.1	6
68	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019. <i>Lancet Regional Health - Europe</i> , The, 2022, 16, 100341.	7.8	93
69	Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. <i>Mental Health and Prevention</i> , 2022, 26, 200233.	1.3	17
70	Association of food insecurity with suicidal ideation and suicide attempts in adults aged 50 years from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 309, 446-452.	4.2	12
71	Psychotic experiences, sexual minority status, and suicidal behavior among young adult college students in the United States. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1925-1929.	3.4	1
72	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 309, 71-76.	4.2	3

#	ARTICLE	IF	CITATIONS
73	Psychotic experiences among informal caregivers: findings from 48 low- and middle-income countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1771-1780.	3.4	1
74	Sex-Differential Associations Between Body Mass Index and the Incidence of Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 631-639.	2.7	5
75	The association of cooking fuels with depression and anxiety symptoms among adults aged ≥65 years from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 311, 494-499.	4.2	4
76	Incidence, prevalence, and global burden of autism spectrum disorder from 1990 to 2019 across 204 countries. <i>Molecular Psychiatry</i> , 2022, 27, 4172-4180.	8.2	72
77	Prevalence of and Factors Associated With Post-Coronavirus Disease 2019 (COVID-19) Condition in the 12 Months After the Diagnosis of COVID-19 in Adults Followed in General Practices in Germany. <i>Open Forum Infectious Diseases</i> , 2022, 9, .	0.9	14
78	Association between depression and subjective cognitive complaints in 47 low- and middle-income countries. <i>Journal of Psychiatric Research</i> , 2022, 154, 28-34.	3.2	6
79	Physical multimorbidity and wish to die among adults aged ≥65 years: A cross-sectional analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 313, 263-269.	4.2	1
80	Environmental risk factors, protective factors, and biomarkers for postpartum depressive symptoms: an umbrella review. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 140, 104761.	6.6	8
81	Prospective Association between Multimorbidity and Falls and Its Mediators: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Clinical Medicine</i> , 2022, 11, 4470.	2.5	11
82	Genetic Polymorphism of PTPN22 in Autoimmune Diseases: A Comprehensive Review. <i>Medicina (Lithuania)</i> , 2022, 58, 1034.	2.0	10
83	Acceptance and willingness to purchase a hypothetical COVID-19 vaccine in a region under Shariah law: A cross-sectional study in Aceh, Indonesia. <i>Narra J</i> , 2022, 2, .	3.3	6
84	Multimorbidity, depression with anxiety symptoms, and decrements in health in 47 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 317, 176-184.	4.2	9
85	Burden of neurological diseases in Asia from 1990 to 2019: a systematic analysis using the Global Burden of Disease Study data. <i>BMJ Open</i> , 2022, 12, e059548.	2.1	18
86	Association between adhesive capsulitis and depression: A five-year retrospective cohort study including 58,516 adults from Germany. <i>Journal of Psychiatric Research</i> , 2022, 155, 395-400.	3.2	8
87	Monkeypox: Immune response, vaccination and preventive efforts. <i>Narra J</i> , 2022, 2, .	3.3	29
88	Attention-Deficit/Hyperactivity Disorder Symptoms and Community Violence Exposure in Russian Adolescents. <i>Journal of Interpersonal Violence</i> , 2021, 36, NP9738-NP9756.	2.2	3
89	Prospective associations between alcohol use, binge drinking and sexual activity in older adults: the English Longitudinal Study Of Ageing. <i>Psychology and Sexuality</i> , 2021, 12, 193-201.	2.2	4
90	Impact of the coronavirus 2019 (COVID-19) pandemic on anxiety diagnosis in general practices in Germany. <i>Journal of Psychiatric Research</i> , 2021, 143, 528-533.	3.2	35

#	ARTICLE	IF	CITATIONS
91	Socioeconomic inequality in the risk of intentional injuries among adolescents: a cross-sectional analysis of 89 countries. <i>Injury Prevention</i> , 2021, 27, 349-355.	2.2	4
92	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. <i>Eye</i> , 2021, 35, 791-798.	2.3	6
93	Handgrip strength and health outcomes: Umbrella review of systematic reviews with meta-analyses of observational studies. <i>Journal of Sport and Health Science</i> , 2021, 10, 290-295.	7.1	102
94	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15 years from 54 low- and middle-income countries. <i>Pediatric Obesity</i> , 2021, 16, e12700.	2.8	13
95	Ipsilateral breast tumor control following hypofractionated and conventional fractionated whole-breast irradiation for early breast cancer: a long-term follow-up. <i>Breast Cancer</i> , 2021, 28, 92-98.	3.0	3
96	Discrimination and Multimorbidity Among Black Americans: Findings from the National Survey of American Life. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021, 8, 210-219.	3.5	16
97	Chronic skin disease and levels of physical activity in 17,777 Spanish adults: a cross-sectional study. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 516-524.	1.3	0
98	Urban upbringing and psychiatric disorders in the United States: A racial comparison. <i>International Journal of Social Psychiatry</i> , 2021, 67, 307-314.	3.3	4
99	The moderating role of social network size in the temporal association between formal social participation and mental health: a longitudinal analysis using two consecutive waves of the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 417-428.	3.4	28
100	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. <i>Maturitas</i> , 2021, 143, 157-164.	2.5	9
101	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021, 9, e130-e143.	6.3	614
102	Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021, 9, e144-e160.	6.3	1,390
103	Perceived skin tone discrimination and psychotic experiences among Black Americans: Findings from the National Survey of American Life. <i>Schizophrenia Research</i> , 2021, 228, 541-546.	2.1	10
104	Treatment of severe acute respiratory syndrome (SARS), Middle East respiratory syndrome (MERS), and coronavirus disease 2019 (COVID-19): a systematic review of <i>in vitro</i> , <i>in vivo</i> , and clinical trials. <i>Theranostics</i> , 2021, 11, 1207-1231.	9.9	24
105	Moving more, ageing happy: findings from six low- and middle-income countries. <i>Age and Ageing</i> , 2021, 50, 488-497.	1.6	17
106	Relationship between sexual orientation and psychotic experiences in the general population in England. <i>Psychological Medicine</i> , 2021, 51, 138-146.	5.2	15
107	Is dynapenia associated with the onset and persistence of depressive and anxiety symptoms among older adults? Findings from the Irish longitudinal study on ageing. <i>Aging and Mental Health</i> , 2021, 25, 468-475.	2.8	21
108	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. <i>International Journal of Sexual Health</i> , 2021, 33, 88-98.	2.2	10

#	ARTICLE	IF	CITATIONS
109	Association between Arthritis and Migraine: A US Nationally Representative Study Including 2649 Adults. <i>Journal of Clinical Medicine</i> , 2021, 10, 342.	2.5	3
110	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12200.	3.9	67
111	Loneliness and its association with depressed mood, anxiety symptoms, and sleep problems in Europe during the COVID-19 pandemic. <i>Acta Neuropsychiatrica</i> , 2021, 33, 160-163.	2.2	38
112	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108488.	3.3	171
113	Objectively measured far vision impairment and sarcopenia among adults aged 65 years from six low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2995-3003.	2.9	8
114	Tuberculosis and Non-Communicable Disease Multimorbidity: An Analysis of the World Health Survey in 48 Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2439.	2.7	20
115	The association between objective vision impairment and mild cognitive impairment among older adults in low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2695-2702.	2.9	8
116	Association between food insecurity and depression among older adults from low- and middle-income countries. <i>Depression and Anxiety</i> , 2021, 38, 439-446.	4.2	32
117	Is loneliness associated with mild cognitive impairment in low- and middle-income countries?. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1345-1353.	2.7	19
118	Visual, hearing, and dual sensory impairment are associated with higher depression and anxiety in women. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1378-1385.	2.7	12
119	Physical Multimorbidity and Social Participation in Adult Aged 65 Years and Older From Six Low- and Middle-Income Countries. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021, 76, 1452-1462.	4.2	22
120	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. <i>Journal of Clinical Medicine</i> , 2021, 10, 1243.	2.5	4
121	Cumulative risk of compromised physical, mental and social health in adulthood due to family conflict and financial strain during childhood: a retrospective analysis based on survey data representative of 19 European countries. <i>BMJ Global Health</i> , 2021, 6, e004144.	5.5	13
122	Association between skin disorders and depression in children and adolescents: A retrospective case-control study. <i>Journal of Affective Disorders</i> , 2021, 282, 939-944.	4.2	5
123	Hearing loss prevalence and years lived with disability, 1990-2019: findings from the Global Burden of Disease Study 2019. <i>Lancet</i> , 2021, 397, 996-1009.	12.1	449
124	Association between sexual orientation and subjective cognitive complaints in the general population in England. <i>Journal of Psychiatric Research</i> , 2021, 136, 1-6.	3.2	1
125	Is there an association between multiple sclerosis and osteoarthritis in Germany? A retrospective cohort study of 8,600 patients from Germany. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732110227.	1.1	2
126	Mortality attributable to COVID-19 in nursing home residents: a retrospective study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1745-1751.	2.9	19

#	ARTICLE	IF	CITATIONS
127	Association between inflammatory central nervous system diseases and epilepsy: A retrospective cohort study of 4252 patients in Germany. <i>Epilepsy and Behavior</i> , 2021, 117, 107879.	1.8	2
128	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. <i>Public Health</i> , 2021, 193, 76-82.	3.0	9
129	Mild cognitive impairment is associated with fall-related injury among adults aged ≥65 years in low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 146, 111222.	2.9	16
130	Economics of mental well-being: a prospective study estimating associated health care costs and sickness benefit transfers in Denmark. <i>European Journal of Health Economics</i> , 2021, 22, 1053-1065.	2.8	18
131	Social Disconnectedness, Loneliness, and Mental Health Among Adolescents in Danish High Schools: A Nationwide Cross-Sectional Study. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 632906.	2.1	34
132	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1970-1972.e3.	4.7	12
133	Sexual Orientation and Functional Limitations: Cross-sectional Analyses From the Adult Psychiatric Morbidity Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2117-2124.	1.0	0
134	COVID-19 Infection and Psychotic Experiences: Findings From the Healthy Minds Study 2020. <i>Biological Psychiatry Global Open Science</i> , 2021, 1, 310-316.	2.8	14
135	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. <i>European Journal of Public Health</i> , 2021, 31, 835-840.	0.3	4
136	Multidimensional frailty increases cardiovascular risk in older people: An 8-year longitudinal cohort study in the Osteoarthritis Initiative. <i>Experimental Gerontology</i> , 2021, 147, 111265.	2.9	11
137	Association between Food Insecurity and Sarcopenia among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>Nutrients</i> , 2021, 13, 1879.	4.2	19
138	Sarcopenia and fall-related injury among older adults in five low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 147, 111262.	2.9	22
139	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	10.1	42
140	Public Interest in Immunity and the Justification for Intervention in the Early Stages of the COVID-19 Pandemic: Analysis of Google Trends Data. <i>Journal of Medical Internet Research</i> , 2021, 23, e26368.	4.5	9
141	Subnational mapping of HIV incidence and mortality among individuals aged 15–49 years in sub-Saharan Africa, 2000–18: a modelling study. <i>Lancet HIV</i> , the, 2021, 8, e363-e375.	4.6	37
142	Estimating the COVID-19 Spread Through Real-time Population Mobility Patterns: Surveillance in Low- and Middle-Income Countries. <i>Journal of Medical Internet Research</i> , 2021, 23, e22999.	4.5	18
143	Multimorbidity and Subjective Cognitive Complaints: Findings from 48 Low- and Middle-Income Countries of the World Health Survey 2002–2004. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1737-1747.	2.7	8
144	Ten-year follow up of cosmetic outcome, overall survival, and disease-free survival in endoscope-assisted partial mastectomy with filling of dead space using absorbable mesh for stage II breast cancer: comparison with conventional conservative method. <i>BMC Women's Health</i> , 2021, 21, 253.	2.0	2

#	ARTICLE	IF	CITATIONS
145	Hearing impairment and diverse health outcomes. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 1028-1041.	2.1	8
146	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 2337-2360.	12.1	752
147	Reply to Yi M et al. <i>Advances in Nutrition</i> , 2021, 12, 1595-1596.	6.6	0
148	Physical multimorbidity and incident urinary incontinence among community-dwelling adults aged ≥50 years: findings from a prospective analysis of the Irish Longitudinal Study on Ageing. <i>Age and Ageing</i> , 2021, 50, 2038-2046.	1.6	7
149	Participation in social leisure activities may benefit mental health particularly among individuals that lack social connectedness at work or school. <i>Mental Health and Social Inclusion</i> , 2021, 25, 341-351.	0.7	13
150	Association between type 2 diabetes and chronic low back pain in general practices in Germany. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002426.	3.0	9
151	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2021, 291, 57-64.	4.2	6
152	Prevalence of, and factors associated with, long-term COVID-19 sick leave in working-age patients followed in general practices in Germany. <i>International Journal of Infectious Diseases</i> , 2021, 109, 203-208.	3.3	25
153	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 241.	3.1	2
154	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1745-1754.	2.7	13
155	Comparison of vaccine-induced thrombotic events between ChAdOx1 nCoV-19 and Ad26.COV.2.S vaccines. <i>Journal of Autoimmunity</i> , 2021, 122, 102681.	6.7	39
156	Predictors of mortality in thrombotic thrombocytopenia after adenoviral COVID-19 vaccination: the FAPIC score. <i>European Heart Journal</i> , 2021, 42, 4053-4063.	2.3	56
157	Multimorbidity and obesity in older adults from six low- and middle-income countries. <i>Preventive Medicine</i> , 2021, 153, 106816.	3.5	21
158	Mental health economics: A prospective study on psychological flourishing and associations with healthcare costs and sickness benefit transfers in Denmark. <i>Mental Health and Prevention</i> , 2021, 24, 200222.	1.3	8
159	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 123.	4.5	20
160	COVID-19 dimensions are related to depression and anxiety among US college students: Findings from the Healthy Minds Survey 2020. <i>Journal of Affective Disorders</i> , 2021, 292, 270-275.	4.2	58
161	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. <i>Oral</i> , 2021, 1, 281-289.	0.7	1
162	Association between food insecurity and fall-related injury among adults aged ≥65 years in low- and middle-income countries: The role of mental health conditions. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104438.	3.1	8

#	ARTICLE	IF	CITATIONS
163	Sleep problems and mild cognitive impairment among adults aged ≥50 years from low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 154, 111513.	2.9	10
164	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. <i>Lancet Rheumatology</i> , The, 2021, 3, e698-e706.	4.1	94
165	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , The, 2021, 20, 795-820.	10.4	3,012
166	Association between physical activity and leisure-time sedentary behavior among 140,808 adolescents aged 12 to 15 from 47 low- and middle-income countries. <i>Public Health</i> , 2021, 199, 1-9.	3.0	5
167	Prevalence of and factors associated with COVID-19 diagnosis in symptomatic patients followed in general practices in Germany between March 2020 and March 2021. <i>International Journal of Infectious Diseases</i> , 2021, 111, 37-42.	3.3	11
168	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. <i>Journal of Psychiatric Research</i> , 2021, 144, 45-53.	3.2	18
169	Roles of microRNAs in inflammatory bowel disease. <i>International Journal of Biological Sciences</i> , 2021, 17, 2112-2123.	6.3	32
170	The Impact of Pharmacological and Non-Pharmacological Interventions to Improve Physical Health Outcomes in People With Schizophrenia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. <i>Focus (American Psychiatric Publishing)</i> , 2021, 19, 116-128.	0.9	10
171	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 138.	2.7	14
172	Association of multimorbidity with higher levels of urinary incontinence: a cross-sectional study of 23 089 individuals aged ≥15 years residing in Spain. <i>British Journal of General Practice</i> , 2021, 71, e71-e77.	2.6	13
173	Multimorbidity and Anxiety Symptoms among Adults Aged 50 Years and Over from Six Low- and Middle-Income Countries. <i>Journal of Ageing and Longevity</i> , 2021, 1, 36-47.	0.7	3
174	Association between diabetes and edentulism and their joint effects on health status in 40 low and middle-income countries. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002514.	3.0	2
175	Multimorbidity increases the risk for sarcopenia onset: Longitudinal analyses from the English Longitudinal Study of Ageing. <i>Experimental Gerontology</i> , 2021, 156, 111624.	2.9	30
176	A Case of Untreated Myeloid Sarcoma of the Pancreas Head Region: Diagnostic Process of AML Subtyping in an Autoptic Case. <i>Case Reports in Pathology</i> , 2021, 2021, 1-7.	0.3	2
177	Lower Limb Muscle Strength and Muscle Mass Are Associated With Incident Symptomatic Knee Osteoarthritis: A Longitudinal Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 804560.	3.5	9
178	Gender Differences in the Association Between Cataract and Mental Health in Adults With Diabetes: A Cross-Sectional Analysis From the Spanish National Health Survey 2017. <i>Frontiers in Public Health</i> , 2021, 9, 769155.	2.8	6
179	Psychotic experiences and subjective cognitive complaints among 224 842 people in 48 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e11.	4.1	22
180	Network analysis of the relationship between depressive symptoms, demographics, nutrition, quality of life and medical condition factors in the Osteoarthritis Initiative database cohort of elderly North-American adults with or at risk for osteoarthritis. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e14.	4.1	22

#	ARTICLE	IF	CITATIONS
181	Magnesium and health outcomes: an umbrella review of systematic reviews and meta-analyses of observational and intervention studies. <i>European Journal of Nutrition</i> , 2020, 59, 263-272.	4.0	52
182	Injury and depression among 212 039 individuals in 40 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e32.	4.1	2
183	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12â€“15 years from 6 high-income, 22 middle-income, and 4 low-income countries. <i>Clinical Nutrition</i> , 2020, 39, 886-892.	5.1	32
184	Network analysis of the relationship between depressive symptoms, demographics, nutrition, quality of life and medical condition factors in the Osteoarthritis Initiative database cohort of elderly North-American adults with or at risk for osteoarthritis â€“ CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e22.	4.1	8
185	Association of Tobacco Use and Exposure to Secondhand Smoke With Suicide Attempts Among Adolescents: Findings From 33 Countries. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1322-1329.	2.6	24
186	Physical multimorbidity and suicidal behavior in the general population in the United States. <i>Journal of Affective Disorders</i> , 2020, 260, 604-609.	4.2	27
187	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. <i>Sports Medicine</i> , 2020, 50, 151-170.	6.7	247
188	Sexual behavior and suicide attempts among adolescents aged 12â€“15 years from 38 countries: A global perspective. <i>Psychiatry Research</i> , 2020, 287, 112564.	3.4	39
189	The global, regional, and national burden of stomach cancer in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 42-54.	8.2	421
190	Association between intelligence quotient and disability: The role of socioeconomic status. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 296-301.	2.5	6
191	Association of bullying victimization with overweight and obesity among adolescents from 41 low- and middle-income countries. <i>Pediatric Obesity</i> , 2020, 15, e12571.	2.8	31
192	Human Immunodeficiency Virus Infection and Diverse Physical Health Outcomes: An Umbrella Review of Meta-analyses of Observational Studies. <i>Clinical Infectious Diseases</i> , 2020, 70, 1809-1815.	5.7	17
193	The relationship of childhood sexual and physical abuse with adulthood disability. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 332-339.	2.5	6
194	Declines in Sexual Activity and Function Predict Incident Health Problems in Older Adults: Prospective Findings from the English Longitudinal Study of Ageing. <i>Archives of Sexual Behavior</i> , 2020, 49, 929-940.	2.2	36
195	Prospective associations of cardiovascular disease with physical performance and disability. <i>Wiener Klinische Wochenschrift</i> , 2020, 132, 73-78.	2.1	1
196	Urban birth and psychotic experiences in the United States. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 167-169.	4.5	6
197	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 37-59.	8.9	123
198	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 60-79.	8.9	106

#	ARTICLE	IF	CITATIONS
199	Sedentary behavior and depression among community-dwelling adults aged ≥50 years: Results from the Irish longitudinal study on Ageing. <i>Journal of Affective Disorders</i> , 2020, 262, 389-396.	4.2	36
200	Handgrip strength is associated with suicidal thoughts in men: Cross-sectional analyses from NHANES. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 92-99.	2.9	26
201	Physical injury and psychotic experiences in 48 low- and middle-income countries. <i>Psychological Medicine</i> , 2020, 50, 2751-2758.	5.2	7
202	Social disconnectedness, perceived isolation, and symptoms of depression and anxiety among older Americans (NSHAP): a longitudinal mediation analysis. <i>Lancet Public Health</i> , The, 2020, 5, e62-e70.	10.1	992
203	Serious physical injury and depressive symptoms among adolescents aged 12–15 years from 21 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 264, 172-180.	4.2	8
204	Major discriminatory events and suicidal thoughts and behaviors amongst Black Americans: Findings from the National Survey of American Life. <i>Journal of Affective Disorders</i> , 2020, 263, 47-53.	4.2	16
205	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.	4.2	13
206	Effect of multi-session prefrontal transcranial direct current stimulation on cognition in schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 216, 367-373.	2.1	39
207	Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 471,839 people. <i>Lancet Psychiatry</i> , the, 2020, 7, 52-63.	7.6	122
208	Body Mass Index May Explain Some (But Not All) of the Association Between Declines in Sexual Activity and Incident Health Problems in Older Adults: Reply to Mullie (2019). <i>Archives of Sexual Behavior</i> , 2020, 49, 33-35.	2.2	0
209	Immunopathogenesis of ANCA-Associated Vasculitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7319.	4.2	72
210	Update of the current knowledge on genetics, evolution, immunopathogenesis, and transmission for coronavirus disease 19 (COVID-19). <i>International Journal of Biological Sciences</i> , 2020, 16, 2906-2923.	6.3	39
211	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. <i>Lancet Psychiatry</i> , the, 2020, 7, 955-970.	7.6	128
212	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12–15 Years From 53 Countries: A Global Perspective. <i>Journal of Sexual Medicine</i> , 2020, 17, 2148-2155.	0.7	9
213	Estimation of global case fatality rate of coronavirus disease 2019 (COVID-19) using meta-analyses: Comparison between calendar date and days since the outbreak of the first confirmed case. <i>International Journal of Infectious Diseases</i> , 2020, 100, 302-308.	3.3	39
214	Mental Disorders, Musculoskeletal Disorders and Income-Driven Patterns: Evidence from the Global Burden of Disease Study 2017. <i>Journal of Clinical Medicine</i> , 2020, 9, 2189.	2.5	11
215	Sedentary behaviours and cognitive function among community dwelling adults aged 50+ years: Results from the Irish longitudinal study of ageing. <i>Mental Health and Physical Activity</i> , 2020, 19, 100344.	1.8	6
216	Tea Consumption and Risk of Cancer: An Umbrella Review and Meta-Analysis of Observational Studies. <i>Advances in Nutrition</i> , 2020, 11, 1437-1452.	6.6	64

#	ARTICLE	IF	CITATIONS
217	Correlations of Clinical and Laboratory Characteristics of COVID-19: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5026.	2.7	58
218	The C-matrix augmentation in a multi-route reaction mechanism. <i>Applied Nanoscience (Switzerland)</i> , 2020, 10, 5383-5390.	3.1	11
219	Violence victimization and suicide attempts among adolescents aged 12–15 years from thirty-eight low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2020, 66, 147-153.	2.5	4
220	Efficacy of Corticosteroids in Patients with SARS, MERS and COVID-19: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2392.	2.5	35
221	Urban upbringing and psychotic experiences in the United States: A racial and geographic comparison. <i>Psychiatry Research</i> , 2020, 293, 113372.	3.4	10
222	Sarcopenia in Autoimmune and Rheumatic Diseases: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5678.	4.2	76
223	Temporal trends in leisure-time sedentary behavior among adolescents aged 12-15 years from 26 countries in Asia, Africa, and the Americas. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 102.	4.5	26
224	Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. <i>Brain Sciences</i> , 2020, 10, 692.	2.4	8
225	Clinical Characteristics of Asymptomatic and Symptomatic Pediatric Coronavirus Disease 2019 (COVID-19): A Systematic Review. <i>Medicina (Lithuania)</i> , 2020, 56, 474.	2.0	19
226	Associations Between Multiple Leisure Activities, Mental Health and Substance Use Among Adolescents in Denmark: A Nationwide Cross-Sectional Study. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 593340.	2.1	19
227	Association between intelligence quotient and obesity in England. <i>Lifestyle Medicine</i> , 2020, 1, e11.	0.9	1
228	COVID-19 and Adverse Pregnancy Outcome: A Systematic Review of 104 Cases. <i>Journal of Clinical Medicine</i> , 2020, 9, 3441.	2.5	26
229	Relationship between multidimensional prognostic index and incident depressive symptoms in older people: Findings from the Irish Longitudinal Study on Ageing. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1097-1104.	2.7	9
230	Relationship between physical conditions and attempted or completed suicide in more than 9,300 individuals from the United Kingdom: a case-control study. <i>Journal of Affective Disorders</i> , 2020, 274, 457-463.	4.2	6
231	Consumption of Fish and ω -3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. <i>Advances in Nutrition</i> , 2020, 11, 1134-1149.	6.6	51
232	Associations in physical activity and sedentary behaviour among the immigrant and non-immigrant US population. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 655-661.	3.9	2
233	Violence and obesogenic behavior among adolescents aged 12–15 years from 62 countries: A global perspective. <i>Preventive Medicine</i> , 2020, 137, 106123.	3.5	7
234	Perceived stress and depression in 45 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 274, 799-805.	4.2	38

#	ARTICLE	IF	CITATIONS
235	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine</i> , 2020, 8, 585-596.	10.4	1,196
236	Associations between mental and oral health in Spain: a cross-sectional study of more than 23,000 people aged 15 years and over. <i>Journal of Affective Disorders</i> , 2020, 274, 67-72.	4.2	10
237	Physical Activity is Associated With Fewer Subjective Cognitive Complaints in 47 Low- and Middle-Income Countries. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1423-1429.e2.	2.6	9
238	Formal social participation protects physical health through enhanced mental health: A longitudinal mediation analysis using three consecutive waves of the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>Social Science and Medicine</i> , 2020, 251, 112906.	4.0	79
239	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1708.	2.7	51
240	Childhood neglect and suicidal behavior: Findings from the National Comorbidity Survey Replication. <i>Child Abuse and Neglect</i> , 2020, 103, 104400.	2.8	27
241	Secondhand Smoking and Obesity Among Nonsmoking Adolescents Aged 12–15 Years From 38 Low- and Middle-Income Countries. <i>Nicotine and Tobacco Research</i> , 2020, 22, 2014-2021.	2.6	3
242	Prevalence, correlates and misperception of depression symptoms in the United States, NHANES 2015–2018. <i>Journal of Affective Disorders</i> , 2020, 269, 51-57.	4.2	63
243	Cross-sectional associations between angiotensin-converting enzyme inhibitor use and cancer diagnosis in US adults. <i>Clinical and Experimental Medicine</i> , 2020, 20, 409-416.	3.8	7
244	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. <i>Nutrients</i> , 2020, 12, 706.	4.2	21
245	Associations between self-reported physical activity and oral health: a cross-sectional analysis in 17,777 Spanish adults. <i>British Dental Journal</i> , 2020, 228, 361-365.	1.0	17
246	Psychotic experiences and psychiatric treatment utilization in Buenos Aires. <i>International Journal of Social Psychiatry</i> , 2020, 66, 344-348.	3.3	2
247	Global, Regional, and National Levels and Trends in Burden of Oral Conditions from 1990 to 2017: A Systematic Analysis for the Global Burden of Disease 2017 Study. <i>Journal of Dental Research</i> , 2020, 99, 362-373.	5.3	800
248	The Complete Protist Symbiont Communities of <i>Coptotermes formosanus</i> and <i>Coptotermes gestroi</i> : Morphological and Molecular Characterization of Five New Species. <i>Journal of Eukaryotic Microbiology</i> , 2020, 67, 626-641.	1.8	20
249	Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. <i>American Journal of Preventive Medicine</i> , 2020, 58, 613-621.	3.1	18
250	Predictors of high and low mental well-being and common mental disorders: findings from a Danish population-based study. <i>European Journal of Public Health</i> , 2020, 30, 503-509.	0.3	36
251	Chocolate Consumption and Indicators of Adiposity in US Adults. <i>American Journal of Medicine</i> , 2020, 133, 1082-1087.	1.4	8
252	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 245-266.	8.2	951

#	ARTICLE	IF	CITATIONS
253	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1572-1578.	3.7	21
254	Fast food consumption and suicide attempts among adolescents aged 12–15 years from 32 countries. <i>Journal of Affective Disorders</i> , 2020, 266, 63-70.	4.2	33
255	Sex difference in the association between physical activity and suicide attempts among adolescents from 48 countries: A global perspective. <i>Journal of Affective Disorders</i> , 2020, 266, 311-318.	4.2	24
256	Genetic variations in MicroRNA genes and cancer risk: A field synopsis and meta-analysis. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13203.	3.4	13
257	Physical multimorbidity and sedentary behavior in older adults: Findings from the Irish longitudinal study on ageing (TILDA). <i>Maturitas</i> , 2020, 134, 1-7.	2.5	21
258	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. <i>Preventive Medicine</i> , 2020, 132, 106007.	3.5	12
259	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020, 26, i67-i74.	2.2	76
260	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1893-1899.	2.6	18
261	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , 2020, 396, 693-724.	12.1	98
262	Predictors of physical activity recording in routine mental healthcare. <i>Mental Health and Physical Activity</i> , 2020, 18, 100329.	1.8	2
263	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2020, 271, 39-48.	4.2	14
264	Factors Associated With Loneliness: An Umbrella Review Of Observational Studies. <i>Journal of Affective Disorders</i> , 2020, 271, 131-138.	4.2	105
265	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.2	50
266	Self-reported and activPAL TM -monitored physical activity and sedentary behaviour in college students: Not all sitting behaviours are linked to perceived stress and anxiety. <i>Journal of Sports Sciences</i> , 2020, 38, 1566-1574.	2.0	19
267	Health Conditions and Psychotic Experiences: Cross-Sectional Findings From the American Life Panel. <i>Frontiers in Psychiatry</i> , 2020, 11, 612084.	2.7	13
268	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. <i>Frontiers in Psychology</i> , 2020, 11, 627980.	2.3	13
269	A case of intrathyroid parathyroid tumor that was difficult to diagnose by ultrasonography. <i>Ultrasound Journal</i> , 2020, 12, 17.	3.3	3
270	Stigma associated with the labeling of schizophrenia, depression, and hikikomori in Japan.. <i>Stigma and Health</i> , 2020, 5, 472-476.	1.7	5

#	ARTICLE	IF	CITATIONS
271	Is chocolate consumption associated with health outcomes? An umbrella review of systematic reviews and meta-analyses. <i>Clinical Nutrition</i> , 2019, 38, 1101-1108.	5.1	45
272	Association between intelligence quotient and violence perpetration in the English general population. <i>Psychological Medicine</i> , 2019, 49, 1316-1323.	5.2	13
273	General thoughts of death and mortality: findings from the Komo-Ise cohort, Japan. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 662-669.	4.1	1
274	Statin Use and Knee Osteoarthritis Outcomes: A Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 1052-1058.	3.8	41
275	Cannabis use and leisure-time sedentary behavior among 94,035 adolescents aged 12–15 years from 24 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019, 99, 106104.	3.3	3
276	Association between cannabis use and sexual behavior among adolescents aged 12–15 years in 21 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019, 99, 106073.	3.3	12
277	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712.	7.6	906
278	Leisure-Time Sedentary Behavior, Alcohol Consumption, and Sexual Intercourse Among Adolescents Aged 12-15 Years in 19 Countries From Africa, the Americas, and Asia. <i>Journal of Sexual Medicine</i> , 2019, 16, 1355-1363.	0.7	4
279	Physical activity and loneliness among adults aged 50 years or older in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1855-1864.	2.7	23
280	Sleep problems and depression among 237 023 community-dwelling adults in 46 low- and middle-income countries. <i>Scientific Reports</i> , 2019, 9, 12011.	3.4	67
281	Sedentary behaviour and chronic stress in old age: A cross-sectional analysis of TV viewing and hair cortisol concentrations. <i>Psychoneuroendocrinology</i> , 2019, 109, 104375.	2.8	6
282	Do Older People with Diabetes Meet the Recommended Weekly Physical Activity Targets? An Analysis of Objective Physical Activity Data. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2489.	2.7	5
283	Is there a relationship between chocolate consumption and symptoms of depression? A cross-sectional survey of 13,626 US adults. <i>Depression and Anxiety</i> , 2019, 36, 987-995.	4.2	43
284	Syndemic effects of HIV risk behaviours: results from the NHANES study. <i>Epidemiology and Infection</i> , 2019, 147, e241.	2.1	5
285	Protecting physical health in people with mental illness – Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 890-891.	7.6	52
286	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 913-933.	8.2	286
287	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	36.2	175
288	Cannabis use and physical activity among 89,777 adolescents aged 12-15 years from 21 low- and middle-income countries. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107584.	3.3	10

#	ARTICLE	IF	CITATIONS
289	Psychotic experiences and accidents, injuries, and poisonings among adults in the United States. <i>Psychiatry Research</i> , 2019, 282, 112610.	3.4	7
290	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brazil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.	4.5	13
291	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 934-947.	8.2	414
292	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. <i>Scientific Reports</i> , 2019, 9, 12417.	3.4	29
293	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet HIV</i> , 2019, 6, e831-e859.	4.6	368
294	Vasculitis and crescentic glomerulonephritis in a newly established congenic mouse strain derived from ANCA-associated vasculitis-prone SCG/Kj mice. <i>Autoimmunity</i> , 2019, 52, 208-219.	2.6	5
295	Associations between sexual activity and weight status: Findings from the English Longitudinal Study of Ageing. <i>PLoS ONE</i> , 2019, 14, e0221979.	2.5	13
296	Correlates of physical activity among 142,118 adolescents aged 12-15 years from 48 low- and middle-income countries. <i>Preventive Medicine</i> , 2019, 127, 105819.	3.5	27
297	Perceived discrimination and psychotic experiences in the English general population. <i>European Psychiatry</i> , 2019, 62, 50-57.	0.2	5
298	Sexual Activity in Older Adults with Visual Impairment: Findings from the English Longitudinal Study of Ageing. <i>Sexuality and Disability</i> , 2019, 37, 475-487.	1.2	2
299	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 248, 91-98.	4.2	76
300	Physical injury and depression in six low- and middle-income countries: A nationally representative study. <i>Journal of Affective Disorders</i> , 2019, 248, 99-107.	4.2	7
301	Incidence of Capillary Leak Syndrome as an Adverse Effect of Drugs in Cancer Patients: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 143.	2.5	41
302	Associations between handgrip strength and mild cognitive impairment in middle-aged and older adults in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 609-616.	2.7	41
303	ADHD and depressive symptoms in adolescents: the role of community violence exposure. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 683-691.	3.4	8
304	The association of grip strength with depressive symptoms and cortisol in hair: A cross-sectional study of older adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1604-1609.	2.9	33
305	Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. <i>Lancet Psychiatry</i> , 2019, 6, 590-600.	7.6	180
306	Depression and Anxiety in Adults With Hidradenitis Suppurativa. <i>JAMA Dermatology</i> , 2019, 155, 939.	4.2	109

#	ARTICLE	IF	CITATIONS
307	Dietary Protein Intake and Falls in Older People: Longitudinal Analyses From the Osteoarthritis Initiative. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1623-1627.	2.6	6
308	Formal Volunteer Activity and Psychological Flourishing in Scandinavia: Findings from Two Cross-sectional Rounds of the European Social Survey. <i>Social Currents</i> , 2019, 6, 255-269.	1.2	14
309	Association of leisure-time sedentary behavior with fast food and carbonated soft drink consumption among 133,555 adolescents aged 12â€“15â€“years in 44 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 35.	4.5	38
310	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995â€“2050. <i>Lancet, The</i> , 2019, 393, 2233-2260.	12.1	302
311	Visual impairment and objectively measured physical activity and sedentary behaviour in US adolescents and adults: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027267.	2.1	36
312	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. <i>JAMA Pediatrics</i> , 2019, 173, e190337.	6.2	153
313	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. <i>PLoS ONE</i> , 2019, 14, e0215182.	2.5	70
314	Sedentary behavior and anxiety-induced sleep disturbance among 181,093 adolescents from 67 countries: a global perspective. <i>Sleep Medicine</i> , 2019, 58, 19-26.	2.3	36
315	Leisure-time sedentary behavior and suicide attempt among 126,392 adolescents in 43 countries. <i>Journal of Affective Disorders</i> , 2019, 250, 346-353.	4.2	37
316	Does loneliness contribute to mild cognitive impairment and dementia? A systematic review and meta-analysis of longitudinal studies. <i>Ageing Research Reviews</i> , 2019, 52, 7-16.	11.2	200
317	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12â€“15 Years From 48 Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 907-918.e4.	0.6	152
318	Mitochondrial genetic haplogroups and cardiovascular diseases: Data from the Osteoarthritis Initiative. <i>PLoS ONE</i> , 2019, 14, e0213656.	2.5	12
319	Attention deficit/hyperactivity disorder and future expectations in Russian adolescents. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019, 11, 279-287.	1.8	2
320	Leisureâ€“Time Sedentary Behavior and Obesity Among 116,762 Adolescents Aged 12â€“15 Years from 41 Lowâ€“and Middleâ€“Income Countries. <i>Obesity</i> , 2019, 27, 830-836.	3.2	28
321	Global, regional, and national burden of stroke, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 439-458.	10.4	2,138
322	Perceived discrimination and psychological distress in nine countries of the former Soviet Union. <i>International Journal of Social Psychiatry</i> , 2019, 65, 158-168.	3.3	5
323	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 459-480.	10.4	2,958
324	The Relationship between Dietary Vitamin K and Depressive Symptoms in Late Adulthood: A Cross-Sectional Analysis from a Large Cohort Study. <i>Nutrients</i> , 2019, 11, 787.	4.2	24

#	ARTICLE	IF	CITATIONS
325	Leisure-time sedentary behavior and loneliness among 148,045 adolescents aged 12–15 years from 52 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 251, 149-155.	4.2	46
326	Acculturative stress, disability, and health treatment utilization among Asian and Latin American immigrants in the United States. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1275-1284.	3.4	14
327	Food Insecurity Is Associated with Mild Cognitive Impairment among Middle-Aged and Older Adults in South Africa: Findings from a Nationally Representative Survey. <i>Nutrients</i> , 2019, 11, 749.	4.2	42
328	Psychotic experiences in the context of mood and anxiety disorders and their associations with health outcomes among people of color in the United States. <i>Journal of Psychosomatic Research</i> , 2019, 118, 27-33.	2.9	8
329	Telomere length and health outcomes: An umbrella review of systematic reviews and meta-analyses of observational studies. <i>Ageing Research Reviews</i> , 2019, 51, 1-10.	11.2	62
330	Angiotensin-Converting Enzyme Inhibitor Use and Incident Frailty: A Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2019, 36, 387-393.	3.0	4
331	Participation in Physical Activity is Associated with Sexual Activity in Older English Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 489.	2.7	22
332	Correlates of leisure-time sedentary behavior among 181,793 adolescents aged 12-15 years from 66 low- and middle-income countries. <i>PLoS ONE</i> , 2019, 14, e0224339.	2.5	23
333	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine</i> , 2019, 7, 69-89.	10.4	360
334	Mediterranean diet and knee osteoarthritis outcomes: A longitudinal cohort study. <i>Clinical Nutrition</i> , 2019, 38, 2735-2739.	5.1	42
335	The impact of pharmacological and non-pharmacological interventions to improve physical health outcomes in people with schizophrenia: a meta-review of meta-analyses of randomized controlled trials. <i>World Psychiatry</i> , 2019, 18, 53-66.	9.6	165
336	Discrimination and suicidality among racial and ethnic minorities in the United States. <i>Journal of Affective Disorders</i> , 2019, 245, 517-523.	4.2	49
337	Cannabis use and suicide attempts among 86,254 adolescents aged 12–15 years from 21 low- and middle-income countries. <i>European Psychiatry</i> , 2019, 56, 8-13.	0.2	74
338	Decline in sexuality and wellbeing in older adults: A population-based study. <i>Journal of Affective Disorders</i> , 2019, 245, 912-917.	4.2	47
339	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , 2019, 18, 88-106.	10.4	1,630
340	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , 2019, 18, 56-87.	10.4	1,194
341	Psychotic experiences and physical health conditions in the United States. <i>Comprehensive Psychiatry</i> , 2019, 90, 1-6.	3.3	23
342	Attention-deficit/hyperactivity disorder symptoms and perceived mental health discrimination in adults in the general population. <i>European Psychiatry</i> , 2019, 56, 91-96.	0.2	7

#	ARTICLE	IF	CITATIONS
343	Correlates of sedentary behavior among community-dwelling adults with anxiety in six low- and middle-income countries. <i>Psychiatry Research</i> , 2019, 273, 501-508.	3.4	9
344	Self-reported asthma diagnosis and mental health: Findings from the Collaborative Psychiatric Epidemiology Surveys. <i>Psychiatry Research</i> , 2019, 271, 721-725.	3.4	20
345	Correlates of sedentary behavior in middle-aged and old age people with mild cognitive impairment: a multinational study. <i>International Psychogeriatrics</i> , 2019, 31, 579-589.	1.1	10
346	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 164-173.	4.5	25
347	The association between diabetes and cataract among 42,469 community-dwelling adults in six low- and middle-income countries. <i>Diabetes Research and Clinical Practice</i> , 2019, 147, 102-110.	2.8	14
348	Handgrip strength, chronic physical conditions and physical multimorbidity in middle-aged and older adults in six low- and middle income countries. <i>European Journal of Internal Medicine</i> , 2019, 61, 96-102.	2.3	28
349	Handgrip strength and depression among 34,129 adults aged 50 years and older in six low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 243, 448-454.	4.2	70
350	The association of social support networks and loneliness with negative perceptions of ageing: evidence from the Irish Longitudinal Study on Ageing (TILDA). <i>Ageing and Society</i> , 2019, 39, 1070-1090.	2.1	22
351	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 234, 97-104.	4.2	25
352	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. <i>Experimental Gerontology</i> , 2018, 106, 137-144.	2.9	3
353	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2018, 232, 385-392.	4.2	34
354	Criminal victimization and psychotic experiences: cross-sectional associations in 35 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 44-54.	4.5	4
355	Physical activity correlates in people with mild cognitive impairment: findings from six low- and middle-income countries. <i>Public Health</i> , 2018, 156, 15-25.	3.0	12
356	Mitochondrial genetic haplogroups and incident obesity: a longitudinal cohort study. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 587-592.	2.9	12
357	Chronic Physical Conditions, Multimorbidity, and Mild Cognitive Impairment in Low- and Middle-Income Countries. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 721-727.	2.9	92
358	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. <i>Journal of Psychiatric Research</i> , 2018, 98, 39-46.	3.2	18
359	Relationship between sedentary behavior and depression: A mediation analysis of influential factors across the lifespan among 42,469 people in low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 229, 231-238.	4.2	116
360	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. <i>Psychiatry Research</i> , 2018, 261, 406-413.	3.4	8

#	ARTICLE	IF	CITATIONS
361	Mild cognitive impairment and sedentary behavior: A multinational study. <i>Experimental Gerontology</i> , 2018, 108, 174-180.	2.9	26
362	Diet-borne systemic inflammation is associated with prevalent tooth loss. <i>Clinical Nutrition</i> , 2018, 37, 1306-1312.	5.1	32
363	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 193, 412-417.	2.1	28
364	Multimorbidity and perceived stress: a population-based cross-sectional study among older adults across six low- and middle-income countries. <i>Maturitas</i> , 2018, 107, 84-91.	2.5	45
365	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Psychiatric Research</i> , 2018, 96, 115-123.	3.2	68
366	Sedentary behavior and anxiety: Association and influential factors among 42,469 community-dwelling adults in six low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2018, 50, 26-32.	2.5	40
367	Correlates of physical activity among depressed older people in six low-income and middle-income countries: A community-based cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e314-e322.	2.7	17
368	Pro-inflammatory dietary pattern is associated with fractures in women: an eight-year longitudinal cohort study. <i>Osteoporosis International</i> , 2018, 29, 143-151.	3.2	30
369	Correlates of low physical activity across 46 low- and middle-income countries: A cross-sectional analysis of community-based data. <i>Preventive Medicine</i> , 2018, 106, 107-113.	3.5	32
370	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 261-284.	8.9	257
371	Correlates of physical activity among community-dwelling individuals aged 65 years or older with anxiety in six low- and middle-income countries. <i>International Psychogeriatrics</i> , 2018, 30, 705-714.	1.1	11
372	Low-dose vitamin D supplementation and incident frailty in older people: An eight year longitudinal study. <i>Experimental Gerontology</i> , 2018, 101, 1-6.	2.9	22
373	Psychotic experiences and disability: Findings from the Collaborative Psychiatric Epidemiology Surveys. <i>Schizophrenia Research</i> , 2018, 193, 343-347.	2.1	46
374	Aspirin and incident depressive symptoms: A longitudinal cohort study over 8 years. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e193-e198.	2.7	10
375	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1684-1735.	12.1	813
376	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1736-1788.	12.1	5,415
377	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1923-1994.	12.1	3,512
378	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1995-2051.	12.1	313

#	ARTICLE	IF	CITATIONS
379	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	12.1	9,267
380	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	12.1	357
381	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	12.1	2,298
382	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. <i>Lancet Infectious Diseases, The</i> , 2018, 18, 1329-1349.	8.9	205
383	Act-Belong-Commit Indicators Promote Mental Health and Wellbeing among Irish Older Adults. <i>American Journal of Health Behavior</i> , 2018, 42, 31-45.	1.5	24
384	Urbanicity and Psychosis—Reply. <i>JAMA Psychiatry</i> , 2018, 75, 1301.	11.4	0
385	Evaluating the Clinical Relevance of Psychotic Experiences in Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2018, 44, 1167-1169.	4.6	4
386	Comparison of the indocyanine green dye method versus the combined method of indigo carmine blue dye with indocyanine green fluorescence imaging for sentinel lymph node biopsy in breast conservative therapy for stage II breast cancer. <i>BMC Women's Health</i> , 2018, 18, 151.	2.0	18
387	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases, The</i> , 2018, 18, 1211-1228.	8.9	939
388	Seasonal Allergies and Psychiatric Disorders in the United States. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1965.	2.7	24
389	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. <i>International Journal of Eating Disorders</i> , 2018, 51, 942-952.	4.6	10
390	Associations between active travel and physical multi-morbidity in six low- and middle-income countries among community-dwelling older adults: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0203277.	2.5	21
391	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018, 201, 70-78.	2.1	27
392	Attention-deficit/hyperactivity disorder symptoms and suicidal behavior in adult psychiatric outpatients. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 713-722.	2.3	17
393	Mortality in unipolar depression preceding and following chronic somatic diseases. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 500-508.	4.5	23
394	Corrigendum to "Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007" [Journal of Affective Disorders 232 (2018) 385–392]. <i>Journal of Affective Disorders</i> , 2018, 235, 168.	4.2	2
395	Association of Urbanicity With Psychosis in Low- and Middle-Income Countries. <i>JAMA Psychiatry</i> , 2018, 75, 678.	11.4	123
396	Pain and severe sleep disturbance in the general population: Primary data and meta-analysis from 240,820 people across 45 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2018, 53, 52-58.	2.5	16

#	ARTICLE	IF	CITATIONS
397	Association between depression and smoking: A global perspective from 48 low- and middle-income countries. <i>Journal of Psychiatric Research</i> , 2018, 103, 142-149.	3.2	55
398	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Schizophrenia Research</i> , 2018, 201, 79-84.	2.1	6
399	Physical activity and sleep problems in 38 low- and middle-income countries. <i>Sleep Medicine</i> , 2018, 48, 140-147.	2.3	16
400	Attention-deficit/hyperactivity disorder symptoms and happiness among adults in the general population. <i>Psychiatry Research</i> , 2018, 265, 317-323.	3.4	7
401	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	12.1	678
402	Sedentary behaviour and sleep problems among 42,489 community-dwelling adults in six low- and middle-income countries. <i>Journal of Sleep Research</i> , 2018, 27, e12714.	3.3	35
403	Childhood Hunger and Thoughts of Death or Suicide in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 1070-1078.	1.1	9
404	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 201, 406-412.	2.1	1
405	Pain is not associated with cognitive decline in older adults: A four-year longitudinal study. <i>Maturitas</i> , 2018, 115, 92-96.	2.5	34
406	Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 981-988.e7.	2.6	130
407	Hand grip strength and cognitive function among elderly cancer survivors. <i>PLoS ONE</i> , 2018, 13, e0197909.	2.5	34
408	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. <i>BMC Medicine</i> , 2018, 16, 112.	5.7	164
409	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 607-612.	2.6	48
410	Skin picking disorder: prevalence, correlates, and associations with quality of life in a large sample. <i>CNS Spectrums</i> , 2018, 23, 311-320.	1.3	46
411	Correlates of sedentary behavior in the general population: A cross-sectional study using nationally representative data from six low- and middle-income countries. <i>PLoS ONE</i> , 2018, 13, e0202222.	2.5	59
412	Psychotic experiences as an independent risk factor for angina pectoris in 48 low- and middle-income countries. <i>World Psychiatry</i> , 2018, 17, 232-234.	9.6	6
413	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	12.1	2,233
414	Sedentary behavior and depressive symptoms among 67,077 adolescents aged 12-15 years from 30 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 73.	4.5	102

#	ARTICLE	IF	CITATIONS
415	Sedentary behavior and perceived stress among adults aged ≥50 years in six low- and middle-income countries. <i>Maturitas</i> , 2018, 116, 100-107.	2.5	24
416	Psychotic experiences and religiosity: Findings from the collaborative psychiatric epidemiological surveys. <i>Schizophrenia Research</i> , 2018, 201, 435-436.	2.1	4
417	Psychotic experiences as indicators of risk for cardiovascular disease. <i>Schizophrenia Research</i> , 2018, 202, 281-283.	2.1	4
418	Environmental risk factors and nonpharmacological and nonsurgical interventions for obesity: An umbrella review of meta-analyses of cohort studies and randomized controlled trials. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12982.	3.4	57
419	Different patterns of alcohol consumption and the incidence and persistence of depressive and anxiety symptoms among older adults in Ireland: A prospective community-based study. <i>Journal of Affective Disorders</i> , 2018, 238, 651-658.	4.2	18
420	Physical multimorbidity and loneliness: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0191651.	2.5	85
421	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw111.	4.6	52
422	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 6.	4.5	122
423	Attention-deficit/hyperactivity disorder symptoms and loneliness among adults in the general population. <i>Research in Developmental Disabilities</i> , 2017, 62, 115-123.	2.3	19
424	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. <i>Journal of Affective Disorders</i> , 2017, 212, 10-16.	4.2	11
425	The protective properties of Act-Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based study. <i>Experimental Gerontology</i> , 2017, 91, 79-87.	2.9	40
426	n-3 Fatty acids, Mediterranean diet and cognitive function in normal aging: A systematic review. <i>Experimental Gerontology</i> , 2017, 91, 39-50.	2.9	49
427	Depression and physical health multimorbidity: primary data and country-wide meta-analysis of population data from 190 593 people across 43 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 2107-2117.	5.2	110
428	Dietary inflammatory potential is linked to cardiovascular disease risk burden in the US adult population. <i>International Journal of Cardiology</i> , 2017, 240, 409-413.	1.6	35
429	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017, 186, 979-989.	3.7	68
430	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266.	12.1	511
431	Fried potato consumption is associated with elevated mortality: an 8-y longitudinal cohort study. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 162-167.	4.6	52
432	Estimates of global, regional, and national morbidity, mortality, and aetiologies of diarrhoeal diseases: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases, The</i> , 2017, 17, 909-948.	8.9	891

#	ARTICLE	IF	CITATIONS
433	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017, 221, 81-88.	4.2	22
434	Mitochondrial genetic haplogroups and depressive symptoms: A large study among people in North America. <i>Journal of Affective Disorders</i> , 2017, 217, 55-59.	4.2	6
435	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	6.2	321
436	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990â€“2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 389, 1885-1906.	12.1	1,379
437	Relationship between depression and frailty in older adults: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2017, 36, 78-87.	11.2	539
438	Airborne pollen and suicide mortality in Tokyo, 2001â€“2011. <i>Environmental Research</i> , 2017, 155, 134-140.	7.7	25
439	Child death and maternal psychosis-like experiences in 44 low- and middle-income countries: The role of depression. <i>Schizophrenia Research</i> , 2017, 183, 41-46.	2.1	6
440	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 531-542.	5.2	33
441	Attention-deficit/hyperactivity disorder and physical multimorbidity: A population-based study. <i>European Psychiatry</i> , 2017, 45, 227-234.	0.2	33
442	The association between Act-Belong-Commit indicators and problem drinking among older Irish adults: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Drug and Alcohol Dependence</i> , 2017, 180, 323-331.	3.3	13
443	Perceived stress and smoking across 41 countries: A global perspective across Europe, Africa, Asia and the Americas. <i>Scientific Reports</i> , 2017, 7, 7597.	3.4	97
444	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.	12.1	594
445	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	12.1	1,647
446	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	12.1	3,733
447	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	12.1	5,921
448	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	12.1	1,969
449	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459.	12.1	289
450	Physical activity correlates in heavy episodic drinkers: Data from 46 low- and middle-income countries. <i>Mental Health and Physical Activity</i> , 2017, 13, 163-170.	1.8	7

#	ARTICLE	IF	CITATIONS
451	Lifetime self-reported arthritis is associated with elevated levels of mental health burden: A multi-national cross sectional study across 46 low- and middle-income countries. <i>Scientific Reports</i> , 2017, 7, 7138.	3.4	14
452	Mild cognitive impairment and physical activity in the general population: Findings from six low- and middle-income countries. <i>Experimental Gerontology</i> , 2017, 100, 100-105.	2.9	45
453	Physical activity correlates in people with anxiety: Data from 46 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2017, 49, 26-31.	2.5	14
454	Depression and pain: primary data and meta-analysis among 237,952 people across 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 2906-2917.	5.2	73
455	Psychotic-like experiences and happiness in the English general population. <i>Journal of Affective Disorders</i> , 2017, 222, 211-217.	4.2	5
456	Urinary incontinence, mental health and loneliness among community-dwelling older adults in Ireland. <i>BMC Urology</i> , 2017, 17, 29.	1.5	41
457	Cognitive reserve is associated with quality of life: A population-based study. <i>Experimental Gerontology</i> , 2017, 87, 67-73.	2.9	34
458	The relationship between chronic physical conditions, multimorbidity and anxiety in the general population: A global perspective across 42 countries. <i>General Hospital Psychiatry</i> , 2017, 45, 1-6.	2.5	82
459	Suicidal Behavior in Juvenile Delinquents: The Role of ADHD and Other Comorbid Psychiatric Disorders. <i>Child Psychiatry and Human Development</i> , 2017, 48, 691-698.	2.1	20
460	Physical activity and anxiety: A perspective from the World Health Survey. <i>Journal of Affective Disorders</i> , 2017, 208, 545-552.	4.2	226
461	Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. <i>PLoS ONE</i> , 2017, 12, e0186992.	2.5	31
462	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. <i>BMC Medicine</i> , 2017, 15, 209.	5.7	88
463	Physical chronic conditions, multimorbidity and sedentary behavior amongst middle-aged and older adults in six low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 147.	4.5	75
464	Comparison of clinical outcomes with orodispersible versus standard oral olanzapine tablets in nonadherent patients with schizophrenia or bipolar disorder. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1019-1025.	1.9	12
465	Mental health among older Irish adults: Act-Belong-Commit indicators promote subjective wellbeing. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	1
466	Psychotic symptoms and smoking in 44 countries. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 497-505.	4.5	33
467	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 858-867.	2.7	63
468	Social relationships, loneliness, and mental health among older men and women in Ireland: A prospective community-based study. <i>Journal of Affective Disorders</i> , 2016, 204, 59-69.	4.2	126

#	ARTICLE	IF	CITATIONS
469	Weight Perception, Satisfaction, Control, and Low Energy Dietary Reporting in the US Adult Population: Results from the National Health and Nutrition Examination Survey 2007-2012. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 579-589.	0.8	17
470	Pregnant and peripartum women are not at increased risk for psychotic experiences at the population level: Evidence from 46 countries. <i>Schizophrenia Research</i> , 2016, 174, 202-203.	2.1	2
471	Negative perceptions of ageing predict the onset and persistence of depression and anxiety: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2016, 199, 132-138.	4.2	91
472	Birthdays are associated with an increased risk of suicide in Japan: Evidence from 27,007 deaths in Tokyo in 2001-2010. <i>Journal of Affective Disorders</i> , 2016, 200, 259-265.	4.2	8
473	Subclinical psychosis and pain in an English national sample: The role of common mental disorders. <i>Schizophrenia Research</i> , 2016, 175, 209-215.	2.1	12
474	Stress Sensitivity and Psychotic Experiences in 39 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2016, 42, 1353-1362.	4.6	60
475	Psychotic-like experiences and disordered eating in the English general population. <i>Psychiatry Research</i> , 2016, 241, 26-34.	3.4	18
476	Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 546-556.	4.5	93
477	The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2016, 43, 63-70.	2.5	131
478	Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1775-1812.	12.1	782
479	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	12.1	1,680
480	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	12.1	5,141
481	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1545-1602.	12.1	5,538
482	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	12.1	4,401
483	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1725-1774.	12.1	604
484	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	12.1	433
485	Is smoking tobacco associated with psychotic experiences across racial categories in the United States? Findings from the Collaborative Psychiatric Epidemiological Surveys. <i>Psychiatry Research</i> , 2016, 246, 58-61.	3.4	10
486	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-continent study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 312-321.	7.4	194

#	ARTICLE	IF	CITATIONS
487	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. <i>BMC Medicine</i> , 2016, 14, 189.	5.7	126
488	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. <i>Lancet HIV</i> , 2016, 3, e361-e387.	4.6	469
489	ADHD symptoms and pain among adults in England. <i>Psychiatry Research</i> , 2016, 246, 326-331.	3.4	34
490	Population prevalence of edentulism and its association with depression and self-rated health. <i>Scientific Reports</i> , 2016, 6, 37083.	3.4	95
491	The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). <i>BMC Public Health</i> , 2016, 16, 1098.	3.0	305
492	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1319-1329.	3.5	28
493	Risk and functional significance of psychotic experiences among individuals with depression in 44 low- and middle-income countries. <i>Psychological Medicine</i> , 2016, 46, 2655-2665.	5.2	46
494	Loneliness and its association with psychological and somatic health problems among Czech, Russian and U.S. adolescents. <i>BMC Psychiatry</i> , 2016, 16, 128.	2.7	91
495	Sleep disturbances are associated with psychotic experiences: Findings from the National Comorbidity Survey Replication. <i>Schizophrenia Research</i> , 2016, 171, 74-78.	2.1	25
496	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. <i>Experimental Gerontology</i> , 2016, 76, 39-45.	2.9	10
497	Attention-deficit/hyperactivity disorder symptoms and suicide ideation and attempts: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2016, 189, 321-328.	4.2	61
498	Loneliness, common mental disorders and suicidal behavior: Findings from a general population survey. <i>Journal of Affective Disorders</i> , 2016, 197, 81-87.	4.2	237
499	Mild cognitive impairment is associated with falls among older adults: Findings from the Irish Longitudinal Study on Ageing (TILDA). <i>Experimental Gerontology</i> , 2016, 75, 42-47.	2.9	49
500	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 205-214.	3.7	431
501	Endoscope-Assisted Partial Mastectomy. , 2016, , 55-61.		0
502	Close Relationships Matter: Family Well-being and its Effects on Health in Russia. <i>Europe-Asia Studies</i> , 2015, 67, 1635-1655.	1.0	3
503	Crime and subjective well-being in the countries of the former Soviet Union. <i>BMC Public Health</i> , 2015, 15, 1010.	3.0	8
504	The Association between Sleep Problems and Psychotic Symptoms in the General Population: A Global Perspective. <i>Sleep</i> , 2015, 38, 1875-1885.	1.1	154

#	ARTICLE	IF	CITATIONS
505	Childhood adversities and adult-onset chronic pain: Results from the World Mental Health Survey, Japan. <i>European Journal of Pain</i> , 2015, 19, 1418-1427.	2.9	38
506	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e007313.	2.1	43
507	The association between social relationships and depression: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 175, 53-65.	4.2	604
508	Binge Drinking and Eating Problems in Russian Adolescents. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 540-547.	2.5	15
509	The association between obesity and back pain in nine countries: a cross-sectional study. <i>BMC Public Health</i> , 2015, 15, 123.	3.0	60
510	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. <i>Experimental Gerontology</i> , 2015, 69, 27-35.	2.9	63
511	The association between psychosis and severe pain in community-dwelling adults: Findings from 44 low- and middle-income countries. <i>Journal of Psychiatric Research</i> , 2015, 69, 19-26.	3.2	25
512	Correlates of Weapon Carrying in School among Adolescents in Three Countries. <i>American Journal of Health Behavior</i> , 2015, 39, 99-108.	1.5	12
513	Smoking status, nicotine dependence and happiness in nine countries of the former Soviet Union. <i>Tobacco Control</i> , 2015, 24, 190-197.	3.3	32
514	The association of relationship quality and social networks with depression, anxiety, and suicidal ideation among older married adults: Findings from a cross-sectional analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2015, 179, 134-141.	4.2	79
515	Urban-rural differences in psychological distress in nine countries of the former Soviet Union. <i>Journal of Affective Disorders</i> , 2015, 178, 142-148.	4.2	25
516	Male solitary drinking and hazardous alcohol use in nine countries of the former Soviet Union. <i>Drug and Alcohol Dependence</i> , 2015, 150, 105-111.	3.3	8
517	Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. <i>Experimental Gerontology</i> , 2015, 64, 70-77.	2.9	58
518	Loneliness and health in Eastern Europe: findings from Moscow, Russia. <i>Public Health</i> , 2015, 129, 403-410.	3.0	42
519	Subclinical psychosis and suicidal behavior in England: Findings from the 2007 Adult Psychiatric Morbidity Survey. <i>Schizophrenia Research</i> , 2015, 168, 62-67.	2.1	44
520	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. <i>Social Science and Medicine</i> , 2015, 147, 134-143.	4.0	54
521	Determinants of the components of arterial pressure among older adults - The role of anthropometric and clinical factors: A multi-continent study. <i>Atherosclerosis</i> , 2015, 238, 240-249.	0.8	8
522	Psychotic-Like Experiences and Nonsuicidal Self-Injury in England: Results from a National Survey. <i>PLoS ONE</i> , 2015, 10, e0145533.	2.5	23

#	ARTICLE	IF	CITATIONS
523	Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. PLoS ONE, 2014, 9, e114742.	2.5	167
524	Social networks and mental health in post-conflict Mitrovica, Kosova. BMC Public Health, 2014, 14, 1169.	3.0	13
525	Alcohol Consumption and Psychological Distress in Adolescents: A Multi-Country Study. Journal of Adolescent Health, 2014, 54, 228-234.	2.5	112
526	Genistein production in rice seed via transformation with soybean IFS genes. Plant Science, 2014, 217-218, 27-35.	3.8	15
527	Loneliness and health risk behaviours among Russian and U.S. adolescents: a cross-sectional study. BMC Public Health, 2014, 14, 366.	3.0	134
528	Peer victimisation and its association with psychological and somatic health problems among adolescents in northern Russia. Child and Adolescent Psychiatry and Mental Health, 2013, 7, 15.	2.7	10
529	Prevalence and factors associated with the use of alternative (folk) medicine practitioners in 8 countries of the former Soviet Union. BMC Complementary and Alternative Medicine, 2013, 13, 83.	3.7	25
530	An accessory thyroid gland that presented tumor-like images. Journal of Medical Ultrasonics (2001), 2013, 40, 163-168.	1.5	1
531	Macrosomia in 23 developing countries: an analysis of a multicountry, facility-based, cross-sectional survey. Lancet, The, 2013, 381, 476-483.	12.1	271
532	Binge drinking among adolescents in Russia: Prevalence, risk and protective factors. Addictive Behaviors, 2013, 38, 1988-1995.	3.3	20
533	Criminal victimisation and health: Examining the relation in nine countries of the former Soviet Union. Social Science and Medicine, 2013, 91, 76-83.	4.0	13
534	Adolescent binge drinking and risky health behaviours: Findings from northern Russia. Drug and Alcohol Dependence, 2013, 133, 838-844.	3.3	22
535	Interventions for improving outcomes for pregnant women who have experienced genital cutting. The Cochrane Library, 2013, , CD009872.	2.8	10
536	Loneliness: Its Correlates and Association with Health Behaviours and Outcomes in Nine Countries of the Former Soviet Union. PLoS ONE, 2013, 8, e67978.	2.5	102
537	Comparison Between Endoscope-assisted Partial Mastectomy With Filling of Dead Space Using Absorbable Mesh and Conventional Conservative Method on Cosmetic Outcome in Patients With Stage I or II Breast Cancer. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2012, 22, 68-72.	0.9	17
538	Behavioral interventions to reduce the transmission of HIV infection among sex workers and their clients in low- and middle-income countries. The Cochrane Library, 2012, , CD005272.	2.8	58
539	The epidemiological impact and cost-effectiveness of HIV testing, antiretroviral treatment and harm reduction programs. Aids, 2012, 26, 2069-2078.	2.2	41
540	Morbidity Among Human Immunodeficiency Virus-exposed But Uninfected, Human Immunodeficiency Virus-infected, and Human Immunodeficiency Virus-unexposed Infants in Zimbabwe Before Availability of Highly Active Antiretroviral Therapy. Pediatric Infectious Disease Journal, 2011, 30, 45-51.	2.0	141

#	ARTICLE	IF	CITATIONS
541	Predictive Value of Weight Loss on Mortality of HIV-Positive Mothers in a Prolonged Breastfeeding Setting. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1141-1148.	1.2	11
542	Postpartum Plasma CD4 Change in HIV-Positive Women: Implications for Timing of HAART Initiation. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 547-552.	1.2	2
543	What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010, 375, 1668-1670.	12.1	7
544	Effect of early exclusive breastfeeding on morbidity among infants born to HIV-negative mothers in Zimbabwe. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1375-1382.	4.6	32
545	Zinc and infection: a review. <i>Annals of Tropical Paediatrics</i> , 2005, 25, 149-160.	1.0	70
546	Relationships between serum concentrations of C-reactive protein and micronutrients, in patients with tuberculosis. <i>Annals of Tropical Medicine and Parasitology</i> , 2004, 98, 391-399.	1.5	53
547	Changes in out-of-pocket payments on utilisation of health care services. <i>The Cochrane Library</i> , 0, , .	2.8	1
548	Changes in out-of-pocket payments on utilisation of health care services. <i>The Cochrane Library</i> , 0, , .	2.8	0
549	Vaccine strategy against COVID-19 with a focus on the Omicron and stealth Omicron variants: Life Cycle Committee Recommendations. <i>Life Cycle</i> , 0, 2, .	0.0	12
550	Global burden of disease study at the world health organization: research methods for the most comprehensive global study of disease and underlying health policies. <i>Life Cycle</i> , 0, 2, .	0.0	16
551	Association between tuberculosis and psychotic experiences: Mediating factors and implications for patient care in low- and middle-income countries. <i>Journal of Global Health</i> , 0, 14, .	1.7	0
552	Sadness, counseling for sadness, and sleep time and COVID-19 pandemic in South Korea: Rapid review and a post-hoc analysis. <i>Life Cycle</i> , 0, 3, .	0.0	0
553	National and Regional Trends in the Prevalence of Hypertension in South Korea Amid the Pandemic, 2009-2022: Nationwide Study of Over 3 Million Individuals. <i>JMIR Public Health and Surveillance</i> , 0, 10, e51891.	2.6	0
554	National Trends in the Prevalence of Unmet Health Care and Dental Care Needs During the COVID-19 Pandemic: Longitudinal Study in South Korea, 2009-2022. <i>JMIR Public Health and Surveillance</i> , 0, 10, e51481.	2.6	0
555	Machine Learning-Based Prediction of Neurodegenerative Disease in Patients With Type 2 Diabetes by Derivation and Validation in 2 Independent Korean Cohorts: Model Development and Validation Study. <i>Journal of Medical Internet Research</i> , 0, 26, e56922.	4.5	0