Juan López-Gappa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6973483/publications.pdf

Version: 2024-02-01

1478505 1281871 19 137 11 6 citations h-index g-index papers 20 20 20 165 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	NamuncurÃ; Marine Protected Area: an oceanic hot spot of benthic biodiversity at Burdwood Bank, Argentina. Polar Biology, 2016, 39, 2373-2386.	1.2	56
2	New and little-known bryozoans from Monte Le \tilde{A}^3 n Formation (early Miocene, Argentina) and their paleobiogeographic relationships. Journal of Paleontology, 2015, 89, 956-965.	0.8	11
3	Redescription and palaeoecological significance of the bryozoanHippoporidra patagonica(Pallaroni,) Tj ETQq1 1 39, 1-7.	0.784314 1.2	rgBT /Overloc 11
4	A new genus and species of cheilostome bryozoan associated with hermit crabs in the subantarctic Southwest Atlantic. Polar Biology, 2018, 41, 733-741.	1.2	10
5	First record of a fossil selenariid bryozoan in South America. Alcheringa, 2017, 41, 365-368.	1.2	8
6	Taxonomic status of some species of Aspidostomatidae (Bryozoa, Cheilostomata) from the Oligocene and Miocene of Patagonia (Argentina). Journal of Paleontology, 2018, 92, 432-441.	0.8	6
7	Bryozoa from the continental shelf off Tierra del Fuego (Argentina): Species richness, colonial growth-forms, and their relationship with water depth. Estuarine, Coastal and Shelf Science, 2018, 214, 48-56.	2.1	6
8	Bryozoans and borings from Destacamento RÃo Salado Member (Buenos Aires Province, Argentina): Systematics and palaeoenvironment. Journal of South American Earth Sciences, 2020, 102, 102712.	1.4	5
9	High density of the alien bryozoan Fenestrulina delicia in the fouling assemblage of a South American harbour (Argentina). Marine Biodiversity, 2016, 46, 509-513.	1.0	4
10	Effect of large predators on the fouling assemblage of a Patagonian harbour (Argentina, SW) Tj ETQq0 0 0 rgBT	/Overlock 2.0	10 ₄ Tf 50 382
11	Recent discovery of non-indigenous bryozoans in the fouling assemblage of Quequén Harbour (Argentina, Southwest Atlantic). Marine Biodiversity, 2018, 48, 1159-1167.	1.0	4
12	An unusual symbiotic relationship between a cyclostome bryozoan and a thecate hydroid. Symbiosis, 2021, 85, 217.	2.3	3
13	Three new cribrimorph bryozoans (order Cheilostomatida) from the early Miocene of Argentina, with a discussion on spinocystal shield morphologies. Journal of Paleontology, 2021, 95, 568-582.	0.8	3
14	First Fossil Occurrence of the Genus Platychelyna Hayward and Thorpe (Bryozoa: Cheilostomata). Ameghiniana, 2018, 55, 607.	0.7	3
15	The clam <i>Neilonella sulculata</i> in San Jorge Gulf (Argentina, Southwest Atlantic): spatial distribution pattern and inverse relationship between size and density. Marine Biology Research, 2016, 12, 621-630.	0.7	1
16	Bryozoan assemblages on gastropod shells occupied by the hermit crab Pagurus comptus. Polar Biology, 2021, 44, 335-349.	1.2	1
17	A New Genus and Species of Chaperiidae (Bryozoa: Cheilostomata) from the Early Miocene of Patagonia (Argentina). Ameghiniana, 2019, 56, 422.	0.7	1
18	Role of the clam <i>Neilonella sulculata</i> as substrate for the hydroid <i>Bougainvillia macloviana</i> on muddy bottoms of San Jorge Gulf (Argentina, Southwest Atlantic). Marine Biology Research, 2016, 12, 888-893.	0.7	0

#	Article	IF	CITATIONS
19	Bryozoans Associated with Gastropod Shells in the Early Miocene of Patagonia (Argentina). Ameghiniana, 2022, 59, .	0.7	0