

Juan LÃ³pez-Gappa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6973483/publications.pdf>

Version: 2024-02-01

19
papers

137
citations

1478505

6
h-index

1281871

11
g-index

20
all docs

20
docs citations

20
times ranked

165
citing authors

#	ARTICLE	IF	CITATIONS
1	Bryozoans Associated with Gastropod Shells in the Early Miocene of Patagonia (Argentina). <i>Ameghiniana</i> , 2022, 59, .	0.7	0
2	Bryozoan assemblages on gastropod shells occupied by the hermit crab <i>Pagurus comptus</i> . <i>Polar Biology</i> , 2021, 44, 335-349.	1.2	1
3	An unusual symbiotic relationship between a cyclostome bryozoan and a thecate hydroid. <i>Symbiosis</i> , 2021, 85, 217.	2.3	3
4	Three new cribrimorph bryozoans (order Cheilostomatida) from the early Miocene of Argentina, with a discussion on spinocrystal shield morphologies. <i>Journal of Paleontology</i> , 2021, 95, 568-582.	0.8	3
5	Bryozoans and borings from Destacamento R�o Salado Member (Buenos Aires Province, Argentina): Systematics and palaeoenvironment. <i>Journal of South American Earth Sciences</i> , 2020, 102, 102712.	1.4	5
6	A New Genus and Species of Chaperiidae (Bryozoa: Cheilostomata) from the Early Miocene of Patagonia (Argentina). <i>Ameghiniana</i> , 2019, 56, 422.	0.7	1
7	Taxonomic status of some species of Aspidostomatidae (Bryozoa, Cheilostomata) from the Oligocene and Miocene of Patagonia (Argentina). <i>Journal of Paleontology</i> , 2018, 92, 432-441.	0.8	6
8	A new genus and species of cheilostome bryozoan associated with hermit crabs in the subantarctic Southwest Atlantic. <i>Polar Biology</i> , 2018, 41, 733-741.	1.2	10
9	Recent discovery of non-indigenous bryozoans in the fouling assemblage of Quequ�n Harbour (Argentina, Southwest Atlantic). <i>Marine Biodiversity</i> , 2018, 48, 1159-1167.	1.0	4
10	Bryozoa from the continental shelf off Tierra del Fuego (Argentina): Species richness, colonial growth-forms, and their relationship with water depth. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 214, 48-56.	2.1	6
11	First Fossil Occurrence of the Genus <i>Platychelyna</i> Hayward and Thorpe (Bryozoa: Cheilostomata). <i>Ameghiniana</i> , 2018, 55, 607.	0.7	3
12	First record of a fossil selenariid bryozoan in South America. <i>Alcheringa</i> , 2017, 41, 365-368.	1.2	8
13	Role of the clam <i>Neilonella sulculata</i> as substrate for the hydroid <i>Bougainvillia macloviana</i> on muddy bottoms of San Jorge Gulf (Argentina, Southwest Atlantic). <i>Marine Biology Research</i> , 2016, 12, 888-893.	0.7	0
14	The clam <i>Neilonella sulculata</i> in San Jorge Gulf (Argentina, Southwest Atlantic): spatial distribution pattern and inverse relationship between size and density. <i>Marine Biology Research</i> , 2016, 12, 621-630.	0.7	1
15	Namuncur�; Marine Protected Area: an oceanic hot spot of benthic biodiversity at Burdwood Bank, Argentina. <i>Polar Biology</i> , 2016, 39, 2373-2386.	1.2	56
16	High density of the alien bryozoan <i>Fenestrulina delicia</i> in the fouling assemblage of a South American harbour (Argentina). <i>Marine Biodiversity</i> , 2016, 46, 509-513.	1.0	4
17	Effect of large predators on the fouling assemblage of a Patagonian harbour (Argentina, SW) Tj ETQq1 1 0.784314.rgBT /Overlock 10	2.8	4
18	New and little-known bryozoans from Monte Le�n Formation (early Miocene, Argentina) and their paleobiogeographic relationships. <i>Journal of Paleontology</i> , 2015, 89, 956-965.	0.8	11

#	ARTICLE	IF	CITATIONS
19	Redescription and palaeoecological significance of the bryozoan <i>Hippoporidra patagonica</i> (Pallaroni, 1939) Tj ETQq1 1.2	0.784314	11