

Moyra E Mortby

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6973826/publications.pdf>

Version: 2024-02-01

48
papers

1,903
citations

361045

20
h-index

276539

41
g-index

52
all docs

52
docs citations

52
times ranked

2213
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Prevalence of Depression in Patients With Mild Cognitive Impairment. <i>JAMA Psychiatry</i> , 2017, 74, 58. | 6.0 | 342 |
| 2 | The Mild Behavioral Impairment Checklist (MBI-C): A Rating Scale for Neuropsychiatric Symptoms in Pre-Dementia Populations. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 929-938. | 1.2 | 306 |
| 3 | Apathy associated with neurocognitive disorders: Recent progress and future directions. <i>Alzheimer's and Dementia</i> , 2017, 13, 84-100. | 0.4 | 167 |
| 4 | Affective and emotional dysregulation as pre-dementia risk markers: exploring the mild behavioral impairment symptoms of depression, anxiety, irritability, and euphoria. <i>International Psychogeriatrics</i> , 2018, 30, 185-196. | 0.6 | 145 |
| 5 | Prevalence of mild behavioral impairment in mild cognitive impairment and subjective cognitive decline, and its association with caregiver burden. <i>International Psychogeriatrics</i> , 2018, 30, 233-244. | 0.6 | 111 |
| 6 | Prevalence estimates of mild behavioral impairment in a population-based sample of pre-dementia states and cognitively healthy older adults. <i>International Psychogeriatrics</i> , 2018, 30, 221-232. | 0.6 | 96 |
| 7 | Diagnostic criteria for apathy in neurocognitive disorders. <i>Alzheimer's and Dementia</i> , 2021, 17, 1892-1904. | 0.4 | 71 |
| 8 | Association of sex differences in dementia risk factors with sex differences in memory decline in a population-based cohort spanning 20-76 years. <i>Scientific Reports</i> , 2021, 11, 7710. | 1.6 | 56 |
| 9 | Dementia clinical trial implications of mild behavioral impairment. <i>International Psychogeriatrics</i> , 2018, 30, 171-175. | 0.6 | 55 |
| 10 | Caregiver rating bias in mild cognitive impairment and mild Alzheimer's disease: impact of caregiver burden and depression on dyadic rating discrepancy across domains. <i>International Psychogeriatrics</i> , 2013, 25, 1345-1355. | 0.6 | 54 |
| 11 | Association of Alzheimer's genetic loci with mild behavioral impairment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 727-735. | 1.1 | 49 |
| 12 | High "Normal" Blood Glucose Is Associated with Decreased Brain Volume and Cognitive Performance in the 60s: The PATH through Life Study. <i>PLoS ONE</i> , 2013, 8, e73697. | 1.1 | 45 |
| 13 | Apathy: a separate syndrome from depression in dementia? A critical review. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 305-16. | 1.4 | 45 |
| 14 | Sex differences in neuropsychiatric symptoms in Alzheimer's disease dementia: a meta-analysis. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 48. | 3.0 | 42 |
| 15 | Neuropsychiatric Symptoms and Cognitive Impairment: Understanding the Importance of Co-Morbid Symptoms. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 141-153. | 1.2 | 37 |
| 16 | Evaluation of a research diagnostic algorithm for DSM-5 neurocognitive disorders in a population-based cohort of older adults. <i>Alzheimer's Research and Therapy</i> , 2017, 9, 15. | 3.0 | 37 |
| 17 | Apathy as a Treatment Target in Alzheimer's Disease: Implications for Clinical Trials. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 119-147. | 0.6 | 28 |
| 18 | Agitation and impulsivity in mid and late life as possible risk markers for incident dementia. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12016. | 1.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Depressive symptoms as a barrier to engagement in physical activity in older adults with and without Alzheimer's disease. <i>PLoS ONE</i> , 2018, 13, e0208581. | 1.1 | 23 |
| 20 | Using sulcal and gyral measures of brain structure to investigate benefits of an active lifestyle. <i>NeuroImage</i> , 2014, 91, 353-359. | 2.1 | 22 |
| 21 | Blood Pressure, Brain Structure, and Cognition: Opposite Associations in Men and Women. <i>American Journal of Hypertension</i> , 2015, 28, 225-231. | 1.0 | 21 |
| 22 | Special Issue on mild behavioral impairment and non-cognitive prodromes to dementia. <i>International Psychogeriatrics</i> , 2018, 30, 167-169. | 0.6 | 13 |
| 23 | Non-pharmacological interventions for neuropsychiatric symptoms of dementia in residential aged care settings: An umbrella review. <i>International Journal of Nursing Studies</i> , 2022, 128, 104187. | 2.5 | 13 |
| 24 | Midlife Motivational Abilities Predict Apathy and Depression in Alzheimer Disease: The Aging, Demographics, and Memory Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2011, 24, 151-160. | 1.2 | 12 |
| 25 | Cognitive and Neuropsychiatric Screening Tests in Older Adults. <i>Mental Health and Illness Worldwide</i> , 2017, , 343-368. | 0.1 | 9 |
| 26 | Differential associations between sensory loss and neuropsychiatric symptoms in adults with and without a neurocognitive disorder. <i>International Psychogeriatrics</i> , 2018, 30, 261-272. | 0.6 | 9 |
| 27 | Diastolic Blood Pressure Variability in Later Life May Be a Key Risk Marker for Cognitive Decline. <i>Hypertension</i> , 2022, 79, 1037-1044. | 1.3 | 9 |
| 28 | Relating Education, Brain Structure, and Cognition: The Role of Cardiovascular Disease Risk Factors. <i>BioMed Research International</i> , 2014, 2014, 1-13. | 0.9 | 7 |
| 29 | Cohort Profile Update: The PATH Through Life Project. <i>International Journal of Epidemiology</i> , 2021, 50, 35-36. | 0.9 | 7 |
| 30 | Psychosis as a Treatment Target in Dementia: A Roadmap for Designing Interventions. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1203-1228. | 1.2 | 7 |
| 31 | Depressive symptoms in later life: differential impact of social support and motivational processes on depression in individuals with and without cognitive impairment. <i>European Journal of Ageing</i> , 2014, 11, 321-332. | 1.2 | 6 |
| 32 | Who displays dementia-related stigma and what does the general public know about dementia? Findings from a nationally representative survey. <i>Aging and Mental Health</i> , 2023, 27, 1111-1119. | 1.5 | 5 |
| 33 | Sex differences in neuropsychiatric symptoms in Alzheimer's disease dementia: A meta-analysis. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 4 |
| 34 | Gender differences in cognitive development in cohorts of young, middle, and older adulthood over 12 years.. <i>Developmental Psychology</i> , 2021, 57, 1403-1410. | 1.2 | 3 |
| 35 | Mild behavioral impairment: challenges facing a quickly developing evidence base. <i>International Psychogeriatrics</i> , 2021, 33, 209-212. | 0.6 | 2 |
| 36 | Residential aged care staff perceptions and responses towards neuropsychiatric symptoms: a mixed methods analysis of electronic healthcare records. <i>Aging and Mental Health</i> , 2023, 27, 243-250. | 1.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | [P1â€™140]: ALZHEIMER'S GENETIC RISK SCORE LINKED TO MILD BEHAVIORAL IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2017, 13, P296. | 0.4 | 1 |
| 38 | Association Between Anxiety and Cognitive Decline Over 12 Years in a Population-Based Cohort. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 409-418. | 1.2 | 1 |
| 39 | Cognitive and Neuropsychiatric Screening Tests in Older Adults. <i>Mental Health and Illness Worldwide</i> , 2016, , 1-26. | 0.1 | 1 |
| 40 | Predictors of future stroke in adults 60-64 years living in the community. <i>World Journal of Neurology</i> , 2016, 6, 14. | 0.6 | 1 |
| 41 | <i>Mental Health and Aging</i> , 2015, , 1-6. | | 1 |
| 42 | Mixed Evidence of an Association between Self-Rated Hearing Difficulties and Falls: Prospective Analysis of Two Longitudinal Studies. <i>Gerontology</i> , 2023, 69, 98-108. | 1.4 | 1 |
| 43 | Greater cognitive decline relative to normal ageing occurs at least 10 years prior to clinical dementia diagnosis. <i>BMJ Evidence-Based Medicine</i> , 2018, 23, 79-79. | 1.7 | 0 |
| 44 | The BPSD PLUS Program: Efficacy of a novel personâ€™centred care approach to reduce neuropsychiatric symptoms in residents with dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, e038866. | 0.4 | 0 |
| 45 | Third-Party Impact of Dual Sensory Loss on Neuropsychiatric Symptom-Related Distress among Friends and Family. <i>Gerontology</i> , 2020, 66, 351-361. | 1.4 | 0 |
| 46 | Measurement of Apathy. , 2021, , 19-38. | | 0 |
| 47 | 303 - Residential aged care staffâ€™s perception of and response to behavioral and psychological symptoms of dementia â€™ a qualitative analysis of clinical care notes. <i>International Psychogeriatrics</i> , 2020, 32, 61-61. | 0.6 | 0 |
| 48 | Apathy as a treatment target in neurocognitive disorders: Clinical trial implications. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |