

# Mukesh K Gupta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6975131/publications.pdf>

Version: 2024-02-01

41  
papers

2,277  
citations

257450

24  
h-index

289244

40  
g-index

42  
all docs

42  
docs citations

42  
times ranked

3537  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reactive oxygen speciesâ€“degradable polythioetheral urethane foam dressings to promote porcine skin wound repair. <i>Science Translational Medicine</i> , 2022, 14, eabm6586.	12.4	37
2	Diflunisalâ€“loaded poly(propylene sulfide) nanoparticles decrease <i>S. aureus</i> â€“mediated bone destruction during osteomyelitis. <i>Journal of Orthopaedic Research</i> , 2021, 39, 426-437.	2.3	17
3	Top-Down Fabricated microPlates for Prolonged, Intra-articular Matrix Metalloproteinase 13 siRNA Nanocarrier Delivery to Reduce Post-traumatic Osteoarthritis. <i>ACS Nano</i> , 2021, 15, 14475-14491.	14.6	21
4	Tuning Ligand Density To Optimize Pharmacokinetics of Targeted Nanoparticles for Dual Protection against Tumor-Induced Bone Destruction. <i>ACS Nano</i> , 2020, 14, 311-327.	14.6	39
5	Development of an N-Cadherin Biofunctionalized Hydrogel to Support the Formation of Synaptically Connected Neural Networks. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 5811-5822.	5.2	16
6	Enhanced stem cell retention and antioxidative protection with injectable, ROS-degradable PEG hydrogels. <i>Biomaterials</i> , 2020, 263, 120377.	11.4	45
7	Systemic delivery of a Gli inhibitor via polymeric nanocarriers inhibits tumor-induced bone disease. <i>Journal of Controlled Release</i> , 2019, 311-312, 257-272.	9.9	22
8	Drug-Free ROS Sponge Polymeric Microspheres Reduce Tissue Damage from Ischemic and Mechanical Injury. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 1251-1264.	5.2	45
9	Reactive Oxygen Species Shielding Hydrogel for the Delivery of Adherent and Nonadherent Therapeutic Cell Types<sup />. <i>Tissue Engineering - Part A</i> , 2017, 23, 1120-1131.	3.1	36
10	Tunable Surface Repellency Maintains Stemness and Redox Capacity of Human Mesenchymal Stem Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 22994-23006.	8.0	16
11	Gradient release of cardiac morphogens by photo-responsive polymer micelles for gradient-mediated variation of embryoid body differentiation. <i>Journal of Materials Chemistry B</i> , 2017, 5, 5206-5217.	5.8	6
12	Thermogelling, ABC Triblock Copolymer Platform for Resorbable Hydrogels with Tunable, Degradationâ€“Mediated Drug Release. <i>Advanced Functional Materials</i> , 2017, 27, 1704107.	14.9	49
13	Recent strategies to design vascular theranostic nanoparticles. <i>Nanotheranostics</i> , 2017, 1, 166-177.	5.2	27
14	Oxidatively degradable poly(thioetheral urethane)/ceramic composite bone cements with bone-like strength. <i>RSC Advances</i> , 2016, 6, 109414-109424.	3.6	29
15	Reprint of: Pendant allyl crosslinking as a tunable shape memory actuator for vascular applications. <i>Acta Biomaterialia</i> , 2016, 34, 73-83.	8.3	11
16	Copolymerâ€“Mediated Cell Aggregation Promotes a Proangiogenic Stem Cell Phenotype In Vitro and In Vivo. <i>Advanced Healthcare Materials</i> , 2016, 5, 2866-2871.	7.6	5
17	Local Delivery of PHD2 siRNA from ROSâ€“Degradable Scaffolds to Promote Diabetic Wound Healing. <i>Advanced Healthcare Materials</i> , 2016, 5, 2751-2757.	7.6	71
18	Fluorocobalamin A loaded nanoparticles enable targeted visualization of cyclooxygenase-2 in inflammation and cancer. <i>Biomaterials</i> , 2016, 92, 71-80.	11.4	35

#	ARTICLE	IF	CITATIONS
19	489. Localized, siRNA-Mediated Silencing of PHD2 to Promote Wound Vascularization. <i>Molecular Therapy</i> , 2015, 23, S194-S195.	8.2	0
20	Pendant allyl crosslinking as a tunable shape memory actuator for vascular applications. <i>Acta Biomaterialia</i> , 2015, 24, 53-63.	8.3	32
21	Oligoproline-derived nanocarrier for dual stimuli-responsive gene delivery. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7271-7280.	5.8	32
22	Dual MMP7-Proximity-Activated and Folate Receptor-Targeted Nanoparticles for siRNA Delivery. <i>Biomacromolecules</i> , 2015, 16, 192-201.	5.4	53
23	ROS-responsive microspheres for on demand antioxidant therapy in a model of diabetic peripheral arterial disease. <i>Biomaterials</i> , 2015, 41, 166-175.	11.4	160
24	Tuning PEGylation of mixed micelles to overcome intracellular and systemic siRNA delivery barriers. <i>Biomaterials</i> , 2015, 38, 97-107.	11.4	111
25	A porous tissue engineering scaffold selectively degraded by cell-generated reactive oxygen species. <i>Biomaterials</i> , 2014, 35, 3766-3776.	11.4	124
26	Tunable Delivery of siRNA from a Biodegradable Scaffold to Promote Angiogenesis In Vivo. <i>Advanced Materials</i> , 2014, 26, 607-614.	21.0	106
27	ROS-cleavable proline oligomer crosslinking of polycaprolactone for pro-angiogenic host response. <i>Journal of Materials Chemistry B</i> , 2014, 2, 7109-7113.	5.8	50
28	Cell Protective, ABC Triblock Polymer-Based Thermoresponsive Hydrogels with ROS-Triggered Degradation and Drug Release. <i>Journal of the American Chemical Society</i> , 2014, 136, 14896-14902.	13.7	216
29	Balancing Cationic and Hydrophobic Content of PEGylated siRNA Polyplexes Enhances Endosome Escape, Stability, Blood Circulation Time, and Bioactivity <i>in Vivo</i> . <i>ACS Nano</i> , 2013, 7, 8870-8880.	14.6	255
30	Current Progress in Reactive Oxygen Species (ROS)-Responsive Materials for Biomedical Applications. <i>Advanced Healthcare Materials</i> , 2013, 2, 908-915.	7.6	291
31	Poly(PS-b-DMA) micelles for reactive oxygen species triggered drug release. <i>Journal of Controlled Release</i> , 2012, 162, 591-598.	9.9	146
32	Modular polymer design to regulate phenotype and oxidative response of human coronary artery cells for potential stent coating applications. <i>Acta Biomaterialia</i> , 2012, 8, 559-569.	8.3	14
33	Sustained local delivery of siRNA from an injectable scaffold. <i>Biomaterials</i> , 2012, 33, 1154-1161.	11.4	66
34	Combinatorial Polymer Electrospun Matrices Promote Physiologically-Relevant Cardiomyogenic Stem Cell Differentiation. <i>PLoS ONE</i> , 2011, 6, e28935.	2.5	48
35	Novel addition-fragmentation agent in cationic photopolymerization. <i>Polymer Bulletin</i> , 2010, 65, 25-34.	3.3	5
36	Novel dibenzocycloheptenyl phosphonium salts as thermolatent initiator in cationic polymerization. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3707-3713.	2.6	6

#	ARTICLE	IF	CITATIONS
37	Thermally induced cationic polymerization of glycidyl phenyl ether using novel xanthenyl phosphonium salts. <i>Macromolecular Research</i> , 2009, 17, 221-226.	2.4	7
38	Novel allylic phosphonium salts in free radical accelerated cationic polymerization. <i>Polymer Bulletin</i> , 2009, 62, 271-280.	3.3	7
39	Cationic Polymerization of Epoxides using Novel Xanthenyl Phosphonium Salts as Thermo-latent Initiator. <i>Polymer Bulletin</i> , 2008, 60, 755-763.	3.3	6
40	Photodegradation of ethylene/propylene/polar monomers, co-, and terpolymers. II. Prepared by Ni catalyst systems. <i>Journal of Applied Polymer Science</i> , 2007, 104, 1783-1791.	2.6	2
41	Diphenyldiselenide As Novel Nonâ€“salt Photoinitiator for Photosensitized Cationic Polymerization of N-Vinyl Carbazole. <i>Macromolecular Symposia</i> , 2006, 240, 186-193.	0.7	11