Hillary R Bogner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/69760/publications.pdf

Version: 2024-02-01

91 papers

3,443 citations

136740 32 h-index 55 g-index

92 all docs 92 docs citations 92 times ranked 4002 citing authors

#	Article	IF	Citations
1	A Mixed-Methods Approach to Understanding Loneliness and Depression in Older Adults. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2006, 61, S329-S339.	2.4	184
2	Remission in Depressed Geriatric Primary Care Patients: A Report From the PROSPECT Study. American Journal of Psychiatry, 2005, 162, 718-724.	4.0	177
3	Diabetes, Depression, and Death. Diabetes Care, 2007, 30, 3005-3010.	4.3	174
4	Integrated Management of Type 2 Diabetes Mellitus and Depression Treatment to Improve Medication Adherence: A Randomized Controlled Trial. Annals of Family Medicine, 2012, 10, 15-22.	0.9	171
5	The Effect of a Primary Care Practice–Based Depression Intervention on Mortality in Older Adults. Annals of Internal Medicine, 2007, 146, 689.	2.0	142
6	Long term effect of depression care management on mortality in older adults: follow-up of cluster randomized clinical trial in primary care. BMJ, The, 2013, 346, f2570-f2570.	3.0	126
7	Integration of Depression and Hypertension Treatment: A Pilot, Randomized Controlled Trial. Annals of Family Medicine, 2008, 6, 295-301.	0.9	115
8	Primary Care Clinicians Evaluate Integrated and Referral Models of Behavioral Health Care For Older Adults: Results From a Multisite Effectiveness Trial (PRISM-E). Annals of Family Medicine, 2004, 2, 305-309.	0.9	109
9	Urinary Incontinence and Psychological Distress in Community-Dwelling Older Adults. Journal of the American Geriatrics Society, 2002, 50, 489-495.	1.3	106
10	"You Don't Want to Burden Them― Journal of Family Nursing, 2009, 15, 295-317.	1.0	95
11	Multimorbidity, Depression, and Mortality in Primary Care: Randomized Clinical Trial of an Evidence-Based Depression Care Management Program on Mortality Risk. Journal of General Internal Medicine, 2016, 31, 380-386.	1.3	84
12	Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients. American Journal of Geriatric Psychiatry, 2005, 13, 748-55.	0.6	83
13	Integrating Type 2 Diabetes Mellitus and Depression Treatment Among African Americans. The Diabetes Educator, 2010, 36, 284-292.	2.6	82
14	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. American Journal of Geriatric Psychiatry, 2005, 13, 748-755.	0.6	78
15	Disability Stage is an Independent Risk Factor for Mortality in Medicare Beneficiaries Aged 65 Years and Older. PM and R, 2015, 7, 1215-1225.	0.9	71
16	Beyond Books: Public Libraries As Partners For Population Health. Health Affairs, 2016, 35, 2030-2036.	2.5	70
16	Beyond Books: Public Libraries As Partners For Population Health. Health Affairs, 2016, 35, 2030-2036. Are higher rates of depression in women accounted for by differential symptom reporting?. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 126-132.	2.5	70 69

#	Article	IF	CITATIONS
19	The Wish to Die and 5-Year Mortality in Elderly Primary Care Patients. American Journal of Geriatric Psychiatry, 2010, 18, 341-350.	0.6	58
20	The Role of Medical Comorbidity in Outcome of Major Depression in Primary Care: The PROSPECT Study. American Journal of Geriatric Psychiatry, 2005, 13, 861-868.	0.6	53
21	Health care experiences and perceptions among people with and without disabilities. Disability and Health Journal, 2016, 9, 74-82.	1.6	52
22	The role of medical comorbidity in outcome of major depression in primary care: the PROSPECT study. American Journal of Geriatric Psychiatry, 2005, 13, 861-8.	0.6	49
23	Mental Health Services Use: Baltimore Epidemiologic Catchment Area Follow-Up. American Journal of Geriatric Psychiatry, 2009, 17, 706-715.	0.6	48
24	Exercise, Sedentary Pastimes, and Cognitive Performance in Healthy Older Adults. American Journal of Alzheimer's Disease and Other Dementias, 2015, 30, 290-298.	0.9	47
25	Chronic Medical Conditions and Wishes to Die among Older Primary Care Patients. International Journal of Psychiatry in Medicine, 2006, 36, 183-198.	0.8	46
26	The effects of memory, attention, and executive dysfunction on outcomes of depression in a primary care intervention trial: the PROSPECT study. International Journal of Geriatric Psychiatry, 2007, 22, 922-929.	1.3	43
27	Anxiety Disorders and Disability Secondary to Urinary Incontinence among Adults over Age 50. International Journal of Psychiatry in Medicine, 2002, 32, 141-154.	0.8	41
28	Personal Characteristics of Older Primary Care Patients Who Provide a Buccal Swab for Apolipoprotein E Testing and Banking of Genetic Material: The Spectrum Study. Public Health Genomics, 2004, 7, 202-210.	1.0	40
29	The temporal relationship between anxiety disorders and urinary incontinence among community-dwelling adults. Journal of Anxiety Disorders, 2011, 25, 203-208.	1.5	39
30	Urinary Incontinence and Psychological Distress in Community-Dwelling Older African Americans and Whites. Journal of the American Geriatrics Society, 2004, 52, 1870-1874.	1.3	36
31	The Role of Cardiovascular Disease in the Identification and Management of Depression by Primary Care Physicians. American Journal of Geriatric Psychiatry, 2006, 14, 71-78.	0.6	36
32	Assessment of Cost and Health Resource Utilization for ElderlyÂPatients With Heart Failure and Diabetes Mellitus. Journal of Cardiac Failure, 2010, 16, 454-460.	0.7	35
33	The Role of Physicians in Assessing Older Drivers: Barriers, Opportunities, and Strategies. Journal of the American Board of Family Medicine, 2004, 17, 38-43.	0.8	34
34	Course of Depression and Mortality Among Older Primary Care Patients. American Journal of Geriatric Psychiatry, 2012, 20, 895-903.	0.6	34
35	Patterns of Early Adherence to the Antidepressant Citalopram among Older Primary Care Patients: The Prospect Study. International Journal of Psychiatry in Medicine, 2006, 36, 103-119.	0.8	28
36	Neighborhood Social Environment and Patterns of Adherence to Oral Hypoglycemic Agents Among Patients With Type 2 Diabetes Mellitus. Family and Community Health, 2015, 38, 169-179.	0.5	28

#	Article	IF	CITATIONS
37	The prevalence of depressive symptoms among older patients with hypertension in rural China. International Journal of Geriatric Psychiatry, 2017, 32, 1411-1417.	1.3	28
38	Incorporating Patients' Social Determinants of Health into Hypertension and Depression Care: A Pilot Randomized Controlled Trial. Community Mental Health Journal, 2017, 53, 703-710.	1.1	27
39	Patient Characteristics Associated with Participation in a Practice-Based Study of Depression in Late Life: The Spectrum Study. International Journal of Psychiatry in Medicine, 2005, 35, 41-57.	0.8	26
40	Depression, Cognition, Apolipoprotein E Genotype: Latent Class Approach to Identifying Subtype. American Journal of Geriatric Psychiatry, 2009, 17, 344-352.	0.6	25
41	Urinary incontinence (UI) and new psychological distress among community dwelling older adults. Archives of Gerontology and Geriatrics, 2012, 55, 49-54.	1.4	23
42	Health care access and quality for persons with disability: Patient and provider recommendations. Disability and Health Journal, 2018, 11, 382-389.	1.6	23
43	Older primary care patient views regarding antidepressants: A mixed methods approach. Journal of Mental Health, 2009, 18, 57-64.	1.0	21
44	Patient Satisfaction and Perceived Quality of Care Among Older Adults According to Activity Limitation Stages. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1810-1819.	0.5	21
45	Concordance Between Clinical Diagnosis and Medicare Claims of Depression Among Older Primary Care Patients. American Journal of Geriatric Psychiatry, 2015, 23, 726-734.	0.6	20
46	Perceived barriers to healthcare and receipt of recommended medical care among elderly Medicare beneficiaries. Archives of Gerontology and Geriatrics, 2017, 72, 45-51.	1.4	20
47	Potentially Avoidable Hospitalizations among People at Different Activity of Daily Living Limitation Stages. Health Services Research, 2017, 52, 132-155.	1.0	18
48	Activity Limitation Stages Are Associated With Risk of Hospitalization Among Medicare Beneficiaries. PM and R, 2017, 9, 433-443.	0.9	18
49	Term induction of labor and subsequent preterm birth. American Journal of Obstetrics and Gynecology, 2014, 210, 354.e1-354.e8.	0.7	17
50	The Association Between Activity Limitation Stages and Admission to Facilities Providing Long-term Care Among Older Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 464-472.	0.7	16
51	Protocol of an ongoing randomized controlled trial of care management for comorbid depression and hypertension: the Chinese Older Adult Collaborations in Health (COACH) study. BMC Geriatrics, 2018, 18, 124.	1.1	16
52	The association of antidepressant medications and diabetic retinopathy among people with diabetes. Journal of Diabetes and Its Complications, 2015, 29, 1077-1084.	1.2	15
53	Predicting 3-year mortality and admission to acute-care hospitals, skilled nursing facilities, and long-term care facilities in Medicare beneficiaries. Archives of Gerontology and Geriatrics, 2017, 73, 248-256.	1.4	15
54	Disability stage and receipt of recommended care among elderly medicare beneficiaries. Disability and Health Journal, 2017, 10, 48-57.	1.6	15

#	Article	IF	Citations
55	Preventable hospitalizations, barriers to care, and disability. Medicine (United States), 2018, 97, e0691.	0.4	15
56	Older patients' views on the relationship between depression and heart disease. Family Medicine, 2008, 40, 652-7.	0.3	15
57	Measuring concurrent oral hypoglycemic and antidepressant adherence and clinical outcomes. American Journal of Managed Care, 2013, 19, e85-92.	0.8	15
58	Patterns of Adherence to Oral Hypoglycemic Agents and Glucose Control among Primary Care Patients with Type 2 Diabetes. Behavioral Medicine, 2016, 42, 63-71.	1.0	14
59	Presence of Vision Impairment and Risk of Hospitalization among Elderly Medicare Beneficiaries. Ophthalmic Epidemiology, 2017, 24, 364-370.	0.8	14
60	Is selfâ€reported adherence associated with clinical outcomes in women treated with anticholinergic medication for overactive bladder?. Neurourology and Urodynamics, 2016, 35, 738-742.	0.8	13
61	The Effect of Recent Bereavement on Outcomes in a Primary Care Depression Intervention Study. American Journal of Geriatric Psychiatry, 2014, 22, 1555-1564.	0.6	12
62	Patient Satisfaction and Prognosis for Functional Improvement and Deterioration, Institutionalization, and Death Among Medicare Beneficiaries Over 2 Years. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1-10.	0.5	12
63	Primary care patient beliefs and help-seeking preferences regarding depression in China. Psychiatry Research, 2018, 269, 1-8.	1.7	12
64	A Cross-Sectional Study of Somatic Symptoms and the Identification of Depression Among Elderly Primary Care Patients. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 285-291.	0.6	11
65	Validation of a selfâ€administered instrument to measure adherence to anticholinergic drugs in women with overactive bladder. Neurourology and Urodynamics, 2015, 34, 424-428.	0.8	11
66	Diabetes and Depression Care: A Randomized Controlled Pilot Trial. American Journal of Health Behavior, 2016, 40, 503-513.	0.6	11
67	Prognostic factors, course, and outcome of depression among older primary care patients: The PROSPECT study. Aging and Mental Health, 2012, 16, 452-461.	1.5	10
68	Self-reported estrogen use and newly incident urinary incontinence among postmenopausal community-dwelling women. Menopause, 2012, 19, 290-295.	0.8	10
69	Disparities in receipt of recommended care among younger versus older medicare beneficiaries: a cohort study. BMC Health Services Research, 2017, 17, 241.	0.9	10
70	Patient Satisfaction and Perceived Quality of Care Among Younger Medicare Beneficiaries According to Activity Limitation Stages. Archives of Physical Medicine and Rehabilitation, 2019, 100, 289-299.	0.5	10
71	Does a Depression Management Program Decrease Mortality in Older Adults with Specific Medical Conditions in Primary Care? An Exploratory Analysis. Journal of the American Geriatrics Society, 2016, 64, 126-131.	1.3	9
72	Comparison of predictive value of activity limitation staging systems based on dichotomous versus trichotomous responses in the Medicare Current Beneficiary Survey. Disability and Health Journal, 2016, 9, 64-73.	1.6	9

#	Article	IF	CITATIONS
73	Predictive Indices for Functional Improvement and Deterioration, Institutionalization, and Death Among Elderly Medicare Beneficiaries. PM and R, 2017, 9, 1065-1076.	0.9	9
74	Treatment adherence as a mediator of blood pressure control in Chinese older adults with depression. International Journal of Geriatric Psychiatry, 2019, 34, 432-438.	1.3	9
75	Costs of Coexisting Depression and Diabetes. Journal of General Internal Medicine, 2016, 31, 594-595.	1.3	8
76	Disability Stages and Trouble Getting Needed Health Care Among Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 408-416.	0.7	8
77	Pilot trial of a licensed practical nurse intervention for hypertension and depression. Family Medicine, 2013, 45, 323-9.	0.3	8
78	The role of patient personality in the identification of depression in older primary care patients. International Journal of Geriatric Psychiatry, 2007, 22, 1095-1100.	1.3	7
79	A brief adherence intervention that improved glycemic control: mediation by patterns of adherence. Journal of Behavioral Medicine, 2015, 38, 39-47.	1.1	7
80	Stakeholder Perspectives on Changes in Hypertension Care Under the Patient-Centered Medical Home. Preventing Chronic Disease, 2016, 13, E28.	1.7	7
81	Patient ethnicity and perceptions of families and friends regarding depression treatment. Ethnicity and Health, 2008, 13, 465-478.	1.5	6
82	Adherence to Antidepressants in Underserved Communities: A Comparison of Electronic Monitoring and Self-report Measures. Community Mental Health Journal, 2020, 56, 727-734.	1.1	6
83	Collaborative care in the treatment of opioid use disorder and mental health conditions in primary care: A clinical study protocol. Contemporary Clinical Trials, 2021, 103, 106325.	0.8	6
84	The impact of diagnosis of hepatitis C virus on quality of life. Hepatology, 2000, 31, 1029-1030.	3.6	5
85	Urinary Incontinence, Condition‧pecific Functional Loss, and Psychological Distress. Journal of the American Geriatrics Society, 2002, 50, 1311-1311.	1.3	5
86	Editorial: Depression as a Risk Factor for Underuse of Mammography. Journal of Women's Health, 2004, 13, 739-742.	1.5	5
87	Baseline patient characteristics and mortality associated with longitudinal intervention compliance. Statistics in Medicine, 2007, 26, 5100-5115.	0.8	5
88	Neighborhood Social Environment and Patterns of Depressive Symptoms Among Patients with Type 2 Diabetes Mellitus. Community Mental Health Journal, 2015, 51, 978-986.	1.1	5
89	Chronic medical conditions and reproducibility of self-reported age at menopause among community-dwelling women. Menopause, 2011, 18, 1298-1302.	0.8	4
90	A Risk Scoring System for the Prediction of Functional Deterioration, Institutionalization, and Mortality Among Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 698-707.	0.7	3

#	Article	IF	CITATIONS
91	Cardiovascular Disease and Medication Adherence Among Patients with Type 2 Diabetes Mellitus in an Underserved Community. Behavioral Medicine, 2022, 48, 31-42.	1.0	2