Hillary R Bogner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/69760/publications.pdf

Version: 2024-02-01

91 papers

3,443 citations

136740 32 h-index 55 g-index

92 all docs 92 docs citations 92 times ranked 4002 citing authors

#	Article	IF	CITATIONS
1	Cardiovascular Disease and Medication Adherence Among Patients with Type 2 Diabetes Mellitus in an Underserved Community. Behavioral Medicine, 2022, 48, 31-42.	1.0	2
2	Collaborative care in the treatment of opioid use disorder and mental health conditions in primary care: A clinical study protocol. Contemporary Clinical Trials, 2021, 103, 106325.	0.8	6
3	Adherence to Antidepressants in Underserved Communities: A Comparison of Electronic Monitoring and Self-report Measures. Community Mental Health Journal, 2020, 56, 727-734.	1.1	6
4	Patient Satisfaction and Perceived Quality of Care Among Younger Medicare Beneficiaries According to Activity Limitation Stages. Archives of Physical Medicine and Rehabilitation, 2019, 100, 289-299.	0.5	10
5	Treatment adherence as a mediator of blood pressure control in Chinese older adults with depression. International Journal of Geriatric Psychiatry, 2019, 34, 432-438.	1.3	9
6	Health care access and quality for persons with disability: Patient and provider recommendations. Disability and Health Journal, 2018, 11, 382-389.	1.6	23
7	Protocol of an ongoing randomized controlled trial of care management for comorbid depression and hypertension: the Chinese Older Adult Collaborations in Health (COACH) study. BMC Geriatrics, 2018, 18, 124.	1.1	16
8	Preventable hospitalizations, barriers to care, and disability. Medicine (United States), 2018, 97, e0691.	0.4	15
9	A Risk Scoring System for the Prediction of Functional Deterioration, Institutionalization, and Mortality Among Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 698-707.	0.7	3
10	Primary care patient beliefs and help-seeking preferences regarding depression in China. Psychiatry Research, 2018, 269, 1-8.	1.7	12
11	Potentially Avoidable Hospitalizations among People at Different Activity of Daily Living Limitation Stages. Health Services Research, 2017, 52, 132-155.	1.0	18
12	Predictive Indices for Functional Improvement and Deterioration, Institutionalization, and Death Among Elderly Medicare Beneficiaries. PM and R, 2017, 9, 1065-1076.	0.9	9
13	The prevalence of depressive symptoms among older patients with hypertension in rural China. International Journal of Geriatric Psychiatry, 2017, 32, 1411-1417.	1.3	28
14	Perceived barriers to healthcare and receipt of recommended medical care among elderly Medicare beneficiaries. Archives of Gerontology and Geriatrics, 2017, 72, 45-51.	1.4	20
15	Disability Stages and Trouble Getting Needed Health Care Among Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 408-416.	0.7	8
16	Incorporating Patients' Social Determinants of Health into Hypertension and Depression Care: A Pilot Randomized Controlled Trial. Community Mental Health Journal, 2017, 53, 703-710.	1.1	27
17	Predicting 3-year mortality and admission to acute-care hospitals, skilled nursing facilities, and long-term care facilities in Medicare beneficiaries. Archives of Gerontology and Geriatrics, 2017, 73, 248-256.	1.4	15
18	Presence of Vision Impairment and Risk of Hospitalization among Elderly Medicare Beneficiaries. Ophthalmic Epidemiology, 2017, 24, 364-370.	0.8	14

#	Article	IF	Citations
19	The Association Between Activity Limitation Stages and Admission to Facilities Providing Long-term Care Among Older Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 464-472.	0.7	16
20	Disparities in receipt of recommended care among younger versus older medicare beneficiaries: a cohort study. BMC Health Services Research, 2017, 17, 241.	0.9	10
21	Disability stage and receipt of recommended care among elderly medicare beneficiaries. Disability and Health Journal, 2017, 10, 48-57.	1.6	15
22	Activity Limitation Stages Are Associated With Risk of Hospitalization Among Medicare Beneficiaries. PM and R, 2017, 9, 433-443.	0.9	18
23	Patient Satisfaction and Prognosis for Functional Improvement and Deterioration, Institutionalization, and Death Among Medicare Beneficiaries Over 2 Years. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1-10.	0.5	12
24	Stakeholder Perspectives on Changes in Hypertension Care Under the Patient-Centered Medical Home. Preventing Chronic Disease, 2016, 13, E28.	1.7	7
25	Diabetes and Depression Care: A Randomized Controlled Pilot Trial. American Journal of Health Behavior, 2016, 40, 503-513.	0.6	11
26	Costs of Coexisting Depression and Diabetes. Journal of General Internal Medicine, 2016, 31, 594-595.	1.3	8
27	Does a Depression Management Program Decrease Mortality in Older Adults with Specific Medical Conditions in Primary Care? An Exploratory Analysis. Journal of the American Geriatrics Society, 2016, 64, 126-131.	1.3	9
28	Beyond Books: Public Libraries As Partners For Population Health. Health Affairs, 2016, 35, 2030-2036.	2.5	70
29	Is selfâ€reported adherence associated with clinical outcomes in women treated with anticholinergic medication for overactive bladder?. Neurourology and Urodynamics, 2016, 35, 738-742.	0.8	13
30	Health care experiences and perceptions among people with and without disabilities. Disability and Health Journal, 2016, 9, 74-82.	1.6	52
31	Comparison of predictive value of activity limitation staging systems based on dichotomous versus trichotomous responses in the Medicare Current Beneficiary Survey. Disability and Health Journal, 2016, 9, 64-73.	1.6	9
32	Multimorbidity, Depression, and Mortality in Primary Care: Randomized Clinical Trial of an Evidence-Based Depression Care Management Program on Mortality Risk. Journal of General Internal Medicine, 2016, 31, 380-386.	1.3	84
33	Patterns of Adherence to Oral Hypoglycemic Agents and Glucose Control among Primary Care Patients with Type 2 Diabetes. Behavioral Medicine, 2016, 42, 63-71.	1.0	14
34	Validation of a selfâ€administered instrument to measure adherence to anticholinergic drugs in women with overactive bladder. Neurourology and Urodynamics, 2015, 34, 424-428.	0.8	11
35	Neighborhood Social Environment and Patterns of Depressive Symptoms Among Patients with Type 2 Diabetes Mellitus. Community Mental Health Journal, 2015, 51, 978-986.	1.1	5
36	Disability Stage is an Independent Risk Factor for Mortality in Medicare Beneficiaries Aged 65 Years and Older. PM and R, 2015, 7, 1215-1225.	0.9	71

#	Article	IF	Citations
37	The association of antidepressant medications and diabetic retinopathy among people with diabetes. Journal of Diabetes and Its Complications, 2015, 29, 1077-1084.	1.2	15
38	Exercise, Sedentary Pastimes, and Cognitive Performance in Healthy Older Adults. American Journal of Alzheimer's Disease and Other Dementias, 2015, 30, 290-298.	0.9	47
39	Concordance Between Clinical Diagnosis and Medicare Claims of Depression Among Older Primary Care Patients. American Journal of Geriatric Psychiatry, 2015, 23, 726-734.	0.6	20
40	Patient Satisfaction and Perceived Quality of Care Among Older Adults According to Activity Limitation Stages. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1810-1819.	0.5	21
41	Neighborhood Social Environment and Patterns of Adherence to Oral Hypoglycemic Agents Among Patients With Type 2 Diabetes Mellitus. Family and Community Health, 2015, 38, 169-179.	0.5	28
42	A brief adherence intervention that improved glycemic control: mediation by patterns of adherence. Journal of Behavioral Medicine, 2015, 38, 39-47.	1.1	7
43	The Effect of Recent Bereavement on Outcomes in a Primary Care Depression Intervention Study. American Journal of Geriatric Psychiatry, 2014, 22, 1555-1564.	0.6	12
44	Term induction of labor and subsequent preterm birth. American Journal of Obstetrics and Gynecology, 2014, 210, 354.e1-354.e8.	0.7	17
45	Long term effect of depression care management on mortality in older adults: follow-up of cluster randomized clinical trial in primary care. BMJ, The, 2013, 346, f2570-f2570.	3.0	126
46	Pilot trial of a licensed practical nurse intervention for hypertension and depression. Family Medicine, 2013, 45, 323-9.	0.3	8
47	Measuring concurrent oral hypoglycemic and antidepressant adherence and clinical outcomes. American Journal of Managed Care, 2013, 19, e85-92.	0.8	15
48	Integrated Management of Type 2 Diabetes Mellitus and Depression Treatment to Improve Medication Adherence: A Randomized Controlled Trial. Annals of Family Medicine, 2012, 10, 15-22.	0.9	171
49	Prognostic factors, course, and outcome of depression among older primary care patients: The PROSPECT study. Aging and Mental Health, 2012, 16, 452-461.	1.5	10
50	Self-reported estrogen use and newly incident urinary incontinence among postmenopausal community-dwelling women. Menopause, 2012, 19, 290-295.	0.8	10
51	Course of Depression and Mortality Among Older Primary Care Patients. American Journal of Geriatric Psychiatry, 2012, 20, 895-903.	0.6	34
52	Urinary incontinence (UI) and new psychological distress among community dwelling older adults. Archives of Gerontology and Geriatrics, 2012, 55, 49-54.	1.4	23
53	The temporal relationship between anxiety disorders and urinary incontinence among community-dwelling adults. Journal of Anxiety Disorders, 2011, 25, 203-208.	1.5	39
54	Chronic medical conditions and reproducibility of self-reported age at menopause among community-dwelling women. Menopause, 2011, 18, 1298-1302.	0.8	4

#	Article	IF	CITATIONS
55	Integrating Type 2 Diabetes Mellitus and Depression Treatment Among African Americans. The Diabetes Educator, 2010, 36, 284-292.	2.6	82
56	Assessment of Cost and Health Resource Utilization for ElderlyÂPatients With Heart Failure and Diabetes Mellitus. Journal of Cardiac Failure, 2010, 16, 454-460.	0.7	35
57	The Wish to Die and 5-Year Mortality in Elderly Primary Care Patients. American Journal of Geriatric Psychiatry, 2010, 18, 341-350.	0.6	58
58	A Cross-Sectional Study of Somatic Symptoms and the Identification of Depression Among Elderly Primary Care Patients. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 285-291.	0.6	11
59	"You Don't Want to Burden Them― Journal of Family Nursing, 2009, 15, 295-317.	1.0	95
60	Older primary care patient views regarding antidepressants: A mixed methods approach. Journal of Mental Health, 2009, 18, 57-64.	1.0	21
61	Mental Health Services Use: Baltimore Epidemiologic Catchment Area Follow-Up. American Journal of Geriatric Psychiatry, 2009, 17, 706-715.	0.6	48
62	Depression, Cognition, Apolipoprotein E Genotype: Latent Class Approach to Identifying Subtype. American Journal of Geriatric Psychiatry, 2009, 17, 344-352.	0.6	25
63	Patient ethnicity and perceptions of families and friends regarding depression treatment. Ethnicity and Health, 2008, 13, 465-478.	1.5	6
64	Integration of Depression and Hypertension Treatment: A Pilot, Randomized Controlled Trial. Annals of Family Medicine, 2008, 6, 295-301.	0.9	115
65	Older patients' views on the relationship between depression and heart disease. Family Medicine, 2008, 40, 652-7.	0.3	15
66	Diabetes, Depression, and Death. Diabetes Care, 2007, 30, 3005-3010.	4.3	174
67	The Effect of a Primary Care Practice–Based Depression Intervention on Mortality in Older Adults. Annals of Internal Medicine, 2007, 146, 689.	2.0	142
68	The effects of memory, attention, and executive dysfunction on outcomes of depression in a primary care intervention trial: the PROSPECT study. International Journal of Geriatric Psychiatry, 2007, 22, 922-929.	1.3	43
69	The role of patient personality in the identification of depression in older primary care patients. International Journal of Geriatric Psychiatry, 2007, 22, 1095-1100.	1.3	7
70	Baseline patient characteristics and mortality associated with longitudinal intervention compliance. Statistics in Medicine, 2007, 26, 5100-5115.	0.8	5
71	The Role of Cardiovascular Disease in the Identification and Management of Depression by Primary Care Physicians. American Journal of Geriatric Psychiatry, 2006, 14, 71-78.	0.6	36
72	Chronic Medical Conditions and Wishes to Die among Older Primary Care Patients. International Journal of Psychiatry in Medicine, 2006, 36, 183-198.	0.8	46

#	Article	IF	Citations
73	Patterns of Early Adherence to the Antidepressant Citalopram among Older Primary Care Patients: The Prospect Study. International Journal of Psychiatry in Medicine, 2006, 36, 103-119.	0.8	28
74	A Mixed-Methods Approach to Understanding Loneliness and Depression in Older Adults. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2006, 61, S329-S339.	2.4	184
75	Patient Characteristics Associated with Participation in a Practice-Based Study of Depression in Late Life: The Spectrum Study. International Journal of Psychiatry in Medicine, 2005, 35, 41-57.	0.8	26
76	Patient Ethnicity and the Identification and Active Management of Depression in Late Life. Archives of Internal Medicine, 2005, 165, 1962.	4.3	68
77	Remission in Depressed Geriatric Primary Care Patients: A Report From the PROSPECT Study. American Journal of Psychiatry, 2005, 162, 718-724.	4.0	177
78	Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. American Journal of Geriatric Psychiatry, 2005, 13, 748-755.	0.6	78
79	The Role of Medical Comorbidity in Outcome of Major Depression in Primary Care: The PROSPECT Study. American Journal of Geriatric Psychiatry, 2005, 13, 861-868.	0.6	53
80	The role of medical comorbidity in outcome of major depression in primary care: the PROSPECT study. American Journal of Geriatric Psychiatry, 2005, 13, 861-8.	0.6	49
81	Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients. American Journal of Geriatric Psychiatry, 2005, 13, 748-55.	0.6	83
82	The Role of Physicians in Assessing Older Drivers: Barriers, Opportunities, and Strategies. Journal of the American Board of Family Medicine, 2004, 17, 38-43.	0.8	34
83	Primary Care Clinicians Evaluate Integrated and Referral Models of Behavioral Health Care For Older Adults: Results From a Multisite Effectiveness Trial (PRISM-E). Annals of Family Medicine, 2004, 2, 305-309.	0.9	109
84	Personal Characteristics of Older Primary Care Patients Who Provide a Buccal Swab for Apolipoprotein E Testing and Banking of Genetic Material: The Spectrum Study. Public Health Genomics, 2004, 7, 202-210.	1.0	40
85	Urinary Incontinence and Psychological Distress in Community-Dwelling Older African Americans and Whites. Journal of the American Geriatrics Society, 2004, 52, 1870-1874.	1.3	36
86	Are higher rates of depression in women accounted for by differential symptom reporting?. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 126-132.	1.6	69
87	Editorial: Depression as a Risk Factor for Underuse of Mammography. Journal of Women's Health, 2004, 13, 739-742.	1.5	5
88	Anxiety Disorders and Disability Secondary to Urinary Incontinence among Adults over Age 50. International Journal of Psychiatry in Medicine, 2002, 32, 141-154.	0.8	41
89	Urinary Incontinence and Psychological Distress in Community-Dwelling Older Adults. Journal of the American Geriatrics Society, 2002, 50, 489-495.	1.3	106
90	Urinary Incontinence, Conditionâ€Specific Functional Loss, and Psychological Distress. Journal of the American Geriatrics Society, 2002, 50, 1311-1311.	1.3	5

#	Article	IF	CITATIONS
91	The impact of diagnosis of hepatitis C virus on quality of life. Hepatology, 2000, 31, 1029-1030.	3.6	5