

Zheng-qiang Jiang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6976063/zheng-qiang-jiang-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152 papers	3,439 citations	35 h-index	49 g-index
156 ext. papers	4,055 ext. citations	5.9 avg, IF	5.55 L-index

#	Paper	IF	Citations
152	High-level production, purification and characterization of a thermostable α -mannanase from the newly isolated <i>Bacillus subtilis</i> WY34. <i>Carbohydrate Polymers</i> , 2006 , 66, 88-96	10.3	110
151	Alginate Oligosaccharides: Production, Biological Activities, and Potential Applications. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2019 , 18, 1859-1881	16.4	89
150	Isolation, identification and synthesis of four novel antioxidant peptides from rice residue protein hydrolyzed by multiple proteases. <i>Food Chemistry</i> , 2015 , 179, 290-5	8.5	87
149	Cloning, expression, purification and application of a novel chitinase from a thermophilic marine bacterium <i>Paenibacillus barengoltzii</i> . <i>Food Chemistry</i> , 2016 , 192, 1041-8	8.5	82
148	Immobilization of <i>Streptomyces olivaceoviridis</i> E-86 xylanase on Eudragit S-100 for xylo-oligosaccharide production. <i>Process Biochemistry</i> , 2005 , 40, 2707-2714	4.8	78
147	Improvement of the breadmaking quality of wheat flour by the hyperthermophilic xylanase B from <i>Thermotoga maritima</i> . <i>Food Research International</i> , 2005 , 38, 37-43	7	73
146	Hydrolysis of soybean isoflavone glycosides by a thermostable α -glucosidase from <i>Paecilomyces thermophila</i> . <i>Food Chemistry</i> , 2009 , 115, 1247-1252	8.5	71
145	Production of xylooligosaccharides from the steam explosion liquor of corncobs coupled with enzymatic hydrolysis using a thermostable xylanase. <i>Bioresource Technology</i> , 2010 , 101, 7679-82	11	71
144	Characterization of a protease-resistant α -galactosidase from the thermophilic fungus <i>Rhizomucor miehei</i> and its application in removal of raffinose family oligosaccharides. <i>Bioresource Technology</i> , 2012 , 110, 578-86	11	69
143	A novel homodimeric lectin from <i>Astragalus mongholicus</i> with antifungal activity. <i>Archives of Biochemistry and Biophysics</i> , 2005 , 442, 72-81	4.1	66
142	Characterisation of a thermostable xylanase from <i>Chaetomium</i> sp. and its application in Chinese steamed bread. <i>Food Chemistry</i> , 2010 , 120, 457-462	8.5	64
141	Biochemical characterization of a novel L-Asparaginase with low glutaminase activity from <i>Rhizomucor miehei</i> and its application in food safety and leukemia treatment. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 1561-9	4.8	63
140	Characterization of a thermostable extracellular beta-glucosidase with activities of exoglucanase and transglycosylation from <i>Paecilomyces thermophila</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 602-8	5.7	59
139	Biotechnological potential of microbial α -galactosidases. <i>Critical Reviews in Biotechnology</i> , 2014 , 34, 307-17	17.4	57
138	A low molecular mass cutinase of <i>Thielavia terrestris</i> efficiently hydrolyzes poly(esters). <i>Journal of Industrial Microbiology and Biotechnology</i> , 2013 , 40, 217-26	4.2	55
137	A novel aspartic protease from <i>Rhizomucor miehei</i> expressed in <i>Pichia pastoris</i> and its application on meat tenderization and preparation of turtle peptides. <i>Food Chemistry</i> , 2018 , 245, 570-577	8.5	54
136	Biochemical characterization of a novel thermostable beta-1,3-1,4-glucanase (lichenase) from <i>Paecilomyces thermophila</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 5345-51	5.7	54

135	Antiproliferation and apoptosis of human tumor cell lines by a lectin (AMML) of <i>Astragalus mongholicus</i> . <i>Phytomedicine</i> , 2009 , 16, 586-93	6.5	53
134	Purification and characterization of a thermostable cellulase-free xylanase from the newly isolated <i>Paecilomyces thermophila</i> . <i>Enzyme and Microbial Technology</i> , 2006 , 38, 780-787	3.8	53
133	Properties of a xylanase from <i>Streptomyces matensis</i> being suitable for xylooligosaccharides production. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009 , 58, 72-77		52
132	Transglycosylation reaction of xylanase B from the hyperthermophilic <i>Thermotoga maritima</i> with the ability of synthesis of tertiary alkyl beta-D-xylobiosides and xylosides. <i>Journal of Biotechnology</i> , 2004 , 114, 125-34	3.7	52
131	High-level expression of extracellular secretion of a xylosidase gene from <i>Paecilomyces thermophila</i> in <i>Escherichia coli</i> . <i>Bioresource Technology</i> , 2011 , 102, 1822-30	11	51
130	An acidic, thermostable exochitinase with N-acetylglucosaminidase activity from <i>Paenibacillus barengoltzii</i> converting chitin to N-acetyl glucosamine. <i>Biotechnology for Biofuels</i> , 2014 , 7, 174	7.8	50
129	Purification and characterization of a novel β -1,3-1,4-glucanase (lichenase) from thermophilic <i>Rhizomucor miehei</i> with high specific activity and its gene sequence. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 2354-61	5.7	50
128	High level expression of a novel β -mannanase from <i>Chaetomium</i> sp. exhibiting efficient mannan hydrolysis. <i>Carbohydrate Polymers</i> , 2012 , 87, 480-490	10.3	41
127	Biochemical characterization of a novel L-asparaginase from <i>Paenibacillus barengoltzii</i> being suitable for acrylamide reduction in potato chips and mooncakes. <i>International Journal of Biological Macromolecules</i> , 2017 , 96, 93-99	7.9	40
126	In vitro digestibility and prebiotic potential of curdlan (1- β)-D-glucan oligosaccharides in <i>Lactobacillus</i> species. <i>Carbohydrate Polymers</i> , 2018 , 188, 17-26	10.3	40
125	Partition and purification of a thermostable xylanase produced by <i>Paecilomyces thermophila</i> in solid-state fermentation using aqueous two-phase systems. <i>Process Biochemistry</i> , 2008 , 43, 56-61	4.8	39
124	Biochemical characterization of a novel xylanase from <i>Paenibacillus barengoltzii</i> and its application in xylooligosaccharides production from corncobs. <i>Food Chemistry</i> , 2018 , 264, 310-318	8.5	38
123	Gene cloning and enzymatic characterization of an alkali-tolerant endo-1,4- β -mannanase from <i>Rhizomucor miehei</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 394-401	5.7	38
122	Effect of the thermostable xylanase B (XynB) from <i>Thermotoga maritima</i> on the quality of frozen partially baked bread. <i>Journal of Cereal Science</i> , 2008 , 47, 172-179	3.8	38
121	Characterization of actinidin from Chinese kiwifruit cultivars and its applications in meat tenderization and production of angiotensin I-converting enzyme (ACE) inhibitory peptides. <i>LWT - Food Science and Technology</i> , 2017 , 78, 1-7	5.4	37
120	Comparative analysis on the distribution of protease activities among fruits and vegetable resources. <i>Food Chemistry</i> , 2016 , 213, 708-713	8.5	37
119	Purification and biochemical characterization of novel acidic chitinase from <i>Paenibacillus barengoltzii</i> . <i>International Journal of Biological Macromolecules</i> , 2016 , 91, 973-9	7.9	37
118	Cloning and expression of a <i>Paecilomyces thermophila</i> xylanase gene in <i>E. coli</i> and characterization of the recombinant xylanase. <i>Bioresource Technology</i> , 2010 , 101, 688-95	11	36

117	High-level expression of an engineered β mannanase (mRmMan5A) in <i>Pichia pastoris</i> for manno-oligosaccharide production using steam explosion pretreated palm kernel cake. <i>Bioresource Technology</i> , 2018 , 256, 30-37	11	35
116	Genome sequence and transcriptome analyses of the thermophilic zygomycete fungus <i>Rhizomucor miehei</i> . <i>BMC Genomics</i> , 2014 , 15, 294	4.5	35
115	Characterization of a highly thermostable glycoside hydrolase family 10 xylanase from <i>Malbranchea cinnamomea</i> . <i>International Journal of Biological Macromolecules</i> , 2014 , 70, 482-9	7.9	34
114	High-level expression of a specific β -1,3-1,4-glucanase from the thermophilic fungus <i>Paecilomyces thermophila</i> in <i>Pichia pastoris</i> . <i>Applied Microbiology and Biotechnology</i> , 2010 , 88, 509-18	5.7	31
113	High-level expression of a xylanase gene from the thermophilic fungus <i>Paecilomyces thermophila</i> in <i>Pichia pastoris</i> . <i>Biotechnology Letters</i> , 2012 , 34, 2043-8	3	29
112	Biochemical characterization of the first fungal glycoside hydrolyase family 3 β N-acetylglucosaminidase from <i>Rhizomucor miehei</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5181-90	5.7	28
111	A novel multifunctional α amylase from the thermophilic fungus <i>Malbranchea cinnamomea</i> : biochemical characterization and three-dimensional structure. <i>Applied Biochemistry and Biotechnology</i> , 2013 , 170, 420-35	3.2	28
110	Curdlan oligosaccharides having higher immunostimulatory activity than curdlan in mice treated with cyclophosphamide. <i>Carbohydrate Polymers</i> , 2019 , 207, 131-142	10.3	28
109	Expression and characterization of a novel 1,3-regioselective cold-adapted lipase from <i>Rhizomucor endophyticus</i> suitable for biodiesel synthesis. <i>Biotechnology for Biofuels</i> , 2016 , 9, 86	7.8	27
108	High-level expression of a hyperthermostable <i>Thermotoga maritima</i> xylanase in <i>Pichia pastoris</i> by codon optimization. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2012 , 78, 72-77		27
107	High level expression of extracellular secretion of a β glucosidase gene (PtBglu3) from <i>Paecilomyces thermophila</i> in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2012 , 84, 64-72	2	27
106	High-level expression of a novel α amylase from <i>Thermomyces dupontii</i> in <i>Pichia pastoris</i> and its application in maltose syrup production. <i>International Journal of Biological Macromolecules</i> , 2019 , 127, 683-692	7.9	26
105	Effect of Konjac mannan oligosaccharides on diphenoxylate-induced constipation in mice. <i>Journal of Functional Foods</i> , 2019 , 57, 399-407	5.1	26
104	Structural insights into the substrate specificity of two esterases from the thermophilic <i>Rhizomucor miehei</i> . <i>Journal of Lipid Research</i> , 2015 , 56, 1616-24	6.3	25
103	A novel thermostable chitinase (PJC) from pomegranate (<i>Punica granatum</i>) juice. <i>Food Chemistry</i> , 2011 , 127, 1569-1575	8.5	25
102	Identification of novel angiotensin I-converting enzyme (ACE) inhibitory peptides from wheat gluten hydrolysate by the protease of <i>Pseudomonas aeruginosa</i> . <i>Journal of Functional Foods</i> , 2020 , 65, 103751	5.1	24
101	Biochemical properties and application of a novel β 1,3-1,4-glucanase from <i>Paenibacillus barengoltzii</i> . <i>Food Chemistry</i> , 2017 , 234, 68-75	8.5	23
100	Biochemical characterization of a novel β galactosidase from <i>Paenibacillus barengoltzii</i> suitable for lactose hydrolysis and galactooligosaccharides synthesis. <i>International Journal of Biological Macromolecules</i> , 2017 , 104, 1055-1063	7.9	23

99	Characterisation of a novel monomeric lectin (AML) from <i>Astragalus membranaceus</i> with anti-proliferative activity. <i>Food Chemistry</i> , 2010 , 122, 589-595	8.5	23
98	Preparation, characterization, and prebiotic activity of manno-oligosaccharides produced from cassia gum by a glycoside hydrolase family 134 β -mannanase. <i>Food Chemistry</i> , 2020 , 309, 125709	8.5	23
97	Effect of slightly acidic electrolyzed water on bioactive compounds and morphology of broccoli sprouts. <i>Food Research International</i> , 2018 , 105, 102-109	7	23
96	N-Acetyl-chitobiose ameliorates metabolism dysfunction through Erk/p38 MAPK and histone H3 phosphorylation in type 2 diabetes mice. <i>Journal of Functional Foods</i> , 2017 , 28, 96-105	5.1	22
95	Biochemical Characterization of a Novel Acidic Exochitinase from <i>Rhizomucor miehei</i> with Antifungal Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 461-9	5.7	22
94	The recognition mechanism of triple-helical β 1,3-glucan by a β 1,3-glucanase. <i>Chemical Communications</i> , 2017 , 53, 9368-9371	5.8	22
93	Structural insights into the substrate specificity and transglycosylation activity of a fungal glycoside hydrolase family 5 β -mannosidase. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014 , 70, 2970-82		22
92	Subunit composition of a large xylanolytic complex (xylanosome) from <i>Streptomyces olivaceoviridis</i> E-86. <i>Journal of Biotechnology</i> , 2006 , 126, 304-12	3.7	22
91	High-level expression of a novel β -galactosidase gene from <i>Rhizomucor miehei</i> in <i>Pichia pastoris</i> and characterization of the recombinant enzyme. <i>Protein Expression and Purification</i> , 2015 , 110, 107-14	2	21
90	High-level expression and characterization of a novel cutinase from suitable for butyl butyrate production. <i>Biotechnology for Biofuels</i> , 2017 , 10, 223	7.8	21
89	Gene cloning, functional expression and characterisation of a novel glycogen branching enzyme from <i>Rhizomucor miehei</i> and its application in wheat breadmaking. <i>Food Chemistry</i> , 2014 , 159, 85-94	8.5	21
88	Expression and characterization of a novel β -glucosidase, with transglycosylation and exo- β 1,3-glucanase activities, from <i>Rhizomucor miehei</i> . <i>Food Chemistry</i> , 2015 , 175, 431-8	8.5	20
87	Biochemical characterization of a first fungal esterase from <i>Rhizomucor miehei</i> showing high efficiency of ester synthesis. <i>PLoS ONE</i> , 2013 , 8, e77856	3.7	20
86	Characterization of an acidic cold-adapted cutinase from <i>Thielavia terrestris</i> and its application in flavor ester synthesis. <i>Food Chemistry</i> , 2015 , 188, 439-45	8.5	19
85	Biochemical properties of a novel glycoside hydrolase family 1 β -glucosidase (PtBglu1) from <i>Paecilomyces thermophila</i> expressed in <i>Pichia pastoris</i> . <i>Carbohydrate Polymers</i> , 2013 , 92, 784-91	10.3	19
84	High level expression of β -mannanase (RmMan5A) in <i>Pichia pastoris</i> for partially hydrolyzed guar gum production. <i>International Journal of Biological Macromolecules</i> , 2017 , 105, 1171-1179	7.9	19
83	Characterization of two novel family 12 xyloglucanases from the thermophilic <i>Rhizomucor miehei</i> . <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 10013-24	5.7	19
82	Molecular cloning and high-level expression of a β -galactosidase gene from <i>Paecilomyces aeruginus</i> in <i>Pichia pastoris</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2011 , 69, 112-119		19

81	Purification and characterization of a chitinase (sAMC) with antifungal activity from seeds of <i>Astragalus membranaceus</i> . <i>Process Biochemistry</i> , 2011 , 46, 1370-1374	4.8	19
80	A novel high maltose-forming α -amylase from <i>Rhizomucor miehei</i> and its application in the food industry. <i>Food Chemistry</i> , 2020 , 305, 125447	8.5	19
79	Effect of Konjac Mannan Oligosaccharides on Glucose Homeostasis via the Improvement of Insulin and Leptin Resistance In Vitro and In Vivo. <i>Nutrients</i> , 2019 , 11,	6.7	18
78	Purification and characterization of a novel alkaline α -1,3-1,4-glucanase (lichenase) from thermophilic fungus <i>Malbranchea cinnamomea</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2014 , 41, 1487-95	4.2	18
77	Directed evolution of a β -mannanase from to improve catalytic activity in acidic and thermophilic conditions. <i>Biotechnology for Biofuels</i> , 2017 , 10, 143	7.8	18
76	Engineering a thermostable α -1,3-1,4-glucanase from <i>Paecilomyces thermophila</i> to improve catalytic efficiency at acidic pH. <i>Journal of Biotechnology</i> , 2012 , 159, 50-5	3.7	18
75	Biochemical characteristics and gene cloning of a novel thermostable feruloyl esterase from <i>Chaetomium</i> sp.. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2013 , 97, 328-336		18
74	Gene cloning, functional expression and characterisation of a novel type I pullulanase from <i>Paenibacillus barengoltzii</i> and its application in resistant starch production. <i>Protein Expression and Purification</i> , 2016 , 121, 22-30	2	17
73	Immobilization of the recombinant xylanase B (XynB) from the hyperthermophilic <i>Thermotoga maritima</i> on metal-chelate Eupergit C 250L. <i>Enzyme and Microbial Technology</i> , 2007 , 41, 278-285	3.8	17
72	A novel, ultra-large xylanolytic complex (xylanosome) secreted by <i>Streptomyces olivaceoviridis</i> . <i>Biotechnology Letters</i> , 2004 , 26, 431-6	3	15
71	Can functional oligosaccharides reduce the risk of diabetes mellitus?. <i>FASEB Journal</i> , 2019 , 33, 11655-11667		14
70	Characterization of a novel hormone-sensitive lipase family esterase from <i>Rhizomucor miehei</i> with tertiary alcohol hydrolysis activity. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2014 , 109, 76-84		14
69	Biochemical characterization of a recombinant thermostable β -mannosidase from <i>Thermotoga maritima</i> with transglycosidase activity. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009 , 60, 119-124		14
68	Purification and characterization of a chymosin from <i>Rhizopus microsporus</i> var. <i>rhizopodiformis</i> . <i>Applied Biochemistry and Biotechnology</i> , 2014 , 174, 174-85	3.2	13
67	Purification and properties of a psychrotrophic <i>Trichoderma</i> sp. xylanase and its gene sequence. <i>Applied Biochemistry and Biotechnology</i> , 2011 , 164, 944-56	3.2	13
66	Catalytic Mechanism of a Novel Glycoside Hydrolase Family 16 "Elongating" β -Transglycosylase. <i>Journal of Biological Chemistry</i> , 2017 , 292, 1666-1678	5.4	12
65	Biochemical characterization of a novel lipase from <i>Malbranchea cinnamomea</i> suitable for production of lipolyzed milkfat flavor and biodegradation of phthalate esters. <i>Food Chemistry</i> , 2019 , 297, 124925	8.5	12
64	Efficient sequential synthesis of lacto-N-triose II and lacto-N-neotetraose by a novel β -N-acetylhexosaminidase from <i>Tyzzeraella nexilis</i> . <i>Food Chemistry</i> , 2020 , 332, 127438	8.5	12

63	Purification and characterization of a novel chitinase gene from <i>Paecilomyces thermophila</i> expressed in <i>Escherichia coli</i> . <i>Carbohydrate Research</i> , 2012 , 347, 155-60	2.9	12
62	Structural and biochemical insights into the substrate-binding mechanism of a novel glycoside hydrolase family 134 β -mannanase. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018 , 1862, 1376-1388		11
61	The structure of a glycoside hydrolase family 81 endo- β -1,3-glucanase. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 2027-38		11
60	The first crystal structure of a glycoside hydrolase family 17 β -1,3-glucanosyltransferase displays a unique catalytic cleft. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015 , 71, 1714-24		10
59	A first glycoside hydrolase family 50 endo- β -1,3-d-glucanase from <i>Pseudomonas aeruginosa</i> . <i>Enzyme and Microbial Technology</i> , 2018 , 108, 34-41	3.8	10
58	Modulating the function of a β -1,3-glucanosyltransferase to that of an endo- β -1,3-glucanase by structure-based protein engineering. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 1765-1776	5.7	10
57	Hepatoprotective Potential of Partially Hydrolyzed Guar Gum against Acute Alcohol-Induced Liver Injury in Vitro and Vivo. <i>Nutrients</i> , 2019 , 11,	6.7	9
56	Biochemical characterization of a novel β -fucosidase from <i>Pedobacter</i> sp. and its application in synthesis of 3Sfucosyllactose and 2Sfucosyllactose. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 5813-5826	5.7	9
55	High-level expression of a novel protease-resistant β -galactosidase from <i>Thielavia terrestris</i> . <i>Process Biochemistry</i> , 2018 , 71, 82-91	4.8	9
54	A unique GCN5-related glucosamine N-acetyltransferase region exist in the fungal multi-domain glycoside hydrolase family 3 β -N-acetylglucosaminidase. <i>Scientific Reports</i> , 2015 , 5, 18292	4.9	9
53	Novel Protease-Resistant Exochitinase (Echi47) from Pig Fecal Environment DNA with Application Potentials in the Food and Feed Industries. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 6262-70	5.7	8
52	Expression and biochemical characterization of a novel type I pullulanase from <i>Bacillus megaterium</i> . <i>Biotechnology Letters</i> , 2017 , 39, 397-405	3	8
51	High-level expression and enzymatic properties of a novel thermostable xylanase with high arabinoxylan degradation ability from <i>Chaetomium</i> sp. suitable for beer mashing. <i>International Journal of Biological Macromolecules</i> , 2021 , 168, 223-232	7.9	8
50	High-level production and characterization of a novel β -1,3-1,4-glucanase from <i>Aspergillus awamori</i> and its potential application in the brewing industry. <i>Process Biochemistry</i> , 2020 , 92, 252-260	4.8	7
49	Biochemical characterization of a novel exo-oligoxylanase from suitable for monosaccharification from corncobs. <i>Biotechnology for Biofuels</i> , 2019 , 12, 190	7.8	7
48	Purification and characterization of a novel thermostable β -arabinofuranosidase (β -AFase) from <i>Chaetomium</i> sp.. <i>Process Biochemistry</i> , 2012 , 47, 472-478	4.8	7
47	Curdlan () (1- β)- β -D-Glucan Oligosaccharides Drive M1 Phenotype Polarization in Murine Bone Marrow-Derived Macrophages via Activation of MAPKs and NF- κ B Pathways. <i>Molecules</i> , 2019 , 24,	4.8	7
46	Slightly Acidic Electrolyzed Water Treatment Enhances the Main Bioactive Phytochemicals Content in Broccoli Sprouts via Changing Metabolism. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 606-614	5.7	7

45	Partially Hydrolyzed Guar Gum Attenuates d-Galactose-Induced Oxidative Stress and Restores Gut Microbiota in Rats. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	6
44	High-level expression of codon-optimized <i>Thielavia terrestris</i> cutinase suitable for ester biosynthesis and biodegradation. <i>International Journal of Biological Macromolecules</i> , 2019 , 135, 768-775	7.9	6
43	Xylose rich heteroglycan from flaxseed gum mediates the immunostimulatory effects on macrophages via TLR2 activation. <i>Carbohydrate Polymers</i> , 2019 , 213, 59-69	10.3	6
42	Biochemical Characterization of a Novel Endo-1,5- α -arabinanase from <i>Rhizomucor miehei</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1226-1233	5.7	6
41	Structural insights into the catalytic mechanism of a novel glycoside hydrolase family 113 β 1,4-mannanase from. <i>Journal of Biological Chemistry</i> , 2018 , 293, 11746-11757	5.4	6
40	Characterization of a novel glycoside hydrolase family 5 β mannosidase from <i>Absidia corymbifera</i> with high transglycosylation activity. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2015 , 122, 265-274		6
39	Variation of xylanosomal subunit composition of <i>Streptomyces olivaceoviridis</i> by nitrogen sources. <i>Biotechnology Letters</i> , 2005 , 27, 429-33	3	6
38	Synbiotic yogurt containing konjac mannan oligosaccharides and <i>Bifidobacterium animalis</i> ssp. lactis BB12 alleviates constipation in mice by modulating the stem cell factor (SCF)/c-Kit pathway and gut microbiota. <i>Journal of Dairy Science</i> , 2021 , 104, 5239-5255	4	6
37	A novel thermostable β 1,3-1,4-glucanase from <i>Thermoascus aurantiacus</i> and its application in oligosaccharide production from oat bran. <i>Carbohydrate Research</i> , 2018 , 469, 31-37	2.9	6
36	Biochemical Characterization and Structural Analysis of a β -Acetylglucosaminidase from for Efficient Production of -Acetyl-d-glucosamine. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 5648-5657	5.7	5
35	High-level expression and characterization of a novel phospholipase C from <i>Thielavia terrestris</i> suitable for oil degumming. <i>International Journal of Biological Macromolecules</i> , 2020 , 156, 740-748	7.9	5
34	High-level expression and biochemical characterization of a novel cold-active lipase from <i>Rhizomucor endophyticus</i> . <i>Biotechnology Letters</i> , 2016 , 38, 2127-2135	3	5
33	Biochemical characterization of a truncated β agarase from <i>Microbulbifer</i> sp. suitable for efficient production of neoagarotetraose. <i>Process Biochemistry</i> , 2019 , 87, 119-127	4.8	5
32	Crystal structure and characterization of a novel L-serine ammonia-lyase from <i>Rhizomucor miehei</i> . <i>Biochemical and Biophysical Research Communications</i> , 2015 , 466, 431-7	3.4	5
31	Production of Lacto-N-triose II and Lacto-N-neotetraose from Chitin by a Novel β N-Acetylhexosaminidase Expressed in <i>Pichia pastoris</i> . <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 15466-15474	8.3	5
30	Biochemical characterization of a bifunctional chitinase/lysozyme from <i>Streptomyces sampsonii</i> suitable for N-acetyl chitobiose production. <i>Biotechnology Letters</i> , 2020 , 42, 1489-1499	3	4
29	Characterization of a novel L-phenylalanine oxidase from <i>Coprinopsis cinereus</i> and its application for enzymatic production of phenylpyruvic acid. <i>Process Biochemistry</i> , 2017 , 61, 102-109	4.8	4
28	High level expression and biochemical characterization of an alkaline serine protease from <i>Geobacillus stearothermophilus</i> to prepare antihypertensive whey protein hydrolysate. <i>BMC Biotechnology</i> , 2021 , 21, 21	3.5	4

27	Biochemical characterization of a novel acidic chitinase with antifungal activity from <i>Paenibacillus xylanexedens</i> Z2-4. <i>International Journal of Biological Macromolecules</i> , 2021 , 182, 1528-1536	7.9	4
26	High-level expression of a glycoside hydrolase family 26 β -mannanase from <i>Aspergillus niger</i> in <i>Pichia pastoris</i> for production of partially hydrolysed fenugreek gum. <i>Process Biochemistry</i> , 2021 , 100, 90-97	4.8	4
25	Physicochemical Properties and Bioactivities of Rice Beans Fermented by <i>Bacillus amyloliquefaciens</i> . <i>Engineering</i> , 2021 , 7, 219-225	9.7	4
24	Biochemical characterization of a novel protease-resistant β -galactosidase from <i>Paecilomyces thermophila</i> suitable for raffinose family oligosaccharides degradation. <i>Process Biochemistry</i> , 2020 , 94, 370-379	4.8	3
23	Efficient production of acetylated xylooligosaccharides from Hawthorn kernels by a xylanase from <i>Paecilomyces aeruginus</i> . <i>Industrial Crops and Products</i> , 2020 , 158, 112962	5.9	3
22	Global transcriptomic analysis of functional oligosaccharide metabolism in <i>Pediococcus pentosaceus</i> . <i>Applied Microbiology and Biotechnology</i> , 2021 , 105, 1601-1614	5.7	3
21	Characterization and crystal structure of a first fungal glyoxylate reductase from <i>Paecilomyces thermophila</i> . <i>Enzyme and Microbial Technology</i> , 2014 , 60, 72-9	3.8	2
20	Enhanced production of a thermostable mannanase by immobilized cells of <i>Bacillus subtilis</i> on various membranes. <i>World Journal of Microbiology and Biotechnology</i> , 2009 , 25, 1057-1063	4.4	2
19	Characterization of a Novel Aspartic Protease from Expressed in and Its Application in Production of ACE-Inhibitory Peptides.. <i>Foods</i> , 2021 , 10,	4.9	2
18	Neogargarotetraose extends the lifespan of <i>Caenorhabditis elegans</i> through AMPK mediated signaling pathways and activation of autophagy. <i>Journal of Functional Foods</i> , 2021 , 77, 104341	5.1	2
17	Konjac Glucomannan Oligosaccharides Prevent Intestinal Inflammation Through SIGNR1-Mediated Regulation of Alternatively Activated Macrophages. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001010	5.9	2
16	Transcriptomic Analysis of Reveals Carbohydrate Metabolic Dynamics Under Lactic Acid Stress. <i>Frontiers in Microbiology</i> , 2021 , 12, 736411	5.7	2
15	Structural basis of carbohydrate binding in domain C of a type I pullulanase from <i>Paenibacillus barengoltzii</i> . <i>Acta Crystallographica Section D: Structural Biology</i> , 2020 , 76, 447-457	5.5	1
14	Biochemical Properties of a Novel D-Mannose Isomerase from <i>Pseudomonas syringae</i> for D-Mannose Production. <i>Applied Biochemistry and Biotechnology</i> , 2021 , 193, 1482-1495	3.2	1
13	High level expression of a xyloglucanase from <i>Rhizomucor miehei</i> in <i>Pichia pastoris</i> for production of xyloglucan oligosaccharides and its application in yoghurt. <i>International Journal of Biological Macromolecules</i> , 2021 , 190, 845-852	7.9	1
12	Crystal structure of a chitinase (RmChiA) from the thermophilic fungus <i>Rhizomucor miehei</i> with a real active site tunnel. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2021 , 1869, 140709	4	1
11	Non-digestible galactomannan oligosaccharides from Cassia seed gum modulate microbiota composition and metabolites of human fecal inoculum. <i>Journal of Functional Foods</i> , 2021 , 86, 104705	5.1	1
10	A novel neutral thermophilic β -mannanase from <i>Malbranchea cinnamomea</i> for controllable production of partially hydrolyzed konjac powder.. <i>Applied Microbiology and Biotechnology</i> , 2022 , 106, 1919	5.7	1

9	Sucrose-free hawthorn leathers formulated with fructooligosaccharides and xylooligosaccharides ameliorate high-fat diet induced inflammation, glucose and lipid metabolism in liver of mice. <i>Food Science and Human Wellness</i> , 2022 , 11, 1064-1075	8.3	1
8	Efficient production of poly- γ -glutamic acid by <i>Bacillus velezensis</i> via solid-state fermentation and its application. <i>Food Bioscience</i> , 2022 , 46, 101575	4.9	0
7	Structural insights into the substrate recognition and catalytic mechanism of a fungal glycoside hydrolase family 81 β -1,3-glucanase. <i>Enzyme and Microbial Technology</i> , 2021 , 153, 109948	3.8	0
6	Novel green soybean shuidouchi fermented by with multibioactivities.. <i>Food Science and Nutrition</i> , 2021 , 9, 6538-6547	3.2	0
5	Preparation of Chitin Oligosaccharides and Its Monomer 2019 , 55-81		0
4	Heterologous expression and biochemical characterization of a cold-active lipase from <i>Rhizopus microsporus</i> suitable for oleate synthesis and bread making. <i>Biotechnology Letters</i> , 2021 , 43, 1921-1932 ³		0
3	Structural and biochemical insights into the substrate-binding mechanism of a glycoside hydrolase family 12 β -1,3-1,4-glucanase from <i>Chaetomium</i> sp. <i>Journal of Structural Biology</i> , 2021 , 213, 107774	3.4	0
2	Biochemical characterization of a novel glycoside hydrolase family 11 xylanase from <i>Chaetomium</i> sp. suitable for bread making. <i>Process Biochemistry</i> , 2022 , 117, 1-9	4.8	0
1	Chitin oligosaccharides alleviate atherosclerosis progress in ApoE ^{-/-} mice by regulating lipid metabolism and inhibiting inflammation. <i>Food Science and Human Wellness</i> , 2022 , 11, 999-1009	8.3	0