

Ulrike Raap

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6976152/publications.pdf>

Version: 2024-02-01

63
papers

2,950
citations

186265

28
h-index

175258

52
g-index

66
all docs

66
docs citations

66
times ranked

3117
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Correlation of IL-31 serum levels with severity of atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 421-423. | 2.9 | 272 |
| 2 | Serum autotaxin is increased in pruritus of cholestasis, but not of other origin, and responds to therapeutic interventions. <i>Hepatology</i> , 2012, 56, 1391-1400. | 7.3 | 228 |
| 3 | IL-31 significantly correlates with disease activity and Th2 cytokine levels in children with atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 285-288. | 2.6 | 139 |
| 4 | Histamine and T helper cytokine-driven epithelial barrier dysfunction in allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 951-963.e8. | 2.9 | 139 |
| 5 | Biomarkers and clinical characteristics of autoimmune chronic spontaneous urticaria: Results of the PURIST Study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2427-2436. | 5.7 | 136 |
| 6 | Human mast cells and basophils—How are they similar how are they different?. <i>Immunological Reviews</i> , 2018, 282, 8-34. | 6.0 | 124 |
| 7 | Brain-derived neurotrophic factor is increased in atopic dermatitis and modulates eosinophil functions compared with that seen in nonatopic subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 1268-1275. | 2.9 | 121 |
| 8 | Investigation of contact allergy to dental metals in 206 patients. <i>Contact Dermatitis</i> , 2009, 60, 339-343. | 1.4 | 113 |
| 9 | H1-antihistamine-refractory chronic spontaneous urticaria: it's worse than we thought—first results of the multicenter real-life AWARE study. <i>Clinical and Experimental Allergy</i> , 2017, 47, 684-692. | 2.9 | 96 |
| 10 | Human basophils are a source of—and are differentially activated by—IL-31. <i>Clinical and Experimental Allergy</i> , 2017, 47, 499-508. | 2.9 | 95 |
| 11 | Circulating levels of brain-derived neurotrophic factor correlate with disease severity in the intrinsic type of atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 1416-1418. | 5.7 | 90 |
| 12 | Increased levels of serum IL-31 in chronic spontaneous urticaria*. <i>Experimental Dermatology</i> , 2010, 19, 464-466. | 2.9 | 75 |
| 13 | Brachioradial pruritus as a result of cervical spine pathology: The results of a magnetic resonance tomography study. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 756-762. | 1.2 | 71 |
| 14 | IL-31 Induces Chemotaxis, Calcium Mobilization, Release of Reactive Oxygen Species, and CCL26 in Eosinophils, Which Are Capable to Release IL-31. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1908-1911. | 0.7 | 71 |
| 15 | Pathophysiology of itch and new treatments. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2011, 11, 420-427. | 2.3 | 66 |
| 16 | ATTENTUS, a German online survey of patients with chronic urticaria highlighting the burden of disease, unmet needs and real-life clinical practice. <i>British Journal of Dermatology</i> , 2016, 174, 892-894. | 1.5 | 61 |
| 17 | Serum IL-31 levels are increased in a subset of patients with mastocytosis and correlate with disease severity in adult patients. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 232-235.e4. | 2.9 | 60 |
| 18 | The role of neurotrophins in the pathophysiology of allergic rhinitis. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2010, 10, 8-13. | 2.3 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | S2k Leitlinie zur Diagnostik und Therapie des chronischen Pruritus â€“ Update â€“ Kurzversion. JDDG - Journal of the German Society of Dermatology, 2017, 15, 860-873. | 0.8 | 56 |
| 20 | Eosinophils are a Major Source of Interleukin-31 in Bullous Pemphigoid. Acta Dermato-Venereologica, 2018, 98, 766-771. | 1.3 | 56 |
| 21 | Mobile Augmented Reality as a Feature for Self-Oriented, Blended Learning in Medicine: Randomized Controlled Trial. JMIR MHealth and UHealth, 2017, 5, e139. | 3.7 | 49 |
| 22 | Antihistamineâ€resistant chronic spontaneous urticaria: 1â€year data from the AWARE study. Clinical and Experimental Allergy, 2019, 49, 655-662. | 2.9 | 45 |
| 23 | Differential upâ€regulation of neurotrophin receptors and functional activity of neurotrophins on peripheral blood eosinophils of patients with allergic rhinitis, atopic dermatitis and nonatopic subjects. Clinical and Experimental Allergy, 2008, 38, 1493-1498. | 2.9 | 43 |
| 24 | European <sc>EADV</sc> network on assessment of severity and burden of Pruritus (PruNet): first meeting on outcome tools. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1144-1147. | 2.4 | 41 |
| 25 | Neuronal branching of sensory neurons is associated with BDNFâ€positive eosinophils in atopic dermatitis. Clinical and Experimental Allergy, 2020, 50, 577-584. | 2.9 | 40 |
| 26 | Aprepitant in Anti-histamine-refractory Chronic Nodular Prurigo: A Multicentre, Randomized, Double-blind, Placebo-controlled, Cross-over, Phase-II trial (APREPRU). Acta Dermato-Venereologica, 2019, 99, 379-385. | 1.3 | 40 |
| 27 | Substance P activates human eosinophils. Experimental Dermatology, 2015, 24, 557-559. | 2.9 | 38 |
| 28 | Interleukin-31 Signaling Bridges the Gap Between Immune Cells, the Nervous System and Epithelial Tissues. Frontiers in Medicine, 2021, 8, 639097. | 2.6 | 37 |
| 29 | High mobility group box 1 (HMGB1) acts as an â€œalarminâ€to promote acute myeloid leukaemia progression. Oncoimmunology, 2018, 7, e1438109. | 4.6 | 34 |
| 30 | Neurological disorders are associated with bullous pemphigoid. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 925-929. | 2.4 | 32 |
| 31 | Human basophil chemotaxis and activation are regulated via the histamine H4 receptor. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1264-1273. | 5.7 | 28 |
| 32 | A new paradigm of eosinophil granulocytes: neuroimmune interactions. Experimental Dermatology, 2008, 17, 731-738. | 2.9 | 27 |
| 33 | S2k Guidelines for the diagnosis and treatment of chronic pruritus â€“ update â€“ short version. JDDG - Journal of the German Society of Dermatology, 2017, 15, 860-872. | 0.8 | 23 |
| 34 | Increased Activity and Apoptosis of Eosinophils in Blister Fluids, Skin and Peripheral Blood of Patients with Bullous Pemphigoid. Acta Dermato-Venereologica, 2017, 97, 464-471. | 1.3 | 23 |
| 35 | <p>Lupus erythematosus tumidus: clinical perspectives</p>. Clinical, Cosmetic and Investigational Dermatology, 2019, Volume 12, 707-719. | 1.8 | 22 |
| 36 | IgE autoantibodies in serum and skin of nonâ€bullous and bullous pemphigoid patients. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 973-980. | 2.4 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Practical recommendations for the allergological risk assessment of the COVID-19 vaccination – a harmonized statement of allergy centers in Germany. <i>Allergologie Select</i> , 2021, 5, 72-76. | 3.1 | 22 |
| 38 | Childhood atopic dermatitis – Brain-derived neurotrophic factor correlates with serum eosinophil cationic protein and disease severity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1062-1065. | 5.7 | 21 |
| 39 | Pirfenidone-induced severe phototoxic reaction in a patient with idiopathic lung fibrosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1354-1356. | 2.4 | 20 |
| 40 | Involvement of Neuro-Immune Interactions in Pruritus With Special Focus on Receptor Expressions. <i>Frontiers in Medicine</i> , 2021, 8, 627985. | 2.6 | 20 |
| 41 | Highly specific targeting of human acute myeloid leukaemia cells using pharmacologically active nanoconjugates. <i>Nanoscale</i> , 2018, 10, 5827-5833. | 5.6 | 19 |
| 42 | Allergic contact dermatitis to acid blue 158 in suture material. <i>Contact Dermatitis</i> , 2008, 59, 192-193. | 1.4 | 18 |
| 43 | The basophil activation test is a helpful diagnostic tool in anaphylaxis to sesame with false-negative specific IgE and negative skin test. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1497-1499. | 5.7 | 17 |
| 44 | Expression of programmed cell death ligand-1 in mastocytosis correlates with disease severity. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 314-318.e5. | 2.9 | 17 |
| 45 | Biochemical mechanisms implemented by human acute myeloid leukemia cells to suppress host immune surveillance. <i>Cellular and Molecular Immunology</i> , 2018, 15, 989-991. | 10.5 | 17 |
| 46 | Contact allergy to dental materials. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012, 10, 391-396. | 0.8 | 14 |
| 47 | Novel functions of S1P in chronic itchy and inflammatory skin diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 365-372. | 2.4 | 11 |
| 48 | Neurotrophins in healthy and diseased skin. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2010, 145, 205-11. | 0.8 | 11 |
| 49 | Regulation of melanocortin 1 receptor in allergic rhinitis <i>in vitro</i> and <i>in vivo</i> . <i>Clinical and Experimental Allergy</i> , 2016, 46, 1066-1074. | 2.9 | 9 |
| 50 | A mild form of dermatomyositis as a prodromal sign of lung adenocarcinoma: a case report. <i>Journal of Medical Case Reports</i> , 2016, 10, 34. | 0.8 | 9 |
| 51 | Platelet-activating factor decreases skin keratinocyte tight junction barrier integrity. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1725-1728.e3. | 2.9 | 7 |
| 52 | The role of basophils in allergic inflammation. <i>Allergo Journal International</i> , 2015, 24, 152-157. | 2.0 | 6 |
| 53 | Bullous Pemphigoid. <i>New England Journal of Medicine</i> , 2015, 373, 1659-1659. | 27.0 | 6 |
| 54 | Activation of <i>KIT</i> modulates the function of tumor necrosis factor-related apoptosis-inducing ligand receptor (TRAIL) in mast cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 764-774. | 5.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Intraepidermal neutrophilic dermatosis type of IgA pemphigus with circulating linear IgA disease antibodies associated with ulcerative colitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e10-e11. | 2.4 | 5 |
| 56 | Human basophils release the anti-inflammatory cytokine IL-10 following stimulation with Î±-melanocyte-stimulating hormone. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1521-1523.e3. | 2.9 | 5 |
| 57 | Physiology and pathology of eosinophils: Recent developments. <i>Scandinavian Journal of Immunology</i> , 2021, 93, e13032. | 2.7 | 4 |
| 58 | Rapid therapeutic response of palmoplantar pustulosis under biologic treatment with guselkumab. <i>Dermatologic Therapy</i> , 2021, 34, e14792. | 1.7 | 2 |
| 59 | Oral Cavity and Allergy: Meeting the Diagnostic and Therapeutic Challenge. <i>Current Oral Health Reports</i> , 2016, 3, 347-355. | 1.6 | 1 |
| 60 | Diversities of allergic pathologies and their modifiers: Report from the second DGAKI-JSA meeting. <i>Allergology International</i> , 2022, 71, 310-317. | 3.3 | 1 |
| 61 | Therapeutic Interventions for Itch in AD. <i>Current Treatment Options in Allergy</i> , 2014, 1, 374-383. | 2.2 | 0 |
| 62 | Localized subepidermal blistering: not always bullous pemphigoid but a diagnostic challenge. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 205-207. | 0.8 | 0 |
| 63 | The Complexity of Pruritus Requires a Variety of Treatment Strategies. <i>Current Treatment Options in Allergy</i> , 2019, 6, 189-199. | 2.2 | 0 |