

Ulrike Raap

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6976152/publications.pdf>

Version: 2024-02-01

63
papers

2,950
citations

186265

28
h-index

175258

52
g-index

66
all docs

66
docs citations

66
times ranked

3117
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel functions of S1P in chronic itchy and inflammatory skin diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 365-372.	2.4	11
2	Diversities of allergic pathologies and their modifiers: Report from the second DGAKI-JSA meeting. <i>Allergology International</i> , 2022, 71, 310-317.	3.3	1
3	IgE autoantibodies in serum and skin of non-bullous and bullous pemphigoid patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 973-980.	2.4	22
4	Practical recommendations for the allergological risk assessment of the COVID-19 vaccination – a harmonized statement of allergy centers in Germany. <i>Allergologie Select</i> , 2021, 5, 72-76.	3.1	22
5	Involvement of Neuro-Immune Interactions in Pruritus With Special Focus on Receptor Expressions. <i>Frontiers in Medicine</i> , 2021, 8, 627985.	2.6	20
6	Interleukin-31 Signaling Bridges the Gap Between Immune Cells, the Nervous System and Epithelial Tissues. <i>Frontiers in Medicine</i> , 2021, 8, 639097.	2.6	37
7	Rapid therapeutic response of palmoplantar pustulosis under biologic treatment with guselkumab. <i>Dermatologic Therapy</i> , 2021, 34, e14792.	1.7	2
8	Physiology and pathology of eosinophils: Recent developments. <i>Scandinavian Journal of Immunology</i> , 2021, 93, e13032.	2.7	4
9	Human basophils release the anti-inflammatory cytokine IL-10 following stimulation with α -melanocyte-stimulating hormone. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1521-1523.e3.	2.9	5
10	Neuronal branching of sensory neurons is associated with BDNF-positive eosinophils in atopic dermatitis. <i>Clinical and Experimental Allergy</i> , 2020, 50, 577-584.	2.9	40
11	The Complexity of Pruritus Requires a Variety of Treatment Strategies. <i>Current Treatment Options in Allergy</i> , 2019, 6, 189-199.	2.2	0
12	Lupus erythematosus tumidus: clinical perspectives. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2019, Volume 12, 707-719.	1.8	22
13	Neurological disorders are associated with bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 925-929.	2.4	32
14	Biomarkers and clinical characteristics of autoimmune chronic spontaneous urticaria: Results of the PURIST Study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2427-2436.	5.7	136
15	Antihistamine-resistant chronic spontaneous urticaria: 1-year data from the AWARE study. <i>Clinical and Experimental Allergy</i> , 2019, 49, 655-662.	2.9	45
16	Aprepitant in Anti-histamine-refractory Chronic Nodular Prurigo: A Multicentre, Randomized, Double-blind, Placebo-controlled, Cross-over, Phase-II trial (APREPRU). <i>Acta Dermato-Venereologica</i> , 2019, 99, 379-385.	1.3	40
17	High mobility group box 1 (HMGB1) acts as an α -alarmin to promote acute myeloid leukaemia progression. <i>Oncimmunology</i> , 2018, 7, e1438109.	4.6	34
18	Human mast cells and basophils – How are they similar how are they different?. <i>Immunological Reviews</i> , 2018, 282, 8-34.	6.0	124

#	ARTICLE	IF	CITATIONS
19	Localized subepidermal blistering: not always bullous pemphigoid but a diagnostic challenge. JDDG - Journal of the German Society of Dermatology, 2018, 16, 205-207.	0.8	0
20	Highly specific targeting of human acute myeloid leukaemia cells using pharmacologically active nanoconjugates. Nanoscale, 2018, 10, 5827-5833.	5.6	19
21	Intraepidermal neutrophilic dermatosis type of IgA pemphigus with circulating linear IgA disease antibodies associated with ulcerative colitis. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e10-e11.	2.4	5
22	Histamine and T helper cytokine-driven epithelial barrier dysfunction in allergic rhinitis. Journal of Allergy and Clinical Immunology, 2018, 141, 951-963.e8.	2.9	139
23	Eosinophils are a Major Source of Interleukin-31 in Bullous Pemphigoid. Acta Dermato-Venereologica, 2018, 98, 766-771.	1.3	56
24	Biochemical mechanisms implemented by human acute myeloid leukemia cells to suppress host immune surveillance. Cellular and Molecular Immunology, 2018, 15, 989-991.	10.5	17
25	H1 antihistamine-refractory chronic spontaneous urticaria: it's worse than we thought – first results of the multicenter real-life AWARE study. Clinical and Experimental Allergy, 2017, 47, 684-692.	2.9	96
26	Human basophils are a source of and are differentially activated by IL-31. Clinical and Experimental Allergy, 2017, 47, 499-508.	2.9	95
27	S2k Guidelines for the diagnosis and treatment of chronic pruritus – update – short version. JDDG - Journal of the German Society of Dermatology, 2017, 15, 860-872.	0.8	23
28	S2k Leitlinie zur Diagnostik und Therapie des chronischen Pruritus – Update – Kurzversion. JDDG - Journal of the German Society of Dermatology, 2017, 15, 860-873.	0.8	56
29	Increased Activity and Apoptosis of Eosinophils in Blister Fluids, Skin and Peripheral Blood of Patients with Bullous Pemphigoid. Acta Dermato-Venereologica, 2017, 97, 464-471.	1.3	23
30	Mobile Augmented Reality as a Feature for Self-Oriented, Blended Learning in Medicine: Randomized Controlled Trial. JMIR MHealth and UHealth, 2017, 5, e139.	3.7	49
31	Human basophil chemotaxis and activation are regulated via the histamine H4 receptor. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1264-1273.	5.7	28
32	ATTENTUS, a German online survey of patients with chronic urticaria highlighting the burden of disease, unmet needs and real-life clinical practice. British Journal of Dermatology, 2016, 174, 892-894.	1.5	61
33	Pirfenidone-induced severe phototoxic reaction in a patient with idiopathic lung fibrosis. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1354-1356.	2.4	20
34	Regulation of melanocortin 1 receptor in allergic rhinitis <i>in vitro</i> and <i>in vivo</i> . Clinical and Experimental Allergy, 2016, 46, 1066-1074.	2.9	9
35	Platelet-activating factor decreases skin keratinocyte tight junction barrier integrity. Journal of Allergy and Clinical Immunology, 2016, 138, 1725-1728.e3.	2.9	7
36	Oral Cavity and Allergy: Meeting the Diagnostic and Therapeutic Challenge. Current Oral Health Reports, 2016, 3, 347-355.	1.6	1

#	ARTICLE	IF	CITATIONS
37	Childhood atopic dermatitisâ€”Brainâ€derived neurotrophic factor correlates with serum eosinophil cationic protein and disease severity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1062-1065.	5.7	21
38	European <scp>EADV</scp> network on assessment of severity and burden of Pruritus (PruNet): first meeting on outcome tools. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1144-1147.	2.4	41
39	A mild form of dermatomyositis as a prodromal sign of lung adenocarcinoma: a case report. <i>Journal of Medical Case Reports</i> , 2016, 10, 34.	0.8	9
40	Expression of programmed cell death ligand-1 in mastocytosis correlates with disease severity. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 314-318.e5.	2.9	17
41	The role of basophils in allergic inflammation. <i>Allergo Journal International</i> , 2015, 24, 152-157.	2.0	6
42	Activation of <scp>KIT</scp> modulates the function of tumor necrosis factorâ€related apoptosisâ€inducing ligand receptor (TRAILâ€R) in mast cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 764-774.	5.7	5
43	IL-31 Induces Chemotaxis, Calcium Mobilization, Release of Reactive Oxygen Species, and CCL26 in Eosinophils, Which Are Capable to Release IL-31. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1908-1911.	0.7	71
44	Substance P activates human eosinophils. <i>Experimental Dermatology</i> , 2015, 24, 557-559.	2.9	38
45	Bullous Pemphigoid. <i>New England Journal of Medicine</i> , 2015, 373, 1659-1659.	27.0	6
46	Therapeutic Interventions for Itch in AD. <i>Current Treatment Options in Allergy</i> , 2014, 1, 374-383.	2.2	0
47	Serum IL-31 levels are increased in a subset of patients with mastocytosis and correlate with disease severity in adult patients. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 232-235.e4.	2.9	60
48	Serum autotaxin is increased in pruritus of cholestasis, but not of other origin, and responds to therapeutic interventions. <i>Hepatology</i> , 2012, 56, 1391-1400.	7.3	228
49	Contact allergy to dental materials. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012, 10, 391-396.	0.8	14
50	ILâ€31 significantly correlates with disease activity and Th2 cytokine levels in children with atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 285-288.	2.6	139
51	Brachioradial pruritus as a result of cervical spine pathology: The results of a magnetic resonance tomography study. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 756-762.	1.2	71
52	Pathophysiology of itch and new treatments. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2011, 11, 420-427.	2.3	66
53	The basophil activation test is a helpful diagnostic tool in anaphylaxis to sesame with falseâ€negative specific IgE and negative skin test. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1497-1499.	5.7	17
54	The role of neurotrophins in the pathophysiology of allergic rhinitis. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2010, 10, 8-13.	2.3	56

#	ARTICLE	IF	CITATIONS
55	Increased levels of serum IL-31 in chronic spontaneous urticaria*. <i>Experimental Dermatology</i> , 2010, 19, 464-466.	2.9	75
56	Neurotrophins in healthy and diseased skin. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2010, 145, 205-11.	0.8	11
57	Investigation of contact allergy to dental metals in 206 patients. <i>Contact Dermatitis</i> , 2009, 60, 339-343.	1.4	113
58	Differential up-regulation of neurotrophin receptors and functional activity of neurotrophins on peripheral blood eosinophils of patients with allergic rhinitis, atopic dermatitis and nonatopic subjects. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1493-1498.	2.9	43
59	Allergic contact dermatitis to acid blue 158 in suture material. <i>Contact Dermatitis</i> , 2008, 59, 192-193.	1.4	18
60	A new paradigm of eosinophil granulocytes: neuroimmune interactions. <i>Experimental Dermatology</i> , 2008, 17, 731-738.	2.9	27
61	Correlation of IL-31 serum levels with severity of atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 421-423.	2.9	272
62	Circulating levels of brain-derived neurotrophic factor correlate with disease severity in the intrinsic type of atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 1416-1418.	5.7	90
63	Brain-derived neurotrophic factor is increased in atopic dermatitis and modulates eosinophil functions compared with that seen in nonatopic subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 1268-1275.	2.9	121