

Philip Hyland

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6976757/philip-hyland-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

214

papers

5,183

citations

33

h-index

64

g-index

251

ext. papers

7,165

ext. citations

4.3

avg, IF

6.36

L-index

#	Paper	IF	Citations
214	Attitudes Towards Mental Health Services During the COVID-19 Pandemic: Findings from a Nationally Representative Sample of Irish Adults.. <i>Journal of Behavioral Health Services and Research</i> , 2022 , 1	1.7	0
213	The Network Structure of ICD-11 Disorders Specifically Associated with Stress: Adjustment Disorder, Prolonged Grief Disorder, Posttraumatic Stress Disorder, and Complex Posttraumatic Stress Disorder.. <i>Psychopathology</i> , 2022 , 1-9	3.4	0
212	Testing both affordability-availability and psychological-coping mechanisms underlying changes in alcohol use during the COVID-19 pandemic.. <i>PLoS ONE</i> , 2022 , 17, e0265145	3.7	0
211	Measurement invariance of the Patient Health Questionnaire (PHQ-9) and Generalized Anxiety Disorder Scale (GAD-7) across four European countries during the COVID-19 pandemic.. <i>BMC Psychiatry</i> , 2022 , 22, 154	4.2	4
210	Prevalence, correlates, and the mitigation of ICD-11 CPTSD among homeless adults: The role of self-compassion.. <i>Child Abuse and Neglect</i> , 2022 , 127, 105569	4.3	0
209	Testing alternative models and predictive utility of the Death Anxiety Inventory-Revised: A COVID-19 related longitudinal population based study.. <i>Acta Psychologica</i> , 2022 , 225, 103539	1.7	0
208	Temporal associations between insomnia and depression symptoms in adults during the COVID-19 pandemic: A cross-lagged path modelling analysis.. <i>Psychiatry Research</i> , 2022 , 312, 114533	9.9	2
207	The Ukraine crisis: Mental health resources for clinicians and researchers.. <i>Clinical Child Psychology and Psychiatry</i> , 2022 , 13591045221097519	2	0
206	The occurrence and co-occurrence of ACEs and their relationship to mental health in the United States and Ireland. <i>Child Abuse and Neglect</i> , 2022 , 129, 105681	4.3	1
205	On top or underneath: where does the general factor of psychopathology fit within a dimensional model of psychopathology?. <i>Psychological Medicine</i> , 2021 , 51, 2422-2432	6.9	5
204	The latent structure of ICD-11 posttraumatic stress disorder (PTSD) and complex PTSD in a general population sample from USA: A factor mixture modelling approach. <i>Journal of Anxiety Disorders</i> , 2021 , 85, 102497	10.9	2
203	Design, content, and fieldwork procedures of the COVID-19 Psychological Research Consortium (C19PRC) Study - Wave 4. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , e1899	4.3	2
202	Detecting and describing stability and change in COVID-19 vaccine receptibility in the United Kingdom and Ireland. <i>PLoS ONE</i> , 2021 , 16, e0258871	3.7	2
201	Fatalism and ICD-11 CPTSD and PTSD diagnoses: results from Nigeria, Kenya & Ghana. <i>Helse Utbildning</i> , 2021 , 12, 1988452	5	1
200	Traumatic life events as risk factors for psychosis and ICD-11 complex PTSD: a gender-specific examination.. <i>Helse Utbildning</i> , 2021 , 12, 2009271	5	0
199	Sex and age differences in ICD-11 PTSD and complex PTSD: An analysis of four general population samples. <i>European Psychiatry</i> , 2021 , 64, e66	6	1
198	Mental health of adults in Ireland during the first year of the COVID-19 pandemic: results from a nationally representative, longitudinal study. <i>Psychological Medicine</i> , 2021 , 1-3	6.9	5

197	Posttraumatic Stress Disorder and Persistent Somatic Symptoms During the COVID-19 Pandemic: The Role of Sense of Threat. <i>Psychosomatic Medicine</i> , 2021, 83, 338-344	3.7	4
196	Examination of the new ICD-11 prolonged grief disorder guidelines across five international samples. <i>Clinical Psychology in Europe</i> , 2021, 3,	2.5	3
195	The structure of peritraumatic reactions and their relationship with PTSD among disaster survivors. <i>Journal of Abnormal Psychology</i> , 2021, 130, 248-259	7	6
194	Comparing the network structure of ICD-11 PTSD and complex PTSD in three African countries. <i>Journal of Psychiatric Research</i> , 2021, 136, 80-86	5.2	1
193	Refuting the myth of a 'tsunami' of mental ill-health in populations affected by COVID-19: evidence that response to the pandemic is heterogeneous, not homogeneous. <i>Psychological Medicine</i> , 2021, 1-9	6.9	25
192	Factor structure and symptom classes of ICD-11 complex posttraumatic stress disorder in a South Korean general population sample with adverse childhood experiences. <i>Child Abuse and Neglect</i> , 2021, 114, 104982	4.3	6
191	A systematic literature review of factor analytic and mixture models of ICD-11 PTSD and CPTSD using the International Trauma Questionnaire. <i>Journal of Anxiety Disorders</i> , 2021, 79, 102381	10.9	18
190	Context, design and conduct of the longitudinal COVID-19 psychological research consortium study-wave 3. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1880	4.3	7
189	Posttraumatic stress disorder and loneliness are associated over time: A longitudinal study on PTSD symptoms and loneliness, among older adults. <i>Psychiatry Research</i> , 2021, 299, 113846	9.9	5
188	Psychological trauma at different developmental stages and ICD-11 CPTSD: The role of dissociation. <i>Journal of Trauma and Dissociation</i> , 2021, 1-16	2.8	2
187	Predicting risk along the suicidality continuum: A longitudinal, nationally representative study of the Irish population during the COVID-19 pandemic. <i>Suicide and Life-Threatening Behavior</i> , 2021,	3.9	4
186	Resistance to COVID-19 vaccination has increased in Ireland and the United Kingdom during the pandemic. <i>Public Health</i> , 2021, 195, 54-56	4	15
185	A longitudinal assessment of depression and anxiety in the Republic of Ireland before and during the COVID-19 pandemic. <i>Psychiatry Research</i> , 2021, 300, 113905	9.9	26
184	Changes in PTSD, depression, and generalized anxiety before and during the COVID-19 pandemic in Ireland. <i>Journal of Affective Disorders Reports</i> , 2021, 5, 100184	1.4	2
183	Posttraumatic stress disorder, complex PTSD and subtypes of loneliness among older adults. <i>Journal of Clinical Psychology</i> , 2021,	2.8	2
182	Trauma, PTSD, and complex PTSD in the Republic of Ireland: prevalence, service use, comorbidity, and risk factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 649-658	4.5	20
181	ICD-11 posttraumatic stress disorder, complex PTSD and adjustment disorder: the importance of stressors and traumatic life events. <i>Anxiety, Stress and Coping</i> , 2021, 34, 191-202	3.1	4
180	Towards identifying malnutrition among infants under 6 months: a mixed-methods study of South-Sudanese refugees in Ethiopia. <i>Public Health Nutrition</i> , 2021, 24, 1265-1274	3.3	1

179	Monitoring the psychological, social, and economic impact of the COVID-19 pandemic in the population: Context, design and conduct of the longitudinal COVID-19 psychological research consortium (C19PRC) study. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1861	4.3	48
178	Commentary: The need for research on PTSD in Children and adolescents - a commentary on Elliot et al. (2020). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 277-279	7.9	3
177	Pathways between types of crime and criminal social identity: A network approach. <i>Journal of Criminal Justice</i> , 2021 , 72, 101750	3.6	3
176	Are Prisoners More Psychopathic than Non-forensic Populations? Profiling Psychopathic Traits among Prisoners, Community Adults, University Students, and Adolescents. <i>Deviant Behavior</i> , 2021 , 42, 232-244	1.1	7
175	The Authoritarian Dynamic During the COVID-19 Pandemic: Effects on Nationalism and Anti-Immigrant Sentiment. <i>Social Psychological and Personality Science</i> , 2021 , 12, 1274-1285	4.3	24
174	Anxiety and depression symptoms, the recovery from symptoms, and loneliness before and after the COVID-19 outbreak among the general population: Findings from a Dutch population-based longitudinal study. <i>PLoS ONE</i> , 2021 , 16, e0245057	3.7	40
173	Pandemic buying: Testing a psychological model of over-purchasing and panic buying using data from the United Kingdom and the Republic of Ireland during the early phase of the COVID-19 pandemic. <i>PLoS ONE</i> , 2021 , 16, e0246339	3.7	39
172	Childhood trauma, attachment orientation, and complex PTSD (CPTSD) symptoms in a clinical sample: Implications for treatment. <i>Development and Psychopathology</i> , 2021 , 1-6	4.3	4
171	Externalizing the threat from within: A new direction for researching associations between suicide and psychotic experiences. <i>Development and Psychopathology</i> , 2021 , 1-11	4.3	0
170	The international trauma questionnaire (ITQ) measures reliable and clinically significant treatment-related change in PTSD and complex PTSD. <i>Helse Utbildning</i> , 2021 , 12, 1930961	5	10
169	Can subjective perceptions of trauma differentiate between ICD-11 PTSD and complex PTSD? A cross-cultural comparison of three African countries. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021 , 13, 142-148	7.8	1
168	Does requiring trauma exposure affect rates of ICD-11 PTSD and complex PTSD? Implications for DSM-5. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021 , 13, 133-141	7.8	21
167	Complex PTSD symptoms mediate the association between childhood trauma and physical health problems. <i>Journal of Psychosomatic Research</i> , 2021 , 142, 110358	4.1	5
166	How does the COVID-19 pandemic impact on population mental health? A network analysis of COVID influences on depression, anxiety and traumatic stress in the UK population. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	12
165	High prevalence of somatisation in ICD-11 complex PTSD: A cross sectional cohort study. <i>Journal of Psychosomatic Research</i> , 2021 , 148, 110574	4.1	1
164	Delay discounting and under-valuing of recent information predict poorer adherence to social distancing measures during the COVID-19 pandemic. <i>Scientific Reports</i> , 2021 , 11, 19237	4.9	2
163	Psychological responses to the COVID-19 pandemic are heterogeneous but have stabilised over time: 1 year longitudinal follow-up of the COVID-19 Psychological Research Consortium (C19PRC) study. <i>Psychological Medicine</i> , 2021 , 1-3	6.9	4
162	Tracking the Irish adult population during the first year of the COVID-19 pandemic: A methodological report of the COVID-19 psychological research consortium (C19PRC) study in Ireland. <i>Acta Psychologica</i> , 2021 , 220, 103416	1.7	6

161	Patterns of childhood adversity and their associations with internalizing and externalizing problems among at-risk boys and girls. <i>Child Abuse and Neglect</i> , 2021, 121, 105272	4.3	1
160	Trajectories of change in internalizing symptoms during the COVID-19 pandemic: A longitudinal population-based study. <i>Journal of Affective Disorders</i> , 2021, 295, 1024-1031	6.6	5
159	Psychological characteristics associated with COVID-19 vaccine hesitancy and resistance in Ireland and the United Kingdom. <i>Nature Communications</i> , 2021, 12, 29	17.4	392
158	Modelling the complexity of pandemic-related lifestyle quality change and mental health: an analysis of a nationally representative UK general population sample.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 1	4.5	1
157	Anxiety and depression symptoms, the recovery from symptoms, and loneliness before and after the COVID-19 outbreak among the general population: Findings from a Dutch population-based longitudinal study 2021 , 16, e0245057		
156	Anxiety and depression symptoms, the recovery from symptoms, and loneliness before and after the COVID-19 outbreak among the general population: Findings from a Dutch population-based longitudinal study 2021 , 16, e0245057		
155	Anxiety and depression symptoms, the recovery from symptoms, and loneliness before and after the COVID-19 outbreak among the general population: Findings from a Dutch population-based longitudinal study 2021 , 16, e0245057		
154	Anxiety and depression symptoms, the recovery from symptoms, and loneliness before and after the COVID-19 outbreak among the general population: Findings from a Dutch population-based longitudinal study 2021 , 16, e0245057		
153	Post-migration factors and mental health outcomes in asylum-seeking and refugee populations: a systematic review. <i>Høgre Utbildning</i> , 2020, 11, 1793567	5	20
152	Suicidal Histories in Adults Experiencing Psychological Trauma: Exploring Vulnerability and Protective Factors. <i>Archives of Suicide Research</i> , 2020, 1-14	2.3	3
151	COVID-19-related anxiety predicts somatic symptoms in the UK population. <i>British Journal of Health Psychology</i> , 2020, 25, 875-882	8.3	83
150	Lifetime Interpersonal Victimization Profiles and Mental Health Problems in a Nationally Representative Panel of Trauma-Exposed Adults From the United Kingdom. <i>Journal of Traumatic Stress</i> , 2020, 33, 654-664	3.8	4
149	A longitudinal study of ICD-11 PTSD and complex PTSD in the general population of Israel. <i>Psychiatry Research</i> , 2020, 286, 112871	9.9	5
148	Polyvictimization and psychopathology among children and adolescents: A systematic review of studies using the Juvenile Victimization Questionnaire. <i>Child Abuse and Neglect</i> , 2020, 107, 104589	4.3	18
147	Death anxiety, self-worth, and exposure to human donor remains: A longitudinal study of Irish medical students. <i>Death Studies</i> , 2020, 1-10	3.9	
146	Patterns of comorbidity associated with ICD-11 PTSD among older adults in the United States. <i>Psychiatry Research</i> , 2020, 290, 113171	9.9	4
145	The validity of ICD-11 PTSD and Complex PTSD in East Asian cultures: findings with young adults from China, Hong Kong, Japan, and Taiwan. <i>Høgre Utbildning</i> , 2020, 11, 1717826	5	27
144	Lesbian, gay or bisexual identity as a risk factor for trauma and mental health problems in Northern Irish students and the protective role of social support. <i>Høgre Utbildning</i> , 2020, 11, 1708144	5	7

143	A cross-country psychiatric screening of ICD-11 disorders specifically associated with stress in Kenya, Nigeria and Ghana. <i>Høgre Utbildning</i> , 2020, 11, 1720972	5	10
142	Females have more complex patterns of childhood adversity: implications for mental, social, and emotional outcomes in adulthood. <i>Høgre Utbildning</i> , 2020, 11, 1708618	5	25
141	The structure of ICD-11 PTSD and Complex PTSD in adolescents exposed to potentially traumatic experiences. <i>Journal of Affective Disorders</i> , 2020, 265, 169-174	6.6	32
140	Screening for consequences of trauma - an update on the global collaboration on traumatic stress. <i>Høgre Utbildning</i> , 2020, 11, 1752504	5	28
139	Posttraumatic stress disorder among older adults: A differential item functioning analysis of PTSD in ICD-11 and DSM-5. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2020, 12, 799-806	7.8	6
138	Revealing what is distinct by recognising what is common: distinguishing between complex PTSD and Borderline Personality Disorder symptoms using bifactor modelling. <i>Høgre Utbildning</i> , 2020, 11, 1836864	5	6
137	Translation and psychometric evaluation of the Chinese Adjustment Disorder [New Module 20]. <i>International Journal of Mental Health</i> , 2020, 49, 170-185	1.4	3
136	Measuring ICD-11 adjustment disorder: the development and initial validation of the International Adjustment Disorder Questionnaire. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 265-274	6.5	17
135	Testing the Factor Structure of the International Trauma Questionnaire (ITQ) in African Community Samples from Kenya, Ghana, and Nigeria. <i>Journal of Loss and Trauma</i> , 2020, 25, 348-363	3.9	12
134	Is Posttraumatic Stress Disorder Meaningful in the Context of the COVID-19 Pandemic? A Response to Van Overmeire's Commentary on Karatzias et al. (2020). <i>Journal of Traumatic Stress</i> , 2020, 33, 866-868	3.8	16
133	The network structure of ICD-11 complex post-traumatic stress disorder across different traumatic life events. <i>World Psychiatry</i> , 2020, 19, 400-401	14.4	10
132	Anxiety, depression, traumatic stress and COVID-19-related anxiety in the UK general population during the COVID-19 pandemic. <i>BJPsych Open</i> , 2020, 6, e125	5	232
131	Risk factors associated with general and specific dimensions of psychosis in a nationally representative sample of adults from the United States. <i>Psychosis</i> , 2020, 12, 303-313	1.2	4
130	Posttraumatic Stress Symptoms and Associated Comorbidity During the COVID-19 Pandemic in Ireland: A Population-Based Study. <i>Journal of Traumatic Stress</i> , 2020, 33, 365-370	3.8	65
129	Anxiety and depression in the Republic of Ireland during the COVID-19 pandemic. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 249-256	6.5	189
128	Adverse and benevolent childhood experiences in Posttraumatic Stress Disorder (PTSD) and Complex PTSD (CPTSD): implications for trauma-focused therapies. <i>Høgre Utbildning</i> , 2020, 11, 1793599	5	10
127	Sexual Violence and Its Associated Psychosocial Effects in Ireland. <i>Journal of Interpersonal Violence</i> , 2020, 886260520978193	2.2	0
126	Distinguishing Complex PTSD from Borderline Personality Disorder among individuals with a history of sexual trauma: A latent class analysis. <i>European Journal of Trauma and Dissociation</i> , 2020, 4, 100080	1	23

125	Depressive symptoms predict increased social and emotional loneliness in older adults. <i>Aging and Mental Health</i> , 2020 , 24, 110-118	3.5	20
124	Network Analysis of Posttraumatic Stress Experiences of Adults Seeking Psychological Treatment for Childhood Sexual Abuse. <i>Journal of Traumatic Stress</i> , 2020 , 33, 10-18	3.8	14
123	The Mediating Role of Early Maladaptive Schemas in the Relationship between Childhood Traumatic Events and Complex Posttraumatic Stress Disorder Symptoms in Older Adults (>64 Years). <i>Journal of Loss and Trauma</i> , 2020 , 25, 141-158	3.9	2
122	The relationship between ICD-11 PTSD, complex PTSD and dissociative experiences. <i>Journal of Trauma and Dissociation</i> , 2020 , 21, 62-72	2.8	23
121	Patterns of exposure to adverse childhood experiences and their associations with mental health: a survey of 1346 university students in East Asia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 339-349	4.5	24
120	Sharing data to better understand one of the world's most significant shared experiences: data resource profile of the longitudinal COVID-19 psychological research consortium (C19PRC) study.. <i>International Journal of Population Data Science</i> , 2020 , 5, 1704	1.4	0
119	The role of complex posttraumatic stress symptoms in the association between exposure to traumatic events and severity of intimate partner violence. <i>Child Abuse and Neglect</i> , 2019 , 98, 104174	4.3	5
118	Translation and validation of the Chinese ICD-11 International Trauma Questionnaire (ITQ) for the Assessment of Posttraumatic Stress Disorder (PTSD) and Complex PTSD (CPTSD). <i>Helse Utbildning</i> , 2019 , 10, 1608718	5	30
117	ICD-11 PTSD and complex PTSD: structural validation using network analysis. <i>World Psychiatry</i> , 2019 , 18, 236-237	14.4	14
116	Psychological interventions for ICD-11 complex PTSD symptoms: systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019 , 49, 1761-1775	6.9	97
115	Identifying Predictors of Stress and Job Satisfaction in a Sample of Merchant Seafarers Using Structural Equation Modeling. <i>Frontiers in Psychology</i> , 2019 , 10, 70	3.4	19
114	Can the REBT theory explain loneliness? Theoretical and clinical applications. <i>Cognitive Behaviour Therapy</i> , 2019 , 48, 39-51	4.4	1
113	Rational beliefs, happiness and optimism: An empirical assessment of REBT's model of psychological health. <i>International Journal of Psychology</i> , 2019 , 54, 495-500	1.9	10
112	Childhood adversity and psychosis in detained inpatients from medium to high secured units: Results from the Scottish census survey. <i>Child Abuse and Neglect</i> , 2019 , 96, 104094	4.3	13
111	The distribution of psychosis, ICD-11 PTSD and complex PTSD symptoms among a trauma-exposed UK general population sample. <i>Psychosis</i> , 2019 , 11, 187-198	1.2	12
110	Risk factors and comorbidity of ICD-11 PTSD and complex PTSD: Findings from a trauma-exposed population based sample of adults in the United Kingdom. <i>Depression and Anxiety</i> , 2019 , 36, 887-894	8.4	62
109	Validation of a clinician-administered diagnostic measure of ICD-11 PTSD and Complex PTSD: the International Trauma Interview in a Swedish sample. <i>Helse Utbildning</i> , 2019 , 10, 1665617	5	17
108	Identifying the Key Risk Factors for Adverse Psychological Outcomes Among Police Officers: A Systematic Literature Review. <i>Journal of Traumatic Stress</i> , 2019 , 32, 688-700	3.8	24

107	The complexity of trauma exposure and response: Profiling PTSD and CPTSD among a refugee sample. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2019, 11, 165-175	7.8	20
106	Examining the Discriminant Validity of Complex Posttraumatic Stress Disorder and Borderline Personality Disorder Symptoms: Results From a United Kingdom Population Sample. <i>Journal of Traumatic Stress</i> , 2019, 32, 855-863	3.8	30
105	ICD-11 Posttraumatic Stress Disorder and Complex Posttraumatic Stress Disorder in the United States: A Population-Based Study. <i>Journal of Traumatic Stress</i> , 2019, 32, 833-842	3.8	86
104	Quality not quantity: loneliness subtypes, psychological trauma, and mental health in the US adult population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1089-1099	4.5	38
103	Is Self-Compassion a Worthwhile Therapeutic Target for ICD-11 Complex PTSD (CPTSD)? <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 257-269	2.1	21
102	Assessing the existence of dissociative PTSD in sub-acute patients of whiplash. <i>Journal of Trauma and Dissociation</i> , 2019, 20, 16-31	2.8	4
101	Training the next generation of psychotraumatologists: COllaborative Network for Training and EXcellence in psychoTraumatology (CONTEXT). <i>Høgre Utbildning</i> , 2018, 9, 1421001	5	2
100	Dissociation fully mediates the relationship between childhood sexual and emotional abuse and DSM-5 PTSD in a sample of treatment-seeking adults. <i>European Journal of Trauma and Dissociation</i> , 2018, 2, 173-178	1	3
99	Posttraumatic Stress Disorder and Complex Posttraumatic Stress Disorder in DSM-5 and ICD-11: Clinical and Behavioral Correlates. <i>Journal of Traumatic Stress</i> , 2018, 31, 174-180	3.8	49
98	Parental risk factors for childhood maltreatment typologies: A data linkage study. <i>European Journal of Trauma and Dissociation</i> , 2018, 2, 189-195	1	3
97	Posttraumatic stress disorder (PTSD) and complex PTSD (CPTSD) as per ICD-11 proposals: A population study in Israel. <i>Depression and Anxiety</i> , 2018, 35, 264-274	8.4	101
96	Correlates of a general psychopathology factor in a clinical sample of childhood sexual abuse survivors. <i>Journal of Affective Disorders</i> , 2018, 232, 109-115	6.6	4
95	ICD-11 complex PTSD among Israeli male perpetrators of intimate partner violence: Construct validity and risk factors. <i>Journal of Anxiety Disorders</i> , 2018, 54, 49-56	10.9	32
94	An empirical assessment of adjustment disorder as proposed for ICD-11 in a general population sample of Israel. <i>Journal of Anxiety Disorders</i> , 2018, 54, 65-70	10.9	5
93	Validating Childhood Maltreatment Typologies Using Data Linkage. <i>Journal of Loss and Trauma</i> , 2018, 23, 99-112	3.9	1
92	The role of negative cognitions, emotion regulation strategies, and attachment style in complex post-traumatic stress disorder: Implications for new and existing therapies. <i>British Journal of Clinical Psychology</i> , 2018, 57, 177-185	3.6	31
91	A psychometric assessment of Disturbances in Self-Organization symptom indicators for ICD-11 Complex PTSD using the International Trauma Questionnaire. <i>Høgre Utbildning</i> , 2018, 9, 1419749	5	41
90	The structure of ICD-11 PTSD and complex PTSD in Lithuanian mental health services. <i>Høgre Utbildning</i> , 2018, 9, 1414559	5	31

89	Understanding burden in caregivers of colorectal cancer survivors: what role do patient and caregiver factors play?. <i>European Journal of Cancer Care</i> , 2018 , 27, e12527	2.4	25
88	Typologies of child sexual abuse: An analysis of multiple abuse acts among a large sample of Danish treatment-seeking survivors of childhood sexual abuse. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2018 , 10, 263-269	7.8	10
87	Is adjustment disorder unidimensional or multidimensional? Implications for ICD-11. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	15
86	A comparison of DSM-5 and ICD-11 PTSD prevalence, comorbidity and disability: an analysis of the Ukrainian Internally Displaced Person's Mental Health Survey. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 138-147	6.5	37
85	Reconsidering the association between psychosis and suicide: a suicidal drive hypothesis. <i>Psychosis</i> , 2018 , 10, 286-297	1.2	8
84	ICD-11 PTSD and complex PTSD amongst Syrian refugees in Lebanon: the factor structure and the clinical utility of the International Trauma Questionnaire. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 547-557	6.5	63
83	Hyperactivation and hypoactivation affective dysregulation symptoms are integral in complex posttraumatic stress disorder: Results from a nonclinical Israeli sample. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1745	4.3	9
82	The International Trauma Questionnaire: development of a self-report measure of ICD-11 PTSD and complex PTSD. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 536-546	6.5	289
81	Are posttraumatic stress disorder (PTSD) and complex-PTSD distinguishable within a treatment-seeking sample of Syrian refugees living in Lebanon?. <i>Global Mental Health (Cambridge, England)</i> , 2018 , 5, e14	3.9	45
80	Engaging students emotionally: the role of emotional intelligence in predicting cognitive and affective engagement in higher education. <i>Higher Education Research and Development</i> , 2017 , 36, 343-357 ¹⁹	3.9	32
79	Alternative models of disorders of traumatic stress based on the new ICD-11 proposals. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 419-428	6.5	40
78	A Cross-Lagged Panel Study of Dissociation and Posttraumatic Stress in a Treatment-Seeking Sample of Survivors of Childhood Sexual Abuse. <i>Journal of Clinical Psychology</i> , 2017 , 73, 1370-1381	2.8	9
77	Variation in post-traumatic response: the role of trauma type in predicting ICD-11 PTSD and CPTSD symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 727-736	4.5	78
76	Further evidence in support of a low-volatility anomaly: Optimizing buy-and-hold portfolios by minimizing historical aggregate volatility. <i>Journal of Asset Management</i> , 2017 , 18, 326-339	1.1	1
75	Measuring work engagement among community health workers in Sierra Leone: Validating the Utrecht Work Engagement Scale. <i>Revista De Psicología Del Trabajo Y De Las Organizaciones</i> , 2017 , 33, 41-46	2.9	15
74	Examining the disconnect between psychometric models and clinical reality of posttraumatic stress disorder. <i>Journal of Anxiety Disorders</i> , 2017 , 47, 54-59	10.9	14
73	An Empirical Assessment of REBT Models of Psychopathology and Psychological Health in the Prediction of Anxiety and Depression Symptoms. <i>Behavioural and Cognitive Psychotherapy</i> , 2017 , 45, 600-615	2.1	28
72	Predictive Validity of ICD-11 PTSD as Measured by the Impact of Event Scale-Revised: A 15-Year Prospective Study of Political Prisoners. <i>Journal of Traumatic Stress</i> , 2017 , 30, 125-132	3.8	22

71	A review of current evidence regarding the ICD-11 proposals for diagnosing PTSD and complex PTSD. <i>Clinical Psychology Review</i> , 2017, 58, 1-15	10.8	285
70	Validation of post-traumatic stress disorder (PTSD) and complex PTSD using the International Trauma Questionnaire. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 313-322	6.5	126
69	Cannabis and psychosis: the impact of polydrug use. <i>Drugs and Alcohol Today</i> , 2017, 17, 186-194	1.4	3
68	Worry in Head and Neck Cancer Caregivers: The Role of Survivor Factors, Care-Related Stressors, and Loneliness in Predicting Fear of Recurrence. <i>Nursing Research</i> , 2017, 66, 295-303	1.9	22
67	Assessing the Factorial Validity of the Attitudes and Belief Scale 2-Abbreviated Version: A Call for the Development a Gold Standard Method of Measuring Rational and Irrational Beliefs. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2017, 35, 111-124	1.7	13
66	Evidence of distinct profiles of Posttraumatic Stress Disorder (PTSD) and Complex Posttraumatic Stress Disorder (CPTSD) based on the new ICD-11 Trauma Questionnaire (ICD-TQ). <i>Journal of Affective Disorders</i> , 2017, 207, 181-187	6.6	163
65	An assessment of the construct validity of the ICD-11 proposal for complex posttraumatic stress disorder. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2017, 9, 1-9	7.8	73
64	PTSD and Complex PTSD: ICD-11 updates on concept and measurement in the UK, USA, Germany and Lithuania. <i>Høgre Utbildning</i> , 2017, 8, 1418103	5	106
63	Does size really matter? A multisite study assessing the latent structure of the proposed ICD-11 and DSM-5 diagnostic criteria for PTSD. <i>Høgre Utbildning</i> , 2017, 8, 1398002	5	20
62	An initial psychometric assessment of an ICD-11 based measure of PTSD and complex PTSD (ICD-TQ): Evidence of construct validity. <i>Journal of Anxiety Disorders</i> , 2016, 44, 73-79	10.9	114
61	Prevalence and predictors of Axis I disorders in a large sample of treatment-seeking victims of sexual abuse and incest. <i>Høgre Utbildning</i> , 2016, 7, 30686	5	13
60	A bifactorial solution to the Psychopathy Checklist: Screening Version in a sample of civil psychiatric patients. <i>Criminal Behaviour and Mental Health</i> , 2016, 26, 174-85	1.4	17
59	The need to contextualise psychotraumatology research. <i>The Lancet Global Health</i> , 2016, 4, e87-8	13.6	5
58	Does highly symptomatic class membership in the acute phase predict highly symptomatic classification in victims 6 months after traumatic exposure?. <i>Journal of Anxiety Disorders</i> , 2016, 40, 44-51 ^{10.9}	10	
57	Social, familial and psychological risk factors for psychosis: A birth cohort study using the Danish Registry System. <i>Psychosis</i> , 2016, 8, 95-105	1.2	4
56	Exploring differences between the ICD-11 and DSM-5 models of PTSD: Does it matter which model is used?. <i>Journal of Anxiety Disorders</i> , 2016, 37, 48-53	10.9	41
55	Insecure attachment orientations and posttraumatic stress in a female treatment-seeking sample of survivors of childhood sexual abuse: A cross-lagged panel study.. <i>Traumatology</i> , 2016, 22, 48-55	2.3	14
54	The Temporal Relations of PTSD Symptoms Among Treatment-Seeking Victims of Sexual Assault: A Longitudinal Study. <i>Journal of Loss and Trauma</i> , 2016, 21, 492-506	3.9	7

53	Social, familial and psychological risk factors for mood and anxiety disorders in childhood and early adulthood: a birth cohort study using the Danish Registry System. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 331-8	4.5	22
52	Burden and happiness in head and neck cancer carers: the role of supportive care needs. <i>Supportive Care in Cancer</i> , 2016, 24, 4283-91	3.9	18
51	Examining the role of subjective and objective burden in carer health-related quality of life: the case of colorectal cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 1941-9	3.9	23
50	A test of the inventory of attitudes towards seeking mental health services. <i>British Journal of Guidance and Counselling</i> , 2015, 43, 397-412	0.8	13
49	Psychopathy, gang membership, and moral disengagement among juvenile offenders. <i>Journal of Criminal Psychology</i> , 2015, 5, 13-24	0.6	10
48	Less is more? Assessing the validity of the ICD-11 model of PTSD across multiple trauma samples. <i>Helse Utbildning</i> , 2015, 6, 28766	5	67
47	Application of bifactor models in criminal psychology research: a guide to researchers. <i>Journal of Criminal Psychology</i> , 2015, 5, 65-74	0.6	10
46	Psychometric properties of the Posttraumatic Cognition Inventory within a Northern Ireland adolescent sample. <i>British Journal of Clinical Psychology</i> , 2015, 54, 435-49	3.6	8
45	Irrational Beliefs in Posttraumatic Stress Responses: A Rational Emotive Behavior Therapy Approach. <i>Journal of Loss and Trauma</i> , 2015, 20, 171-188	3.9	12
44	Carer Perceived Burden as a Predictor of Health-Related Quality of Life: The Case of Colorectal Cancer. <i>Value in Health</i> , 2014, 17, A650	3.3	2
43	A bifactor model of the Polish version of the Hare Self-Report Psychopathy Scale. <i>Personality and Individual Differences</i> , 2014, 69, 231-237	3.3	27
42	Evidence of symptom profiles consistent with posttraumatic stress disorder and complex posttraumatic stress disorder in different trauma samples. <i>Helse Utbildning</i> , 2014, 5,	5	116
41	Latent Class Analysis of Criminal Social Identity in a Prison Sample. <i>Polish Psychological Bulletin</i> , 2014, 45, 192-199	7	
40	Rational Beliefs as Cognitive Protective Factors Against Posttraumatic Stress Symptoms. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2014, 32, 297-312	1.7	12
39	Biological correlates of psychopathy: a brief review. <i>Mental Health Review Journal</i> , 2014, 19, 110-123	0.9	12
38	Different profiles of acute stress disorder differentially predict posttraumatic stress disorder in a large sample of female victims of sexual trauma. <i>Psychological Assessment</i> , 2014, 26, 1155-61	5.3	13
37	Modeling the structure of the attitudes and belief scale 2 using CFA and bifactor approaches: Toward the development of an abbreviated version. <i>Cognitive Behaviour Therapy</i> , 2014, 43, 60-71	4.4	27
36	The organization of irrational beliefs in posttraumatic stress symptomatology: testing the predictions of REBT theory using structural equation modelling. <i>Journal of Clinical Psychology</i> , 2014, 70, 48-59	2.8	23

35	Psycho-sociological Investigation of Criminal Behaviour within a Prison Sample Using Retrospective Data. <i>Howard Journal of Criminal Justice</i> , 2014, 53, 31-48		10
34	The moderating role of rational beliefs in the relationship between irrational beliefs and posttraumatic stress symptomology. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 312-26	2.1	12
33	A bifactor approach to modelling the Rosenberg Self Esteem Scale. <i>Personality and Individual Differences</i> , 2014, 66, 188-192	3.3	34
32	Criminal Social Identity of Recidivistic Prisoners: The Role of Self-Esteem, Family and Criminal Friends. <i>Journal of Police and Criminal Psychology</i> , 2013, 28, 15-25	1.3	10
31	The factor structure and composite reliability of the Rosenberg Self-Esteem Scale among ex-prisoners. <i>Personality and Individual Differences</i> , 2013, 55, 877-881	3.3	40
30	Eysenck's Personality Model and Criminal Thinking Style within a Violent and Nonviolent Offender Sample: Application of Propensity Score Analysis. <i>Deviant Behavior</i> , 2013, 34, 483-493	1.1	13
29	The Role of Trauma-Specific Irrational Beliefs and Sociodemographic Risk Factors in Posttraumatic Stress Responses. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2013, 31, 152-166	1.7	8
28	The role of criminal cognitions and personality traits in non-violent recidivism: an empirical investigation within a prison sample. <i>Journal of Criminal Psychology</i> , 2013, 3, 40-48	0.6	3
27	The factor structure and composite reliability of the Profile of Emotional Distress. <i>The Cognitive Behaviour Therapist</i> , 2013, 6,	2.9	4
26	The Role of Criminal Social Identity in the Relationship between Criminal Friends and Criminal Thinking Style within a Sample of Recidivistic Prisoners. <i>Journal of Human Behavior in the Social Environment</i> , 2013, 23, 14-28	1	22
25	Assessment of psycho-social factors predicting recidivistic violent offenses within a sample of male prisoners. <i>Irish Journal of Psychology</i> , 2013, 34, 24-34		14
24	Investigating the Latent Structure of the Theory of Planned Behavior and its Effectiveness in Explaining Intentions to Participate in Counseling among a Sample of Police Officers. <i>Journal of Police and Criminal Psychology</i> , 2012, 27, 129-140	1.3	6
23	Development and validation of a measure of criminal social identity within a sample of Polish recidivistic prisoners. <i>Criminal Behaviour and Mental Health</i> , 2012, 22, 315-24	1.4	18
22	Intentions to participate in counselling among front-line, at-risk Irish government employees: an application of the theory of planned behaviour. <i>British Journal of Guidance and Counselling</i> , 2012, 40, 279-299	0.8	8
21	Criminal Attitudes, Recidivistic Behaviour, and the Mediating Role of Associations with Criminal Friends: An Empirical Investigation within a Prison Sample of Violent Offenders. <i>Europeis Journal of Psychology</i> , 2012, 8,	1.3	4
20	Resolving a difference between cognitive therapy and rational emotive behaviour therapy: towards the development of an integrated CBT model of psychopathology. <i>Mental Health Review Journal</i> , 2012, 17, 104-116	0.9	28
19	Dimensionality and construct validity of the Rosenberg self-esteem scale within a sample of recidivistic prisoners. <i>Journal of Criminal Psychology</i> , 2012, 2, 19-25	0.6	23
18	An investigation of the role of personality, familial, and peer-related characteristics in homicidal offending using retrospective data. <i>Journal of Criminal Psychology</i> , 2012, 2, 96-106	0.6	18

LIST OF PUBLICATIONS

17	The role of personality in the relationship between criminal social identity and criminal thinking style within a sample of prisoners with learning difficulties. <i>Journal of Learning Disabilities and Offending Behaviour</i> , 2012, 3, 12-23	8
16	Exposure to the troubles in Northern Ireland, memory functioning, and social activity engagement: results from NICOLA. <i>European Journal of Ageing</i> , 1	3.6
15	Demographic, Health and Mental Health Predictors of Face Mask Wearing in the UK Population During the COVID-19 Lockdown Period.	2
14	A longitudinal assessment of depression and anxiety in the Republic of Ireland during the COVID-19 pandemic	2
13	The Authoritarian Dynamic During the COVID-19 Pandemic: Effects on Nationalism and Anti-Immigrant Sentiment	3
12	Anxiety and depression in the Republic of Ireland during the COVID-19 pandemic	11
11	The psychological wellbeing of frontline workers in the United Kingdom during the COVID-19 pandemic: First and second wave findings from the COVID-19 Psychological Research Consortium (C19PRC) Study	8
10	Anxiety, Depression, Traumatic Stress, and COVID-19 Related Anxiety in the UK General Population During the COVID-19 Pandemic.	46
9	Different conspiracy theories have different psychological and social determinants: Comparison of three theories about the origins of the COVID-19 virus in a representative sample of the UK population	4
8	Preparing for a COVID-19 vaccine: Identifying and psychologically profiling those who are vaccine hesitant or resistant in two general population samples	8
7	Pandemic buying: Testing a psychological model of over-purchasing and panic buying using data from the United Kingdom and the Republic of Ireland during the early phase of the COVID-19 pandemic	4
6	Monitoring the psychological impact of the COVID-19 pandemic in the general population: an overview of the context, design and conduct of the COVID-19 Psychological Research Consortium (C19PRC) Study	16
5	Trajectories of change in internalizing symptoms during the COVID-19 pandemic: A longitudinal population-based study	2
4	Why it's time to stop saying 'mental illness': A commentary on the revision of the Irish Mental Health Act. <i>HRB Open Research</i> , 4, 28	1.2
3	Assessing and protecting the mental health of the nation: A study protocol. <i>HRB Open Research</i> , 4, 5	1.2
2	Refuting the myth of a 'tsunami' of mental ill-health in populations affected by COVID-19: Evidence that response to the pandemic is heterogeneous, not homogeneous	2
1	The Ukraine Crisis: Mental Health Resources for Clinicians and Researchers. <i>Journal of Loss and Trauma</i> , 1-3	3.9