

Bulent Ekiz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/697728/publications.pdf>

Version: 2024-02-01

59
papers

803
citations

516710

16
h-index

580821

25
g-index

59
all docs

59
docs citations

59
times ranked

705
citing authors

#	ARTICLE	IF	CITATIONS
1	Carcass and Meat Quality of Lambs from Thin-Tailed and Fat-Tailed Breeds at Five Different Slaughter Weights. <i>Annals of Animal Science</i> , 2022, 22, 397-418.	1.6	4
2	The effects of accustoming to handling during the finishing period and weaning status on stress responses to transport, and carcass and meat quality in Kivircik lambs. <i>Small Ruminant Research</i> , 2022, 206, 106587.	1.2	4
3	Effect of lairage duration on cattle behaviors and stockperson actions in the slaughter corridor in Simmental and Swiss Brown breeds. <i>Tropical Animal Health and Production</i> , 2022, 54, 139.	1.4	3
4	Relationship between transport-induced stress and the expression levels of some genes in the peroxisome proliferator-activated receptor (PPAR) signaling pathway in Kivircik lambs. <i>Small Ruminant Research</i> , 2022, 212, 106708.	1.2	0
5	Effects of gender and slaughter age on meat quality of Anatolian water buffaloes. <i>Tropical Animal Health and Production</i> , 2021, 53, 415.	1.4	5
6	Evaluation of the functionality of EUROP carcass classification system in thin-tailed and fat-tailed lambs. <i>Meat Science</i> , 2021, 181, 108603.	5.5	6
7	Effect of slaughter weight on slaughtering and carcass characteristics in lambs from thin-tailed Kivircik and fat-tailed Kangal Akkaraman breeds. <i>Small Ruminant Research</i> , 2021, 205, 106563.	1.2	6
8	Comparison of the decision tree, artificial neural network and multiple regression methods for prediction of carcass tissues composition of goat kids. <i>Meat Science</i> , 2020, 161, 108011.	5.5	20
9	Haematological stress parameters and behavioural characteristics of dairy type goat kids compared to indigenous breeds during an intensive fattening programme. <i>Archives Animal Breeding</i> , 2020, 63, 441-449.	1.4	16
10	The effects of season and chick sex on certain performance parameters in commercial turkey farms in the Aegean Region. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2020, 44, 1279-1290.	0.5	0
11	Prediction of carcass composition of lambs by joint dissection and carcass traits. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2020, 44, 1125-1135.	0.5	3
12	Influence of social rank on certain stress response variables and behavioral characteristics of adult rams. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2020, 44, 975-984.	0.5	0
13	Effects of genotype and sex on technological properties and fatty acid composition of duck meat. <i>Poultry Science</i> , 2019, 98, 491-499.	3.4	26
14	The effects of weaning status and transport duration on some physiological and behavioural responses to transportation in Kivircik lambs. <i>Small Ruminant Research</i> , 2019, 181, 51-56.	1.2	2
15	Factors Affecting Turkish Dog Owners' Breed Choices, and Their Associations with Socio-demographic and Dog-Related Variables. <i>Anthrozoos</i> , 2019, 32, 647-664.	1.4	4
16	Carcass and meat quality of Karacabey Merino and Kivircik lambs under an intensive finishing system. <i>South African Journal of Animal Sciences</i> , 2019, 49, 790-798.	0.5	6
17	Effects of antibiotic and intra-peritoneal ozone administration on proinflammatory cytokine formation, antioxidant levels and abdominal organ functions in the treatment of experimentally generated infectious peritonitis in rabbits. <i>Veterinari Medicina</i> , 2019, 64, 348-361.	0.6	1
18	The Effect of Production System and Finish Weight on Carcass and Meat Quality of Kivircik Lambs. <i>Annals of Animal Science</i> , 2019, 19, 517-538.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Comparison of meat quality characteristics and fatty acid composition of finished goat kids from indigenous and dairy breeds. <i>Tropical Animal Health and Production</i> , 2018, 50, 1261-1269.	1.4	13
20	Certain behavioral characteristics and stress responses of out-of-breeding ewes and rams during an intensive fattening program. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2018, 42, .	0.5	0
21	Effect of lairage time after 2 h transport on stress parameters and meat quality characteristics in Kivircik ewe lambs. <i>Small Ruminant Research</i> , 2018, 166, 41-46.	1.2	12
22	Effects of stocking density on stress responses and meat quality characteristics of lambs transported for 45 minutes or 3 hours. <i>Small Ruminant Research</i> , 2018, 169, 134-139.	1.2	7
23	Relationship of the bovine IGF1, TG, DGAT1 and MYF5 genes to meat colour, tenderness and cooking loss. <i>Journal of the Hellenic Veterinary Medical Society</i> , 2018, 69, 1077.	0.3	6
24	Carcass and Meat Quality of Male and Female Water Buffaloes Finished Under an Intensive Production System. <i>Annals of Animal Science</i> , 2018, 18, 557-574.	1.6	7
25	Carcass and meat quality traits of Saanen goat kids reared under natural and artificial systems and slaughtered at different ages. <i>Acta Veterinaria Brno</i> , 2018, 87, 293-300.	0.5	7
26	Slaughter and carcass characteristics of Herik male lambs raised under a finishing system. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2017, 41, 556-562.	0.5	4
27	Effects of initial fattening age on carcass characteristics and meat quality in Simmental bulls imported from Austria to Turkey. <i>South African Journal of Animal Sciences</i> , 2017, 47, 194.	0.5	8
28	Meat quality traits of male Herik lambs raised under an intensive fattening system. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2017, 41, 425-430.	0.5	9
29	Carcass and meat quality characteristics of lambs reared in different seasons. <i>Archives Animal Breeding</i> , 2017, 60, 225-233.	1.4	14
30	Carcass and meat quality of organic lambs compared with lambs reared under traditional and intensive production systems. <i>Animal Production Science</i> , 2016, 56, 38.	1.3	6
31	Effects of suckling duration on growth, slaughtering and carcass quality characteristics of Kivircik lambs. <i>Tropical Animal Health and Production</i> , 2016, 48, 395-401.	1.4	22
32	Herik Kuzularında Bazı Kuyruk ve Beden Ölçümleri ile Yaş Depoları Arasındaki İlişki. <i>Kafkas Üniversitesi Veteriner Fakültesi Dergisi</i> , 2016, , .	0.1	0
33	Genotype, production system and sex effects on fatty acid composition of meat from goat kids. <i>Animal Science Journal</i> , 2015, 86, 200-206.	1.4	7
34	Assessment of Animal Welfare in Different Beef Cattle Housing Systems by ANI 35 L/2000 Method. <i>Kafkas Üniversitesi Veteriner Fakültesi Dergisi</i> , 2015, , .	0.1	1
35	Effects of Stocking Density of Lambs on Biochemical Stress Parameters and Meat Quality Related to Commercial Transportation. <i>Annals of Animal Science</i> , 2014, 14, 611-621.	1.6	18
36	Carcass and meat quality of Gokceada Goat kids reared under extensive and semi-intensive production systems. <i>Meat Science</i> , 2014, 96, 496-502.	5.5	24

#	ARTICLE	IF	CITATIONS
37	Effects of different lairage times after long distance transportation on carcass and meat quality characteristics of Hungarian Simmental bulls. <i>Meat Science</i> , 2014, 96, 224-229.	5.5	36
38	Slaughter characteristics, carcass quality and fatty acid composition of lambs under four different production systems. <i>Small Ruminant Research</i> , 2013, 114, 26-34.	1.2	30
39	The effects of barley/triticale silage on performance, carcass characteristics, and meat quality of lambs. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2013, 37, 727-733.	0.5	4
40	Effect of production system on carcass measurements and meat quality of Kivircik lambs. <i>Meat Science</i> , 2012, 90, 465-471.	5.5	36
41	Effect of pre-slaughter management regarding transportation and time in lairage on certain stress parameters, carcass and meat quality characteristics in Kivircik lambs. <i>Meat Science</i> , 2012, 90, 967-976.	5.5	81
42	Effects of suckling length (45, 75 and 120 d) and rearing type on cortisol level, carcass and meat quality characteristics in Kivircik lambs. <i>Meat Science</i> , 2012, 92, 53-61.	5.5	25
43	Comparison of broiler meat quality when fed diets supplemented with neutralized sunflower soapstock or soybean oil. <i>Poultry Science</i> , 2012, 91, 2361-2369.	3.4	7
44	Carcass measurements and meat quality characteristics of dairy suckling kids compared to an indigenous genotype. <i>Meat Science</i> , 2010, 85, 245-249.	5.5	37
45	Prediction of Gestational Week in Kivircik Ewes Using Fetal Ultrasound Measurements. <i>Agricultural Journal</i> , 2010, 5, 110-115.	0.1	4
46	Slaughter and carcass characteristics of Gokceada, Maltese and Turkish Saanen suckling kids. <i>Archives Animal Breeding</i> , 2010, 53, 318-327.	1.4	8
47	Effects of crossbreeding indigenous Hair Goat with Saanen on carcass measurements and meat quality of kids under an intensive production system. <i>Animal Science Journal</i> , 2009, 80, 460-467.	1.4	17
48	Carcass measurements and meat quality of Turkish Merino, Ramlic, Kivircik, Chios and Imroz lambs raised under an intensive production system. <i>Meat Science</i> , 2009, 82, 64-70.	5.5	82
49	Carcass traits of improved and indigenous lamb breeds of North-Western Turkey under an intensive production system. <i>Italian Journal of Animal Science</i> , 2009, 8, 663-675.	1.9	9
50	Follicular and steroid hormone changes in Arabian mares in the postpartum period. <i>Animal Reproduction Science</i> , 2008, 109, 200-205.	1.5	7
51	Comparison of different lactation curve models in Holstein cows raised on a farm in the south-eastern Anatolia region. <i>Archives Animal Breeding</i> , 2008, 51, 329-337.	1.4	16
52	Effects of parity and litter size on maternal behaviour in Kivircik ewes. <i>Acta Agriculturae Scandinavica - Section A: Animal Science</i> , 2007, 57, 81-88.	0.2	5
53	The Effect of Lameness on Milk Yield in Dairy Cows. <i>Acta Veterinaria Brno</i> , 2006, 75, 79-84.	0.5	6
54	Phenotypic and genetic parameter estimates for racing traits of Arabian horses in Turkey. <i>Journal of Animal Breeding and Genetics</i> , 2005, 122, 349-356.	2.0	25

#	ARTICLE	IF	CITATIONS
55	Genetic parameter estimates for lamb growth traits and greasy fleece weight at first shearing in Turkish Merino sheep. <i>Small Ruminant Research</i> , 2005, 56, 215-222.	1.2	65
56	Phenotypic and Genetic Parameter Estimates for Racing Traits of Thoroughbred Horses in Turkey. <i>Archives Animal Breeding</i> , 2005, 48, 121-129.	1.4	13
57	Effects of certain environmental factors on growth performances of Kivircik lambs. <i>Journal of Research in Veterinary Medicine</i> , 0, , .	0.2	3
58	STRUCTURAL AND TECHNICAL CHARACTERISTICS OF THE FACILITIES THAT BREED PUREBRED KIVIRCIK SHEEP IN KIRKLARELİ° PROVINCE. <i>Kocatepe Veteriner Dergisi</i> , 0, , .	0.2	0
59	Allometric growth of non-carcass components and hind limb tissue composition in Saanen goat kids reared under natural and artificial systems. <i>Journal of Research in Veterinary Medicine</i> , 0, , .	0.2	0