

Teresa Ravizza

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6978315/teresa-ravizza-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

8,547
citations

46
h-index

80
g-index

80
ext. papers

9,654
ext. citations

7.8
avg, IF

5.94
L-index

#	Paper	IF	Citations
78	In-depth characterization of a mouse model of post-traumatic epilepsy for biomarker and drug discovery. <i>Acta Neuropathologica Communications</i> , 2021 , 9, 76	7.3	8
77	Microglia proliferation plays distinct roles in acquired epilepsy depending on disease stages. <i>Epilepsia</i> , 2021 , 62, 1931-1945	6.4	3
76	Emerging Molecular Mechanisms of Neuroinflammation in Seizure Disorders. <i>Agents and Actions Supplements</i> , 2021 , 21-43	0.2	1
75	Targeting Oxidative Stress with Antioxidant Duotherapy after Experimental Traumatic Brain Injury. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
74	A systems-level analysis highlights microglial activation as a modifying factor in common epilepsies. <i>Neuropathology and Applied Neurobiology</i> , 2021 ,	5.2	2
73	CXCL1-CXCR1/2 signaling is induced in human temporal lobe epilepsy and contributes to seizures in a murine model of acquired epilepsy. <i>Neurobiology of Disease</i> , 2021 , 158, 105468	7.5	5
72	Inflammation and reactive oxygen species as disease modifiers in epilepsy. <i>Neuropharmacology</i> , 2020 , 167, 107742	5.5	49
71	Inflammation and reactive oxygen species in status epilepticus: Biomarkers and implications for therapy. <i>Epilepsy and Behavior</i> , 2019 , 101, 106275	3.2	34
70	Targeting oxidative stress improves disease outcomes in a rat model of acquired epilepsy. <i>Brain</i> , 2019 , 142, e39	11.2	72
69	Viral Triggers and Inflammatory Mechanisms in Pediatric Epilepsy. <i>Molecular Neurobiology</i> , 2019 , 56, 1897-1907	6.2	19
68	TLR3 preconditioning induces anti-inflammatory and anti-ictogenic effects in mice mediated by the IRF3/IFN- β axis. <i>Brain, Behavior, and Immunity</i> , 2019 , 81, 598-607	16.6	10
67	Neuroinflammatory pathways as treatment targets and biomarkers in epilepsy. <i>Nature Reviews Neurology</i> , 2019 , 15, 459-472	15	225
66	Neuroinflammation Alters Integrative Properties of Rat Hippocampal Pyramidal Cells. <i>Molecular Neurobiology</i> , 2018 , 55, 7500-7511	6.2	27
65	High Mobility Group Box 1 is a novel pathogenic factor and a mechanistic biomarker for epilepsy. <i>Brain, Behavior, and Immunity</i> , 2018 , 72, 14-21	16.6	60
64	Review: Neuroinflammatory pathways as treatment targets and biomarker candidates in epilepsy: emerging evidence from preclinical and clinical studies. <i>Neuropathology and Applied Neurobiology</i> , 2018 , 44, 91-111	5.2	123
63	Ictogenic and Epileptogenic Mechanisms of Neuroinflammation: Insights From Animal Models 2018 , 23-31		
62	Pharmacological targeting of brain inflammation in epilepsy: Therapeutic perspectives from experimental and clinical studies. <i>Epilepsia Open</i> , 2018 , 3, 133-142	4	44

61	Development of In Vivo Imaging Tools for Investigating Astrocyte Activation in Epileptogenesis. <i>Molecular Neurobiology</i> , 2018 , 55, 4463-4472	6.2	3
60	A companion to the preclinical common data elements for pharmacologic studies in animal models of seizures and epilepsy. A Report of the TASK3 Pharmacology Working Group of the ILAE/AES Joint Translational Task Force. <i>Epilepsia Open</i> , 2018 , 3, 53-68	4	15
59	Common data elements and data management: Remedy to cure underpowered preclinical studies. <i>Epilepsy Research</i> , 2017 , 129, 87-90	3	26
58	Biomarkers of Epileptogenesis: The Focus on Glia and Cognitive Dysfunctions. <i>Neurochemical Research</i> , 2017 , 42, 2089-2098	4.6	14
57	Targeting oxidative stress improves disease outcomes in a rat model of acquired epilepsy. <i>Brain</i> , 2017 , 140, 1885-1899	11.2	86
56	WONOE appraisal: Biomarkers of epilepsy-associated comorbidities. <i>Epilepsia</i> , 2017 , 58, 331-342	6.4	26
55	Blockade of the IL-1R1/TLR4 pathway mediates disease-modification therapeutic effects in a model of acquired epilepsy. <i>Neurobiology of Disease</i> , 2017 , 99, 12-23	7.5	114
54	Neuroinflammation imaging markers for epileptogenesis. <i>Epilepsia</i> , 2017 , 58 Suppl 3, 11-19	6.4	30
53	Experimental Models of Inflammation in Epilepsy Research 2017 , 961-974		1
52	Molecular isoforms of high-mobility group box 1 are mechanistic biomarkers for epilepsy. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2118-2132	15.9	60
51	Advances in the development of biomarkers for epilepsy. <i>Lancet Neurology, The</i> , 2016 , 15, 843-856	24.1	200
50	Cognitive deficits and brain myo-Inositol are early biomarkers of epileptogenesis in a rat model of epilepsy. <i>Neurobiology of Disease</i> , 2016 , 93, 146-55	7.5	42
49	The immunoproteasome β 5 subunit is a key contributor to ictogenesis in a rat model of chronic epilepsy. <i>Brain, Behavior, and Immunity</i> , 2015 , 49, 188-96	16.6	24
48	Receptor for Advanced Glycation Endproducts is upregulated in temporal lobe epilepsy and contributes to experimental seizures. <i>Neurobiology of Disease</i> , 2013 , 58, 102-14	7.5	121
47	Pharmacological blockade of IL-1/IL-1 receptor type 1 axis during epileptogenesis provides neuroprotection in two rat models of temporal lobe epilepsy. <i>Neurobiology of Disease</i> , 2013 , 59, 183-93	7.5	126
46	The dual role of TNF- α and its receptors in seizures. <i>Experimental Neurology</i> , 2013 , 247, 267-71	5.7	51
45	Immunity activation in brain cells in epilepsy: mechanistic insights and pathological consequences. <i>Neuropediatrics</i> , 2013 , 44, 330-5	1.6	10
44	In vivo imaging of glia activation using 1H-magnetic resonance spectroscopy to detect putative biomarkers of tissue epileptogenicity. <i>Epilepsia</i> , 2012 , 53, 1907-16	6.4	62

43	Inflammation and epilepsy. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2012 , 107, 163-75	3	56
42	Astrocyte immune responses in epilepsy. <i>Glia</i> , 2012 , 60, 1258-68	9	134
41	Seizure-induced brain-borne inflammation sustains seizure recurrence and blood-brain barrier damage. <i>Annals of Neurology</i> , 2012 , 72, 82-90	9.4	179
40	Glia-Neuron Interactions in Ictogenesis and Epileptogenesis 2012 , 618-634		16
39	Inflammation and prevention of epileptogenesis. <i>Neuroscience Letters</i> , 2011 , 497, 223-30	3.3	149
38	Interleukin-1 type 1 receptor/Toll-like receptor signalling in epilepsy: the importance of IL-1beta and high-mobility group box 1. <i>Journal of Internal Medicine</i> , 2011 , 270, 319-26	10.8	136
37	IL-1βs induced in reactive astrocytes in the somatosensory cortex of rats with genetic absence epilepsy at the onset of spike-and-wave discharges, and contributes to their occurrence. <i>Neurobiology of Disease</i> , 2011 , 44, 259-69	7.5	73
36	Interleukin-1β biosynthesis inhibition reduces acute seizures and drug resistant chronic epileptic activity in mice. <i>Neurotherapeutics</i> , 2011 , 8, 304-15	6.4	218
35	Activation of Toll-like receptor, RAGE and HMGB1 signalling in malformations of cortical development. <i>Brain</i> , 2011 , 134, 1015-32	11.2	162
34	Toll-like receptor 4 and high-mobility group box-1 are involved in ictogenesis and can be targeted to reduce seizures. <i>Nature Medicine</i> , 2010 , 16, 413-9	50.5	638
33	Epileptogenesis provoked by prolonged experimental febrile seizures: mechanisms and biomarkers. <i>Journal of Neuroscience</i> , 2010 , 30, 7484-94	6.6	198
32	Glia-Neuron interactions in epilepsy: Inflammatory mediators. <i>Epilepsia</i> , 2010 , 51, 55-55	6.4	4
31	Brain Inflammation and Epilepsy 2010 , 45-59		3
30	ICE/caspase 1 inhibitors and IL-1beta receptor antagonists as potential therapeutics in epilepsy. <i>Current Opinion in Investigational Drugs</i> , 2010 , 11, 43-50		55
29	Age-dependent vascular changes induced by status epilepticus in rat forebrain: implications for epileptogenesis. <i>Neurobiology of Disease</i> , 2009 , 34, 121-32	7.5	75
28	Basic mechanisms of status epilepticus due to infection and inflammation. <i>Epilepsia</i> , 2009 , 50 Suppl 12, 56-7	6.4	37
27	Molecular and functional interactions between tumor necrosis factor-alpha receptors and the glutamatergic system in the mouse hippocampus: implications for seizure susceptibility. <i>Neuroscience</i> , 2009 , 161, 293-300	3.9	69
26	Glia as a source of cytokines: implications for neuronal excitability and survival. <i>Epilepsia</i> , 2008 , 49 Suppl 2, 24-32	6.4	154

25	Inflammatory events in hippocampal slice cultures prime neuronal susceptibility to excitotoxic injury: a crucial role of P2X7 receptor-mediated IL-1beta release. <i>Journal of Neurochemistry</i> , 2008 , 106, 271-80	6	72
24	Innate and adaptive immunity during epileptogenesis and spontaneous seizures: evidence from experimental models and human temporal lobe epilepsy. <i>Neurobiology of Disease</i> , 2008 , 29, 142-60	7.5	521
23	Interleukin Converting Enzyme inhibition impairs kindling epileptogenesis in rats by blocking astrocytic IL-1beta production. <i>Neurobiology of Disease</i> , 2008 , 31, 327-33	7.5	143
22	The role of cytokines in the pathophysiology of epilepsy. <i>Brain, Behavior, and Immunity</i> , 2008 , 22, 797-803	6.6	399
21	A novel non-transcriptional pathway mediates the proconvulsive effects of interleukin-1beta. <i>Brain</i> , 2008 , 131, 3256-65	11.2	209
20	The IL-1beta system in epilepsy-associated malformations of cortical development. <i>Neurobiology of Disease</i> , 2006 , 24, 128-43	7.5	218
19	Determinants of drug brain uptake in a rat model of seizure-associated malformations of cortical development. <i>Neurobiology of Disease</i> , 2006 , 24, 429-42	7.5	44
18	Status epilepticus induces time-dependent neuronal and astrocytic expression of interleukin-1 receptor type I in the rat limbic system. <i>Neuroscience</i> , 2006 , 137, 301-8	3.9	139
17	Inactivation of caspase-1 in rodent brain: a novel anticonvulsive strategy. <i>Epilepsia</i> , 2006 , 47, 1160-8	6.4	136
16	Circling behavior and [14C]2-deoxyglucose mapping in rats: possible implications for autistic repetitive behaviors. <i>Neurobiology of Disease</i> , 2005 , 18, 346-55	7.5	22
15	Inflammatory response and glia activation in developing rat hippocampus after status epilepticus. <i>Epilepsia</i> , 2005 , 46 Suppl 5, 113-7	6.4	136
14	Tumor necrosis factor-alpha inhibits seizures in mice via p75 receptors. <i>Annals of Neurology</i> , 2005 , 57, 804-12	9.4	150
13	Anticonvulsant and antiepileptogenic effects mediated by adeno-associated virus vector neuropeptide Y expression in the rat hippocampus. <i>Journal of Neuroscience</i> , 2004 , 24, 3051-9	6.6	209
12	Seizures in the developing brain. <i>Epilepsia</i> , 2004 , 45 Suppl 8, 6-12	6.4	41
11	Glia activation and cytokine increase in rat hippocampus by kainic acid-induced status epilepticus during postnatal development. <i>Neurobiology of Disease</i> , 2003 , 14, 494-503	7.5	201
10	Sex differences in GABA(A)ergic system in rat substantia nigra pars reticulata. <i>International Journal of Developmental Neuroscience</i> , 2003 , 21, 245-54	2.7	41
9	Expression of glutamate receptor subtypes in the spinal cord of control and mnd mice, a model of motor neuron disorder. <i>Journal of Neuroscience Research</i> , 2002 , 70, 553-60	4.4	23
8	Functional role of inflammatory cytokines and antiinflammatory molecules in seizures and epileptogenesis. <i>Epilepsia</i> , 2002 , 43 Suppl 5, 30-5	6.4	300

7	Seizure susceptibility and epileptogenesis are decreased in transgenic rats overexpressing neuropeptide Y. <i>Neuroscience</i> , 2002 , 110, 237-43	3.9	87
6	Dynamic induction of the long pentraxin PTX3 in the CNS after limbic seizures: evidence for a protective role in seizure-induced neurodegeneration. <i>Neuroscience</i> , 2001 , 105, 43-53	3.9	75
5	Inflammatory cytokines and related genes are induced in the rat hippocampus by limbic status epilepticus. <i>European Journal of Neuroscience</i> , 2000 , 12, 2623-33	3.5	378
4	Powerful anticonvulsant action of IL-1 receptor antagonist on intracerebral injection and astrocytic overexpression in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 11534-9	11.5	368
3	Interleukin-1beta immunoreactivity and microglia are enhanced in the rat hippocampus by focal kainate application: functional evidence for enhancement of electrographic seizures. <i>Journal of Neuroscience</i> , 1999 , 19, 5054-65	6.6	484
2	Brain-derived neurotrophic factor immunoreactivity in the limbic system of rats after acute seizures and during spontaneous convulsions: temporal evolution of changes as compared to neuropeptide Y. <i>Neuroscience</i> , 1999 , 90, 1445-61	3.9	92
1	A systems-level analysis highlights microglial activation as a modifying factor in common forms of human epilepsy		6