Chunwan Lu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/697848/publications.pdf

Version: 2024-02-01

		394286	434063
35	1,663	19	31
papers	citations	h-index	g-index
25	25	25	2000
35	35	35	2980
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	The MLL1-H3K4me3 Axis-Mediated PD-L1 Expression and Pancreatic Cancer Immune Evasion. Journal of the National Cancer Institute, 2017, 109, djw283.	3.0	182
2	The expression profiles and regulation of PD-L1 in tumor-induced myeloid-derived suppressor cells. Oncolmmunology, 2016, 5, e1247135.	2.1	165
3	JAK-STAT-mediated chronic inflammation impairs cytotoxic T lymphocyte activation to decrease anti-PD-1 immunotherapy efficacy in pancreatic cancer. Oncolmmunology, 2017, 6, e1291106.	2.1	119
4	UFBP1, a Key Component of the Ufm1 Conjugation System, Is Essential for Ufmylation-Mediated Regulation of Erythroid Development. PLoS Genetics, 2015, 11, e1005643.	1.5	117
5	H3K9 Trimethylation Silences Fas Expression To Confer Colon Carcinoma Immune Escape and 5-Fluorouracil Chemoresistance. Journal of Immunology, 2015, 195, 1868-1882.	0.4	86
6	Type I interferon suppresses tumor growth through activating the STAT3-granzyme B pathway in tumor-infiltrating cytotoxic T lymphocytes., 2019, 7, 157.		85
7	Osteopontin: A Key Regulator of Tumor Progression and Immunomodulation. Cancers, 2020, 12, 3379.	1.7	81
8	Ceramide activates lysosomal cathepsin B and cathepsin D to attenuate autophagy and induces ER stress to suppress myeloid-derived suppressor cells. Oncotarget, 2016, 7, 83907-83925.	0.8	70
9	IFNAR1 Controls Autocrine Type I IFN Regulation of PD-L1 Expression in Myeloid-Derived Suppressor Cells. Journal of Immunology, 2018, 201, 264-277.	0.4	69
10	Myeloid-Derived Suppressor Cells Produce IL-10 to Elicit DNMT3b-Dependent IRF8 Silencing to Promote Colitis-Associated Colon Tumorigenesis. Cell Reports, 2018, 25, 3036-3046.e6.	2.9	63
11	Alteration of Tumor Metabolism by CD4+ T Cells Leads to TNF-α-Dependent Intensification of Oxidative Stress and Tumor Cell Death. Cell Metabolism, 2018, 28, 228-242.e6.	7.2	54
12	Asah2 Represses the p53–Hmox1 Axis to Protect Myeloid-Derived Suppressor Cells from Ferroptosis. Journal of Immunology, 2021, 206, 1395-1404.	0.4	49
13	The NF- $\hat{\mathbb{I}}^{\mathbb{S}}$ B p65 and p50 homodimer cooperate with IRF8 to activate iNOS transcription. BMC Cancer, 2015, 15, 770.	1.1	48
14	Autocrine IL6-Mediated Activation of the STAT3–DNMT Axis Silences the TNFα–RIP1 Necroptosis Pathway to Sustain Survival and Accumulation of Myeloid-Derived Suppressor Cells. Cancer Research, 2020, 80, 3145-3156.	0.4	47
15	Indispensable role of the Ubiquitin-fold modifier 1-specific E3 ligase in maintaining intestinal homeostasis and controlling gut inflammation. Cell Discovery, 2019, 5, 7.	3.1	45
16	CD133+CD24lo defines a 5-Fluorouracil-resistant colon cancer stem cell-like phenotype. Oncotarget, 2016, 7, 78698-78712.	0.8	41
17	SUV39H1 Represses the Expression of Cytotoxic T-Lymphocyte Effector Genes to Promote Colon Tumor Immune Evasion. Cancer Immunology Research, 2019, 7, 414-427.	1.6	40
18	Contrasting roles of H3K4me3 and H3K9me3 in regulation of apoptosis and gemcitabine resistance in human pancreatic cancer cells. BMC Cancer, 2018, 18, 149.	1.1	36

#	Article	IF	CITATIONS
19	WDR5-H3K4me3 epigenetic axis regulates OPN expression to compensate PD-L1 function to promote pancreatic cancer immune escape. , 2021, 9, e002624.		36
20	Loss of Fas Expression and Function Is Coupled with Colon Cancer Resistance to Immune Checkpoint Inhibitor Immunotherapy. Molecular Cancer Research, 2019, 17, 420-430.	1.5	34
21	Osteopontin Blockade Immunotherapy Increases Cytotoxic T Lymphocyte Lytic Activity and Suppresses Colon Tumor Progression. Cancers, 2021, 13, 1006.	1.7	26
22	MS4A1 expression and function in T cells in the colorectal cancer tumor microenvironment. Cellular Immunology, 2021, 360, 104260.	1.4	23
23	SUV39H1 regulates human colon carcinoma apoptosis and cell cycle to promote tumor growth. Cancer Letters, 2020, 476, 87-96.	3.2	20
24	Ceramide mediates FasL-induced caspase 8 activation in colon carcinoma cells to enhance FasL-induced cytotoxicity by tumor-specific cytotoxic T lymphocytes. Scientific Reports, 2016, 6, 30816.	1.6	18
25	H3K4me3 mediates the NF- $^{\Omega}$ B p50 homodimer binding to the <i>pdcd1 < /i>promoter to activate PD-1 transcription in T cells. Oncolmmunology, 2018, 7, e1483302.</i>	2.1	15
26	p50 suppresses cytotoxic T lymphocyte effector function to regulate tumor immune escape and response to immunotherapy. , 2020, 8, e001365.		12
27	Expression profiles and function of IL6 in polymorphonuclear myeloid-derived suppressor cells. Cancer Immunology, Immunotherapy, 2020, 69, 2233-2245.	2.0	12
28	NF- \hat{l}° B functions as a molecular link between tumor cells and Th1/Tc1 T cells in the tumor microenvironment to exert radiation-mediated tumor suppression. Oncotarget, 2016, 7, 23395-23415.	0.8	12
29	DDRGK1, a crucial player of ufmylation system, is indispensable for autophagic degradation by regulating lysosomal function. Cell Death and Disease, 2021, 12, 416.	2.7	10
30	G6PD functions as a metabolic checkpoint to regulate granzyme B expression in tumor-specific cytotoxic T lymphocytes. , 2022, 10, e003543.		10
31	H3K9me3 represses G6PD expression to suppress the pentose phosphate pathway and ROS production to promote human mesothelioma growth. Oncogene, 2022, , .	2.6	10
32	Epigenetic regulation of PD-L1 expression and pancreatic cancer response to checkpoint immunotherapy. Translational Cancer Research, 2017, 6, S652-S654.	0.4	8
33	Restoring FAS Expression via Lipid-Encapsulated FAS DNA Nanoparticle Delivery Is Sufficient to Suppress Colon Tumor Growth In Vivo. Cancers, 2022, 14, 361.	1.7	8
34	Mutations in HSP70-2 gene change the susceptibility to clinical mastitis in Chinese Holstein. Gene, 2015, 559, 62-72.	1.0	7
35	Gut microbes modulate host response to immune checkpoint inhibitor cancer immunotherapy. Translational Cancer Research, 2018, 7, S608-S610.	0.4	5