## Gareth O Griffiths

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6979162/publications.pdf

Version: 2024-02-01

35 papers 2,152 citations

18 h-index 35 g-index

38 all docs 38 docs citations

times ranked

38

3606 citing authors

#	Article	IF	CITATIONS
1	International Phase III Trial Assessing Neoadjuvant Cisplatin, Methotrexate, and Vinblastine Chemotherapy for Muscle-Invasive Bladder Cancer: Long-Term Results of the BA06 30894 Trial. Journal of Clinical Oncology, 2011, 29, 2171-2177.	0.8	804
2	Chemoradiotherapy with or without cetuximab in patients with oesophageal cancer (SCOPE1): a multicentre, phase 2/3 randomised trial. Lancet Oncology, The, 2013, 14, 627-637.	5.1	346
3	Randomized Phase III Trial of Standard Therapy Plus Low Molecular Weight Heparin in Patients With Lung Cancer: FRAGMATIC Trial. Journal of Clinical Oncology, 2016, 34, 488-494.	0.8	138
4	Activity, safety, and feasibility of cidofovir and imiquimod for treatment of vulval intraepithelial neoplasia (RT3VIN): a multicentre, open-label, randomised, phase 2 trial. Lancet Oncology, The, 2014, 15, 1361-1368.	5.1	85
5	Optimal dose and safety of molnupiravir in patients with early SARS-CoV-2: a Phase I, open-label, dose-escalating, randomized controlled study. Journal of Antimicrobial Chemotherapy, 2021, 76, 3286-3295.	1.3	84
6	ACCORD: A Multicentre, Seamless, Phase 2 Adaptive Randomisation Platform Study to Assess the Efficacy and Safety of Multiple Candidate Agents for the Treatment of COVID-19 in Hospitalised Patients: A structured summary of a study protocol for a randomised controlled trial. Trials, 2020, 21, 691.	0.7	62
7	The Khorana score for prediction of venous thromboembolism in cancer patients: An individual patient data metaâ€analysis. Journal of Thrombosis and Haemostasis, 2020, 18, 1940-1951.	1.9	60
8	Digital tools for the recruitment and retention of participants in randomised controlled trials: a systematic map. Trials, 2020, 21, 478.	0.7	54
9	FRAGMATIC: A randomised phase III clinical trial investigating the effect of fragmin® added to standard therapy in patients with lung cancer. BMC Cancer, 2009, 9, 355.	1.1	52
10	SCOPE1: a randomised phase II/III multicentre clinical trial of definitive chemoradiation, with or without cetuximab, in carcinoma of the oesophagus. BMC Cancer, 2011, 11, 466.	1.1	43
11	NEOSCOPE: A randomised phase II study of induction chemotherapy followed by oxaliplatin/capecitabine or carboplatin/paclitaxel based pre-operative chemoradiation for resectable oesophageal adenocarcinoma. European Journal of Cancer, 2017, 74, 38-46.	1.3	37
12	Obtaining and managing data sets for individual participant data meta-analysis: scoping review and practical guide. BMC Medical Research Methodology, 2020, 20, 113.	1.4	37
13	Why do patients decline surgical trials? Findings from a qualitative interview study embedded in the Cancer Research UK BOLERO trial (Bladder cancer: Open versus Lapararoscopic or RObotic) Tj ETQq1 1 0.784314	r <b>gBT</b> /Ove	rkack 10 Tf
14	Health-Related Quality of Life in SCALOP, aÂRandomized Phase 2 Trial Comparing Chemoradiation Therapy Regimens in Locally Advanced Pancreatic Cancer. International Journal of Radiation Oncology Biology Physics, 2015, 93, 810-818.	0.4	32
15	SUCCINCT: An Open-label, Single-arm, Non-randomised, Phase 2 Trial of Gemcitabine and Cisplatin Chemotherapy in Combination with Sunitinib as First-line Treatment for Patients with Advanced Urothelial Carcinoma. European Urology, 2015, 67, 599-602.	0.9	29
16	NEOSCOPE: a randomised Phase II study of induction chemotherapy followed by either oxaliplatin/capecitabine or paclitaxel/carboplatin based chemoradiation as pre-operative regimen for resectable oesophageal adenocarcinoma. BMC Cancer, 2015, 15, 48.	1.1	29
17	A prospective phase II study of pre-operative chemotherapy then short-course radiotherapy for high risk rectal cancer: COPERNICUS. British Journal of Cancer, 2018, 119, 697-706.	2.9	26
18	Using digital tools in the recruitment and retention in randomised controlled trials: survey of UK Clinical Trial Units and a qualitative study. Trials, 2020, 21, 304.	0.7	24

#	Article	IF	Citations
19	AGILE-ACCORD: A Randomized, Multicentre, Seamless, Adaptive Phase I/II Platform Study to Determine the Optimal Dose, Safety and Efficacy of Multiple Candidate Agents for the Treatment of COVID-19: A structured summary of a study protocol for a randomised platform trial. Trials, 2020, 21, 544.	0.7	23
20	Evaluating prophylactic heparin in ambulatory patients with solid tumours: a systematic review and individual participant data meta-analysis. Lancet Haematology,the, 2020, 7, e746-e755.	2.2	21
21	Palliative radiotherapy in addition to self-expanding metal stent for improving dysphagia and survival in advanced oesophageal cancer (ROCS: Radiotherapy after Oesophageal Cancer Stenting): study protocol for a randomized controlled trial. Trials, 2014, 15, 402.	0.7	19
22	Use of heparins in patients with cancer: individual participant data meta-analysis of randomised trials study protocol. BMJ Open, 2016, 6, e010569.	0.8	18
23	AGILE: a seamless phase I/IIa platform for the rapid evaluation of candidates for COVID-19 treatment: an update to the structured summary of a study protocol for a randomised platform trial letter. Trials, 2021, 22, 487.	0.7	14
24	An Open Label, Adaptive, Phase 1 Trial of Highâ€Dose Oral Nitazoxanide in Healthy Volunteers: An Antiviral Candidate for SARSâ€CoVâ€2. Clinical Pharmacology and Therapeutics, 2022, 111, 585-594.	2.3	14
25	Uva-ursi extract and ibuprofen as alternative treatments of adult female urinary tract infection (ATAFUTI): study protocol for a randomised controlled trial. Trials, 2017, 18, 421.	0.7	11
26	REDUCE (Reviewing long-term antidepressant use by careful monitoring in everyday practice) internet and telephone support to people coming off long-term antidepressants: protocol for a randomised controlled trial. Trials, 2020, 21, 419.	0.7	11
27	Patient understanding and acceptability of an early lung cancer diagnosis trial: a qualitative study. Trials, 2018, 19, 419.	0.7	9
28	Patient-reported outcome measures for monitoring primary care patients with depression (PROMDEP): study protocol for a randomised controlled trial. Trials, 2020, 21, 441.	0.7	8
29	Oxaliplatin/capecitabine or carboplatin/paclitaxel-based preoperative chemoradiation for resectable oesophageal adenocarcinoma (NeoSCOPE): Long-term results of a randomised controlled trial. European Journal of Cancer, 2021, 153, 153-161.	1.3	8
30	BA08: An open-label, single-arm, non-randomised, phase 2 trial of cisplatin, methotrexate and vinblastine (CMV) for pure squamous cell cancer of the urinary tract. PLoS ONE, 2019, 14, e0210785.	1.1	6
31	HATRIC: a study of Pelargonium sidoides root extract EPs®7630 (Kaloba®) for the treatment of acute cough due to lower respiratory tract infection in adultsâ€"study protocol for a double blind, placebo-controlled randomised feasibility trial. Pilot and Feasibility Studies, 2019, 5, 98.	0.5	5
32	A randomised Phase II trial of carboplatin and gemcitabine ± vandetanib in firstâ€line treatment of patients with advanced urothelial cell cancer not suitable to receive cisplatin. BJU International, 2020, 126, 292-299.	1.3	4
33	Palliative radiotherapy combined with stent insertion to reduce recurrent dysphagia in oesophageal cancer patients: the ROCS RCT. Health Technology Assessment, 2021, 25, 1-144.	1.3	2
34	The Active Brains Digital Intervention to Reduce Cognitive Decline in Older Adults: Protocol for a Feasibility Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e18929.	0.5	2
35	Accuracy of rapid point-of-care antibody test in patients with suspected or confirmed COVID-19. Journal of Infection, 2022, 84, 94-118.	1.7	1

3