

Vipin Kumar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6979592/vipin-kumar-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

2,267
citations

25
h-index

47
g-index

70
ext. papers

2,666
ext. citations

7.4
avg, IF

5.49
L-index

#	Paper	IF	Citations
65	Thickness threshold study of polyaniline-based lightning strike protection coating for carbon/glass fiber reinforced polymer composites. <i>Composite Structures</i> , 2021 , 280, 114954	5.3	1
64	Melt extruded versus extrusion compression molded glass-polypropylene long fiber thermoplastic composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 144, 106349	8.4	5
63	High-performance molded composites using additively manufactured preforms with controlled fiber and pore morphology. <i>Additive Manufacturing</i> , 2021 , 37, 101733	6.1	5
62	Internal arcing and lightning strike damage in short carbon fiber reinforced thermoplastic composites. <i>Composites Science and Technology</i> , 2021 , 201, 108525	8.6	8
61	Recent advances in cathode engineering to enable reversible room-temperature aluminium-sulfur batteries. <i>Nanoscale Advances</i> , 2021 , 3, 1569-1581	5.1	8
60	Introduction to 3D Printing Technology for Biomedical Applications. <i>Gels Horizons: From Science To Smart Materials</i> , 2021 , 1-26		
59	MXene Reinforced Thermosetting Composite for Lightning Strike Protection of Carbon Fiber Reinforced Polymer. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100803	4.6	3
58	Simulated lightning strike investigation of CFRP comprising a novel polyaniline/phenol based electrically conductive resin matrix. <i>Composites Science and Technology</i> , 2021 , 214, 108971	8.6	3
57	Processing and mechanical characterization of short carbon fiber-reinforced epoxy composites for material extrusion additive manufacturing. <i>Composites Part B: Engineering</i> , 2021 , 223, 109122	10	6
56	Large-scale additive manufacturing tooling for extrusion-compression molds. <i>Additive Manufacturing Letters</i> , 2021 , 1, 100007		1
55	Unveiling the physiochemical aspects of the matrix in improving sulfur-loading for room-temperature sodium-sulfur batteries. <i>Materials Advances</i> , 2021 , 2, 4165-4189	3.3	8
54	Design and construction of a three-dimensional electrode with biomass-derived carbon current collector and water-soluble binder for high-sulfur-loading lithium-sulfur batteries 2020 , 2, 635-645		15
53	Structures and UV resistance of Ag/SnO ₂ nanocomposite materials synthesized by horizontal vapor phase growth for coating applications. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 4806-4816	5.5	3
52	Electrically conductive carbon fiber layers as lightning strike protection for non-conductive epoxy-based CFRP substrate. <i>Journal of Composite Materials</i> , 2020 , 54, 4547-4555	2.7	3
51	An artificial metal-alloy interphase for high-rate and long-life sodium-sulfur batteries. <i>Energy Storage Materials</i> , 2020 , 29, 1-8	19.4	62
50	Lightning Strike Damage of CF/Epoxy Composite Laminates with Conductive Polymer Layers. <i>Lecture Notes in Mechanical Engineering</i> , 2020 , 1022-1030	0.4	
49	Performance evaluation of Ag/SnO ₂ nanocomposite materials as coating material with high capability on antibacterial activity. <i>Ain Shams Engineering Journal</i> , 2020 , 11, 767-776	4.4	4

48	Factors affecting direct lightning strike damage to fiber reinforced composites: A review. <i>Composites Part B: Engineering</i> , 2020 , 183, 107688	10	31
47	Tri-rutile layered niobium-molybdates for all solid-state symmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 20141-20150	13	2
46	Comparison of semi-doped PANI/DBSA complex achieved by thermal doping and roll-mill process: A new perspective for application. <i>Polymer</i> , 2020 , 202, 122723	3.9	3
45	A Biphasic Interphase Design Enabling High Performance in Room Temperature Sodium-Sulfur Batteries. <i>Cell Reports Physical Science</i> , 2020 , 1, 100044	6.1	34
44	Improved environmental stability, electrical and EMI shielding properties of vapor-grown carbon fiber-filled polyaniline-based nanocomposite. <i>Polymer Engineering and Science</i> , 2019 , 59, 956-963	2.3	24
43	Strain sensing behavior of multifunctional polyaniline-based thermoset polymer under static loading conditions. <i>Polymer Testing</i> , 2019 , 77, 105916	4.5	11
42	Synthesis and characterization of PANI/P-2M conductive composites: Thermal, rheological, mechanical, and electrical properties. <i>Polymer Composites</i> , 2019 , 40, 4321-4328	3	4
41	Reduced de-doping and enhanced electrical conductivity of polyaniline filled phenol-divinylbenzene composite for potential lightning strike protection application. <i>Synthetic Metals</i> , 2019 , 249, 81-89	3.6	13
40	Improved thermomechanical and electrical properties of reduced graphene oxide reinforced polyaniline - dodecylbenzenesulfonic acid/divinylbenzene nanocomposites. <i>Journal of Colloid and Interface Science</i> , 2019 , 533, 548-560	9.3	25
39	Introducing a curable dopant with methacrylate functionality for polyaniline based composites. <i>Polymer Testing</i> , 2019 , 73, 171-177	4.5	2
38	Polyaniline-based all-polymeric adhesive layer: An effective lightning strike protection technology for high residual mechanical strength of CFRPs. <i>Composites Science and Technology</i> , 2019 , 172, 49-57	8.6	24
37	Interleaved MWCNT buckypaper between CFRP laminates to improve through-thickness electrical conductivity and reducing lightning strike damage. <i>Composite Structures</i> , 2019 , 210, 581-589	5.3	47
36	Scavenging phenomenon and improved electrical and mechanical properties of polyaniline/divinylbenzene composite in presence of MWCNT. <i>International Journal of Mechanics and Materials in Design</i> , 2018 , 14, 697-708	2.5	10
35	Enhanced thermomechanical and electrical properties of multiwalled carbon nanotube paper reinforced epoxy laminar composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 104, 129-138	8.4	37
34	Design of MWCNT bucky paper reinforced PANI/DBSA/DVB composites with superior electrical and mechanical properties. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12396-12406	7.1	23
33	Effect of through-thickness electrical conductivity of CFRPs on lightning strike damages. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 114, 429-438	8.4	38
32	Frequency independent AC electrical conductivity and dielectric properties of polyaniline-based conductive thermosetting composite. <i>Journal of Polymer Engineering</i> , 2018 , 38, 955-961	1.4	12
31	Cationic scavenging by polyaniline: Boon or bane from synthesis point of view of its nanocomposites. <i>Polymer</i> , 2018 , 149, 169-177	3.9	7

30	Carbon Coated Bimetallic Sulfide Hollow Nanocubes as Advanced Sodium Ion Battery Anode. <i>Advanced Energy Materials</i> , 2017 , 7, 1700180	21.8	112
29	Self-powered pressure sensor for ultra-wide range pressure detection. <i>Nano Research</i> , 2017 , 10, 3557-3570	8.5	85
28	Multi-responsive supercapacitors: Smart solution to store electrical energy. <i>Materials Today Energy</i> , 2017 , 4, 41-57	7	25
27	Fast charging self-powered electric double layer capacitor. <i>Journal of Power Sources</i> , 2017 , 342, 70-78	8.9	70
26	Irreversible tunability of through-thickness electrical conductivity of polyaniline-based CFRP by de-doping. <i>Composites Science and Technology</i> , 2017 , 152, 20-26	8.6	24
25	Investigation of Charge Transfer Kinetics at Carbon/Hydroquinone Interfaces for Redox-Active-Electrolyte Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 33728-33734	9.5	19
24	Ti-Doped WO ₃ synthesized by a facile wet bath method for improved electrochromism. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 9995-10000	7.1	27
23	Highly Transparent, Stretchable, and Self-Healing Ionic-Skin Triboelectric Nanogenerators for Energy Harvesting and Touch Applications. <i>Advanced Materials</i> , 2017 , 29, 1702181	24	255
22	Localized Charge Transfer in Two-Dimensional Molybdenum Trioxide. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 27045-27053	9.5	7
21	Metal Organic Framework-Derived Metal Phosphates as Electrode Materials for Supercapacitors. <i>Advanced Energy Materials</i> , 2016 , 6, 1501833	21.8	165
20	Synthesis and characterization of PANI-DBSA/DVB composite using roll-milled PANI-DBSA complex. <i>Polymer</i> , 2016 , 86, 129-137	3.9	36
19	Highly conductive graphene oxide/polyaniline hybrid polymer nanocomposites with simultaneously improved mechanical properties. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 82, 100-107	8.4	44
18	Enhanced Piezoelectric Energy Harvesting Performance of Flexible PVDF-TrFE Bilayer Films with Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 521-9	9.5	221
17	Ultra-large optical modulation of electrochromic porous WO film and the local monitoring of redox activity. <i>Chemical Science</i> , 2016 , 7, 1373-1382	9.4	153
16	Design of Mixed-Metal Silver Decamolybdate Nanostructures for High Specific Energies at High Power Density. <i>Advanced Materials</i> , 2016 , 28, 6966-75	24	27
15	Polymer Light-Emitting Electrochemical Cell Blends Based on Selection of Lithium Salts, LiX [X = Trifluoromethanesulfonate, Hexafluorophosphate, and Bis(trifluoromethylsulfonyl)imide] with Low Turn-On Voltage. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 11324-11330	3.8	14
14	Formation of hexagonal-molybdenum trioxide (h-MoO ₃) nanostructures and their pseudocapacitive behavior. <i>Nanoscale</i> , 2015 , 7, 11777-86	7.7	60
13	Redox Active Polyaniline-h-MoO ₃ Hollow Nanorods for Improved Pseudocapacitive Performance. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 9041-9049	3.8	67

12	Oxygen-Ions-Mediated Pseudocapacitive Charge Storage in Molybdenum Trioxide Nanobelts. <i>ChemNanoMat</i> , 2015 , 1, 403-408	3.5	3
11	Mechanical and electrical properties of PANI-based conductive thermosetting composites. <i>Journal of Reinforced Plastics and Composites</i> , 2015 , 34, 1298-1305	2.9	49
10	Study on effective thermal conductivity of zinc sulphide/poly(methyl methacrylate) nanocomposites. <i>Applied Nanoscience (Switzerland)</i> , 2015 , 5, 697-702	3.3	11
9	MOFs-derived copper sulfides embedded within porous carbon octahedra for electrochemical capacitor applications. <i>Chemical Communications</i> , 2015 , 51, 3109-12	5.8	135
8	Insights on the fundamental capacitive behavior: a case study of MnO ₂ . <i>Small</i> , 2014 , 10, 3568-78	11	41
7	Aniline Tetramer-Graphene Oxide Composites for High Performance Supercapacitors. <i>Advanced Energy Materials</i> , 2014 , 4, 1400781	21.8	38
6	Topotactic Phase Transformation of Hexagonal MoO ₃ to Layered MoO ₃ -II and Its Two-Dimensional (2D) Nanosheets. <i>Chemistry of Materials</i> , 2014 , 26, 5533-5539	9.6	46
5	The effect of deposition time on the structural and optical properties of InGa ₂ O ₃ nanowires grown using CVD technique. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	22
4	Synthesis of pyramidal and prismatic hexagonal MoO ₃ nanorods using thiourea. <i>CrystEngComm</i> , 2013 , 15, 7663	3.3	23
3	Exploration of the Unique Structural Chemistry of Sulfur Cathode for High-Energy Rechargeable Beyond-Li Batteries. <i>Advanced Energy and Sustainability Research</i> , 2100157	1.6	2
2	Challenges in regulating interfacial-chemistry of the sodium-metal anode for room-temperature sodium-sulfur batteries. <i>Energy Storage</i> , e264	2.8	3
1	Evaluating the Lightning Strike Damage Tolerance for CFRP Composite Laminates Containing Conductive Nanofillers. <i>Applied Composite Materials</i> , 1	2	1