

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6981132/publications.pdf Version: 2024-02-01

	109264	128225
4,388	35	60
citations	h-index	g-index
122	100	4 4 4 7
133	133	4441
docs citations	times ranked	citing authors
	4,388 citations 133 docs citations	4,38835citationsh-index133133docs citationstimes ranked

VIMIN

#	Article	IF	CITATIONS
1	Effects of salmon cartilage proteoglycan on obesity in mice fed with a highâ€fat diet. Food Science and Nutrition, 2022, 10, 577-583.	1.5	1
2	Effect of ultraviolet C emitted from KrCl excimer lamp with or without bandpass filter to mouse epidermis. PLoS ONE, 2022, 17, e0267957.	1.1	7
3	Staphylococcus aureus Isolated from Skin from Atopic-Dermatitis Patients Produces Staphylococcal Enterotoxin Y, Which Predominantly Induces T-Cell Receptor Vα-Specific Expansion of T Cells. Infection and Immunity, 2020, 88, .	1.0	16
4	A novel staphylococcal enterotoxin SE02 involved in a staphylococcal food poisoning outbreak that occurred in Tokyo in 2004. Food Microbiology, 2020, 92, 103588.	2.1	24
5	Ultraviolet C light with wavelength of 222 nm inactivates a wide spectrum of microbial pathogens. Journal of Hospital Infection, 2020, 105, 459-467.	1.4	114
6	Interleukin-10 (IL-10) Produced by Mutant Toxic Shock Syndrome Toxin 1 Vaccine-Induced Memory T Cells Downregulates IL-17 Production and Abrogates the Protective Effect against Staphylococcus aureus Infection. Infection and Immunity, 2019, 87, .	1.0	5
7	Histamine release from intestinal mast cells induced by staphylococcal enterotoxin A (SEA) evokes vomiting reflex in common marmoset. PLoS Pathogens, 2019, 15, e1007803.	2.1	30
8	Staphylococcal Enterotoxin C Is an Important Virulence Factor for Mastitis. Toxins, 2019, 11, 141.	1,5	25
9	Disinfection and healing effects of 222-nm UVC light on methicillin-resistant Staphylococcus aureus infection in mouse wounds. Journal of Photochemistry and Photobiology B: Biology, 2018, 178, 10-18.	1.7	69
10	Salmon cartilage proteoglycan attenuates allergic responses in mouse model of papain‑induced respiratory inflammation. Molecular Medicine Reports, 2018, 18, 4058-4064.	1.1	4
11	Development of an Immunoassay for Detection of Staphylococcal Enterotoxin-Like J, A Non-Characterized Toxin. Toxins, 2018, 10, 458.	1.5	5
12	Contribution of toxic shock syndrome toxin-1 to systemic inflammation investigated by a mouse model of cervicovaginal infection with Staphylococcus aureus. Medical Microbiology and Immunology, 2018, 207, 297-306.	2.6	3
13	Chronic irradiation with 222-nm UVC light induces neither DNA damage nor epidermal lesions in mouse skin, even at high doses. PLoS ONE, 2018, 13, e0201259.	1.1	85
14	Salmon cartilage proteoglycan promotes the healing process of Staphylococcus aureus-infected wound. Heliyon, 2018, 4, e00587.	1.4	8
15	Attenuation of obesity-induced inflammation in mice orally administered with salmon cartilage proteoglycan, a prophylactic agent. Biochemical and Biophysical Research Communications, 2017, 484, 480-485.	1.0	11
16	Salmon nasal cartilage proteoglycan enhances growth of normal human dermal fibroblast through Erk1/2 phosphorylation. Bioscience, Biotechnology and Biochemistry, 2017, 81, 1379-1385.	0.6	6
17	IL-17A plays an important role in protection induced by vaccination with fibronectin-binding domain of fibronectin-binding protein A against Staphylococcus aureus infection. Medical Microbiology and Immunology, 2017, 206, 225-234.	2.6	11
18	The emetic activity of staphylococcal enterotoxins, SEK, SEL, SEM, SEN and SEO in a small emetic animal model, the house musk shrew. Microbiology and Immunology, 2017, 61, 12-16.	0.7	31

#	Article	IF	CITATIONS
19	Oral administration of salmon cartilage proteoglycan extends the survival of allografts in mice. Biomedical Reports, 2017, 8, 37-40.	0.9	2
20	Passive immunization with anti-ActA and anti-listeriolysin O antibodies protects against Listeria monocytogenes infection in mice. Scientific Reports, 2016, 6, 39628.	1.6	5
21	Goblet cells are involved in translocation of staphylococcal enterotoxin A in the intestinal tissue of house musk shrew (<i>Suncus murinus</i>). Journal of Applied Microbiology, 2016, 120, 781-789.	1.4	14
22	Vaccination with non-toxic mutant toxic shock syndrome toxin-1 induces IL-17-dependent protection against Staphylococcus aureus infection. Pathogens and Disease, 2015, 73, .	0.8	13
23	Identification and Characterization of a Novel Staphylococcal Emetic Toxin. Applied and Environmental Microbiology, 2015, 81, 7034-7040.	1.4	85
24	Adipose Tissue-Derived Mesenchymal Stem Cells Attenuate Staphylococcal Enterotoxin A-Induced Toxic Shock. Infection and Immunity, 2015, 83, 3490-3496.	1.0	13
25	Suppression of Starvation-Induced Autophagy by Recombinant Toxic Shock Syndrome Toxin-1 in Epithelial Cells. PLoS ONE, 2014, 9, e113018.	1.1	6
26	Attenuation of Collagen-Induced Arthritis in Mice by Salmon Proteoglycan. BioMed Research International, 2014, 2014, 1-9.	0.9	16
27	Mechanisms of staphylococcal enterotoxin-induced emesis. European Journal of Pharmacology, 2014, 722, 95-107.	1.7	110
28	Molecular Epidemiology and Identification of a Staphylococcus aureus Clone Causing Food Poisoning Outbreaks in Japan. Journal of Clinical Microbiology, 2014, 52, 2637-2640.	1.8	47
29	A novel comprehensive analysis method for <i>Staphylococcus aureus</i> pathogenicity islands. Microbiology and Immunology, 2013, 57, 91-99.	0.7	44
30	Emetic Potentials of Newly Identified Staphylococcal Enterotoxin-Like Toxins. Infection and Immunity, 2013, 81, 3627-3631.	1.0	103
31	Fibronectinâ€binding protein, FbpA, is the adhesin responsible for pathogenesis of <i>Listeria monocytogenes</i> infection. Microbiology and Immunology, 2013, 57, 253-262.	0.7	28
32	Vaccination with Plasmid DNA Encoding a Mutant Toxic Shock Syndrome Toxin-1 Ameliorates Toxin-induced Lethal Shock in Mice. Tohoku Journal of Experimental Medicine, 2013, 231, 1-8.	0.5	1
33	Alteration of Intestinal Microbiota in Mice Orally Administered with Salmon Cartilage Proteoglycan, a Prophylactic Agent. PLoS ONE, 2013, 8, e75008.	1.1	29
34	Toll-like receptor 3 signaling converts tumor-supporting myeloid cells to tumoricidal effectors. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 2066-2071.	3.3	195
35	Staphylococcal enterotoxin A has potent superantigenic and emetic activities but not diarrheagenic activity. International Journal of Medical Microbiology, 2012, 302, 88-95.	1.5	12
36	Interaction of Listeria monocytogenes autolysin amidase with glycosaminoglycans promotes listerial adhesion to mouse hepatocytes. Biochimie, 2012, 94, 1291-1299.	1.3	17

#	Article	IF	CITATIONS
37	Inhibition of emetic and superantigenic activities of staphylococcal enterotoxin A by synthetic peptides. Peptides, 2012, 38, 1-7.	1.2	8
38	Salmon proteoglycan suppresses progression of mouse experimental autoimmune encephalomyelitis via regulation of Th17 and Foxp3+ regulatory T cells. Life Sciences, 2012, 91, 1263-1269.	2.0	26
39	<i>Caenorhabditis elegans</i> avoids staphylococcal superantigenic toxins via 5-hydroxytryptamine-dependent pathway. Canadian Journal of Microbiology, 2012, 58, 1268-1277.	0.8	3
40	Efficacy of adipose tissueâ€derived mesenchymal stem cells for fulminant hepatitis in mice induced by concanavalin A. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 165-172.	1.4	32
41	Submucosal mast cells in the gastrointestinal tract are a target of staphylococcal enterotoxin type A. FEMS Immunology and Medical Microbiology, 2012, 64, 392-402.	2.7	34
42	Autolysin amidase of Listeria monocytogenes promotes efficient colonization of mouse hepatocytes and enhances host immune response. International Journal of Medical Microbiology, 2011, 301, 480-487.	1.5	16
43	Superantigenic Toxin Genes Coexist with Specific Staphylococcal Cassette Chromosome mec Genes in Methicillin-Resistant Staphylococcus aureus. Tohoku Journal of Experimental Medicine, 2011, 225, 161-169.	0.5	21
44	Mouse Peptidoglycan Recognition Protein PGLYRP-1 Plays a Role in the Host Innate Immune Response against <i>Listeria monocytogenes</i> Infection. Infection and Immunity, 2011, 79, 858-866.	1.0	32
45	IL-10 plays a crucial role for the protection of experimental cerebral malaria by co-infection with non-lethal malaria parasites. International Journal for Parasitology, 2010, 40, 101-108.	1.3	23
46	Virulence factor p60 ofListeria monocytogenesmodulates innate immunity by inducing tumor necrosis factor α. FEMS Immunology and Medical Microbiology, 2010, 59, 100-107.	2.7	11
47	High Affinity of Interaction between Superantigen and T Cell Receptor VÎ ² Molecules Induces a High Level and Prolonged Expansion of Superantigen-reactive CD4+ T Cells. Journal of Biological Chemistry, 2010, 285, 30427-30435.	1.6	10
48	Transplantation of Mesenchymal Stem Cells to Prevent Radiation-induced Intestinal Injury in Mice. Journal of Radiation Research, 2010, 51, 73-79.	0.8	43
49	Role of Interleukin-17A in Cell-Mediated Protection against <i>Staphylococcus aureus</i> Infection in Mice Immunized with the Fibrinogen-Binding Domain of Clumping Factor A. Infection and Immunity, 2010, 78, 4234-4242.	1.0	69
50	Adiponectin is required for enhancement of CCL2 expression in adipose tissue during Listeria monocytogenes infection. Cytokine, 2010, 50, 170-174.	1.4	10
51	Salmon cartilage proteoglycan suppresses mouse experimental colitis through induction of Foxp3+ regulatory T cells. Biochemical and Biophysical Research Communications, 2010, 402, 209-215.	1.0	25
52	Protective effect of glutathione S-transferase-fused mutant staphylococcal enterotoxin C against Staphylococcus aureus-induced bovine mastitis. Veterinary Immunology and Immunopathology, 2010, 135, 64-70.	0.5	10
53	Inhibition of Transforming Growth Factor-Î ² , Hypoxia-inducible Factor-1α and Vascular Endothelial Growth Factor Reduced Late Rectal Injury Induced by Irradiation. Journal of Radiation Research, 2009, 50, 233-239.	0.8	25
54	Immunization with a Nontoxic Mutant of Staphylococcal Enterotoxin A, SEAD227A, Protects against Enterotoxinâ&Induced Emesis in House Musk Shrews. Journal of Infectious Diseases, 2009, 199, 302-310.	1.9	44

#	Article	IF	CITATIONS
55	Cyclosporine regulates intestinal epithelial apoptosis via TGF-β-related signaling. American Journal of Physiology - Renal Physiology, 2009, 297, G514-G519.	1.6	29
56	c-di-GMP as a vaccine adjuvant enhances protection against systemic methicillin-resistant Staphylococcus aureus (MRSA) infection. Vaccine, 2009, 27, 4867-4873.	1.7	61
57	Intranasal immunization of mutant toxic shock syndrome toxin 1 elicits systemic and mucosal immune response against <i>Staphylococcus aureus</i> infection. FEMS Immunology and Medical Microbiology, 2008, 52, 389-396.	2.7	20
58	Nrf2 regulates the alternative first exons of CD36 in macrophages through specific antioxidant response elements. Archives of Biochemistry and Biophysics, 2008, 477, 139-145.	1.4	83
59	Identification and Characterization of Two Novel Staphylococcal Enterotoxins, Types S and T. Infection and Immunity, 2008, 76, 4999-5005.	1.0	182
60	Comparative prevalence of superantigenic toxin genes in meticillin-resistant and meticillin-susceptible Staphylococcus aureus isolates. Journal of Medical Microbiology, 2008, 57, 1106-1112.	0.7	69
61	Hypoxia Expression in Radiation-induced Late Rectal Injury. Journal of Radiation Research, 2008, 49, 261-268.	0.8	18
62	Colonization and Differentiation of Transplanted Embryonic Stem Cells in the Irradiated Intestine of Mice. Tohoku Journal of Experimental Medicine, 2007, 212, 143-150.	0.5	11
63	Upregulation of vascular endothelial growth factor by heat-killed Listeria monocytogenes in macrophages. Biochemical and Biophysical Research Communications, 2007, 354, 608-612.	1.0	12
64	Blockade of TGF-β accelerates mucosal destruction through epithelial cell apoptosis. Biochemical and Biophysical Research Communications, 2007, 359, 406-412.	1.0	18
65	Nuclear Accumulation and Activation of Nuclear Factor κB after Split-dose Irradiation in LS174T Cells. Journal of Radiation Research, 2007, 48, 13-20.	0.8	6
66	Staphylococcal enterotoxin induces emesis through increasing serotonin release in intestine and it is downregulated by cannabinoid receptor 1. Cellular Microbiology, 2007, 9, 2267-2277.	1.1	101
67	Salmon cartilage proteoglycan modulates cytokine responses to Escherichia coli in mouse macrophages. Biochemical and Biophysical Research Communications, 2006, 351, 1005-1010.	1.0	32
68	The cytokine balance in the maintenance of a persistent infection with Salmonella enterica serovar Typhimurium in mice. Cytokine, 2006, 33, 212-218.	1.4	15
69	The role of macrophage migration inhibitory factor in lethal Listeria monocytogenes infection in mice. Microbial Pathogenesis, 2006, 41, 111-118.	1.3	12
70	The role of gamma interferon in acquired host resistance againstStaphylococcus aureusinfection in mice. FEMS Immunology and Medical Microbiology, 2006, 46, 367-374.	2.7	17
71	Intranasal vaccination with a double mutant of staphylococcal enterotoxin C provides protection against Staphylococcus aureus infection. Microbes and Infection, 2006, 8, 2841-2848.	1.0	30
72	Macrophage migration inhibitory factor has a proinflammatory activity via the p38 pathway in glucocorticoid-resistant ulcerative colitis. Clinical Immunology, 2006, 120, 335-341.	1.4	51

#	Article	IF	CITATIONS
73	<i>Listeria monocytogenes</i> Induces the Expression of Retinoic Acidâ€Inducible Geneâ€I. Microbiology and Immunology, 2006, 50, 811-815.	0.7	18
74	Comprehensive analysis of classical and newly described staphylococcal superantigenic toxin genes inStaphylococcus aureusisolates. FEMS Microbiology Letters, 2005, 246, 191-198.	0.7	210
75	Immunization with glutathioneS-transferase and mutant toxic shock syndrome toxin 1 fusion protein protects againstStaphylococcus aureusinfection. FEMS Immunology and Medical Microbiology, 2005, 45, 45-51.	2.7	16
76	IFNâ€Î³ and TNFâ€Î± are involved in urushiolâ€induced contact hypersensitivity in mice. Immunology and Cell Biology, 2005, 83, 18-24.	1.0	37
77	Characterization of Novel Staphylococcal Enterotoxin-Like Toxin Type P. Infection and Immunity, 2005, 73, 5540-5546.	1.0	89
78	Compensatory response of IL-1 gene knockout mice after pulmonary infection with Klebsiella pneumoniae. Journal of Medical Microbiology, 2005, 54, 7-13.	0.7	33
79	A Mutant of Staphylococcal Enterotoxin C Devoid of Bacterial Superantigenic Activity Elicits a Th2 Immune Response for Protection against Staphylococcus aureus Infection. Infection and Immunity, 2005, 73, 174-180.	1.0	26
80	Urocortin 2 Suppresses Host Resistance to Listeria monocytogenes Infection via Up-Regulation of Interleukin-10. Endocrinology, 2005, 146, 5003-5011.	1.4	26
81	Impairment of Host Resistance to Listeria monocytogenes Infection in Liver of db/db and ob/ob Mice. Diabetes, 2005, 54, 182-189.	0.3	111
82	Interleukin-1-deficient mice exhibit high sensitivity to gut-derived sepsis caused by Pseudomonas aeruginosa. Cytokine, 2005, 30, 339-346.	1.4	27
83	Staphylococcal enterotoxin A modulates intracellular Ca2+signal pathway in human intestinal epithelial cells. FEBS Letters, 2005, 579, 4407-4412.	1.3	18
84	Biological Properties of Staphylococcal Enterotoxin-Like Toxin Type R. Infection and Immunity, 2004, 72, 3664-3667.	1.0	62
85	Macrophage Migration Inhibitory Factor and Activator Protein-1 in Ulcerative Colitis. Annals of the New York Academy of Sciences, 2004, 1029, 348-349.	1.8	8
86	Transforming Growth Factor-β Regulates Susceptibility of Epithelial Apoptosis in Murine Model of Colitis. Annals of the New York Academy of Sciences, 2004, 1029, 382-384.	1.8	4
87	Tumor necrosis factor-α is required for gastritis induced by Helicobacter felis infection in mice. Microbial Pathogenesis, 2004, 37, 119-124.	1.3	21
88	Lon, a Stress-Induced ATP-Dependent Protease, Is Critically Important for Systemic Salmonella enterica Serovar Typhimurium Infection of Mice. Infection and Immunity, 2003, 71, 690-696.	1.0	145
89	Vaccination with Nontoxic Mutant Toxic Shock Syndrome Toxin 1 Protects againstStaphylococcus aureusInfection. Journal of Infectious Diseases, 2003, 188, 743-752.	1.9	85
90	Effective Induction of Acquired Resistance to Listeria monocytogenes by Immunizing Mice with In Vivo-Infected Dendritic Cells. Infection and Immunity, 2003, 71, 117-125.	1.0	20

#	Article	IF	CITATIONS
91	Induction of Emetic Response to Staphylococcal Enterotoxins in the House Musk Shrew (Suncus) Tj ETQq1 1	0.784314 rgE	3T ₈ 0verlock
92	Identification and Characterization of a New Staphylococcal Enterotoxin-Related Putative Toxin Encoded by Two Kinds of Plasmids. Infection and Immunity, 2003, 71, 6088-6094.	1.0	191
93	Comparison of Host Resistance to Primary and Secondary Listeria monocytogenes Infections in Mice by Intranasal and Intravenous Routes. Infection and Immunity, 2002, 70, 4805-4811.	1.0	16
94	Roles of gamma interferon and tumor necrosis factor-alpha in shiga toxin lethality. Microbial Pathogenesis, 2002, 33, 43-47.	1.3	4
95	Lipopolysaccharide triggers invasive streptococcal disease in mice through a tumour necrosis factordependent mechanism. Immunology, 2002, 105, 344-349.	2.0	11
96	Inhibition of hyaluronan synthesis inStreptococcus equiFM100 by 4-methylumbelliferone. FEBS Journal, 2002, 269, 5066-5075.	0.2	40
97	Effect of 4-methylumbelliferone on hyaluronan synthesis of Streptococcus equi FM100. International Congress Series, 2001, 1223, 269-272.	0.2	1
98	Analysis of the Epitopes on Staphylococcal Enterotoxin A Responsible for Emetic Activity Journal of Veterinary Medical Science, 2001, 63, 237-241.	0.3	17
99	Interference between Host Resistance toListeria monocytogenes Infection and Ovalbumin-Induced Allergic Responses in Mice. Infection and Immunity, 2001, 69, 1883-1888.	1.0	11
100	Effect of 6-Hydroxydopamine on Host Resistance against Listeria monocytogenes Infection. Infection and Immunity, 2001, 69, 7234-7241.	1.0	39
101	Disruption of the Genes for ClpXP Protease in Salmonella enterica Serovar Typhimurium Results in Persistent Infection in Mice, and Development of Persistence Requires Endogenous Gamma Interferon and Tumor Necrosis Factor Alpha. Infection and Immunity, 2001, 69, 3164-3174.	1.0	81
102	Host Resistance to Listeria monocytogenes Infection Is Enhanced but Resistance to Staphylococcus aureus Infection Is Reduced in Acute Graft-versus-Host Disease in Mice. Infection and Immunity, 2000, 68, 4340-4343.	1.0	7
103	Interleukin-4 and Interleukin-10 Are Involved in Host Resistance to Staphylococcus aureus Infection through Regulation of Gamma Interferon. Infection and Immunity, 2000, 68, 2424-2430.	1.0	74
104	Complement Receptor Type 3 Plays an Important Role in Development of Protective Immunity to Primary and Secondary <i>Corynebacterium pseudotuberculosis</i> Infection in Mice. Microbiology and Immunology, 1999, 43, 1103-1106.	0.7	5
105	Endogenous cytokines during a lethal infection with Listeria monocytogenes in mice. FEMS Microbiology Letters, 1999, 175, 133-142.	0.7	1
106	Host Resistance againstListeria monocytogenesls Reciprocal during the Course of Infection in AlymphoplasticalyMutant Mice. Cellular Immunology, 1998, 187, 88-94.	1.4	10
107	Systemic Dissemination by Intrarectal Infection with <i>Listeria monocytogenes</i> in Mice. Microbiology and Immunology, 1998, 42, 325-327.	0.7	15
108	Epitope Analysis of Staphylococcal Enterotoxin A Using Different Synthetic Peptides Journal of Veterinary Medical Science, 1998, 60, 993-996.	0.3	7

#	Article	IF	CITATIONS
109	Neuropeptides in the livers of mice during bacterial infections. FEMS Immunology and Medical Microbiology, 1998, 20, 159-164.	2.7	1
110	Macrophage antigen-1 positive cells are essential in the defense against Theiler's virus strain GD VII infection in the spinal cord. Microbial Pathogenesis, 1997, 23, 33-38.	1.3	2
111	Cytokines in the serum and brain in mice infected with distinct species of Lyme diseaseBorrelia. Microbial Pathogenesis, 1996, 21, 413-419.	1.3	26
112	CD3 ⁺ /TCRâ€Î±Î² ^{â^'} Cells Are Important in Protecting Spinal Cord Tissues against Theiler's Virus Strain GD VII Infection. Microbiology and Immunology, 1995, 39, 123-128.	0.7	2
113	Sequential Involvement of NK Cells and CD8 ⁺ T Cells in Granuloma Formation of <i>Rhodococcus aurantiacus</i> â€Infected Mice. Microbiology and Immunology, 1995, 39, 499-507.	0.7	12
114	Protection by dexamethasone from a lethal infection withListeria monocytogenesin mice. FEMS Immunology and Medical Microbiology, 1994, 9, 163-170.	2.7	8
115	CD8 ⁺ T Lymphocytes Are the Major Cell Population Involved in the Early Gamma Interferon Response and Resistance to Acute Primary <i>Toxoplasma gondii</i> Infection in Mice. Microbiology and Immunology, 1994, 38, 789-796.	0.7	47
116	Endogenous gamma interferon produced in central nervous system by systemic infection infection with Theiler's virus in mice. Journal of Neuroimmunology, 1993, 48, 205-211.	1.1	23
117	Enhancement by Recombinant Human Interleukin 2 of Host Resistance to <i>Toxoplasma gondii</i> Infection in Pregnant Mice. Microbiology and Immunology, 1993, 37, 583-590.	0.7	28
118	Correlation between Increased Susceptibility to Primary <i>Toxoplasma gondii</i> Infection and Depressed Production of Gamma Interferon in Pregnant Mice. Microbiology and Immunology, 1992, 36, 81-91.	0.7	50
119	Immunoregulatory cytokine release in rat spleen cell cultures after treatment with bleomycin and its analogues in vivo. Cancer Immunology, Immunotherapy, 1991, 33, 33-38.	2.0	8
120	Human tumor necrosis factor increases the resistance against Listeria infection in mice. Medical Microbiology and Immunology, 1989, 178, 337-46.	2.6	39
121	Detection of high levels of immunoreactive human beta-1 interferon in sera from HIV-infected patients. Life Sciences, 1989, 45, iii-vii.	2.0	19
122	Suppression of Delayed-Type Hypersensitivity in Mice Pretreated With Diethylstilbesterol: Involvement of Sex Hormones in Immunomodulation. Journal of Leukocyte Biology, 1988, 43, 530-538.	1.5	18
123	Impaired αâ€interferon production and natural killer activity in blood mononuclear cells in myelodysplastic syndromes. Scandinavian Journal of Haematology, 1986, 37, 111-117.	0.0	19
124	Sequential Production of Alpha and Beta Interferons and Gamma Interferon in the Circulation of <i>Listeria monocytogenes</i> â€Infected Mice after Stimulation with Bacterial Lipopolysaccharide. Microbiology and Immunology, 1985, 29, 659-669.	0.7	14
125	Activation of natural resistance against lung metastasis of an adenocarcinoma in T-cell depressed spontaneously hypertensive rats by infection with Listeria monocytogenes. Cancer Immunology, Immunotherapy, 1985, 20, 103-8.	2.0	6
126	The significance of alpha/beta interferons and gamma interferon produced in mice infected with Listeria monocytogenes. Cellular Immunology, 1984, 88, 29-40.	1.4	57

Υιμιν

#	Article	IF	CITATIONS
127	Alternative induction of alpha/beta interferons and gamma interferon by Listeria monocytogenes in mouse spleen cell cultures. Cellular Immunology, 1983, 75, 283-291.	1.4	25