

# Dong Eun Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6981175/publications.pdf>

Version: 2024-02-01

117  
papers

2,806  
citations

201575

27  
h-index

233338

45  
g-index

117  
all docs

117  
docs citations

117  
times ranked

2832  
citing authors

#	ARTICLE	IF	CITATIONS
1	Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1917-1925.	1.8	164
2	Thyroid Nodules with Initially Nondiagnostic Cytologic Results: The Role of Core-Needle Biopsy. <i>Radiology</i> , 2013, 268, 274-280.	3.6	110
3	Pathology Reporting of Thyroid Core Needle Biopsy: A Proposal of the Korean Endocrine Pathology Thyroid Core Needle Biopsy Study Group. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 288-299.	0.4	100
4	Features Predictive of Distant Metastasis in Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2016, 26, 161-168.	2.4	91
5	Differences in Risk of Malignancy and Management Recommendations in Subcategories of Thyroid Nodules with Atypia of Undetermined Significance or Follicular Lesion of Undetermined Significance: The Role of Ultrasound-Guided Core-Needle Biopsy. <i>Thyroid</i> , 2014, 24, 494-501.	2.4	90
6	Clinicopathological Significance of Minimal Extrathyroid Extension in Solitary Papillary Thyroid Carcinomas. <i>Annals of Surgical Oncology</i> , 2015, 22, 728-733.	0.7	89
7	Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 1149-1155.	2.4	83
8	Thyroid nodules with initially non-diagnostic, fine-needle aspiration results: comparison of core-needle biopsy and repeated fine-needle aspiration. <i>European Radiology</i> , 2014, 24, 2819-2826.	2.3	70
9	Validation of pathological grading systems for predicting metastatic potential in pheochromocytoma and paraganglioma. <i>PLoS ONE</i> , 2017, 12, e0187398.	1.1	70
10	Genomic Alterations of Anaplastic Thyroid Carcinoma Detected by Targeted Massive Parallel Sequencing in a <i>BRAF</i> <sup>V600E</sup> Mutation-Prevalent Area. <i>Thyroid</i> , 2016, 26, 683-690.	2.4	66
11	Sonographically Suspicious Thyroid Nodules with Initially Benign Cytologic Results: The Role of a Core Needle Biopsy. <i>Thyroid</i> , 2013, 23, 703-708.	2.4	61
12	Core needle biopsy can minimise the non-diagnostic results and need for diagnostic surgery in patients with calcified thyroid nodules. <i>European Radiology</i> , 2014, 24, 1403-1409.	2.3	54
13	Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. <i>Clinical Endocrinology</i> , 2017, 86, 845-851.	1.2	53
14	Carcinoid Tumor Arising in a Tailgut Cyst of the Anorectal Junction With Distant Metastasis: A Case Report and Review of the Literature. <i>Archives of Pathology and Laboratory Medicine</i> , 2004, 128, 578-580.	1.2	52
15	Core needle biopsy could reduce diagnostic surgery in patients with anaplastic thyroid cancer or thyroid lymphoma. <i>European Radiology</i> , 2016, 26, 1031-1036.	2.3	49
16	Recent Changes in the Clinical Outcome of Papillary Thyroid Carcinoma With Cervical Lymph Node Metastasis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3470-3477.	1.8	45
17	Do aggressive variants of papillary thyroid carcinoma have worse clinical outcome than classic papillary thyroid carcinoma?. <i>European Journal of Endocrinology</i> , 2018, 179, 135-142.	1.9	44
18	Is Male Gender a Prognostic Factor for Papillary Thyroid Microcarcinoma?. <i>Annals of Surgical Oncology</i> , 2017, 24, 1958-1964.	0.7	41

#	ARTICLE	IF	CITATIONS
19	Adenocarcinoma Arising in Gastric Heterotopic Pancreas: A Case Report. <i>Journal of Korean Medical Science</i> , 2004, 19, 145.	1.1	40
20	<i>BRAF</i> and <i>RAS</i> Mutational Status in Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features and Invasive Subtype of Encapsulated Follicular Variant of Papillary Thyroid Carcinoma in Korea. <i>Thyroid</i> , 2018, 28, 504-510.	2.4	40
21	Influence of coexistent Hashimoto's thyroiditis on the extent of cervical lymph node dissection and prognosis in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018, 88, 123-128.	1.2	40
22	Intravascular Large Cell Lymphoma of the Natural Killer Cell Type. <i>Journal of Clinical Oncology</i> , 2007, 25, 1279-1282.	0.8	39
23	A Relook at the T Stage of Differentiated Thyroid Carcinoma with a Focus on Gross Extrathyroidal Extension. <i>Thyroid</i> , 2019, 29, 202-208.	2.4	37
24	Coreâ€”needle biopsy versus repeat fineâ€”needle aspiration for thyroid nodules initially read as atypia/follicular lesion of undetermined significance. <i>Head and Neck</i> , 2017, 39, 361-369.	0.9	36
25	Low Lymphocyte-to-Monocyte Ratios Are Associated with Poor Overall Survival in Anaplastic Thyroid Carcinoma Patients. <i>Thyroid</i> , 2019, 29, 824-829.	2.4	33
26	Sonographic Assessment of the Extent of Extrathyroidal Extension in Thyroid Cancer. <i>Korean Journal of Radiology</i> , 2020, 21, 1187.	1.5	32
27	The Use of the Bethesda System for Reporting Thyroid Cytopathology in Korea: A Nationwide Multicenter Survey by the Korean Society of Endocrine Pathologists. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 410-417.	0.4	30
28	Clinical course and prognostic factors in patients with malignant pheochromocytoma and paraganglioma: A single institution experience. <i>Journal of Surgical Oncology</i> , 2015, 112, 815-821.	0.8	29
29	Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. <i>Thyroid</i> , 2017, 27, 773-777.	2.4	29
30	Preoperative Clinical and Sonographic Predictors for Lateral Cervical Lymph Node Metastases in Sporadic Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 362-368.	2.4	29
31	Histopathologic Assessment of Capsular Invasion in Follicular Thyroid Neoplasmsâ€”an Observer Variation Study. <i>Endocrine Pathology</i> , 2020, 31, 132-140.	5.2	29
32	Diagnosis of Metastasis to the Thyroid Gland. <i>Otolaryngology - Head and Neck Surgery</i> , 2016, 154, 618-625.	1.1	28
33	Prognostic Implication of N1b Classification in the Eighth Edition of the Tumor-Node-Metastasis Staging System of Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 496-503.	2.4	28
34	The Role of Core Needle Biopsy for the Evaluation of Thyroid Nodules with Suspicious Ultrasound Features. <i>Korean Journal of Radiology</i> , 2019, 20, 158.	1.5	28
35	Risk Factors for Distant Metastasis in Patients with Minimally Invasive Follicular Thyroid Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0155489.	1.1	27
36	Initial and Dynamic Risk Stratification of Pediatric Patients with Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2666.	1.8	25

#	ARTICLE	IF	CITATIONS
37	Efficacy and safety of core-needle biopsy in initially detected thyroid nodules via propensity score analysis. <i>Scientific Reports</i> , 2017, 7, 8242.	1.6	25
38	Dynamic risk stratification for medullary thyroid cancer according to the response to initial therapy. <i>Endocrine</i> , 2016, 53, 174-181.	1.1	23
39	Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>PLoS ONE</i> , 2016, 11, e0167756.	1.1	22
40	Genetic profile of advanced thyroid cancers in relation to distant metastasis. <i>Endocrine-Related Cancer</i> , 2020, 27, 285-293.	1.6	22
41	Does Radiofrequency Ablation Induce Neoplastic Changes in Benign Thyroid Nodules: A Preliminary Study. <i>Endocrinology and Metabolism</i> , 2019, 34, 169.	1.3	22
42	Efficacy of radiofrequency ablation for recurrent thyroid cancer invading the airways. <i>European Radiology</i> , 2021, 31, 2153-2160.	2.3	21
43	Comparison of Immunohistochemistry and Direct Sanger Sequencing for Detection of the <i>BRAF</i> <sup>V600E</sup> Mutation in Thyroid Neoplasm. <i>Endocrinology and Metabolism</i> , 2018, 33, 62.	1.3	20
44	A cut-off value of basal serum calcitonin for detecting macroscopic medullary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 82, 598-603.	1.2	19
45	Changing trends in the clinicopathological features and clinical outcomes of medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2016, 113, 152-158.	0.8	19
46	Primitive Neuroectodermal Tumor of the Gallbladder. <i>Archives of Pathology and Laboratory Medicine</i> , 2004, 128, 571-573.	1.2	19
47	The role of Slit2 as a tumor suppressor in thyroid cancer. <i>Molecular and Cellular Endocrinology</i> , 2019, 483, 87-96.	1.6	18
48	Prognostic value of tumor size and minimal extrathyroidal extension in papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 925-931.	0.9	18
49	Malignant-looking thyroid nodules with size reduction: core needle biopsy results. <i>Ultrasonography</i> , 2016, 35, 327-334.	1.0	18
50	Computer-Aided Diagnosis System for the Evaluation of Thyroid Nodules on Ultrasonography: Prospective Non-Inferiority Study according to the Experience Level of Radiologists. <i>Korean Journal of Radiology</i> , 2020, 21, 369.	1.5	18
51	Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>Annals of Surgical Oncology</i> , 2017, 24, 2596-2602.	0.7	17
52	Ultrasonography features of medullary thyroid cancer as predictors of its biological behavior. <i>Acta Radiologica</i> , 2017, 58, 414-422.	0.5	17
53	Impact of tumor-associated macrophages and <i>BRAF</i> <sup>V600E</sup> mutation on clinical outcomes in patients with various thyroid cancers. <i>Head and Neck</i> , 2019, 41, 686-691.	0.9	17
54	Immune Profiling of Advanced Thyroid Cancers Using Fluorescent Multiplex Immunohistochemistry. <i>Thyroid</i> , 2021, 31, 61-67.	2.4	17

#	ARTICLE	IF	CITATIONS
55	Molecular Correlates and Nuclear Features of Encapsulated Follicular-Patterned Thyroid Neoplasms. <i>Endocrinology and Metabolism</i> , 2021, 36, 123-133.	1.3	17
56	High Phosphoglycerate Dehydrogenase Expression Induces Stemness and Aggressiveness in Thyroid Cancer. <i>Thyroid</i> , 2020, 30, 1625-1638.	2.4	17
57	A Multi-institutional Study of Prevalence and Clinicopathologic Features of Non-invasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features (NIFTP) in Korea. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 378-385.	0.4	17
58	Evaluation of the Clinical Usefulness of BRAF <sup>V600E</sup> Mutation Analysis of Core-Needle Biopsy Specimens in Thyroid Nodules with Previous Atypia of Undetermined Significance or Follicular Lesions of Undetermined Significance Results. <i>Thyroid</i> , 2015, 25, 897-903.	2.4	16
59	The ultrasonography features of hyalinizing trabecular tumor of the thyroid gland and the role of fine needle aspiration cytology and core needle biopsy in its diagnosis. <i>Acta Radiologica</i> , 2015, 56, 1113-1118.	0.5	16
60	Thyroid Incidentalomas Detected on <sup>18</sup> F-Fluorodeoxyglucose Positron Emission Tomography with Computed Tomography: Malignant Risk Stratification and Management Plan. <i>Thyroid</i> , 2018, 28, 762-768.	2.4	16
61	Diagnostic Algorithm for Metastatic Lymph Nodes of Differentiated Thyroid Carcinoma. <i>Cancers</i> , 2021, 13, 1338.	1.7	16
62	Association between neck ultrasonographic findings and clinicopathological features in the follicular variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 83, 968-976.	1.2	15
63	Lack of Associations between Body Mass Index and Clinical Outcomes in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2015, 30, 305.	1.3	15
64	Molecular Diagnosis Using Residual Liquid-Based Cytology Materials for Patients with Nondiagnostic or Indeterminate Thyroid Nodules. <i>Endocrinology and Metabolism</i> , 2016, 31, 586.	1.3	15
65	Mutational profile of papillary thyroid microcarcinoma with extensive lymph node metastasis. <i>Endocrine</i> , 2019, 64, 130-138.	1.1	15
66	Genetic Profiles of Aggressive Variants of Papillary Thyroid Carcinomas. <i>Cancers</i> , 2021, 13, 892.	1.7	15
67	Usefulness of NRAS codon 61 mutation analysis and core needle biopsy for the diagnosis of thyroid nodules previously diagnosed as atypia of undetermined significance. <i>Endocrine</i> , 2016, 52, 305-312.	1.1	14
68	Prognostic Value of the Number of Retrieved Lymph Nodes in Pathological Nx or NO Classical Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2016, 40, 2043-2050.	0.8	14
69	Real-world experience of lenvatinib in patients with advanced anaplastic thyroid cancer. <i>Endocrine</i> , 2021, 71, 427-433.	1.1	14
70	Negative Expression of CPSF2 Predicts a Poorer Clinical Outcome in Patients with Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 1020-1025.	2.4	13
71	Ultrasound-Pathology Discordant Nodules on Core-Needle Biopsy: Malignancy Risk and Management Strategy. <i>Thyroid</i> , 2017, 27, 707-713.	2.4	13
72	Myxoid and Sarcomatoid Variants of Adrenocortical Carcinoma: Analysis of Rare Variants in Single Tertiary Care Center. <i>Journal of Korean Medical Science</i> , 2017, 32, 764.	1.1	13

#	ARTICLE	IF	CITATIONS
73	Risk of Malignancy According to the Sub-classification of Atypia of Undetermined Significance and Suspicious Follicular Neoplasm Categories in Thyroid Core Needle Biopsies. <i>Endocrine Pathology</i> , 2019, 30, 146-154.	5.2	13
74	Chondromyxoid fibroma of the sternum. <i>Annals of Thoracic Surgery</i> , 2003, 75, 1948-1950.	0.7	12
75	Association Between 18F-FDG Avidity and the BRAF Mutation in Papillary Thyroid Carcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2016, 50, 38-45.	0.6	12
76	Preoperative clinicopathological characteristics of patients with solitary encapsulated follicular variants of papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2017, 116, 746-755.	0.8	12
77	Dynamic Risk Stratification in Stage I Papillary Thyroid Cancer Patients Younger Than 45 Years of Age. <i>Thyroid</i> , 2017, 27, 1400-1407.	2.4	12
78	Sub-Classification of Lateral Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma by Pathologic Criteria. <i>PLoS ONE</i> , 2015, 10, e0133625.	1.1	11
79	Oncologic Safety of Robot Thyroid Surgery for Papillary Thyroid Carcinoma: A Comparative Study of Robot versus Open Thyroid Surgery Using Inverse Probability of Treatment Weighting. <i>PLoS ONE</i> , 2016, 11, e0157345.	1.1	11
80	Prognostic Impact of Further Treatments on Distant Metastasis in Patients With Minimally Invasive Follicular Thyroid Carcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>World Journal of Surgery</i> , 2017, 41, 138-145.	0.8	11
81	Positive Cytology Findings and a Negative Histological Diagnosis of Papillary Thyroid Carcinoma in the Thyroid: Is It a False-Positive Cytology or a Disappearing Tumor. <i>European Thyroid Journal</i> , 2013, 2, 203-10.	1.2	10
82	Tumour growth rate of follicular thyroid carcinoma is not different from that of follicular adenoma. <i>Clinical Endocrinology</i> , 2018, 88, 936-942.	1.2	10
83	Determining Whether Tumor Volume Doubling Time and Growth Rate Can Predict Malignancy After Delayed Diagnostic Surgery of Follicular Neoplasm. <i>Thyroid</i> , 2019, 29, 1418-1424.	2.4	10
84	Clinical Significance of Gross Invasion of Strap Muscles in Patients With 1- to 4-cm-Sized Papillary Thyroid Carcinoma Undergoing Lobectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 4466-4471.	0.7	10
85	Modified Transverse-Vertical Gross Examination: a Better Method for the Detection of Definite Capsular Invasion in Encapsulated Follicular-Patterned Thyroid Neoplasms. <i>Endocrine Pathology</i> , 2019, 30, 106-112.	5.2	10
86	Tumor Growth Rate Does Not Predict Malignancy in Surgically Resected Thyroid Nodules Classified as Bethesda Category III with Architectural Atypia. <i>Thyroid</i> , 2019, 29, 216-221.	2.4	10
87	Solitary Skin Metastasis of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2014, 29, 579.	1.3	9
88	The relationship of thyroid nodule size on malignancy risk according to histological type of thyroid cancer. <i>Acta Radiologica</i> , 2020, 61, 620-628.	0.5	9
89	A focal marked hypoechoogenicity within an isoechoic thyroid nodule: is it a focal malignancy or not?. <i>Acta Radiologica</i> , 2015, 56, 814-819.	0.5	8
90	Initial clinical experience with BRAF <sup>V600E</sup> mutation analysis of core-needle biopsy specimens from thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 607-613.	1.2	7

#	ARTICLE	IF	CITATIONS
91	Mutation Profile of Aggressive Pheochromocytoma and Paraganglioma with Comparison of TCGA Data. <i>Cancers</i> , 2021, 13, 2389.	1.7	7
92	Pseudofungi in Pericolic Lymph Nodes. <i>Archives of Pathology and Laboratory Medicine</i> , 2005, 129, e97-e100.	1.2	7
93	Mutation in Genes Encoding Key Functional Groups Additively Increase Mortality in Patients with BRAFV600E-Mutant Advanced Papillary Thyroid Carcinoma. <i>Cancers</i> , 2021, 13, 5846.	1.7	7
94	Risk factors for metastasis in indeterminate lymph nodes in preoperative patients with thyroid cancer. <i>European Radiology</i> , 2022, 32, 3863-3868.	2.3	7
95	Decreased S100B expression in chronic liver diseases. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 269-276.	0.7	6
96	Comparison of Core-Needle Biopsy and Fine-Needle Aspiration for Evaluating Thyroid Incidentalomas Detected by <sup>18</sup> F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography: A Propensity Score Analysis. <i>Thyroid</i> , 2017, 27, 1258-1266.	2.4	4
97	Modified risk stratification based on cervical lymph node metastases following lobectomy for papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2020, 92, 358-365.	1.2	4
98	Is dual-phase SPECT/CT with 99mTc-sestamibi better than single-phase SPECT/CT for lesion localization in patients with hyperparathyroidism?. <i>Medicine (United States)</i> , 2020, 99, e19989.	0.4	4
99	Risk factors for posttreatment recurrence in patients with intermediate-risk papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2020, 220, 642-647.	0.9	4
100	Clinical implications of age and excellent response to therapy in patients with high-risk differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2021, 95, 882-890.	1.2	4
101	Death-Associated Protein Kinase 1 Inhibits Progression of Thyroid Cancer by Regulating Stem Cell Markers. <i>Cells</i> , 2021, 10, 2994.	1.8	4
102	Web-based thyroid imaging reporting and data system: Malignancy risk of atypia of undetermined significance or follicular lesion of undetermined significance thyroid nodules calculated by a combination of ultrasonography features and biopsy results. <i>Head and Neck</i> , 2018, 40, 1917-1925.	0.9	3
103	Borderline Thyroid Tumors: a Surgeon's Perspectives. <i>International Journal of Thyroidology</i> , 2019, 12, 15.	0.1	3
104	Recent Trends in the Clinicopathological Features of Thyroid Nodules in Pediatric Patients: A Single Tertiary Center Experience over 25 Years. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-8.	0.6	3
105	Adrenal Cortical Neoplasm with Uncertain Malignant Potential Arising in the Heterotopic Adrenal Cortex in the Liver of a Patient with Beckwith-Wiedemann Syndrome. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 129-135.	0.4	3
106	Villotrophoblastic Pulmonary Nodule With Implantation Site Intermediate Trophoblasts After Induced Abortion. <i>International Journal of Gynecological Pathology</i> , 2007, 26, 305-309.	0.9	2
107	Time Trends Analysis of Characteristics of Patients with Thyroid Cancer in a Single Medical Center. <i>Journal of Korean Thyroid Association</i> , 2014, 7, 159.	0.2	2
108	Prognostic Impact of Further Treatments on Distant Metastasis in Patients with Minimally Invasive Follicular Thyroid Carcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>World Journal of Surgery</i> , 2017, 41, 1144-1144.	0.8	2

#	ARTICLE	IF	CITATIONS
109	Assessing the diagnostic performance of thyroid biopsy with recommendations for appropriate interpretation. <i>Ultrasonography</i> , 2021, 40, 228-236.	1.0	2
110	Sonographic assessment of minor extrathyroidal extension of papillary thyroid microcarcinoma involving the posterior thyroid capsule. <i>European Radiology</i> , 2022, , 1.	2.3	2
111	Immunoglobulin G4-Related Thyroid Disease: A Single-Center Experience and Literature Review. <i>Endocrinology and Metabolism</i> , 2022, 37, 312-322.	1.3	2
112	Treatment Efficacy of Radiofrequency Ablation for Recurrent Tumor at the Central Compartment After Hemithyroidectomy. <i>American Journal of Roentgenology</i> , 2021, 216, 1574-1578.	1.0	1
113	Lymphocytic gastritis in <i>Helicobacter pylori</i> -positive gastric MALT lymphoma--report of two cases. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2005, 45, 354-60.	0.2	1
114	Limitations of fine-needle aspiration and core needle biopsies in the diagnosis of tall cell variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2023, 98, 110-116.	1.2	1
115	Overexpression of promyelocytic leukemia protein is correlated with poor prognostic markers in hepatocellular carcinoma. <i>Basic and Applied Pathology</i> , 2008, 1, 39-45.	0.2	0
116	Relationship between Initial Thyroid Operation and the Location of Locoregional Recurrence in Papillary Thyroid Cancer: a Single Tertiary Center Experience. <i>Journal of Endocrine Surgery</i> , 2019, 19, 116.	0.0	0
117	Mutational Profile of Metastatic Pheochromocytoma and Paraganglioma. <i>Journal of the Endocrine Society</i> , 2021, 5, A71-A71.	0.1	0