

Esen Ã–zkaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6982127/publications.pdf>

Version: 2024-02-01

67
papers

811
citations

566801

15
h-index

580395

25
g-index

69
all docs

69
docs citations

69
times ranked

698
citing authors

#	ARTICLE	IF	CITATIONS
1	Comment on: "Varenicline-induced erosive stomatitis: First case report", Contact Dermatitis, 2022, 86, 331-331.	0.8	0
2	The Optimal Reading Time for Patch Testing: A Retrospective, Cross-sectional, Single Center Study Over 8 Years from Turkey. Journal of the Turkish Academy of Dermatology, 2022, 16, 13-20.	0.1	1
3	Sorbitan sesquioleate: a rare contact allergen that is also an important indicator of allergic contact dermatitis from crossreacting compounds as well as for false-positive fragrance allergy. Clinical and Experimental Dermatology, 2022, 47, 1291-1297.	0.6	2
4	Methylchloroisothiazolinone/methylisothiazolinone and methylisothiazolinone contact allergy: A 24-year, single-center, retrospective cohort study from Turkey. Contact Dermatitis, 2021, 84, 24-33.	0.8	8
5	The impact of COVID-19 pandemic on the management of patients with chronic urticaria: An observational two-center study from Turkey. Dermatologic Therapy, 2021, 34, e14652.	0.8	9
6	How does working in pandemic units affect the risk of occupational hand eczema in healthcare workers during the coronavirus disease 2019 (COVID-19) pandemic: A comparative analysis with nonpandemic units. Contact Dermatitis, 2021, 85, 215.	0.8	12
7	Patch test results in terms of the recently recommended allergens in children and adolescents: A retrospective cohort study over 22 years from Turkey. Contact Dermatitis, 2021, 85, 198-210.	0.8	4
8	COVID-19 triggered sarcoidal granulomas mimicking scar sarcoidosis. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e477-e480.	1.3	19
9	Occupational allergic contact dermatitis: A 24-year, retrospective cohort study from Turkey. Contact Dermatitis, 2021, 85, 503-513.	0.8	9
10	Fixed Drug Eruption in Children: a 24-Year, Single-center, Retrospective Cohort Study from Turkey. The Journal of Child, 2021, 21, .	0.1	0
11	Low Prevalence of Fragrance Contact Allergy Among Turkish Population. Dermatitis, 2021, Publish Ahead of Print, .	0.8	1
12	Allergic contact dermatitis from diethylthiourea and carbamates in neoprene prayer socks with severe flare-up during patch testing. Contact Dermatitis, 2020, 82, 311-313.	0.8	4
13	Skin reactions caused by centipedes: Long-lasting necrosis and late-onset local reaction. JDDG - Journal of the German Society of Dermatology, 2020, 18, 889-891.	0.4	0
14	The risk of hand eczema in healthcare workers during the COVID-19 pandemic: Do we need specific attention or prevention strategies?. Contact Dermatitis, 2020, 83, 422-423.	0.8	48
15	Allergic contact dermatitis and airborne allergic contact dermatitis from methylchloroisothiazolinone/methylisothiazolinone from occupational and non-occupational exposure: All in one patient. Contact Dermatitis, 2020, 83, 43-45.	0.8	2
16	Recommendations on the use of systemic treatments for urticaria and atopic dermatitis during the COVID-19 pandemic: Statement of Dermatoallergy Working Group of the Turkish Society of Dermatology. Turkderm Turkish Archives of Dermatology and Venereology, 2020, 54, 71-75.	0.2	2
17	Chronic urticaria associated with occult papillary thyroid carcinoma and dramatic improvement after total thyroidectomy: A retrospective study from Turkey. Journal of Investigational Allergology and Clinical Immunology, 2019, 29, 465-467.	0.6	2
18	Doxepin in difficult-to-treat chronic urticaria: A retrospective, cross-sectional study from Turkey. Dermatologic Therapy, 2019, 32, e12993.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Follicular Traction Urticaria: An Occult Case Diagnosed by Patch Testing. <i>Dermatitis</i> , 2019, 30, 171-173.	0.8	2
20	Cinnamon-induced airborne occupational allergic contact dermatitis in a baker: Severe flare-up during patch testing. <i>Contact Dermatitis</i> , 2019, 80, 405-407.	0.8	4
21	Changing trends in inducer drugs of fixed drug eruption: a 20-year cross-sectional study from Turkey. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 474-476.	0.4	15
22	Severe adverse cutaneous drug reactions to antiepileptic drugs: 18 years of experience in a tertiary referral dermatology clinic in Turkey. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e268-e270.	1.3	1
23	Varenicline-induced acute generalized exanthematous pustulosis confirmed by patch testing. <i>Contact Dermatitis</i> , 2018, 78, 97-99.	0.8	5
24	Trendveränderungen bei Auslösern des fixen Arzneimittelexanthems: eine 20-jährige Querschnittsstudie in der Türkei. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 473-475.	0.4	1
25	Polyethylene glycol as marker for nitrofurazone allergy: 20% years of experience from Turkey. <i>Contact Dermatitis</i> , 2018, 78, 211-215.	0.8	20
26	Vemurafenib-induced toxic epidermal necrolysis: Is it an emerging side effect of the drug?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e354-e355.	1.3	5
27	Suppositories for fever as a major risk for phenobarbital-induced fixed drug eruption in children. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e443-e444.	1.3	8
28	Linear eczema on the amputation stump as a clinical clue to the diagnosis. <i>Contact Dermatitis</i> , 2017, 77, 328-330.	0.8	6
29	Image Gallery: Purpuric fixed drug eruption from ornidazole showing leukocytoclastic vasculitis. <i>British Journal of Dermatology</i> , 2017, 177, e164-e164.	1.4	6
30	Erythema annulare centrifugum: remission during two pregnancies and exacerbation in between. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 1136-1138.	0.4	1
31	Erythema anulare centrifugum: Remissionen während zweier Schwangerschaften und Exazerbation dazwischen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 1136-1138.	0.4	0
32	Sign of the Kiss Allergic Dermatitis From Black Henna and From Adhesive Tape. <i>Dermatitis</i> , 2016, 27, 143-144.	0.8	0
33	Airborne allergic contact dermatitis caused by a henna stone. <i>Contact Dermatitis</i> , 2016, 75, 191-192.	0.8	5
34	Linear eczematous lesions caused by an allergen-contaminated skin marker: an iatrogenic complication of patch testing. <i>Contact Dermatitis</i> , 2016, 74, 58-60.	0.8	2
35	Patch testing with used and unused personal products: a practical way to show contamination with contact allergens. <i>Contact Dermatitis</i> , 2016, 75, 328-330.	0.8	15
36	Foot contact dermatitis: nitrofurazone as the main cause in a retrospective, cross-sectional study over a 16-year period from Turkey. <i>International Journal of Dermatology</i> , 2016, 55, 1345-1350.	0.5	13

#	ARTICLE	IF	CITATIONS
37	General Aspects of Adverse Cutaneous Drug Reactions. , 2014, , 3-63.		2
38	Allergic contact dermatitis caused by selfâ€adhesive electrocardiography electrodes: a rare case with concomitant roles of nickel and acrylates. Contact Dermatitis, 2014, 70, 121-123.	0.8	19
39	Oral mucosal fixed drug eruption: Characteristics and differential diagnosis. Journal of the American Academy of Dermatology, 2013, 69, e51-e58.	0.6	53
40	Henna stone: a lesserâ€known solid material from which to obtain black henna paste. Contact Dermatitis, 2013, 69, 386-386.	0.8	8
41	An unusual case of triclosanâ€induced immunological contact urticaria. Contact Dermatitis, 2013, 68, 121-123.	0.8	17
42	The "henna stone" myth. Indian Journal of Dermatology, Venereology and Leprology, 2013, 79, 254.	0.2	7
43	Eczematous-type multiple drug allergy from isoniazid and ethambutol with positive patch test results. Cutis, 2013, 92, 121-4.	0.4	10
44	Neighborial Allergy. Dermatitis, 2012, 23, 124-125.	0.8	8
45	Follicular traction urticaria. Journal of the American Academy of Dermatology, 2012, 67, e234-e236.	0.6	7
46	Low sensitization rate but good clinical relevance of preservatives in Turkey: Evaluation of 1256 patients over 10 years (1996-2006). Journal of Dermatology, 2011, 38, 194-196.	0.6	7
47	A Challenging Case: Symmetrical Drug Related Intertriginous and Flexural Exanthem, Fixed Drug Eruption, or Both?. Pediatric Dermatology, 2011, 28, 711-714.	0.5	12
48	Non-typical morphology and localization in Turkish atopic dermatitis patients with onset before the age of 18 years. Indian Journal of Dermatology, Venereology and Leprology, 2011, 77, 23.	0.2	7
49	Black Rubber Sensitization by Bicycle Handgrips in a Child with Palmar Hyperhidrosis. Dermatitis, 2011, 22, E10-E12.	0.8	11
50	Bilateral symmetrical contact dermatitis on the face and outer thighs from the simultaneous use of two mobile phones. Dermatitis, 2011, 22, 116-8.	0.8	7
51	Black rubber sensitization by bicycle handgrips in a child with palmar hyperhidrosis. Dermatitis, 2011, 22, E10-2.	0.8	1
52	Systemic allergic dermatitis from chromium in a multivitamin/multimineral tablet. Contact Dermatitis, 2010, 62, 184-184.	0.8	17
53	Allergic contact dermatitis caused by pâ€tertâ€butylphenol formaldehyde resin and colophonium in neoprene thermal sauna shorts. Contact Dermatitis, 2010, 63, 230-232.	0.8	9
54	Metal contact sites: a hidden localization for nail varnish allergy?. Clinical and Experimental Dermatology, 2010, 35, e137-e140.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Current understanding of Baboon syndrome. <i>Expert Review of Dermatology</i> , 2009, 4, 163-175.	0.3	20
56	Tosylamide/formaldehyde resin allergy in a young boy: exposure from bitter nail varnish used against nail biting. <i>Contact Dermatitis</i> , 2009, 60, 171-172.	0.8	14
57	Mercury-induced systemic allergic dermatitis caused by "white precipitate"™ in a skin lightening cream. <i>Contact Dermatitis</i> , 2009, 60, 61-63.	0.8	26
58	A rare case of allergic contact dermatitis from silver nitrate in a widely used special patch test marker. <i>Contact Dermatitis</i> , 2009, 61, 120-122.	0.8	15
59	"Passe-partout effect"™ in positive patch test reactions: a novel pattern of edge effect. <i>Contact Dermatitis</i> , 2009, 61, 245-247.	0.8	1
60	An unusual case of mercurial baboon syndrome: lasting seasonal attacks in a retired metalworker. <i>Contact Dermatitis</i> , 2008, 58, 107-108.	0.8	7
61	Fixed drug eruption:state of the art. <i>JDDG - Journal of the German Society of Dermatology</i> , 2008, 6, 181-188.	0.4	102
62	Ceftriaxone-Induced Fixed Drug Eruption. <i>American Journal of Clinical Dermatology</i> , 2008, 9, 345-347.	3.3	17
63	Fixed Drug Eruption: Primary Site Involvement on Maximal Points of Head's Zones. <i>Acta Dermato-Venereologica</i> , 2007, 87, 517-520.	0.6	8
64	Allergic contact cheilitis from a lipstick misdiagnosed as herpes labialis: Subsequent worsening due to Zovirax; 1/2 contact allergy. <i>Australasian Journal of Dermatology</i> , 2007, 48, 190-192.	0.4	15
65	Polysensitivity in fixed drug eruption due to a novel drug combination-independent lesions due to piroxicam and cotrimoxazole. <i>European Journal of Dermatology</i> , 2006, 16, 591-2.	0.3	14
66	Adult-onset atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, 579-582.	0.6	111
67	Neutrophilic fixed drug eruption caused by naproxen: A real entity or a stage in the histopathologic evolution of the disease?. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 178-179.	0.6	17