

Marian Hannan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6982462/publications.pdf>

Version: 2024-02-01

229
papers

20,821
citations

8755

77
h-index

11946

139
g-index

236
all docs

236
docs citations

236
times ranked

17305
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Proinflammatory Diet With Frailty Onset Among Adults With and Without Depressive Symptoms: Results From the Framingham Offspring Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2023, 78, 250-257.	1.7	3
2	International Foot and Ankle Osteoarthritis Consortium review and research agenda for diagnosis, epidemiology, burden, outcome assessment and treatment. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 945-955.	0.6	16
3	Adherence to the Mediterranean-style diet and high intake of total carotenoids reduces the odds of frailty over 11 years in older adults: Results from the Framingham Offspring Study. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 630-639.	2.2	11
4	Dairy food intake is not associated with spinal trabecular bone score in men and women: the Framingham Osteoporosis Study. <i>Nutrition Journal</i> , 2022, 21, 26.	1.5	1
5	Foot Osteoarthritis Frequency and Associated Factors in a Community-Based Cross-Sectional Study of White and African American Adults. <i>Arthritis Care and Research</i> , 2021, 73, 1784-1788.	1.5	7
6	Total carotenoid intake is associated with reduced loss of grip strength and gait speed over time in adults: The Framingham Offspring Study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 437-445.	2.2	27
7	Introduction to the Special Theme Section: Psychosocial Issues in the Rheumatic Diseases. <i>Arthritis Care and Research</i> , 2021, 73, 10-10.	1.5	0
8	Higher Hand Grip Strength Is Associated With Greater Radius Bone Size and Strength in Older Men and Women: The Framingham Osteoporosis Study. <i>JBMR Plus</i> , 2021, 5, e10485.	1.3	7
9	Genetic variants modify the associations of concentrations of methylmalonic acid, vitamin B-12, vitamin B-6, and folate with bone mineral density. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 578-587.	2.2	8
10	Adults With Clinically Meaningful Depressive Symptoms Are More Vulnerable to the Effects of a Pro-inflammatory Diet on Frailty Onset. <i>Current Developments in Nutrition</i> , 2021, 5, 37.	0.1	0
11	Dairy Food Intake Is Not Associated With Frailty or Frailty Progression Over Time in Adults: Framingham Offspring Study. <i>Current Developments in Nutrition</i> , 2021, 5, 48.	0.1	0
12	Association of Serum Metabolites With Frailty in Community-Dwelling Older Adults: The Framingham Offspring Study. <i>Current Developments in Nutrition</i> , 2021, 5, 62.	0.1	0
13	<i>Arthritis Care & Research: A Look Back and a View Forward</i> . <i>Arthritis Care and Research</i> , 2021, 73, 765-766.	1.5	1
14	Dairy Food Intake Is Not Associated with Measures of Bone Microarchitecture in Men and Women: The Framingham Osteoporosis Study. <i>Nutrients</i> , 2021, 13, 3940.	1.7	0
15	Reimagining Rheumatology: Big Data and the Future of Clinical Practice and Research. <i>Arthritis Care and Research</i> , 2020, 72, 163-165.	1.5	1
16	Effect of increased serum 25(OH)D and calcium on structure and function of post-menopausal women: a pilot study. <i>Archives of Osteoporosis</i> , 2020, 15, 154.	1.0	4
17	Total Carotenoid Intake Reduces the Odds of Frailty over 9 Years in Older Adults: Results from the Framingham Offspring Study. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa040_072.	0.1	1
18	Incidence of Hip Fracture Over 4 Decades in the Framingham Heart Study. <i>JAMA Internal Medicine</i> , 2020, 180, 1225.	2.6	45

#	ARTICLE	IF	CITATIONS
19	Genome-wide meta-analysis identified novel variant associated with hallux valgus in Caucasians. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 11.	0.7	9
20	Is the association between knee injury and knee osteoarthritis modified by the presence of general joint hypermobility?. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100045.	0.9	3
21	Bone Microarchitecture Phenotypes Identified in Older Adults Are Associated With Different Levels of Osteoporotic Fracture Risk. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 428-439.	3.1	24
22	Relationship of Joint Hypermobility with Ankle and Foot Radiographic Osteoarthritis and Symptoms in a Community-Based Cohort. <i>Arthritis Care and Research</i> , 2019, 71, 538-544.	1.5	16
23	Predictors of Imminent Risk of Nonvertebral Fracture in Older, High-Risk Women: The Framingham Osteoporosis Study. <i>JBMR Plus</i> , 2019, 3, e10129.	1.3	19
24	Osteoarthritis in England: Incidence Trends From National Health Service Hospital Episode Statistics. <i>ACR Open Rheumatology</i> , 2019, 1, 493-498.	0.9	31
25	Association of Dairy Food Intake with Measures of Bone Microarchitecture in Men and Women from the Framingham Study (OR18-08-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz028.OR18-08-19.	0.1	0
26	Joint hypermobility is not positively associated with prevalent multiple joint osteoarthritis: a cross-sectional study of older adults. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 165.	0.8	9
27	A Fresh New Look, and a Fresh New Journal. <i>Arthritis and Rheumatology</i> , 2019, 71, 1-1.	2.9	15
28	Introduction to the Special Theme Section: Activity and the Rheumatic Diseases. <i>Arthritis Care and Research</i> , 2019, 71, 165-165.	1.5	0
29	Prevalence of Foot Pain Across an International Consortium of Population-Based Cohorts. <i>Arthritis Care and Research</i> , 2019, 71, 661-670.	1.5	34
30	Cortical and trabecular bone microarchitecture as an independent predictor of incident fracture risk in older women and men in the Bone Microarchitecture International Consortium (BoMIC): a prospective study. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 34-43.	5.5	244
31	A Fresh New Look, and a Fresh New Journal. <i>Arthritis Care and Research</i> , 2019, 71, 1-1.	1.5	0
32	Higher Dairy Food Intake Is Associated With Higher Spine Quantitative Computed Tomography (QCT) Bone Measures in the Framingham Study for Men But Not Women. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1283-1290.	3.1	7
33	Comprehensive biomechanical characterization of feet in USMA cadets: Comparison across race, gender, arch flexibility, and foot types. <i>Gait and Posture</i> , 2018, 60, 175-180.	0.6	23
34	Interaction between caffeine and polymorphisms of glutamate ionotropic receptor NMDA type subunit 2A (<i>GRIN2A</i>) and cytochrome P450 1A2 (<i>CYP1A2</i>) on Parkinson's disease risk. <i>Movement Disorders</i> , 2018, 33, 414-420.	2.2	14
35	Lower Lean Mass Measured by Dual-Energy X-ray Absorptiometry (DXA) is Not Associated with Increased Risk of Hip Fracture in Women: The Framingham Osteoporosis Study. <i>Calcified Tissue International</i> , 2018, 103, 16-23.	1.5	22
36	Association between general joint hypermobility and knee, hip, and lumbar spine osteoarthritis by race: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2018, 20, 76.	1.6	22

#	ARTICLE	IF	CITATIONS
37	Reviewers 2018. <i>Arthritis Care and Research</i> , 2018, 70, 1856-1860.	1.5	0
38	Long-Term and Recent Weight Change Are Associated With Reduced Peripheral Bone Density, Deficits in Bone Microarchitecture, and Decreased Bone Strength: The Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1851-1858.	3.1	18
39	Dairy Intake Is Protective against Bone Loss in Older Vitamin D Supplement Users: The Framingham Study. <i>Journal of Nutrition</i> , 2017, 147, 645-652.	1.3	38
40	Dietary protein is associated with musculoskeletal health independently of dietary pattern: the Framingham Third Generation Study. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 714-722.	2.2	78
41	Foot Function, Foot Pain, and Falls in Older Adults: The Framingham Foot Study. <i>Gerontology</i> , 2017, 63, 318-324.	1.4	38
42	Foot Pain in Relation to Ipsilateral and Contralateral Lower-Extremity Pain in a Population-Based Study. <i>Journal of the American Podiatric Medical Association</i> , 2017, 107, 307-312.	0.2	0
43	Visceral Adipose Tissue Is Associated With Bone Microarchitecture in the Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 143-150.	3.1	59
44	Obesity, foot pain and foot disorders in older men and women. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 445-453.	0.8	33
45	Reply to G Bahat and MA Karan. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 703.	2.2	0
46	Foot Pain and Pronated Foot Type Are Associated with Self-Reported Mobility Limitations in Older Adults: The Framingham Foot Study. <i>Gerontology</i> , 2016, 62, 289-295.	1.4	18
47	Link Between Foot Pain Severity and Prevalence of Depressive Symptoms. <i>Arthritis Care and Research</i> , 2016, 68, 871-876.	1.5	29
48	A Cinderella Tale: Can New Shoes Change the Life of a Person With Knee Osteoarthritis?. <i>Annals of Internal Medicine</i> , 2016, 165, 443.	2.0	0
49	Evidence for a Link Between Dietary Protein and Bone & Muscle Health in Adults. , 2016, , 51-61.		0
50	Vitamin C and Bone Health. , 2016, , 87-98.		1
51	Introduction to Special Theme Section: Fatigue and the Rheumatic Diseases. <i>Arthritis Care and Research</i> , 2016, 68, 72-72.	1.5	0
52	Dietary Protein Intake Is Protective Against Loss of Grip Strength Among Older Adults in the Framingham Offspring Cohort. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 356-361.	1.7	142
53	Associations of Computed Tomography-Based Trunk Muscle Size and Density With Balance and Falls in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 811-816.	1.7	50
54	Leg Muscle Mass and Foot Symptoms, Structure, and Function: The Johnston County Osteoarthritis Project. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 385-390.	1.7	2

#	ARTICLE	IF	CITATIONS
55	Low-Magnitude Mechanical Stimulation to Improve Bone Density in Persons of Advanced Age: A Randomized, Placebo-Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1319-1328.	3.1	48
56	Variations in Community Prevalence and Determinants of Recreational and Utilitarian Walking in Older Age. <i>Journal of Aging Research</i> , 2015, 2015, 1-11.	0.4	25
57	Higher Protein Intake Is Associated with Higher Lean Mass and Quadriceps Muscle Strength in Adult Men and Women. <i>Journal of Nutrition</i> , 2015, 145, 1569-1575.	1.3	102
58	Genome-wide association meta-analyses to identify common genetic variants associated with hallux valgus in Caucasian and African Americans. <i>Journal of Medical Genetics</i> , 2015, 52, 762-769.	1.5	18
59	Associations of Region-Specific Foot Pain and Foot Biomechanics: The Framingham Foot Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1281-1288.	1.7	13
60	Dietary Approaches for Bone Health: Lessons from the Framingham Osteoporosis Study. <i>Current Osteoporosis Reports</i> , 2015, 13, 245-255.	1.5	82
61	Do Nutrients Influence Bone Health? A Commentary on New Findings in the Field. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 967-969.	3.1	6
62	Introduction to Special Theme Section: Mobility and the Rheumatic Diseases. <i>Arthritis Care and Research</i> , 2015, 67, 12-12.	1.5	0
63	Bone Mineral Density and Protein-Derived Food Clusters from the Framingham Offspring Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015, 115, 1605-1613.e1.	0.4	29
64	Factors Associated With Hallux Valgus in a Community-Based Cross-Sectional Study of Adults With and Without Osteoarthritis. <i>Arthritis Care and Research</i> , 2015, 67, 791-798.	1.5	40
65	Foot Disorders Associated With Overpronated and Oversupinated Foot Function. <i>Foot and Ankle International</i> , 2014, 35, 1159-1165.	1.1	22
66	Editor's note. <i>Arthritis Care and Research</i> , 2014, 66, 1272-1272.	1.5	0
67	Introduction to Special Theme Section: Clinical Imaging and the Rheumatic Diseases. <i>Arthritis Care and Research</i> , 2014, 66, 1-1.	1.5	0
68	Characteristics Associated With Hallux Valgus in a Population-Based Foot Study of Older Adults. <i>Arthritis Care and Research</i> , 2014, 66, 1880-1886.	1.5	57
69	Protective Association of Milk Intake on the Risk of Hip Fracture: Results from the Framingham Original Cohort. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 1756-1762.	3.1	61
70	Association Between Inflammatory Biomarkers and Bone Mineral Density in a Community-Based Cohort of Men and Women. <i>Arthritis Care and Research</i> , 2014, 66, 1233-1240.	1.5	37
71	The associations of leg lean mass with foot pain, posture and function in the Framingham foot study. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 46.	0.7	5
72	Association of total protein intake with bone mineral density and bone loss in men and women from the Framingham Offspring Study. <i>Public Health Nutrition</i> , 2014, 17, 2570-2576.	1.1	28

#	ARTICLE	IF	CITATIONS
73	Changes in Bone Mineral Density May Predict the Risk of Fracture Differently in Older Adults According to Fall History. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2345-2349.	1.3	12
74	Psychometric Properties of the Foot and Ankle Outcome Score in a Community-Based Study of Adults With and Without Osteoarthritis. <i>Arthritis Care and Research</i> , 2014, 66, 395-403.	1.5	41
75	Dynamic barefoot plantar pressure in gait and foot type biomechanics. <i>Journal of Foot and Ankle Research</i> , 2014, 7, .	0.7	2
76	Utilitarian Walking, Neighborhood Environment, and Risk of Outdoor Falls Among Older Adults. <i>American Journal of Public Health</i> , 2014, 104, e30-e37.	1.5	39
77	Individual protein food sources are associated with greater bone mineral density among men and women from the Framingham Offspring Study (257.1). <i>FASEB Journal</i> , 2014, 28, .	0.2	1
78	Association of vitamin C with serum uric acid concentration: The Framingham Third Generation Cohort (1034.7). <i>FASEB Journal</i> , 2014, 28, 1034.7.	0.2	1
79	Factors affecting center of pressure in older adults: the Framingham Foot Study. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 18.	0.7	23
80	Foot posture, foot function and low back pain: the Framingham Foot Study. <i>Journal of Foot and Ankle Research</i> , 2013, 6, .	0.7	2
81	Psychotropic drug initiation or increased dosage and the acute risk of falls: a prospective cohort study of nursing home residents. <i>BMC Geriatrics</i> , 2013, 13, 19.	1.1	18
82	Association of Planus Foot Posture and Pronated Foot Function With Foot Pain: The Framingham Foot Study. <i>Arthritis Care and Research</i> , 2013, 65, 1991-1999.	1.5	62
83	Polyunsaturated Fatty Acids and Their Relation with Bone and Muscle Health in Adults. <i>Current Osteoporosis Reports</i> , 2013, 11, 203-212.	1.5	62
84	Milk and yogurt consumption are linked with higher bone mineral density but not with hip fracture: the Framingham Offspring Study. <i>Archives of Osteoporosis</i> , 2013, 8, 119.	1.0	102
85	Sarcopenia Definitions Considering Body Size and Fat Mass Are Associated With Mobility Limitations: The Framingham Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 168-174.	1.7	198
86	Sex differences in circumstances and consequences of outdoor and indoor falls in older adults in the MOBILIZE Boston cohort study. <i>BMC Geriatrics</i> , 2013, 13, 133.	1.1	93
87	A quarter-century of excellence and still growing: <i>Arthritis Care & Research</i> . <i>Arthritis Care and Research</i> , 2013, 65, 1-3.	1.5	2
88	Introduction to special theme section: Obesity and the rheumatic diseases. <i>Arthritis Care and Research</i> , 2013, 65, 4-4.	1.5	9
89	Reliability of plantar pressure platforms. <i>Gait and Posture</i> , 2013, 38, 544-548.	0.6	64
90	High Heritability of Hallux Valgus and Lesser Toe Deformities in Adult Men and Women. <i>Arthritis Care and Research</i> , 2013, 65, 1515-1521.	1.5	53

#	ARTICLE	IF	CITATIONS
91	Associations of Foot Posture and Function to Lower Extremity Pain: Results From a Population-Based Foot Study. <i>Arthritis Care and Research</i> , 2013, 65, 1804-1812.	1.5	41
92	Hallux valgus and plantar pressure loading: the Framingham foot study. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 42.	0.7	57
93	Foot Pain and Mobility Limitations in Older Adults: The Framingham Foot Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1281-1285.	1.7	55
94	Adherence to the 2006 American Heart Association Diet and Lifestyle Recommendations for cardiovascular disease risk reduction is associated with bone health in older Puerto Ricans. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1309-1316.	2.2	22
95	Foot posture, foot function and low back pain: the Framingham Foot Study. <i>Rheumatology</i> , 2013, 52, 2275-2282.	0.9	72
96	The Occurrence of Ipsilateral or Contralateral Foot Disorders and Hand Dominance. <i>Journal of the American Podiatric Medical Association</i> , 2013, 103, 16-23.	0.2	7
97	Foot Disorders, Foot Posture, and Foot Function: The Framingham Foot Study. <i>PLoS ONE</i> , 2013, 8, e74364.	1.1	80
98	The Likely Importance of Specific Dairy Foods in Relation to Bone Health: Current Knowledge and Future Challenges. , 2013, , 307-313.		2
99	Dynamic Parameters of Balance Which Correlate to Elderly Persons with a History of Falls. <i>PLoS ONE</i> , 2013, 8, e70566.	1.1	60
100	Intakes of total and plant protein are associated with greater muscle strength: The Framingham Osteoporosis Study. <i>FASEB Journal</i> , 2013, 27, 233.2.	0.2	0
101	Heterogeneity of Falls Among Older Adults: Implications for Public Health Prevention. <i>American Journal of Public Health</i> , 2012, 102, 2149-2156.	1.5	146
102	Racial differences in foot disorders and foot type. <i>Arthritis Care and Research</i> , 2012, 64, 1756-1759.	1.5	54
103	Correlations of clinical and laboratory measures of balance in older men and women. <i>Arthritis Care and Research</i> , 2012, 64, 1895-1902.	1.5	38
104	Self-reported adherence with the use of a device in a clinical trial as validated by electronic monitors: the VIBES study. <i>BMC Medical Research Methodology</i> , 2012, 12, 171.	1.4	10
105	Functional foot symmetry and its relation to lower extremity physical performance in older adults: The Framingham Foot Study. <i>Journal of Biomechanics</i> , 2012, 45, 1796-1802.	0.9	37
106	Musculoskeletal conditions of the foot and ankle: Assessments and treatment options. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 345-368.	1.4	66
107	Reevaluating the Implications of Recurrent Falls in Older Adults: Location Changes the Inference. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 517-524.	1.3	68
108	Idiopathic peripheral neuropathy increases fall risk in a population-based cohort study of older adults. <i>Journal of Foot and Ankle Research</i> , 2012, 5, .	0.7	7

#	ARTICLE	IF	CITATIONS
109	Height loss predicts subsequent hip fracture in men and women of the Framingham Study. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 146-152.	3.1	28
110	Introduction to special section: Muscle and bone in the rheumatic diseases. <i>Arthritis Care and Research</i> , 2012, 64, 1-1.	1.5	0
111	The factor-of-risk biomechanical approach predicts hip fracture in men and women: the Framingham Study. <i>Osteoporosis International</i> , 2012, 23, 513-520.	1.3	44
112	Official Positions for FRAX® Clinical Regarding Falls and Frailty: Can Falls and Frailty be Used in FRAX®?. <i>Journal of Clinical Densitometry</i> , 2011, 14, 194-204.	0.5	107
113	Arthritis, foot pain and shoe wear: current musculoskeletal research on feet. <i>Current Opinion in Rheumatology</i> , 2011, 23, 148-155.	2.0	57
114	The Nonlinear Relationship Between Gait Speed and Falls: The Maintenance of Balance, Independent Living, Intellect, and Zest in the Elderly of Boston Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1069-1073.	1.3	218
115	The population prevalence of foot and ankle pain in middle and old age: A systematic review. <i>Pain</i> , 2011, 152, 2870-2880.	2.0	213
116	Does dietary protein reduce hip fracture risk in elders? The Framingham osteoporosis study. <i>Osteoporosis International</i> , 2011, 22, 345-349.	1.3	71
117	Dietary protein intake and subsequent falls in older men and women: The Framingham study. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 147-152.	1.5	64
118	Association of flat feet with knee pain and cartilage damage in older adults. <i>Arthritis Care and Research</i> , 2011, 63, 937-944.	1.5	110
119	Association of foot symptoms with self-reported and performance-based measures of physical function: The Johnston County osteoarthritis project. <i>Arthritis Care and Research</i> , 2011, 63, 654-659.	1.5	33
120	Arthritis Care & Research: Continued success and evolution. <i>Arthritis Care and Research</i> , 2011, 63, 925-926.	1.5	3
121	Measures of foot function, foot health, and foot pain: American Academy of Orthopedic Surgeons Lower Limb Outcomes Assessment: Foot and Ankle Module (AAOS-FAM), Bristol Foot Score (BFS), Revised Foot Function Index (FFI), Foot Health Status Questionnaire (FHSQ), Manchester Foot Pain and Disability Index (MFPDI), Podiatric Health Questionnaire (PHQ), and Rowan Foot Pain Assessment (ROFPAQ). <i>Arthritis Care and Research</i> , 2011, 63, 622-630.	1.5	82
122	Reviewers 2011. <i>Arthritis Care and Research</i> , 2011, 63, 1787-1793.	1.5	0
123	Dietary Acid Load Is Not Associated with Lower Bone Mineral Density Except in Older Men. <i>Journal of Nutrition</i> , 2011, 141, 588-594.	1.3	36
124	Centrally located body fat is associated with lower bone mineral density in older Puerto Rican adults. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1063-1070.	2.2	50
125	Risk Factors for Longitudinal Bone Loss in Elderly Men and Women: The Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2010, 15, 710-720.	3.1	620
126	Factors associated with hallux valgus in a population-based study of older women and men: the MOBILIZE Boston Study. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 41-46.	0.6	191

#	ARTICLE	IF	CITATIONS
127	Protective effect of high protein and calcium intake on the risk of hip fracture in the framingham offspring cohort. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 2770-2776.	3.1	93
128	Indoor and Outdoor Falls in Older Adults Are Different: The Maintenance of Balance, Independent Living, Intellect, and Zest in the Elderly of Boston Study. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 2135-2141.	1.3	207
129	Optimizing the Tracking of Falls in Studies of Older Participants: Comparison of Quarterly Telephone Recall With Monthly Falls Calendars in the MOBILIZE Boston Study. <i>American Journal of Epidemiology</i> , 2010, 171, 1031-1036.	1.6	139
130	Insights from the conduct of a device trial in older persons: low magnitude mechanical stimulation for musculoskeletal health. <i>Clinical Trials</i> , 2010, 7, 354-367.	0.7	19
131	Footwear and falls in the home among older individuals in the MOBILIZE Boston Study. <i>Footwear Science</i> , 2010, 2, 123-129.	0.8	45
132	Non-D vitamins and bone health in adults. <i>IBMS BoneKEy</i> , 2010, 7, 431-446.	0.1	4
133	Cross-Calibration and Comparison of Variability in 2 Bone Densitometers in a Research Setting: The Framingham Experience. <i>Journal of Clinical Densitometry</i> , 2010, 13, 210-218.	0.5	8
134	Low acceptance of treatment in the elderly for the secondary prevention of osteoporotic fracture in the acute rehabilitation setting. <i>Aging Clinical and Experimental Research</i> , 2010, 22, 231-237.	1.4	16
135	Positive association of total protein intake and bone mineral density (BMD) in women from the Framingham Offspring Study. <i>FASEB Journal</i> , 2010, 24, 1b285.	0.2	0
136	Effects of beer, wine, and liquor intakes on bone mineral density in older men and women. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1188-1196.	2.2	148
137	Inverse association of carotenoid intakes with 4-y change in bone mineral density in elderly men and women: the Framingham Osteoporosis Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 416-424.	2.2	115
138	Foot pain: Is current or past footwear a factor?. <i>Arthritis and Rheumatism</i> , 2009, 61, 1352-1358.	6.7	83
139	Protective effect of total and supplemental vitamin C intake on the risk of hip fracture—a 17-year follow-up from the Framingham Osteoporosis Study. <i>Osteoporosis International</i> , 2009, 20, 1853-1861.	1.3	104
140	Bivariate Genome-Wide Linkage Analysis of Femoral Bone Traits and Leg Lean Mass: Framingham Study. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 710-718.	3.1	32
141	Protective Effect of Total Carotenoid and Lycopene Intake on the Risk of Hip Fracture: A 17-Year Follow-Up From the Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1086-1094.	3.1	109
142	9.9 Musculoskeletal diseases. , 2009, , .		0
143	The MOBILIZE Boston Study: Design and methods of a prospective cohort study of novel risk factors for falls in an older population. <i>BMC Geriatrics</i> , 2008, 8, 16.	1.1	123
144	Serum 25-Hydroxyvitamin D and Bone Mineral Density in a Racially and Ethnically Diverse Group of Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 40-46.	1.8	146

#	ARTICLE	IF	CITATIONS
145	Plasma B Vitamins, Homocysteine, and Their Relation with Bone Loss and Hip Fracture in Elderly Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2206-2212.	1.8	112
146	Issues in Conducting Epidemiologic Research Among Elders: Lessons From The MOBILIZE Boston Study. <i>American Journal of Epidemiology</i> , 2008, 168, 1444-1451.	1.6	68
147	High Vitamin C Intake Is Associated with Lower 4-Year Bone Loss in Elderly Men. <i>Journal of Nutrition</i> , 2008, 138, 1931-1938.	1.3	85
148	Second Hip Fracture in Older Men and Women. <i>Archives of Internal Medicine</i> , 2007, 167, 1971.	4.3	175
149	Dihydrophyloquinone intake is associated with low bone mineral density in men and women. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 504-508.	2.2	17
150	Varus foot alignment and hip conditions in older adults. <i>Arthritis and Rheumatism</i> , 2007, 56, 2993-2998.	6.7	46
151	Vascular Calcification in Middle Age and Long-Term Risk of Hip Fracture: The Framingham Study. <i>Journal of Bone and Mineral Research</i> , 2007, 22, 1449-1454.	3.1	72
152	B vitamins, homocysteine, and bone disease: Epidemiology and pathophysiology. <i>Current Osteoporosis Reports</i> , 2007, 5, 112-119.	1.5	35
153	Are healthy diets that follow the 2005 Dietary Guidelines for Americans (DGA) associated with incident hip fracture risk in men and women?. <i>FASEB Journal</i> , 2007, 21, A117.	0.2	0
154	Estradiol, Testosterone, and the Risk for Hip Fractures in Elderly Men from the Framingham Study. <i>American Journal of Medicine</i> , 2006, 119, 426-433.	0.6	181
155	Colas, but not other carbonated beverages, are associated with low bone mineral density in older women: The Framingham Osteoporosis Study. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 936-942.	2.2	203
156	Incidence and Risk Factors for Vertebral Fracture in Women and Men: 25-Year Follow-Up Results From the Population-Based Framingham Study. <i>Journal of Bone and Mineral Research</i> , 2006, 21, 1207-1214.	3.1	110
157	Association of dietary and biochemical measures of vitamin K with quantitative ultrasound of the heel in men and women. <i>Osteoporosis International</i> , 2006, 17, 600-607.	1.3	15
158	Epidemiology of osteoporosis. <i>Current Rheumatology Reports</i> , 2006, 8, 76-83.	2.1	54
159	Dihydrophyloquinone intake, a marker of a non-healthy dietary pattern, is associated with low bone mineral density in men. <i>FASEB Journal</i> , 2006, 20, A998.	0.2	0
160	Low Plasma Vitamin B12 Is Associated With Lower BMD: The Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 152-158.	3.1	82
161	Bone Mineral Density and the Risk of Alzheimer Disease. <i>Archives of Neurology</i> , 2005, 62, 107.	4.9	88
162	Low Plasma Vitamin B12 Is Associated With Lower BMD: The Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 152-158.	3.1	134

#	ARTICLE	IF	CITATIONS
163	Metacarpal Cortical Area and Risk of Coronary Heart Disease: The Framingham Study. American Journal of Epidemiology, 2004, 159, 589-595.	1.6	102
164	Genetic Contribution to Biological Aging: The Framingham Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2004, 59, B218-B226.	1.7	46
165	Establishing the compliance in elderly women for use of a low level mechanical stress device in a clinical osteoporosis study. Osteoporosis International, 2004, 15, 918-926.	1.3	28
166	Homocysteine as a Predictive Factor for Hip Fracture in Older Persons. New England Journal of Medicine, 2004, 350, 2042-2049.	13.9	539
167	Genome screen for a combined bone phenotype using principal component analysis: the Framingham study. Bone, 2004, 34, 547-556.	1.4	58
168	Long-term effects of serum cholesterol on bone mineral density in women and men: the Framingham Osteoporosis Study. Bone, 2004, 34, 557-561.	1.4	85
169	Age, gender, and body mass effects on quantitative trait loci for bone mineral density: the framingham study. Bone, 2003, 33, 308-316.	1.4	91
170	Vitamin K intake and bone mineral density in women and men. American Journal of Clinical Nutrition, 2003, 77, 512-516.	2.2	209
171	The influence of food groups upon bone health. , 2003, , 403-420.		2
172	Evidence for Heritability of Abdominal Aortic Calcific Deposits in the Framingham Heart Study. Circulation, 2002, 106, 337-341.	1.6	79
173	Effect of Birth Cohort on Risk of Hip Fracture: Age-Specific Incidence Rates in the Framingham Study. American Journal of Public Health, 2002, 92, 858-862.	1.5	100
174	Bone mineral density and dietary patterns in older adults: the Framingham Osteoporosis Study,, American Journal of Clinical Nutrition, 2002, 76, 245-252.	2.2	244
175	Abdominal aortic calcific deposits are associated with increased risk for congestive heart failure: The Framingham Heart Study. American Heart Journal, 2002, 144, 733-739.	1.2	62
176	Abdominal aortic calcific deposits are associated with increased risk for congestive heart failure: The Framingham Heart Study. American Heart Journal, 2002, 144, 733-739.	1.2	95
177	Insulin-Like Growth Factor Binding Proteins 4 and 5 and Bone Mineral Density in Elderly Men and Women. Calcified Tissue International, 2002, 71, 323-328.	1.5	28
178	Mapping of Quantitative Ultrasound of the Calcaneus Bone to Chromosome 1 by Genome-Wide Linkage Analysis. Osteoporosis International, 2002, 13, 796-802.	1.3	60
179	Genome Screen for Quantitative Trait Loci Contributing to Normal Variation in Bone Mineral Density: The Framingham Study. Journal of Bone and Mineral Research, 2002, 17, 1718-1727.	3.1	118
180	The acid-base hypothesis: diet and bone in the Framingham Osteoporosis Study. European Journal of Nutrition, 2001, 40, 231-237.	1.8	128

#	ARTICLE	IF	CITATIONS
181	Bone loss and the progression of abdominal aortic calcification over a 25 year period: The Framingham heart study. <i>Calcified Tissue International</i> , 2001, 68, 271-276.	1.5	416
182	Can Metacarpal Cortical Area Predict the Occurrence of Hip Fracture in Women and Men Over 3 Decades of Follow-Up? Results From the Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 2260-2266.	3.1	31
183	Abdominal Aortic Calcific Deposits Are an Important Predictor of Vascular Morbidity and Mortality. <i>Circulation</i> , 2001, 103, 1529-1534.	1.6	546
184	Association of Hypogonadism and Estradiol Levels with Bone Mineral Density in Elderly Men from the Framingham Study. <i>Annals of Internal Medicine</i> , 2000, 133, 951.	2.0	262
185	Dietary vitamin K intakes are associated with hip fracture but not with bone mineral density in elderly men and women. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 1201-1208.	2.2	353
186	Effect of Dietary Protein on Bone Loss in Elderly Men and Women: The Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 2504-2512.	3.1	446
187	Absence of Linkage for Bone Mineral Density to Chromosome 12q12-14 in the Region of the Vitamin D Receptor Gene. <i>Calcified Tissue International</i> , 2000, 67, 434-439.	1.5	14
188	Predicting Fractures Using Bone Mineral Density: A Prospective Study of Long-Term Care Residents. <i>Osteoporosis International</i> , 2000, 11, 765-771.	1.3	51
189	Elderly Cohort Study Subjects Unable to Return for Follow-up Have Lower Bone Mass than Those Who Can Return. <i>American Journal of Epidemiology</i> , 2000, 151, 689-692.	1.6	31
190	Bone mineral density and risk of incident and progressive radiographic knee osteoarthritis in women: the Framingham Study. <i>Journal of Rheumatology</i> , 2000, 27, 1032-7.	1.0	163
191	Analysis of the discordance between radiographic changes and knee pain in osteoarthritis of the knee. <i>Journal of Rheumatology</i> , 2000, 27, 1513-7.	1.0	472
192	Potassium, magnesium, and fruit and vegetable intakes are associated with greater bone mineral density in elderly men and women. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 727-736.	2.2	603
193	Evidence for a Mendelian gene in a segregation analysis of generalized radiographic osteoarthritis: The Framingham study. <i>Arthritis and Rheumatism</i> , 1998, 41, 1064-1071.	6.7	188
194	Estrogen replacement therapy and worsening of radiographic knee osteoarthritis: The Framingham study. <i>Arthritis and Rheumatism</i> , 1998, 41, 1867-1873.	6.7	168
195	Muscle mass and fat mass in relation to bone mineral density in very old men and women: the Framingham Heart Study. <i>Applied Radiation and Isotopes</i> , 1998, 49, 745-747.	0.7	55
196	Association Between Insulin-Like Growth Factor I and Bone Mineral Density in Older Women and Men: The Framingham Heart Study1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 4257-4262.	1.8	209
197	Body Fat and Skeletal Muscle Mass in Relation to Physical Disability in Very Old Men and Women of the Framingham Heart Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1998, 53A, M214-M221.	1.7	226
198	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 1998, 147, 1093-1095.	1.6	0

#	ARTICLE	IF	CITATIONS
199	Association of Insulin-Like Growth Factor with Body Composition, Weight History, and Past Health Behaviors in the Very Old: The Framingham Heart Study. <i>Journal of the American Geriatrics Society</i> , 1997, 45, 133-139.	1.3	83
200	New indices to classify location, severity and progression of calcific lesions in the abdominal aorta: a 25-year follow-up study. <i>Atherosclerosis</i> , 1997, 132, 245-250.	0.4	541
201	Postmenopausal Estrogen Replacement and Tooth Retention. <i>American Journal of Medicine</i> , 1997, 102, 536-542.	0.6	110
202	Risk factors for incident radiographic knee osteoarthritis in the elderly. The framingham study. <i>Arthritis and Rheumatism</i> , 1997, 40, 728-733.	6.7	647
203	Radiographic hand osteoarthritis: incidence, patterns, and influence of pre-existing disease in a population based sample. <i>Journal of Rheumatology</i> , 1997, 24, 1337-43.	1.0	85
204	Epidemiologic perspectives on women and arthritis: An overview. <i>Arthritis and Rheumatism</i> , 1996, 9, 424-434.	6.7	30
205	Relation of Dietary Intake and Serum Levels of Vitamin D to Progression of Osteoarthritis of the Knee among Participants in the Framingham Study. <i>Annals of Internal Medicine</i> , 1996, 125, 353.	2.0	365
206	Is it a risk factor or confounder? A discussion of selected analytic methods using education as an example. <i>Arthritis and Rheumatism</i> , 1996, 9, 413-418.	6.7	4
207	The effect of smoking at different life stages on bone mineral density in elderly men and women. <i>Osteoporosis International</i> , 1996, 6, 240-248.	1.3	128
208	Do antioxidant micronutrients protect against the development and progression of knee osteoarthritis?. <i>Arthritis and Rheumatism</i> , 1996, 39, 648-656.	6.7	308
209	Alcohol Intake and Bone Mineral Density in Elderly Men and Women. <i>American Journal of Epidemiology</i> , 1995, 142, 485-492.	1.6	223
210	The incidence and natural history of knee osteoarthritis in the elderly, the framingham osteoarthritis study. <i>Arthritis and Rheumatism</i> , 1995, 38, 1500-1505.	6.7	618
211	The effects of analytic software and scan analysis technique on the comparison of dual X-ray absorptiometry with dual photon absorptiometry of the hip in the elderly. <i>Journal of Bone and Mineral Research</i> , 1995, 10, 1130-1136.	3.1	34
212	The Effect of Postmenopausal Estrogen Therapy on Bone Density in Elderly Women. <i>Obstetrical and Gynecological Survey</i> , 1994, 49, 201-203.	0.2	10
213	Bone mineral density and knee osteoarthritis in elderly men and women. the framingham study. <i>Arthritis and Rheumatism</i> , 1993, 36, 1671-1680.	6.7	253
214	Caffeine and Bone Density Loss. <i>Epidemiology</i> , 1993, 4, 557.	1.2	2
215	The Effect of Postmenopausal Estrogen Therapy on Bone Density in Elderly Women. <i>New England Journal of Medicine</i> , 1993, 329, 1141-1146.	13.9	570
216	Effects of weight and body mass index on bone mineral density in men and women: The framingham study. <i>Journal of Bone and Mineral Research</i> , 1993, 8, 567-573.	3.1	815

#	ARTICLE	IF	CITATIONS
217	Habitual physical activity is not associated with knee osteoarthritis: the Framingham Study. Journal of Rheumatology, 1993, 20, 704-9.	1.0	73
218	Educational attainment and osteoarthritis: Differential associations with radiographic changes and symptom reporting. Journal of Clinical Epidemiology, 1992, 45, 139-147.	2.4	115
219	Smoking Eliminates the Protective Effect of Oral Estrogens on the Risk for Hip Fracture among Women. Annals of Internal Medicine, 1992, 116, 716-721.	2.0	117
220	Bone mineral density in elderly men and women: Results from the framingham osteoporosis study. Journal of Bone and Mineral Research, 1992, 7, 547-553.	3.1	234
221	Occupational physical demands, knee bending, and knee osteoarthritis: results from the Framingham Study. Journal of Rheumatology, 1991, 18, 1587-92.	1.0	196
222	CAFFEINE AND THE RISK OF HIP FRACTURE: THE FRAMINGHAM STUDY. American Journal of Epidemiology, 1990, 132, 675-684.	1.6	197
223	Estrogen use and radiographic osteoarthritis of the knee in women. Arthritis and Rheumatism, 1990, 33, 525-532.	6.7	137
224	Does smoking protect against osteoarthritis?. Arthritis and Rheumatism, 1989, 32, 166-172.	6.7	126
225	Impaired Vision and Hip Fracture. Journal of the American Geriatrics Society, 1989, 37, 495-500.	1.3	255
226	THE POSTPONEMENT OF NEONATAL DEATHS INTO THE POSTNEONATAL PERIOD: EVIDENCE FROM MASSACHUSETTS. American Journal of Epidemiology, 1988, 127, 161-170.	1.6	17
227	Lead Poisoning in Automobile Radiator Mechanics. New England Journal of Medicine, 1987, 317, 214-218.	13.9	60
228	Vaginal Spermicides and Gonorrhoea. Obstetrical and Gynecological Survey, 1983, 38, 114-115.	0.2	0
229	A Three-year randomized sham-controlled trial of low magnitude mechanical stimulation in an elderly sample: the 'VIBES' trial. Bone Abstracts, 0, , .	0.0	1