Yong Zhang

List of Publications by Citations

Source: https://exaly.com/author-pdf/6982816/yong-zhang-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers5,902
citations39
h-index74
g-index131
ext. papers6,341
ext. citations6.5
avg, IF5.54
L-index

#	Paper	IF	Citations
129	Deep-Red Electroluminescent Polymers: Synthesis and Characterization of New Low-Band-Gap Conjugated Copolymers for Light-Emitting Diodes and Photovoltaic Devices. <i>Macromolecules</i> , 2005 , 38, 244-253	5.5	367
128	Efficient Polymer Solar Cells Based on the Copolymers of Benzodithiophene and Thienopyrroledione. <i>Chemistry of Materials</i> , 2010 , 22, 2696-2698	9.6	334
127	Development of new conjugated polymers with donor-pi-bridge-acceptor side chains for high performance solar cells. <i>Journal of the American Chemical Society</i> , 2009 , 131, 13886-7	16.4	310
126	Indacenodithiophene and Quinoxaline-Based Conjugated Polymers for Highly Efficient Polymer Solar Cells. <i>Chemistry of Materials</i> , 2011 , 23, 2289-2291	9.6	303
125	Synthesis and Electroluminescent Properties of High-Efficiency Saturated Red Emitter Based on Copolymers from Fluorene and 4,7-Di(4-hexylthien-2-yl)-2,1,3-benzothiadiazole. <i>Macromolecules</i> , 2004 , 37, 6299-6305	5.5	232
124	Increased open circuit voltage in fluorinated benzothiadiazole-based alternating conjugated polymers. <i>Chemical Communications</i> , 2011 , 47, 11026-8	5.8	225
123	A Simple and Effective Way of Achieving Highly Efficient and Thermally Stable Bulk-Heterojunction Polymer Solar Cells Using Amorphous Fullerene Derivatives as Electron Acceptor. <i>Chemistry of Materials</i> , 2009 , 21, 2598-2600	9.6	185
122	Significant Improved Performance of Photovoltaic Cells Made from a Partially Fluorinated Cyclopentadithiophene/Benzothiadiazole Conjugated Polymer. <i>Macromolecules</i> , 2012 , 45, 5427-5435	5.5	173
121	Multicolor fluorescent semiconducting polymer dots with narrow emissions and high brightness. <i>ACS Nano</i> , 2013 , 7, 376-84	16.7	169
120	High-Efficiency Saturated Red Emitting Polymers Derived from Fluorene and Naphthoselenadiazole. <i>Macromolecules</i> , 2004 , 37, 1211-1218	5.5	163
119	Effect of Chemical Modification of Fullerene-Based Self-Assembled Monolayers on the Performance of Inverted Polymer Solar Cells. <i>ACS Applied Materials & Description</i> (2), 1892-190.	2 9.5	157
118	Squaraine-based polymer dots with narrow, bright near-infrared fluorescence for biological applications. <i>Journal of the American Chemical Society</i> , 2015 , 137, 173-8	16.4	126
117	Synthesis, Characterization, Charge Transport, and Photovoltaic Properties of Dithienobenzoquinoxaline- and Dithienobenzopyridopyrazine-Based Conjugated Polymers. <i>Macromolecules</i> , 2011 , 44, 4752-4758	5.5	106
116	Conjugated polymers based on C, Si and N-bridged dithiophene and thienopyrroledione units: synthesis, field-effect transistors and bulk heterojunction polymer solar cells. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3895		105
115	Thermally Cross-Linkable Hole-Transporting Materials on Conducting Polymer: Synthesis, Characterization, and Applications for Polymer Light-Emitting Devices. <i>Chemistry of Materials</i> , 2008 , 20, 413-422	9.6	104
114	Benzobis(silolothiophene)-Based Low Bandgap Polymers for Efficient Polymer Solar Cells <i>Chemistry of Materials</i> , 2011 , 23, 765-767	9.6	98
113	High-efficiency polymer photovoltaic devices from regioregular-poly(3-hexylthiophene-2,5-diyl) and [6,6]-phenyl-C61-butyric acid methyl ester processed with oleic acid surfactant. <i>Applied Physics Letters</i> , 2007 , 90, 183512	3.4	97

(2006-2008)

112	Highly Efficient White Polymer Light-Emitting Diodes Based on Nanometer-Scale Control of the Electron Injection Layer Morphology through Solvent Processing. <i>Advanced Materials</i> , 2008 , 20, 1565-15	70	95	
111	High-mobility low-bandgap conjugated copolymers based on indacenodithiophene and thiadiazolo[3,4-c]pyridine units for thin film transistor and photovoltaic applications. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13247		94	
110	Alcohol-Soluble n-Type Conjugated Polyelectrolyte as Electron Transport Layer for Polymer Solar Cells. <i>Macromolecules</i> , 2015 , 48, 5578-5586	5.5	92	
109	Electrophosphorescent Chelating Copolymers Based on Linkage Isomers of Naphthylpyridinelidium Complexes with Fluorene. <i>Macromolecules</i> , 2006 , 39, 1693-1700	5.5	92	
108	Poly(3,6-silafluorene-co-2,7-fluorene)-based high-efficiency and color-pure blue light-emitting polymers with extremely narrow band-width and high spectral stability. <i>Journal of Materials Chemistry</i> , 2006 , 16, 4133		90	
107	Side-Chain Effect on Cyclopentadithiophene/Fluorobenzothiadiazole-Based Low Band Gap Polymers and Their Applications for Polymer Solar Cells. <i>Macromolecules</i> , 2013 , 46, 5497-5503	5.5	89	
106	Giant extended pi-conjugated dendrimers containing the 10,15-dihydro-5H-diindeno[1,2-a;1R2Rc]fluorene chromophore: synthesis, NMR behaviors, optical properties, and electroluminescence. <i>Journal of Organic Chemistry</i> , 2004 , 69, 6050-8	4.2	78	
105	Interpolyelectrolyte Complexes of Anionic Water-Soluble Conjugated Polymers and Proteins as Platforms for Multicolor Protein Sensing and Quantification. <i>Macromolecules</i> , 2008 , 41, 4003-4011	5.5	73	
104	Cancer Cell Membrane-Biomimetic Nanoprobes with Two-Photon Excitation and Near-Infrared Emission for Intravital Tumor Fluorescence Imaging. <i>ACS Nano</i> , 2018 , 12, 1350-1358	16.7	71	
103	Conjugated polyelectrolyte based fluorescence turn-on assay for real-time monitoring of protease activity. <i>Analytical Chemistry</i> , 2010 , 82, 8604-10	7.8	71	
102	Improved thin film morphology and bulk-heterojunction solar cell performance through systematic tuning of the surface energy of conjugated polymers. <i>Journal of Materials Chemistry</i> , 2012 , 22, 5587		68	
101	Chemically Doped and Cross-linked Hole-Transporting Materials as an Efficient Anode Buffer Layer for Polymer Solar Cells. <i>Chemistry of Materials</i> , 2011 , 23, 5006-5015	9.6	63	
100	Quinoxaline-based conjugated polymers for polymer solar cells. <i>Polymer Chemistry</i> , 2017 , 8, 4613-4636	4.9	62	
99	Fused Perylene Diimide-Based Polymeric Acceptors for Efficient All-Polymer Solar Cells. <i>Macromolecules</i> , 2017 , 50, 7559-7566	5.5	57	
98	High-Performance Inverted Polymer Solar Cells: Device Characterization, Optical Modeling, and Hole-Transporting Modifications. <i>Advanced Functional Materials</i> , 2012 , 22, 2804-2811	15.6	56	
97	Novel perylene diimide-based polymers with electron-deficient segments as the comonomer for efficient all-polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 414-422	13	54	
96	Anionic benzothiadiazole containing polyfluorene and oligofluorene as organic sensitizers for dye-sensitized solar cells. <i>Chemical Communications</i> , 2008 , 3789-91	5.8	48	
95	Potential solution processible phosphorescent iridium complexes toward applications in doped light-emitting diodes: rapid syntheses and optical and morphological characterizations. <i>Journal of Organic Chemistry</i> , 2006 , 71, 6281-4	4.2	45	

94	Peptide-mediated energy transfer between an anionic water-soluble conjugated polymer and Texas red labeled DNA for protease and nuclease activity study. <i>Analytical Chemistry</i> , 2009 , 81, 3731-7	7.8	43
93	Ultralong Rutile TiO2 Nanowire Arrays for Highly Efficient Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Amp; Interfaces</i> , 2016 , 8, 13384-91	9.5	43
92	Highly efficient blue organic light-emitting diodes from pyrimidine-based thermally activated delayed fluorescence emitters. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2351-2359	7.1	41
91	High-efficiency electrophosphorescent copolymers containing charged iridium complexes in the side chains. <i>Chemistry - A European Journal</i> , 2007 , 13, 7432-42	4.8	41
90	Synthesis and characterization of highly fluorescent europium functionalized 时iketonate complexes. <i>Journal of Luminescence</i> , 2007 , 124, 51-57	3.8	39
89	Synthesis and characterization of a water-soluble carboxylated polyfluorene and its fluorescence quenching by cationic quenchers and proteins. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 739-45	4.5	39
88	Highly efficient indacenodithiophene-based polymeric solar cells in conventional and inverted device configurations. <i>Organic Electronics</i> , 2011 , 12, 794-801	3.5	38
87	Highly luminescent, fluorinated semiconducting polymer dots for cellular imaging and analysis. <i>Chemical Communications</i> , 2013 , 49, 8256-8	5.8	36
86	Synthesis and optoelectronic characterization of conjugated phosphorescent polyelectrolytes with a neutral Ir complex incorporated into the polymer backbone and their neutral precursors. <i>Journal of Materials Chemistry</i> , 2007 , 17, 992-1001		36
85	High-Performance All-Polymer Solar Cells Achieved by Fused Perylenediimide-Based Conjugated Polymer Acceptors. <i>ACS Applied Materials & Amp; Interfaces</i> , 2018 , 10, 15962-15970	9.5	35
84	Zinc-doped SnO2 nanocrystals as photoanode materials for highly efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 8076-8082	13	35
83	Bright red light-emitting devices based on a novel europium complex doped into polyvinylcarbazole. <i>New Journal of Chemistry</i> , 2007 , 31, 569	3.6	33
82	Recent Development on Narrow Bandgap Conjugated Polymers for Polymer Solar Cells. <i>Polymers</i> , 2017 , 9,	4.5	32
81	Asymmetrically 9,10-disubstituted anthracenes as soluble and stable blue electroluminescent molecular glasses. <i>Organic Electronics</i> , 2008 , 9, 649-655	3.5	31
80	Two-dimensional benzo[1,2-b:4,5-b?]difuran-based wide bandgap conjugated polymers for efficient fullerene-free polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4023-4031	13	30
79	Anthracene-Cored Dendrimer for Solution-Processible Blue Emitter: Syntheses, Characterizations, Photoluminescence, and Electroluminescence. <i>Macromolecular Rapid Communications</i> , 2006 , 27, 914-92	o ^{4.8}	30
78	Asymmetrical vs Symmetrical Selenophene-Annulated Fused Perylenediimide Acceptors for Efficient Non-Fullerene Polymer Solar Cells. <i>ACS Applied Energy Materials</i> , 2018 , 1, 6577-6585	6.1	30
77	Realizing Efficient Single Organic Molecular White Light-Emitting Diodes from Conformational Isomerization of Quinazoline-Based Emitters. <i>ACS Applied Materials & Diodes from Conformational</i> 12, 14233-1	4243	29

(2021-2018)

Effect of MgO Surface Modification on the TiO2 Nanowires Electrode for Self-Powered UV Photodetectors. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 7265-7272	8.3	26	
Synthesis and properties of novel electrophosphorescent conjugated polyfluorenes based on aminoalkyl-fluorene and bipyridine with rhenium(I) complexes. <i>Polymer</i> , 2008 , 49, 1211-1219	3.9	26	
Highly fluorescent hyperbranched BODIPY-based conjugated polymer dots for cellular imaging. <i>Chemical Communications</i> , 2017 , 53, 8612-8615	5.8	21	
Indaceno-Based Conjugated Polymers for Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1700697	4.8	20	
Wide-Bandgap Conjugated Polymers Based on Alkylthiofuran-Substituted Benzo[1,2-b:4,5-b?]difuran for Efficient Fullerene-Free Polymer Solar Cells. <i>Macromolecules</i> , 2018 , 51, 2498-2505	5.5	20	
Comparison of Three n-Type Copolymers Based on Benzodithiophene and Naphthalene Diimide/Perylene Diimide/Fused Perylene Diimides for All-Polymer Solar Cells Application. <i>ACS Applied Materials & Diagrams (Natural Science)</i> 10, 23263-23269	9.5	19	
Light-induced Crosslinkable Semiconducting Polymer Dots. <i>Chemical Science</i> , 2015 , 6, 2102-2109	9.4	19	
Hydrothermal synthesis of a 3D double-sided comb-like ZnO nanostructure and its growth mechanism analysis. <i>Chemical Communications</i> , 2016 , 52, 8231-4	5.8	18	
Side chain effect on poly(beznodithiophene-co-dithienobenzoquinoxaline) and their applications for polymer solar cells. <i>Polymer</i> , 2016 , 82, 228-237	3.9	17	
An Asymmetrical Polymer Based on Thieno[2,3-f]benzofuran for Efficient Fullerene-Free Polymer Solar Cells. <i>ACS Applied Energy Materials</i> , 2018 , 1, 1888-1892	6.1	17	
Yellow Fluorescent Semiconducting Polymer Dots with High Brightness, Small Size, and Narrow Emission for Biological Applications. <i>ACS Macro Letters</i> , 2014 , 3, 1051-1054	6.6	17	
Synthesis and simultaneously enhanced photovoltaic property of poly[4,4,9,9-tetra(4-octyloxyphenyl)-2,7-indaceno[1,2-b:5,6-b?]dithiophene-alt-2,5-thieno[3,2-b]thiophe <i>Polymer</i> , 2013 , 54, 607-613	enje∮.	17	
Tunable light-harvesting polymers containing embedded dipolar chromophores for polymer solar cell applications. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 1362-1373	2.5	17	
Phosphorescent chelating polyelectrolytes and their neutral precursors: Synthesis, characterizations, photoluminescence and electroluminescence. <i>Polymer</i> , 2007 , 48, 3468-3476	3.9	17	
Improved device efficiency and color purity: Spectral redshift and line narrowing for poly [2-methoxy,5-(2-ethylhexyloxy)-1,4-phenylenevinylene] via blending with phenyl-substituted poly [p-phenylene vinylene] derivatives. <i>Applied Physics Letters</i> , 2004 , 85, 5170-5172	3.4	17	
Quinazoline-Based Thermally Activated Delayed Fluorecence for High-Performance OLEDs with External Quantum Efficiencies Exceeding 20%. <i>Advanced Optical Materials</i> , 2019 , 7, 1801496	8.1	17	
UV-light-assisted NO2 gas sensor based on WS2/PbS heterostructures with full recoverability and reliable anti-humidity ability. <i>Sensors and Actuators B: Chemical</i> , 2021 , 339, 129902	8.5	16	
Boosting photovoltaic performance of ternary organic solar cells by integrating a multi-functional guest acceptor. <i>Nano Energy</i> , 2021 , 90, 106538	17.1	16	
	Photodetectors. ACS Sustainable Chemistry and Engineering, 2018, 6, 7265-7272 Synthesis and properties of novel electrophosphorescent conjugated polyfluorenes based on aminoalkyl-fluorene and bipyridine with rhenium(l) complexes. Polymer, 2008, 49, 1211-1219 Highly fluorescent hyperbranched BODIPY-based conjugated polymer dots for cellular imaging. Chemical Communications, 2017, 53, 8612-8615 Indaceno-Based Conjugated Polymers for Polymer Solar Cells. Macromolecular Rapid Communications, 2018, 39, e1700697 Wide-Bandgap Conjugated Polymers Based on Alkylthiofuran-Substituted Benzol (1,2-b-4,5-b7)elfiran for Efficient Fullerene-Free Polymer Solar Cells. Macromolecules, 2018, 51, 2498-2505 Comparison of Three n-Type Copolymers Based on Benzodithiophene and Naphthalene Dimide/Perylene Dimide/Fused Perylene Dimides for All-Polymer Solar Cells Application. ACS Applied Materials Bomp; Interfaces, 2018, 10, 23263-23269 Light-induced Crosslinkable Semiconducting Polymer Dots. Chemical Science, 2015, 6, 2102-2109 Hydrothermal synthesis of a 3D double-sided comb-like ZnO nanostructure and its growth mechanism analysis. Chemical Communications, 2016, 52, 8231-4 Side chain effect on poly(beznodithiophene-co-dithienobenzoquinoxaline) and their applications for polymer solar cells. Polymer, 2016, 82, 228-237 An Asymmetrical Polymer Based on Thieno(2,3-f]benzofuran for Efficient Fullerene-Free Polymer Solar Cells. ACS Applied Energy Materials, 2018, 1, 1888-1892 Yellow Fluorescent Semiconducting Polymer Dots with High Brightness, Small Size, and Narrow Emission for Biological Applications. ACS Macro Letters, 2014, 3, 1051-1054 Synthesis and simultaneously enhanced photovoltaic property of poly[4,4,9,9-tetra(4-octyloxyphenyl)-2,7-indaceno(1,2-b;6-bf)dithiophene-alt-2,5-thieno(3,2-b]thiophene-alt-2,5-thieno(3,2-b]thiophene-alt-2,5-thieno(3,2-b]thiophene-alt-2,5-thieno(3,2-b]thiophene-alt-2,5-thieno(3,2-b)thiophene-alt-2,5-thieno(3,2-b)thiophene-alt-2,5-thieno(3,2-b)thiophene-alt-2,5-thieno(3,2-b)thiophene-alt-2,5-thie	Photodetectors. ACS Sustainable Chemistry and Engineering, 2018, 6, 7265-7272 Synthesis and properties of novel electrophosphorescent conjugated polyfluorenes based on aminoalkyl-fluorene and bipyridine with rhenium(l) complexes. Polymer, 2008, 49, 1211-1219 Highly fluorescent hyperbranched BODIPY-based conjugated polymer dots for cellular imaging. Chemical Communications, 2017, 53, 8612-8615 Indaceno-Based Conjugated Polymers for Polymer Solar Cells. Macromalecular Rapid communications, 2018, 39, e1700697 Wide-Bandgap Conjugated Polymers Based on Alkylthiofuran-Substituted Benzo[1,2-b:4,5-b7]difuran for Efficient Fullerene-Free Polymer Solar Cells. Macromalecules, 2018, 51, 2498-2505 Comparison of Three n-Type Copolymers Based on Benzodithiophene and Naphthalene Diimide/Perylene Diimide/Fused Perylene Diimides for All-Polymer Solar Cells Application. ACS 4, 2563-23269 Light-induced Crosslinkable Semiconducting Polymer Dots. Chemical Science, 2015, 6, 2102-2109 Hydrothermal synthesis of a 3D double-sided comb-like ZnO nanostructure and its growth mechanism analysis. Chemical Communications, 2016, 52, 8231-4 Side chain effect on poly(beznodithiophene-co-dithienobenzoquinoxaline) and their applications for polymer solar cells. Polymer, 2016, 82, 228-237 An Asymmetrical Polymer Based on Thieno[2,3-F]benzofuran for Efficient Fullerene-Free Polymer Solar Cells. ACS Applied Energy Materials, 2018, 1, 1888-1892 Yellow Fluorescent Semiconducting Polymer Dots with High Brightness, Small Size, and Narrow Emission for Biological Applications. ACS Macro Letters, 2014, 3, 1051-1054 Synthesis and simultaneously enhanced photovoltaic property of poly[4,4,9-9t-etra[4-octyloxyphenyl-2,7-indaceno[1,2-b:5,6-b2]dithiophene-alt-2,5-thieno[3,2-b]thiophene-ploymer, 2015, 34, 607-613 Tunable light-harvesting polymers containing embedded dipolar chromophores for polymer solar cell applications. Journal of Polymer Science Part A, 2012, 50, 1362-1373 Tunable light-harvesting polymers containing embedded dipolar chromophores	Photodetectors. ACS Sustainable Chemistry and Engineering, 2018, 6, 7265-7272 Synthesis and properties of novel electrophosphorescent conjugated polyfluorenes based on aminoalkyl-fluorene and bipyridine with rhenium(l) complexes. Polymer, 2008, 49, 1211-1219 Highly fluorescent hyperbranched BODIPY-based conjugated polymer dots for cellular imaging. Chemical Communications, 2017, 53, 8612-8615 Indaceno-Based Conjugated Polymers For Polymer Solar Cells. Macromolecular Rapid Communications, 2018, 39, e1700697 Wide-Bandgap Conjugated Polymers Based on Alkylthiofuran-Substituted Benzol[1,2-b:4,5-b?]dirvan for Efficient Fullerene-Free Polymer Solar Cells. Macromolecules, 2018, 5, 5 20 St. 1,498-2505 Comparison of Three n-Type Copolymers Based on Benzodithiophene and Naphthalene Diminde/Prepute Polymer Dimides for Alk-Polymer Solar Cells Application. ACS 4pplied Materials & Amp; Interfaces, 2018, 10, 23263-23269 Light-induced Crosslinkable Semiconducting Polymer Dots. Chemical Science, 2015, 6, 2102-2109 94 19 Hydrothermal synthesis of a 3D double-sided comb-like ZnO nanostructure and its growth mechanism analysis. Chemical Communications, 2016, 52, 8231-4 Side chain effect on poly(beznodithiophene-co-dithienobenzoquinoxaline) and their applications 3-9 17 An Asymmetrical Polymer Based on Thieno[2,3-f]benzofuran for Efficient Fullerene-Free Polymer Solar Cells. ACS Applied Energy Materials, 2018, 1, 1888-1892 Yellow Fluorescent Semiconducting Polymer Dots with High Brightness, Small Size, and Narrow Emission for Biological Applications. ACS Macro Letters, 2014, 3, 1051-1054 Synthesis and simultaneously enhanced photovoltaic property of polyfe, 4,9-9-tetra(-devtyloxy-phenyl)-2,7-indaceno[1,2-b.5,6-b7]dithiophene-alt-2,5-thieno(3,2-b]thiophene-ply Activated Polymer, 2013, 54, 607-613 Phosphorescent chelating polymers containing embedded dipolar chromophores for polymer solar cell applications. ACS Macro Letters, 2014, 3, 1051-1054 Brosphorescent chelating polymers containing embedded dipolar chromophores f

58	Efficient polymer solar cells based on poly(thieno[2,3-f]benzofuran-co-thienopyrroledione) with a high open circuit voltage exceeding 1. <i>Dyes and Pigments</i> , 2017 , 146, 543-550	4.6	15
57	Novel chemosensory materials based on polyfluorenes with 2-(2?-pyridyl)-benzimidazole and 5-methyl-3-(pyridin-2-yl)-1,2,4-triazole groups in the side chain. <i>Polymer</i> , 2007 , 48, 1245-1254	3.9	15
56	Highly Efficient Organic Room-Temperature Phosphorescent Luminophores through Tuning Triplet States and Spin-Orbit Coupling with Incorporation of a Secondary Group. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 7141-7147	6.4	14
55	Near infrared polymer light-emitting diodes. <i>Science Bulletin</i> , 2005 , 50, 957		14
54	Fusion or non-fusion of quasi-two-dimensional fused perylene diimide acceptors: the importance of molecular geometry for fullerene-free organic solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 274	9 ¹³³ 275	50 ¹²⁴
53	Chain Engineering of Benzodifuran-Based Wide-Bandgap Polymers for Efficient Non-Fullerene Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2019 , 40, e1900227	4.8	13
52	A self-powered ultraviolet photodetector based on TiO2/Ag/ZnS nanotubes with high stability and fast response. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 1353-1358	7.1	13
51	Modification of TiO2 Nanowire Arrays with Sn Doping as Photoanode for Highly Efficient Dye-Sensitized Solar Cells. <i>Crystals</i> , 2019 , 9, 113	2.3	12
50	Interface optimization and fabrication of InAs/GaSb type II superlattice for very long wavelength infrared photodetectors. <i>Superlattices and Microstructures</i> , 2016 , 91, 238-243	2.8	11
49	Molecular engineering of thermally activated delayed fluorescence emitters to concurrently achieve high performance and reduced efficiency roll-off in organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 9966-9974	7.1	11
48	Synthesis, characterization and photovoltaic properties of dithienobenzodithiophene-based conjugated polymers. <i>Dyes and Pigments</i> , 2017 , 137, 50-57	4.6	11
47	Highly efficient non-fullerene polymer solar cells from a benzo[1,2-b:4,5-b?]difuran-based conjugated polymer with improved stabilities. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 11381-11390	13	10
46	Manipulating Polymer Donors Toward a High-Performance Polymer Acceptor Based On a Fused Perylenediimide Building Block With a Built-In Twisting Configuration. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 29765-29772	9.5	10
45	Revealing the role of solvent additives in morphology and energy loss in benzodifuran polymer-based non-fullerene organic solar cells. <i>Journal of Materials Chemistry A</i> ,	13	10
44	Benzo[1,2-:4,5-¶difuran Polymer-Based Non-Fullerene Organic Solar Cells: The Roles of Non-Fullerene Acceptors and Molybdenum Oxide on Their Ambient Stabilities and Processabilities. <i>ACS Applied Materials & District Ambient Stabilities</i> 2021, 13, 15448-15458	9.5	10
43	Recent advances of non-fullerene organic electron transport materials in perovskite solar cells. Journal of Materials Chemistry A, 2020 , 8, 20819-20848	13	9
42	Stable deep blue organic light emitting diodes with CIE of y Chinese Chemical Letters, 2020 , 31, 1188-1	192	9
41	Wide Band Gap Polymer Based on Indacenodithiophene and Acenaphthoquinoxaline for Efficient Polymer Solar Cells Application. <i>Polymers</i> , 2017 , 9,	4.5	8

(2017-2020)

40	Halogenation on benzo[1,2-b:4,5-b?]difuran polymers for solvent additive-free non-fullerene polymer solar cells with efficiency exceeding 11%. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 139-146	7.1	8
39	A novel quasi-two-dimensional fused-perylenediimide electron acceptor for solvent additive-free non-fullerene organic solar cells. <i>Dyes and Pigments</i> , 2020 , 175, 108119	4.6	8
38	Integrated linker-regulation and ring-fusion engineering for efficient additive-free non-fullerene organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 12516-12526	7.1	8
37	High mobility multibit nonvolatile memory elements based organic field effect transistors with large hysteresis. <i>Organic Electronics</i> , 2016 , 35, 53-58	3.5	8
36	High efficiency, high color rendering index white organic light-emitting diodes based on thermally activated delayed fluorescence materials. <i>Applied Physics Letters</i> , 2019 , 115, 263302	3.4	8
35	Efficiency improvement of TiO2 nanowire arrays based dye-sensitized solar cells through further enhancing the specific surface area. <i>Journal of Crystal Growth</i> , 2019 , 505, 62-68	1.6	8
34	Atomic intermixing and segregation at the interface of InAs/GaSb type II superlattices. <i>Superlattices and Microstructures</i> , 2017 , 104, 390-396	2.8	7
33	Indacenodifuran-Based Non-Fullerene Electron Acceptors for Efficient Polymer Solar Cells. <i>ACS Applied Energy Materials</i> , 2020 , 3, 6133-6138	6.1	7
32	Synthesis of an indacenodithiophene-based fully conjugated ladder polymer and its optical and electronic properties. <i>Polymer Chemistry</i> , 2018 , 9, 2227-2231	4.9	7
31	Utilizing intermixing of conjugated polymer and fullerene from sequential solution processing for efficient polymer solar cells. <i>Organic Electronics</i> , 2016 , 36, 82-88	3.5	7
30	Synthesis of Conjugated Polyphenylene Dendritic Diketones. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 1631-1638	4.9	7
29	Achieving small non-radiative energy loss through synergically non-fullerene electron acceptor selection and side chain engineering in benzo[1,2-b:4,5-b?]difuran polymer-based organic solar cells. <i>Journal of Materials Chemistry A</i> ,	13	7
28	Simultaneous near-infrared and green fluorescence from single conjugated polymer dots with aggregation-induced emission fluorogen for cell imaging. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 787	′1 ⁷ 7 ³ 870	6 ⁷
27	Highly Promoting the Performances of Polymer Light-Emitting Diodes via Control of the Residue of a Polar Solvent on an Emissive Layer. <i>ACS Applied Materials & Diodes Via Control of the Residue of ACS Applied Materials & Diodes Via Control of the Residue of ACS Applied Materials & Diodes Via Control of the Residue of Diodes Via Control of </i>	9.5	6
26	Investigations of quantum efficiency in type-II InAs/GaSb very long wavelength infrared superlattice detectors. <i>Superlattices and Microstructures</i> , 2016 , 92, 330-336	2.8	6
25	Efficient post-treatment-free polymer solar cells from indacenodithiophene and fluorinated quinoxaline-based conjugated polymers. <i>Dyes and Pigments</i> , 2018 , 154, 164-171	4.6	5
24	Investigation of dark current mechanisms on type-II InAs/GaSb superlattice very long wavelength infrared detectors. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 165105	3	5
23	ZnO nanorod arrays grown on an AlN buffer layer and their enhanced ultraviolet emission. <i>CrystEngComm</i> , 2017 , 19, 6085-6088	3.3	4

22	Optimal Sr-Doped Free TiO2@SrTiO3 Heterostructured Nanowire Arrays for High-Efficiency Self-Powered Photoelectrochemical UV Photodetector Applications. <i>Crystals</i> , 2019 , 9, 134	2.3	4
21	Effect of methanol treatment on performance of phosphorescent dye doped polymer light-emitting diodes. <i>Synthetic Metals</i> , 2010 , 160, 2381-2384	3.6	4
20	A facile and green template-engaged synthesis of PbSe nanotubes with the assistance of Vc. <i>CrystEngComm</i> , 2018 , 20, 5570-5575	3.3	3
19	Enhanced Electroluminescent Efficiency Based on Functionalized Europium Complexes in Polymer Light-Emitting Diodes. <i>Chinese Physics Letters</i> , 2007 , 24, 1376-1379	1.8	3
18	Recent Progress of Benzodifuran-Based Polymer Donors for High-Performance Organic Photovoltaics. <i>Small Science</i> ,2200006		3
17	Engineering Non-fullerene Acceptors as a Mechanism to Control Film Morphology and Energy Loss in Organic Solar Cells. <i>Energy & Description</i> 2015.	4.1	3
16	A facile route to synthesis of double-sided TiO2 nanotube arrays for photocatalytic activity. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 468-473	2.1	2
15	The effect of annealing temperature on the optical and electrical properties of cubic MgZnO films grown by RF magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 1644	- 1 651	2
14	Annealing-induced interfacial atomic intermixing in InAs/GaSb type II superlattices. <i>Applied Physics Letters</i> , 2017 , 111, 172101	3.4	2
13	Enhancing the performance of polymer light-emitting diode via methanol treatment. <i>Journal of Luminescence</i> , 2011 , 131, 756-759	3.8	2
12	Dual-acceptor thermally activated delayed fluorescence emitters: Achieving high efficiency and long lifetime in orange-red OLEDs. <i>Chemical Engineering Journal</i> , 2022 , 434, 134728	14.7	2
11	Fabrication and improved photocatalytic activity of n-ZnO nanorod arrays/p-CuO thin film heterojunction. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 8753-8757	2.1	2
10	High-performance as-cast non-fullerene polymer solar cells from benzo[1,2-b:4,5-b?]difuran polymer via a rational copolymer design. <i>Journal of Materials Chemistry C</i> ,	7.1	2
9	Synthesis and Photovoltaic Properties of a Copolymer based on thieno [2, 3-f] benzofuran and thienopyrroledione. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 274, 012161	0.4	1
8	Synthesis and Properties of Electrophosphorescent Conjugated Polymers Containing Iridium Complexes in Polymer Backbone. <i>Chemistry Letters</i> , 2008 , 37, 742-743	1.7	1
7	Novel A-EA-D type perylene diimide acceptor for high-performance fullerene-free organic solar cells. <i>Synthetic Metals</i> , 2022 , 286, 117054	3.6	1
6	Multifunctional Perylenediimide-Based Cathode Interfacial Materials for High-Performance Inverted Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021 , 4, 13657-13665	6.1	1
5	A High-Performance Self-Powered UV-Visible-Infrared Broadband Photodetector Based on a Solution-Processed Bi 2 Se 3 /Se Nanorods Heterojunction. <i>Advanced Materials Interfaces</i> ,2200165	4.6	1

LIST OF PUBLICATIONS

4	Pyrimidine-based thermally activated delayed fluorescent materials with unique asymmetry for highly-efficient organic light-emitting diodes. <i>Dyes and Pigments</i> , 2022 , 203, 110373	4.6	1
3	Side-chain effect on the photovoltaic performance of conjugated polymers based on benzodifuran and benzodithiophene-4,8-dione. <i>MRS Advances</i> , 2019 , 4, 2001-2007	0.7	
2	Optoelectronic properties of new functionalized heteroleptic iridium complex. <i>Central South University</i> , 2011 , 18, 63-67		
1	Fluorinated phenanthrenequinoxaline-based D-A type copolymers for non-fullerene polymer solar cells. <i>Polymer</i> , 2022 , 250, 124867	3.9	