

Josete Barbosa Cruz Meira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6983695/publications.pdf>

Version: 2024-02-01

36
papers

1,216
citations

623574

14
h-index

360920

35
g-index

36
all docs

36
docs citations

36
times ranked

1321
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of processing methods on the chipping resistance of veneered zirconia. Journal of the Mechanical Behavior of Biomedical Materials, 2022, 126, 104995.	1.5	2
2	Can maxilla and mandible bone quality explain differences in orthodontic mini-implant failures?. Biomaterial Investigations in Dentistry, 2021, 8, 1-10.	3.0	7
3	Orthodontically induced root resorption: A critical analysis of finite element studiesâ€™ input and output. American Journal of Orthodontics and Dentofacial Orthopedics, 2021, 159, 779-789.	0.8	15
4	Current Scientific Evidence of Clinical Performance of Veneered Zirconia Crowns and Fixed Dental Prostheses. Current Oral Health Reports, 2020, 7, 352-360.	0.5	2
5	Why a zero CTE mismatch may be better for veneered Y-TZP structures. Journal of the Mechanical Behavior of Biomedical Materials, 2019, 96, 261-268.	1.5	9
6	Influence of residual thermal stresses on the edge chipping resistance of PFM and veneered zirconia structures: Experimental and FEA study. Dental Materials, 2019, 35, 344-355.	1.6	20
7	A new way of evaluating the biomechanics of the mandible with freedom in three axes in space: Technical note. Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology, 2018, 30, 405-408.	0.2	2
8	Finite Element Analysis in Dentistry. From Biomaterials Towards Medical Devices, 2018, , 67-89.	0.0	3
9	How mechanical stresses modulate enamel demineralization in non-cariou cervical lesions?. Journal of the Mechanical Behavior of Biomedical Materials, 2017, 66, 50-57.	1.5	14
10	Experimental and finite element study of residual thermal stresses in veneered Y-TZP structures. Ceramics International, 2016, 42, 9214-9221.	2.3	20
11	Descriptions of crack growth behaviors in glassâ€™ZrO2 bilayers under thermal residual stresses. Dental Materials, 2016, 32, 1165-1176.	1.6	9
12	Influence of physical assessment of different light-curing units on irradiance and composite microhardness top/bottom ratio. Odontology / the Society of the Nippon Dental University, 2016, 104, 298-304.	0.9	5
13	Association of orthodontic force system and root resorption: A systematic review. American Journal of Orthodontics and Dentofacial Orthopedics, 2015, 147, 610-626.	0.8	181
14	Chipping of Veneering Ceramics in Zirconium Dioxide Fixed Dental Prosthesis. Current Oral Health Reports, 2015, 2, 169-173.	0.5	14
15	Survival Rate, Load to Fracture, and Finite Element Analysis of Incisors and Canines Restored With Ceramic Veneers Having Varied Preparation Design. Operative Dentistry, 2014, 39, 530-540.	0.6	16
16	Experimental and FE displacement and polymerization stress of bonded restorations as a function of the C-Factor, volume and substrate stiffness. Journal of Dentistry, 2014, 42, 140-148.	1.7	25
17	Influence of Fiber Post Cementation Length on Coronal Microleakage Values in vitro and Finite Element Analysis. Journal of Contemporary Dental Practice, 2014, 15, 444-450.	0.2	3
18	Influence of specimen dimensions and their derivatives (C-factor and volume) on polymerization stress determined in a high compliance testing system. Dental Materials, 2013, 29, 1034-1039.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Residual stresses in Y-TZP crowns due to changes in the thermal contraction coefficient of veneers. <i>Dental Materials</i> , 2013, 29, 594-601.	1.6	40
20	Assessment of nose protector for sport activities: finite element analysis. <i>Dental Traumatology</i> , 2012, 28, 108-113.	0.8	15
21	A method to investigate the shrinkage stress developed by resin-composites bonded to a single flat surface. <i>Dental Materials</i> , 2012, 28, e27-e34.	1.6	5
22	Understanding Contradictory Data in Contraction Stress Tests. <i>Journal of Dental Research</i> , 2011, 90, 365-370.	2.5	31
23	A critical view on biaxial and short-beam uniaxial flexural strength tests applied to resin composites using Weibull, fractographic and finite element analyses. <i>Dental Materials</i> , 2010, 26, 83-90.	1.6	47
24	Adhesion to tooth structure: A critical review of "test methods. <i>Dental Materials</i> , 2010, 26, e38-e49.	1.6	268
25	Can Fiber Posts Increase Root Stresses and Reduce Fracture?. <i>Journal of Dental Research</i> , 2010, 89, 587-591.	2.5	132
26	Finite Element Analysis of Shear Versus Torsion Adhesive Strength Tests for Dental Resin Composites. <i>Journal of Adhesion Science and Technology</i> , 2009, 23, 1575-1589.	1.4	7
27	Elastic modulus of posts and the risk of root fracture. <i>Dental Traumatology</i> , 2009, 25, 394-398.	0.8	35
28	Vertical Root Fracture in Upper Premolars with Endodontic Posts: Finite Element Analysis. <i>Journal of Endodontics</i> , 2009, 35, 117-120.	1.4	43
29	The suitability of different FEA models for studying root fractures caused by wedge effect. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 84A, 442-446.	2.1	5
30	Polymerization stress of resin composites as a function of system compliance. <i>Dental Materials</i> , 2008, 24, 645-652.	1.6	33
31	Composite shrinkage stress as a function of specimen dimensions and compliance of the testing system. <i>Dental Materials</i> , 2007, 23, 204-210.	1.6	48
32	Shear versus micro-shear bond strength test: A finite element stress analysis. <i>Dental Materials</i> , 2007, 23, 1086-1092.	1.6	121
33	Influence of local factors on composite shrinkage stress development—a finite element analysis. <i>Journal of Adhesive Dentistry</i> , 2007, 9, 499-503.	0.3	14
34	Expansion of high flow mixtures of gypsum-bonded investments in contact with absorbent liners. <i>Dental Materials</i> , 2005, 21, 573-579.	1.6	3
35	Geometrical aspects on bi-material microtensile tests. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2005, 27, .	0.8	7
36	Stress concentration in microtensile tests using uniform material. <i>Journal of Adhesive Dentistry</i> , 2004, 6, 267-73.	0.3	5