

Martin Kompis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6984370/publications.pdf>

Version: 2024-02-01

97
papers

1,933
citations

236925

25
h-index

315739

38
g-index

104
all docs

104
docs citations

104
times ranked

1367
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Using a cochlear implant processor as contralateral routing of signals device in unilateral cochlear implant recipients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 645-652. | 1.6 | 1 |
| 2 | Severity of hearing loss after platinum chemotherapy in childhood cancer survivors. <i>Pediatric Blood and Cancer</i> , 2022, 69, . | 1.5 | 5 |
| 3 | 10.1121/10.0005732.1. , 2021, , . | | 0 |
| 4 | Effects of temporal fine structure preservation on spatial hearing in bilateral cochlear implant users. <i>Journal of the Acoustical Society of America</i> , 2021, 150, 673-686. | 1.1 | 8 |
| 5 | Pinna-Imitating Microphone Directionality Improves Sound Localization and Discrimination in Bilateral Cochlear Implant Users. <i>Ear and Hearing</i> , 2021, 42, 214-222. | 2.1 | 14 |
| 6 | Influence of Compression Thresholds and Maximum Power Output on Speech Understanding with Bone-Anchored Hearing Systems. <i>BioMed Research International</i> , 2021, 2021, 1-6. | 1.9 | 1 |
| 7 | Influence of maximum power output on speech understanding with bone anchored hearing systems. <i>Acta Oto-Laryngologica</i> , 2020, 140, 225-229. | 0.9 | 8 |
| 8 | Usefulness of current candidate genetic markers to identify childhood cancer patients at risk for platinum-induced ototoxicity: Results of the European PanCareLIFE cohort study. <i>European Journal of Cancer</i> , 2020, 138, 212-224. | 2.8 | 31 |
| 9 | Association of candidate pharmacogenetic markers with platinum-induced ototoxicity: PanCareLIFE dataset. <i>Data in Brief</i> , 2020, 32, 106227. | 1.0 | 2 |
| 10 | Multicenter Study Investigating Foreign Language Acquisition at School in Children, Adolescents, and Young Adults With Uni- or Bilateral Cochlear Implants in the Swiss German Population. <i>Otology and Neurotology</i> , 2020, 41, e580-e587. | 1.3 | 3 |
| 11 | Rehabilitation and Prognosis of Disorders of Hearing Development. <i>European Manual of Medicine</i> , 2020, , 983-1086. | 0.1 | 0 |
| 12 | Robotic middle ear access for cochlear implantation: First in man. <i>PLoS ONE</i> , 2019, 14, e0220543. | 2.5 | 67 |
| 13 | Outcome prediction for Bonebridge candidates based on audiological indication criteria. <i>Auris Nasus Larynx</i> , 2019, 46, 681-686. | 1.2 | 18 |
| 14 | Voluntary increase of acoustic middle ear impedances with simultaneous sound attenuation associated with mild hyperacusis (VIMH). <i>Acta Oto-Laryngologica</i> , 2019, 139, 373-378. | 0.9 | 1 |
| 15 | Efficacy of Auditory Implants for Patients With Conductive and Mixed Hearing Loss Depends on Implant Center. <i>Otology and Neurotology</i> , 2019, 40, 430-435. | 1.3 | 19 |
| 16 | Musical Ear Syndrome and Cochlear Explantation: Case Report and Proposal for a Theoretical Framework. <i>Otology and Neurotology</i> , 2019, 40, e962-e965. | 1.3 | 3 |
| 17 | Mobile Internet Telephony Improves Speech Intelligibility and Quality for Cochlear Implant Recipients. <i>Otology and Neurotology</i> , 2019, 40, e206-e214. | 1.3 | 4 |
| 18 | Association Between Residual Inhibition and Neural Activity in Patients with Tinnitus: Protocol for a Controlled Within- and Between-Subject Comparison Study. <i>JMIR Research Protocols</i> , 2019, 8, e12270. | 1.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Cochlear implants in single-sided deafness – clinical results of a Swiss multicentre study. <i>Swiss Medical Weekly</i> , 2019, 149, w20171. | 1.6 | 8 |
| 20 | Audiological monitoring in Swiss childhood cancer patients. <i>Pediatric Blood and Cancer</i> , 2018, 65, e26877. | 1.5 | 11 |
| 21 | Measurements of Trunk Sway for Stance and Gait Tasks 2 Years after Vestibular Neurectomy. <i>Audiology and Neuro-Otology</i> , 2018, 23, 298-308. | 1.3 | 1 |
| 22 | Speech Understanding and Sound Localization with a New Nonimplantable Wearing Option for Baha. <i>BioMed Research International</i> , 2018, 2018, 1-8. | 1.9 | 17 |
| 23 | Unilateral and Bilateral Audiological Benefit With an Adhesively Attached, Noninvasive Bone Conduction Hearing System. <i>Otology and Neurotology</i> , 2018, 39, 1025-1030. | 1.3 | 27 |
| 24 | Minimal Reporting Standards for Active Middle Ear Hearing Implants. <i>Audiology and Neuro-Otology</i> , 2018, 23, 105-115. | 1.3 | 23 |
| 25 | Cochlear Implant Insertion Depth Prediction: A Temporal Bone Accuracy Study. <i>Otology and Neurotology</i> , 2018, 39, e996-e1001. | 1.3 | 20 |
| 26 | Robotic cochlear implantation: surgical procedure and first clinical experience. <i>Acta Oto-Laryngologica</i> , 2017, 137, 447-454. | 0.9 | 94 |
| 27 | Comment on the paper by Dazert et al. entitled “Off the ear with no loss in speech understanding: comparing the RONDO and the OPUS 2 cochlear implant audio processors”. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3261-3262. | 1.6 | 0 |
| 28 | Directional Microphone Contralateral Routing of Signals in Cochlear Implant Users: A Within-Subjects Comparison. <i>Ear and Hearing</i> , 2017, 38, 368-373. | 2.1 | 25 |
| 29 | Long term benefit of bone anchored hearing systems in single sided deafness. <i>Acta Oto-Laryngologica</i> , 2017, 137, 398-402. | 0.9 | 14 |
| 30 | Instrument flight to the inner ear. <i>Science Robotics</i> , 2017, 2, . | 17.6 | 75 |
| 31 | Long-term auditory complications after childhood cancer: A report from the Swiss Childhood Cancer Survivor Study. <i>Pediatric Blood and Cancer</i> , 2017, 64, 364-373. | 1.5 | 29 |
| 32 | Validation of questionnaire-reported hearing with medical records: A report from the Swiss Childhood Cancer Survivor Study. <i>PLoS ONE</i> , 2017, 12, e0174479. | 2.5 | 9 |
| 33 | Influence of Telecommunication Modality, Internet Transmission Quality, and Accessories on Speech Perception in Cochlear Implant Users. <i>Journal of Medical Internet Research</i> , 2017, 19, e135. | 4.3 | 8 |
| 34 | Speech Intelligibility in Noise With a Pinna Effect Imitating Cochlear Implant Processor. <i>Otology and Neurotology</i> , 2016, 37, 19-23. | 1.3 | 33 |
| 35 | Estimating the benefit of a second bone anchored hearing implant in unilaterally implanted users with a testband. <i>Acta Oto-Laryngologica</i> , 2016, 136, 379-384. | 0.9 | 3 |
| 36 | Predisposing factors for adverse skin reactions with percutaneous bone anchored hearing devices implanted with skin reduction techniques. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 4185-4192. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Bone conduction responses of middle ear structures in Thiel embalmed heads. AIP Conference Proceedings, 2015, , . | 0.4 | 0 |
| 38 | Speech Intelligibility in Noise With a Single-Unit Cochlear Implant Audio Processor. Otology and Neurotology, 2015, 36, 1197-1202. | 1.3 | 17 |
| 39 | Cochlear implant candidates with psychogenic hearing loss. Acta Oto-Laryngologica, 2015, 135, 376-380. | 0.9 | 4 |
| 40 | Benefit of a Contralateral Routing of Signal Device for Unilateral Cochlear Implant Users. Audiology and Neuro-Otology, 2015, 20, 73-80. | 1.3 | 11 |
| 41 | Quality standards for bone conduction implants. Acta Oto-Laryngologica, 2015, 135, 1277-1285. | 0.9 | 23 |
| 42 | Speech Understanding with a New Implant Technology: A Comparative Study with a New Nonskin Penetrating Baha System. BioMed Research International, 2014, 2014, 1-9. | 1.9 | 65 |
| 43 | Is complex signal processing for bone conduction hearing aids useful?. Cochlear Implants International, 2014, 15, S47-S50. | 1.2 | 6 |
| 44 | Cone Beam and Micro-Computed Tomography Validation of Manual Array Insertion for Minimally Invasive Cochlear Implantation. Audiology and Neuro-Otology, 2014, 19, 22-30. | 1.3 | 35 |
| 45 | Influence of directionality and maximal power output on speech understanding with bone anchored hearing implants in single sided deafness. European Archives of Oto-Rhino-Laryngology, 2014, 271, 1395-1400. | 1.6 | 12 |
| 46 | Cochlear implantation in children and adults in Switzerland. Swiss Medical Weekly, 2014, 144, w13909. | 1.6 | 14 |
| 47 | Bone conduction in Thiel-embalmed cadaver heads. Hearing Research, 2013, 306, 115-122. | 2.0 | 30 |
| 48 | Hearing Performance With 2 Different High-Power Sound Processors for Osseointegrated Auditory Implants. Otology and Neurotology, 2013, 34, 604-610. | 1.3 | 9 |
| 49 | Internet Video Telephony Allows Speech Reading by Deaf Individuals and Improves Speech Perception by Cochlear Implant Users. PLoS ONE, 2013, 8, e54770. | 2.5 | 16 |
| 50 | A multilingual audiometer simulator software for training purposes. Acta Oto-Laryngologica, 2012, 132, 428-433. | 0.9 | 7 |
| 51 | Tinnitus before and 6 Months after Cochlear Implantation. Audiology and Neuro-Otology, 2012, 17, 161-168. | 1.3 | 57 |
| 52 | Speech Perception Benefits of Internet Versus Conventional Telephony for Hearing-Impaired Individuals. Journal of Medical Internet Research, 2012, 14, e102. | 4.3 | 14 |
| 53 | Audiological Results with Baha [®] in Conductive and Mixed Hearing Loss. Advances in Oto-Rhino-Laryngology, 2011, 71, 73-83. | 1.6 | 19 |
| 54 | Factors Influencing the Decision for Baha in Unilateral Deafness: The Bern Benefit in Single-Sided Deafness Questionnaire. Advances in Oto-Rhino-Laryngology, 2011, 71, 103-111. | 1.6 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Benefits of Low-Frequency Attenuation of Baha® in Single-Sided Sensorineural Deafness. <i>Ear and Hearing</i> , 2011, 32, 40-45. | 2.1 | 36 |
| 56 | Comparisons of Sound Processors Based on Osseointegrated Implants in Patients With Conductive or Mixed Hearing Loss. <i>Otology and Neurotology</i> , 2011, 32, 728-735. | 1.3 | 28 |
| 57 | In-the-Canal Versus Behind-the-Ear Microphones Improve Spatial Discrimination on the Side of the Head in Bilateral Cochlear Implant Users. <i>Otology and Neurotology</i> , 2011, 32, 1-6. | 1.3 | 13 |
| 58 | How Internet Telephony Could Improve Communication for Hearing-Impaired Individuals. <i>Otology and Neurotology</i> , 2010, 31, 1014-1021. | 1.3 | 11 |
| 59 | Factors Improving the Vibration Transfer of the Floating Mass Transducer at the Round Window. <i>Otology and Neurotology</i> , 2010, 31, 122-128. | 1.3 | 53 |
| 60 | Non-organic hearing loss: new and confirmed findings. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 1213-1219. | 1.6 | 20 |
| 61 | Improvement in Speech Understanding and User Satisfaction after Upgrading from the Medel Tempo+ to the Opus2 Speech Processor. <i>Cochlear Implants International</i> , 2010, 11, 437-441. | 1.2 | 4 |
| 62 | The floating mass transducer at the round window: Direct transmission or bone conduction?. <i>Hearing Research</i> , 2010, 263, 120-127. | 2.0 | 39 |
| 63 | Bone-Anchored Hearing Aids. <i>Otology and Neurotology</i> , 2009, 30, 884-890. | 1.3 | 30 |
| 64 | Improving Speech Understanding in Noise for Users of Bone Anchored Hearing Aids (BAHA). <i>IFMBE Proceedings</i> , 2009, , 1620-1623. | 0.3 | 0 |
| 65 | A Novel Implantable Hearing System with Direct Acoustic Cochlear Stimulation. <i>Audiology and Neuro-Otology</i> , 2008, 13, 247-256. | 1.3 | 80 |
| 66 | A Two-Microphone Noise Reduction System for Cochlear Implant Users with Nearby Microphones—Part II: Performance Evaluation. <i>Eurasip Journal on Advances in Signal Processing</i> , 2008, 2008, . | 1.7 | 5 |
| 67 | A Two-Microphone Noise Reduction System for Cochlear Implant Users with Nearby Microphones—Part I: Signal Processing Algorithm Design and Development. <i>Eurasip Journal on Advances in Signal Processing</i> , 2008, 2008, . | 1.7 | 2 |
| 68 | A Measuring Medical Pocket Calculator. <i>Medical Equipment Insights</i> , 2008, 1, MEI.S822. | 0.5 | 0 |
| 69 | Speech understanding in quiet and in noise with the bone-anchored hearing aids Baha® Compact and Baha Divino®, [®] . <i>Acta Oto-Laryngologica</i> , 2007, 127, 829-835. | 0.9 | 31 |
| 70 | Human temporal bones versus mechanical model to evaluate three middle ear transducers. <i>Journal of Rehabilitation Research and Development</i> , 2007, 44, 407. | 1.6 | 19 |
| 71 | Anatomical study of the human middle ear for the design of implantable hearing aids. <i>Auris Nasus Larynx</i> , 2006, 33, 375-380. | 1.2 | 12 |
| 72 | Minimum Audible Angle, Just Noticeable Interaural Differences and Speech Intelligibility with Bilateral Cochlear Implants Using Clinical Speech Processors. <i>Audiology and Neuro-Otology</i> , 2005, 10, 342-352. | 1.3 | 94 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Acclimatization in first-time hearing aid users using three different fitting protocols. <i>Auris Nasus Larynx</i> , 2005, 32, 345-351. | 1.2 | 32 |
| 74 | Computer assisted optimization of an electromagnetic transducer design for implantable hearing aids. <i>Computers in Biology and Medicine</i> , 2004, 34, 141-152. | 7.0 | 12 |
| 75 | Bilateral cochlear implantation and directional multi-microphone systems. <i>International Congress Series</i> , 2004, 1273, 447-450. | 0.2 | 3 |
| 76 | Scuba Diving with Cochlear Implants. <i>Annals of Otology, Rhinology and Laryngology</i> , 2003, 112, 425-427. | 1.1 | 7 |
| 77 | Electromagnetic Interference of Bone-anchored Hearing Aids by Cellular Phones Revisited. <i>Acta Oto-Laryngologica</i> , 2002, 122, 510-512. | 0.9 | 7 |
| 78 | Intra-and intersubject comparison of cochlear implant systems using the Esprit and the Tempo+ behind-the-ear speech processor: Comparacion intra e inter-personal de los sistemas de implante coclear utilizando los procesadores de lenguaje retroauriculares Esprit y Tempo+. <i>International Journal of Audiology</i> , 2002, 41, 555-562. | 1.7 | 8 |
| 79 | Evaluation of a noise reduction system for the assessment of click-evoked otoacoustic emissions. <i>Journal of the Acoustical Society of America</i> , 2002, 112, 164-171. | 1.1 | 10 |
| 80 | Performance of an adaptive beamforming noise reduction scheme for hearing aid applications. I. Prediction of the signal-to-noise-ratio improvement. <i>Journal of the Acoustical Society of America</i> , 2001, 109, 1123-1133. | 1.1 | 31 |
| 81 | Comparison of the TEMPO+ Ear-Level Speech Processor and the CIS PRO+ Body-Worn Processor in Adult MED-EL Cochlear Implant Users. <i>Orl</i> , 2001, 63, 31-40. | 1.1 | 37 |
| 82 | Acoustic Imaging of the Human Chest. <i>Chest</i> , 2001, 120, 1309-1321. | 0.8 | 116 |
| 83 | Performance of an adaptive beamforming noise reduction scheme for hearing aid applications. II. Experimental verification of the predictions. <i>Journal of the Acoustical Society of America</i> , 2001, 109, 1134-1143. | 1.1 | 30 |
| 84 | A novel real-time noise reduction system for the assessment of evoked otoacoustic emissions. <i>Computers in Biology and Medicine</i> , 2000, 30, 341-354. | 7.0 | 8 |
| 85 | Electromagnetic Interference of Bone-anchored Hearing Aids by Cellular Phones. <i>Acta Oto-Laryngologica</i> , 2000, 120, 855-859. | 0.9 | 13 |
| 86 | Performance of Compressed Analogue (CA) and Continuous Interleaved Sampling (CIS) Coding Strategies for Cochlear Implants in Quiet and Noise. <i>Acta Oto-Laryngologica</i> , 1999, 119, 659-664. | 0.9 | 9 |
| 87 | Computer-based lung sound simulation. <i>Medical and Biological Engineering and Computing</i> , 1997, 35, 231-238. | 2.8 | 3 |
| 88 | Noise reduction for hearing aids: Combining directional microphones with an adaptive beamformer. <i>Journal of the Acoustical Society of America</i> , 1994, 96, 1910-1913. | 1.1 | 39 |
| 89 | Simulating transfer functions in a reverberant room including source directivity and head-shadow effects. <i>Journal of the Acoustical Society of America</i> , 1993, 93, 2779-2787. | 1.1 | 24 |
| 90 | Adaptive heart-noise reduction of lung sounds recorded by a single microphone. , 1992, , . | | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|----|-----------|
| 91 | DSP-implementations of speech coding for multielectrode cochlear implants and multiband loudness correction for digital hearing aids. , 1991, , . | | 0 |
| 92 | Noise Reduction For Hearing Aids: Evaluation Of The Adaptive Beamformer approach. , 0, , . | | 1 |
| 93 | Coherence of inspiratory and expiratory breath sounds as a function of inter-microphone distance. , 0, , . | | 2 |
| 94 | Distribution of inspiratory and expiratory respiratory sound intensity on the surface of the human thorax. , 0, , . | | 9 |
| 95 | New target-signal-detection schemes for multi-microphone noise-reduction systems for hearing aids. , 0, , . | | 4 |
| 96 | A combined fixed/adaptive beamforming noise-reduction system for hearing aids. , 0, , . | | 2 |
| 97 | Design considerations for a contactless electromagnetic transducer for implantable hearing aids. , 0, , . | | 3 |