

Yiqian Wan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6984992/publications.pdf>

Version: 2024-02-01

39
papers

1,237
citations

304743

22
h-index

361022

35
g-index

48
all docs

48
docs citations

48
times ranked

1694
citing authors

#	ARTICLE	IF	CITATIONS
1	One-pot synthesis of dual-state emission (DSE) luminogens containing the V-shape furo[2,3-b]furan scaffold. <i>Chinese Chemical Letters</i> , 2021, 32, 445-448.	9.0	13
2	A Synergetic Organoselenium Catalytic System for Constructing 4-Chromanone Derivatives via a Tandem Process under Visible Light Radiation. <i>ChemistrySelect</i> , 2021, 6, 5610-5613.	1.5	3
3	Enhancement of the excited-state intramolecular proton transfer process to produce all-powerful DSE molecules for bridging the gap between ACQ and AIE. <i>Dyes and Pigments</i> , 2019, 160, 839-847.	3.7	29
4	GRGDS-functionalized chitosan nanoparticles as a potential intravenous hemostat for traumatic hemorrhage control in an animal model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018, 14, 2531-2540.	3.3	8
5	An Effective Heterogeneous Copper Catalyst System for C-N Coupling and Its Application in the Preparation of 2-Methyl-4-methoxydiphenylamine (MMDPA). <i>Synthesis</i> , 2018, 50, 3911-3920.	2.3	9
6	Whole-rainbow-color organic solid fluorophores from subtle modification of thiazolo[5,4-b]thieno[3,2-e]pyridines (TTPs). <i>Journal of Materials Chemistry C</i> , 2017, 5, 3456-3460.	5.5	9
7	Room-Temperature CuI-Catalyzed Amination of Aryl Iodides and Aryl Bromides. <i>Journal of Organic Chemistry</i> , 2017, 82, 5416-5423.	3.2	33
8	SeO ₂ -Mediated One-Pot Synthesis of 3-Cyanofurans from 3-Oxo-3-arylpropanenitriles and Substituted Acetaldehydes. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 2317-2321.	2.4	4
9	Magnetic resonance imaging tracking and assessing repair function of the bone marrow mesenchymal stem cells transplantation in a rat model of spinal cord injury. <i>Oncotarget</i> , 2017, 8, 58985-58999.	1.8	10
10	An arch-bridge-type fluorophore for bridging the gap between aggregation-caused quenching (ACQ) and aggregation-induced emission (AIE). <i>Chemical Science</i> , 2016, 7, 4485-4491.	7.4	174
11	Direct Arylation of Pyrroles via Indirect Electroreductive C-H Functionalization Using Perylene Bisimide as an Electron-Transfer Mediator. <i>Organic Letters</i> , 2016, 18, 544-547.	4.6	58
12	Copper-Catalyzed Domino Reactions for the Synthesis of Phenothiazines. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 4835-4839.	2.4	17
13	Copper-Catalysed One-Pot Synthesis of 2,3,4,9-Tetrahydro-1H-Xanthen-1-Ones from 2-Halobenzylbromides and Cyclic-1,3-Diketones in Water. <i>Catalysis Letters</i> , 2015, 145, 1612-1620.	2.6	3
14	Structural Asymmetry of Phosphodiesterase-9A and a Unique Pocket for Selective Binding of a Potent Enantiomeric Inhibitor. <i>Molecular Pharmacology</i> , 2015, 88, 836-845.	2.3	23
15	Efficient synthesis of indoles from 2-alkynylaniline derivatives in water using a recyclable copper catalyst system. <i>Tetrahedron</i> , 2015, 71, 451-456.	1.9	27
16	Functionalised Chitosan as a Green, Recyclable, Supported Catalyst for the Copper-Catalysed Ullmann C-N Coupling Reaction in Water. <i>Catalysis Communications</i> , 2015, 60, 92-95.	3.3	53
17	A Catalyst System, Copper/N-Methoxy-1H-pyrrole-2-carboxamide, for the Synthesis of Phenothiazines in Poly(ethylene glycol). <i>Synthesis</i> , 2014, 46, 3356-3364.	2.3	10
18	A Novel Way to Tricyclic Heteroaromatics; Thiazolo[5,4-b]thieno[3,2-e]pyridine Derivatives. <i>Synthesis</i> , 2014, 46, 2317-2326.	2.3	2

#	ARTICLE	IF	CITATIONS
19	Discovery of a Phosphodiesterase 9A Inhibitor as a Potential Hypoglycemic Agent. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 10304-10313.	6.4	53
20	A simple and recyclable copper/DTPA catalyst system for amination of aryl halides with aqueous ammonia in water. <i>Catalysis Communications</i> , 2014, 45, 100-103.	3.3	18
21	Design, synthesis and biological evaluation of hydroxy- or methoxy-substituted 5-benzylidene(thio)barbiturates as novel tyrosinase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 3279-3284.	3.0	43
22	A recyclable Cu-catalyzed C–N coupling reaction in water and its application to synthesis of imidazo[1,2-a]quinoxaline. <i>Tetrahedron</i> , 2013, 69, 8974-8977.	1.9	38
23	Polyethylene glycol (PEG-200)-promoted sustainable one-pot three-component synthesis of 3-indole derivatives in water. <i>Applied Catalysis A: General</i> , 2013, 454, 160-163.	4.3	33
24	Design, Synthesis and Evaluation of N13-Substituted Evodiamine Derivatives against Human Cancer Cell Lines. <i>Molecules</i> , 2013, 18, 15750-15768.	3.8	20
25	Biological and Structural Characterization of <i>Trypanosoma cruzi</i> Phosphodiesterase C and Implications for Design of Parasite Selective Inhibitors. <i>Journal of Biological Chemistry</i> , 2012, 287, 11788-11797.	3.4	30
26	Structure-Based Discovery of Highly Selective Phosphodiesterase-9A Inhibitors and Implications for Inhibitor Design. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 8549-8558.	6.4	58
27	Amination of Aryl Halides by Using an Environmentally Benign, Recyclable Copper Catalyst. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 4897-4901.	2.4	27
28	CuI/PPH ₃ /PEG–Water: An Efficient Catalytic System for Cross-Coupling Reaction of Aryl Iodides and Alkynes. <i>Synthetic Communications</i> , 2011, 41, 3123-3133.	2.1	21
29	A Highly Versatile Catalytic System for N-Arylation of Amines with Aryl Chlorides in Water. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 4523-4527.	2.4	30
30	N ₂ ,N ₂ -disubstituted oxalic acid bishydrazides: novel ligands for copper-catalyzed C–N coupling reactions in water. <i>Applied Organometallic Chemistry</i> , 2011, 25, 341-347.	3.5	15
31	Copper/oxalohydrazide/ketone catalyzed synthesis of primary arylamines via coupling of aryl halides with aqueous ammonia in water. <i>Tetrahedron</i> , 2011, 67, 5450-5454.	1.9	28
32	Pyrrole-carbohydrazides as Ligands for Cu-Catalyzed Amination of Aryl Halides with Amines in Pure Water. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3219-3223.	2.4	46
33	Efficient Copper-Catalyzed Direct Amination of Aryl Halides Using Aqueous Ammonia in Water. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6149-6152.	2.4	43
34	Sc(OTf) ₃ : A Highly Efficient and Renewable Catalyst for Michael Addition of Indoles to Nitroolefins in Water. <i>Synthetic Communications</i> , 2010, 40, 3259-3267.	2.1	15
35	A Facile and Efficient Oxalylhydrazide/Ketone-Promoted Copper-Catalyzed Amination of Aryl Halides in Water. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 635-642.	2.4	24
36	Pd/Cu-Catalyzed Cyanation of Aryl Halides in Aqueous PEG. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3524-3528.	2.4	90

#	ARTICLE	IF	CITATIONS
37	An insight into the pharmacophores of phosphodiesterase-5 inhibitors from synthetic and crystal structural studies. <i>Biochemical Pharmacology</i> , 2008, 75, 1717-1728.	4.4	29
38	Palladium-Free Copper-Catalyzed Coupling Reaction of Aryl Iodides and Terminal Acetylenes in Water. <i>Synthetic Communications</i> , 2007, 37, 1355-1361.	2.1	44
39	Selective Angiotensin II AT2 Receptor Agonists: Arylbenzylimidazole Structure-Activity Relationships. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7160-7168.	6.4	47