

Shahnaz Klouche

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6985039/publications.pdf>

Version: 2024-02-01

119
papers

2,967
citations

147801

31
h-index

189892

50
g-index

167
all docs

167
docs citations

167
times ranked

2624
citing authors

#	ARTICLE	IF	CITATIONS
1	Total hip arthroplasty revision due to infection: A cost analysis approach. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 124-132.	2.0	209
2	Return to Sport After Primary and Revision Anterior Cruciate Ligament Reconstruction: A Prospective Comparative Study of 552 Patients From the FAST Cohort. American Journal of Sports Medicine, 2017, 45, 34-41.	4.2	117
3	The effect of femoral offset modification on gait after total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 123-127.	3.3	116
4	Infected total hip arthroplasty revision: One- or two-stage procedure?. Orthopaedics and Traumatology: Surgery and Research, 2012, 98, 144-150.	2.0	109
5	Translation, cross-cultural adaptation and validation of the French version of the Anterior Cruciate Ligament-Return to Sport after Injury (ACL-RSI) scale. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1192-1196.	4.2	106
6	Analyse du coût des reprises des prothèses totales de hanche infectées. Revue De Chirurgie Orthopedique Et Traumatologique, 2010, 96, 167-175.	0.0	96
7	Return to Sport After Rotator Cuff Tear Repair. American Journal of Sports Medicine, 2016, 44, 1877-1887.	4.2	94
8	Treatment of Pigmented Villonodular Synovitis of the Knee. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2014, 30, 1327-1341.	2.7	82
9	Progression of the Psychological ACL-RSI Score and Return to Sport After Anterior Cruciate Ligament Reconstruction: A Prospective 2-Year Follow-up Study From the French Prospective Anterior Cruciate Ligament Reconstruction Cohort Study (FAST). Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711881281.	1.7	80
10	The Shoulder Instability-Return to Sport after Injury (SIRSI): a valid and reproducible scale to quantify psychological readiness to return to sport after traumatic shoulder instability. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 203-211.	4.2	72
11	Pain evaluation after all-inside anterior cruciate ligament reconstruction and short term functional results of a prospective randomized study. Knee, 2014, 21, 102-106.	1.6	66
12	Inefficacy of ultrasound-guided local injections of autologous conditioned plasma for recent epicondylitis: results of a double-blind placebo-controlled randomized clinical trial with one-year follow-up. Rheumatology, 2016, 55, 279-285.	1.9	66
13	Efficacy of vitamin C in preventing complex regional pain syndrome after wrist fracture: A systematic review and meta-analysis. Orthopaedics and Traumatology: Surgery and Research, 2017, 103, 465-470.	2.0	65
14	Arthroscopic Bankart shoulder stabilization in athletes: return to sports and functional outcomes. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1877-1883.	4.2	61
15	Anterior shoulder stabilization by Bristow-Latarjet procedure in athletes: return-to-sport and functional outcomes at minimum 2-year follow-up. European Journal of Orthopaedic Surgery and Traumatology, 2016, 26, 277-282.	1.4	58
16	A Prospective Comparative Study of Arthroscopic Versus Mini-Open Latarjet Procedure With a Minimum 2-Year Follow-up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 269-277.	2.7	55
17	Does arthroscopic rotator cuff repair actually heal? Anatomic evaluation with magnetic resonance arthrography at minimum 2 years follow-up. Journal of Shoulder and Elbow Surgery, 2012, 21, 531-536.	2.6	54
18	Validity of GNRB® arthrometer compared to Telos®, in the assessment of partial anterior cruciate ligament tears. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 285-290.	4.2	54

#	ARTICLE	IF	CITATIONS
19	Recurrence after arthroscopic Bankart repair: Is quantitative radiological analysis of bone loss of any predictive value?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 514-519.	2.0	46
20	Returning to sports after surgical repair of acute proximal hamstring ruptures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 534-539.	4.2	45
21	Suprascapular Nerve Block Versus Interscalene Block as Analgesia After Arthroscopic Rotator Cuff Repair: A Randomized Controlled Noninferiority Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 2203-2209.	2.7	44
22	A Current Review of the Meniscus Imaging: Proposition of a Useful Tool for Its Radiologic Analysis. <i>Radiology Research and Practice</i> , 2016, 2016, 1-25.	1.3	43
23	Assessment of the feasibility of arthroscopic visualization of the lateral ligament of the ankle: a cadaveric study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 985-990.	4.2	43
24	Translation, cross-cultural adaption and validation of the French version of the Forgotten Joint Score in total hip arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 657-661.	2.0	43
25	Total hip arthroplasty dislocation rate following isolated cup revision using Hueter's direct anterior approach on a fracture table. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, 501-505.	2.0	41
26	Infected total hip arthroplasty treated by an irrigation-debridement/component retention protocol. A prospective study in a 12-case series with minimum 2 years' follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, 134-138.	2.0	40
27	Metatarsalgia and Morton's Disease: Comparison of Outcomes Between Open Procedure and Neurectomy Versus Percutaneous Metatarsal Osteotomies and Ligament Release With a Minimum of 2 Years of Follow-Up. <i>Journal of Foot and Ankle Surgery</i> , 2015, 54, 373-377.	1.0	38
28	Return to recreational sport and clinical outcomes with at least 2 years follow-up after arthroscopic repair of rotator cuff tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 563-567.	2.0	38
29	Anterior cruciate ligament tear during the menstrual cycle in female recreational skiers. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 571-575.	2.0	34
30	The epidemiology of 1345 shoulder dislocations and subluxations in French Rugby Union players: a five-season prospective study from 2008 to 2013. <i>British Journal of Sports Medicine</i> , 2015, 49, 1535-1540.	6.7	34
31	Coracoid graft positioning in the Latarjet procedure. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 496-501.	4.2	34
32	Direct anterior Hueter approach is a safe and effective approach to perform a bipolar hemiarthroplasty for femoral neck fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 358-362.	3.3	32
33	Reliability and validity of preoperative MRI for surgical decision making in chronic lateral ankle instability. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 713-719.	1.4	31
34	Vancomycin-soaked autografts during ACL reconstruction reduce the risk of post-operative infection without affecting return to sport or knee function. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2578-2585.	4.2	31
35	Return to judo after joint replacement. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 2889-2894.	4.2	28
36	Primary arthroscopic synovectomy for pigmented villonodular synovitis of the knee: Recurrence rate and functional outcomes after a mean follow-up of seven years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 937-943.	2.0	28

#	ARTICLE	IF	CITATIONS
37	Are athletes able to resume sport at six-month mean follow-up after anterior cruciate ligament reconstruction? Prospective functional and psychological assessment from the French Anterior Cruciate Ligament Study (FAST) cohort. <i>Knee</i> , 2019, 26, 155-164.	1.6	28
38	Reliability and validity assessment of a glenoid bone loss measurement using the Bernageau profile view in chronic anterior shoulder instability. <i>Journal of Shoulder and Elbow Surgery</i> , 2013, 22, 1193-1198.	2.6	27
39	Diagnostic value of the GNRBÂ® in relation to pressure load for complete ACL tears: A prospective case-control study of 118 subjects. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 297-300.	2.0	27
40	Local infiltration analgesia versus interscalene nerve block for postoperative pain control after shoulder arthroplasty: a prospective, randomized, comparative noninferiority study involving 99 patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 212-219.	2.6	26
41	Postoperative discomfort after outpatient anterior cruciate ligament reconstruction: A prospective comparative study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 163-166.	2.0	25
42	Partial tears of the anterior cruciate ligament: diagnostic performance of isotropic three-dimensional fast spin echo (3D-FSE-Cube) MRI. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 85-91.	1.4	24
43	Outpatient surgery feasibility in anterior cruciate ligament reconstruction: A prospective comparative assessment. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 521-526.	2.0	24
44	CT-based quantitative assessment of the surface size and en-face position of the coracoid block post-Latarjet procedure. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 1543-1548.	2.4	23
45	Ceramic-on-ceramic total hip arthroplasty: Is squeaking related to an inaccurate three-dimensional hip anatomy reconstruction?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 437-440.	2.0	23
46	Arthroscopic meniscal allograft transplantation with two tibia tunnels without bone plugs: evaluation of healing on MR arthrography and functional outcomes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 264-269.	4.2	22
47	An original arthroscopic fixation of adult's tibial eminence fractures using the TightropeÂ® device: A report of 8 cases and review of literature. <i>Knee</i> , 2014, 21, 833-839.	1.6	21
48	The feasibility and results of an arthroscopic removal of humeral locking plates and glenohumeral arthrolysis after proximal humeral fractures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 456-461.	4.2	21
49	Return to Rugby After Brain Concussion: A Prospective Study in 35 High Level Rugby Players. <i>Asian Journal of Sports Medicine</i> , 2014, 5, e24042.	0.3	21
50	How Accurate Are Anatomic Landmarks for Femoral Tunnel Positioning in Anterior Cruciate Ligament Reconstruction? An InÂVivo Imaging Analysis Comparing Both Anteromedial Portal and Outside-In Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 882-889.	2.7	20
51	Bioabsorbable screws, whatever the composition, can result in symptomatic intra-osseous tibial tunnel cysts after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 76-85.	4.2	20
52	Arthrodesis with Internal Fixation of the Infected Ankle. <i>Journal of Foot and Ankle Surgery</i> , 2011, 50, 25-30.	1.0	19
53	Professional Athletes Are Not at a Higher Risk of Infections After Anterior Cruciate Ligament Reconstruction: Incidence of Septic Arthritis, Additional Costs, and Clinical Outcomes From the French Prospective Anterior Cruciate Ligament Study (FAST) Cohort. <i>American Journal of Sports Medicine</i> , 2019, 47, 104-111.	4.2	19
54	Complete paralysis of the quadriceps secondary to post-traumatic iliopsoas hematoma: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 39-43.	1.4	18

#	ARTICLE	IF	CITATIONS
55	A threshold value of 3.5Âmm of passive anterior tibial subluxation on MRI is highly specific for complete ACL tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 885-892.	4.2	18
56	Peri-articular local infiltration analgesia versus femoral nerve block for postoperative pain control following anterior cruciate ligament reconstruction: Prospective, comparative, non-inferiority study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 873-877.	2.0	17
57	Upper limb joint muscle/tendon injury and anthropometric adaptations in French competitive tennis players. <i>European Journal of Sport Science</i> , 2016, 16, 483-489.	2.7	16
58	Treatment of infected non-unions of the femur and tibia in a French referral center for complex bone and joint infections: Outcomes of 55 patients after 2 to 11 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 137-145.	2.0	16
59	Cortical onlay strut allograft with cerclage wiring of periprosthetic fractures of the humerus without stem loosening: technique and preliminary results. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2017, 27, 553-557.	1.4	15
60	Ultrasound-guided percutaneous tenotomy of the long head of the biceps tendon: a non-reliable technique. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1027-1030.	4.2	14
61	Surgical technique for repair of acute proximal hamstring tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 235-240.	2.0	14
62	Sensitivity and specificity of bell-hammer tear as an indirect sign of partial anterior cruciate ligament rupture on magnetic resonance imaging. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1112-1118.	4.2	14
63	Material costs of anterior cruciate ligament reconstruction with hamstring tendons by two different techniques. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 196-201.	2.0	12
64	Inefficacy of Kinesio-TapingÂ® on early postoperative pain after ACL reconstruction: Prospective comparative study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 963-967.	2.0	12
65	Outpatient Latarjet surgery for gleno-humeral instability: Prospective comparative assessment of feasibility and safety. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 507-512.	2.0	12
66	Can the number of surgery delays and postponements due to unavailable instrumentation be reduced? Evaluating the benefits of enhanced collaboration between the sterilization and orthopedic surgery units. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 563-568.	2.0	10
67	Residual inferior glenohumeral instability after arthroscopic Bankart repair: Radiological evaluation and functional results. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, 590-594.	2.0	9
68	Autologous Conditioned Plasma for tendon healing following arthroscopic rotator cuff repair. Prospective comparative assessment with magnetic resonance arthrography at 6 monthsâ€™ follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 245-249.	2.0	9
69	Hermes patellofemoral arthroplasty: Annual revision rate and clinical results after two to 20â€™ years of follow-up. <i>Knee</i> , 2019, 26, 484-491.	1.6	9
70	Pre-operative bone mineral density is a predictive factor for excellent early patient-reported outcome measures in cementless total hip arthroplasty using a proximally fixed anatomic stem. A prospective study at two year minimum follow-up. <i>International Orthopaedics</i> , 2020, 44, 2253-2259.	1.9	9
71	Risk factors for passive anterior tibial subluxation on MRI in complete ACL tear. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 465-468.	2.0	9
72	Can primary total hip arthroplasty be performed in an outpatient setting? Prospective feasibility and safety study in 321 patients in a day-surgery unit. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 551-555.	2.0	9

#	ARTICLE	IF	CITATIONS
73	Tibial tubercle osteotomy hinged on the tibialis anterior muscle and fixed by circumferential cable cerclage in revision total knee arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 539-544.	2.0	8
74	Survival and functional results after a mean follow-up of 9 years with the Ceragr [®] highly congruent mobile-bearing TKA. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 455-460.	2.0	8
75	Hospitalisation en court s [®] jour pour reconstruction du ligament crois [®] ant [®] rieur [®] : [®] tude prospective comparative. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 71-75.	0.1	7
76	A new instrument to measure the activity profile of elderly shoulder pathology patients: The Senior Shoulder Activity score (SSA score). <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, S367-S370.	2.0	6
77	The intra- and inter-observer reliability of the CT-scan based X index to quantify glenoid bone loss in chronic anterior shoulder instability and its impact on decision making. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 699-703.	1.4	6
78	From statistical significance to clinical relevance: The contribution of new assessment instruments. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102879.	2.0	6
79	Acromial J-bone graft on the acromion for surgical treatment of glenohumeral instability: an anatomical study. <i>Shoulder and Elbow</i> , 2017, 9, 272-278.	1.5	5
80	A higher reliability with a computed tomography scan-based three dimensional technique than with a two dimensional measurement for lower limb discrepancy in total hip arthroplasty planning. <i>International Orthopaedics</i> , 2021, 45, 3129-3137.	1.9	5
81	SHART: shoulder hyperabduction radiological test. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 2080-2084.	4.2	4
82	Reliability of a new dynamic ultrasound test for quantifying first-ray mobility. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1131-1136.	2.0	4
83	The "œsleeper"™s sign [®] is valid and suggestive of a medial sub-meniscal flap tear. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 51-58.	4.2	4
84	Does retrograde tibial tunnel drilling decrease subchondral bone lesions during ACL reconstruction? A prospective trial comparing retrograde to antegrade technique. <i>Knee</i> , 2016, 23, 111-115.	1.6	3
85	Arthroscopic Bankart Repair in Patients Over 30 Years of Age. Clinical and Radiologic Results at More than 10 Years Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, e162.	2.7	3
86	Arthroscopic Meniscal Allograft Transplantation Without Bone Blocks: Evaluation With MR-Arthrography. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, e106.	2.7	2
87	Retour au sport apr [®] s traitement chirurgical des ruptures proximales des tendons ischiojambiers [®] : revue de la litt [®] ature. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 28-36.	0.1	2
88	Reliability of a New Radiological Method for Assessment of the Postoperative Immobilization of the First Metatarsophalangeal Joint. <i>Foot and Ankle International</i> , 2015, 36, 310-317.	2.3	2
89	Bony defects in chronic anterior posttraumatic dislocation of the shoulder: Is there a correlation between humeral and glenoidal lesions?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2016, 26, 581-586.	1.4	2
90	Aptitude physique et psychologique pour la reprise du sport apr [®] s reconstruction du ligament crois [®] ant [®] rieur du genou [®] : score ACL-RSI et tests fonctionnels. <i>Journal De Traumatologie Du Sport</i> , 2018, 35, 15-24.	0.1	2

#	ARTICLE	IF	CITATIONS
91	Laxité glénohumérale inférieure résiduelle après stabilisation arthroscopique par Bankart: Évaluation radiologique et résultats fonctionnels. Revue De Chirurgie Orthopedique Et Traumatologique, 2011, 97, 574-578.	0.0	1
92	Maqdes A, Levy B, Klouche S, Hardy P. The feasibility and results of an arthroscopic removal of humeral locking plates and glenohumeral arthrolysis after proximal humeral fractures. Knee Surg Sports Traumatol Arthrosc 2013 Feb 9. [Epub ahead of print] Doi 10.1007/s00167-013-2437-8. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 2256-2256.	4.2	1
93	Treatment of Epicondylitis By Ultrasound-guided Local Injections of Platelet-rich Plasma: A Double-blind Placebo-controlled Randomized Clinical Trial with 1-year Follow-up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, e17.	2.7	1
94	Bicruciate Ligament Reconstruction in a Professional Rugby Player: Clinical Presentation and Literature Review. Case Reports in Orthopedics, 2015, 2015, 1-6.	0.3	1
95	Retour au sport habituel après reconstruction itérative du ligament croisé antérieur: Étude prospective comparative versus ligamentoplastie de première intention. Journal De Traumatologie Du Sport, 2016, 33, 127-133.	0.1	1
96	Description and reproducibility assessment of a new computerised tomography scan index to measure the glenoid orientation in relation to the anterior glenoid surface. International Orthopaedics, 2017, 41, 1017-1022.	1.9	1
97	Résidive après reconstruction arthroscopique de type Bankart: l'analyse radiologique quantitative des pertes osseuses a-t-elle une valeur prédictive?. Revue De Chirurgie Orthopedique Et Traumatologique, 2012, 98, 446-452.	0.0	0
98	Clinical Evaluation Of A Continuous Series Of 55 Cases Of Partial Ligament Anterior Cruciate Ligament By The Tls Technique (Short Graft Hamstring). Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, e37.	2.7	0
99	Un nouvel outil d'évaluation du profil d'activité des seniors présentant une pathologie de l'épaule: le score SSA (Senior Shoulder Activity). Revue De Chirurgie Orthopedique Et Traumatologique, 2013, 99, S388-S392.	0.0	0
100	Synovectomie arthroscopique de première intention pour synovite villo-nodulaire pigmentée du genou: taux de résidive et résultats fonctionnels à sept ans de recul moyen. Revue De Chirurgie Orthopedique Et Traumatologique, 2013, 99, 767-773.	0.0	0
101	Ruptures du ligament croisé antérieur au cours du cycle menstruel chez les skieuses de loisir. Revue De Chirurgie Orthopedique Et Traumatologique, 2013, 99, 476-481.	0.0	0
102	Authors' Reply. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2014, 30, 1533-1534.	2.7	0
103	Treatment of Habitual Patellar Dislocation in an Adult by Isolated Medial Patellofemoral Ligament Reconstruction. Case Reports in Orthopedics, 2014, 2014, 1-5.	0.3	0
104	Les facteurs de risques de rupture du ligament croisé antérieur: le genre féminin. Journal De Traumatologie Du Sport, 2014, 31, 58-62.	0.1	0
105	Ostéotomie de la tubérosité tibiale antérieure pédiculée sur le tendon tibial antérieur fixé par cablage circonférentiel dans les reprises de prothèses totales de genou. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 397-402.	0.0	0
106	Chirurgie ambulatoire dans les reconstructions du ligament croisé antérieur: une évaluation prospective comparative. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 377-382.	0.0	0
107	Prothèse totale de hanche céramique-céramique: le grincement est-il corrélé à une inexactitude de reconstruction de l'anatomie tridimensionnelle?. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 336.	0.0	0
108	Analgesia After Arthroscopic Rotator Cuff Repair by Suprascapular Nerve Block: A Randomized Controlled Trial. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, e11.	2.7	0

#	ARTICLE	IF	CITATIONS
109	Non-efficacit� du Kinesio-Taping� sur la douleur postop�ratoire pr�coco apr�s reconstruction du LCA�: �tude comparative prospective. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, 658-662.	0.0	0
110	Traitement chirurgical des l�sions de la coiffe des rotateurs du sujet de moins de 50ans. Journal De Traumatologie Du Sport, 2015, 32, 75-80.	0.1	0
111	Proth�se totale de genou ultra-congruente � plateau mobile Ceragyr��: analyse de survie et r�sultats fonctionnels au recul moyen de 9ans. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, 293-298.	0.0	0
112	Sympt�mes d�inconfort postop�ratoire apr�s reconstruction du ligament crois� ant�rieur en chirurgie ambulatoire�: �tude prospective comparative. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, 111-115.	0.0	0
113	Infiltration locale p�riarticulaire d�anesth�sique versus bloc crural dans lâanalgesie postop�ratoire apr�s reconstruction du ligament crois� ant�rieur. �tude prospective comparative de non-inf�riorit�. Revue De Chirurgie Orthopedique Et Traumatologique, 2016, 102, 638-642.	0.0	0
114	�valuation prospective comparative de faisabilit� et de s�curit� de la chirurgie ambulatoire dans les stabilisations de lâ�paule selon la technique de Latarjet�: r�sultats postop�ratoires pr�coces et � 1� de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2016, 102, 366-371.	0.0	0
115	Major Causes of Sports Injuries. , 2016, , 15-25.	0.0	0
116	Efficacit� de la vitamine C en pr�vention du syndrome douloureux r�gional complexe de type I�apr�s fracture du poignet�: revue syst�matique et m�ta-analyse. Revue De Chirurgie Orthopedique Et Traumatologique, 2017, 103, 324-329.	0.0	0
117	Facteurs de risque de translation ant�rieure spontan�e passive du genou � lâIRM dans les ruptures compl�tes du ligament crois� ant�rieur. Revue De Chirurgie Orthopedique Et Traumatologique, 2020, 106, 233-237.	0.0	0
118	Int�r�t du plasma autologue conditionn� dans la cicatrisation des tendons de la coiffe des rotateurs apr�s r�paration arthroscopique. �valuation prospective comparative sur arthro-IRM � 6� de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2019, 105, 143-148.	0.0	0
119	Peut-on implanter des proth�ses totales de hanche de premi�re intention en ambulatoire�? �tude prospective de faisabilit� et de s�curit� chez 321�patients dans une unit� de chirurgie ambulatoire. Revue De Chirurgie Orthopedique Et Traumatologique, 2020, 106, 295-300.	0.0	0