

Shahnaz Klouche

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6985039/publications.pdf>

Version: 2024-02-01

119
papers

2,967
citations

147801

31
h-index

189892

50
g-index

167
all docs

167
docs citations

167
times ranked

2624
citing authors

#	ARTICLE	IF	CITATIONS
1	The "œsleeper"™s sign is valid and suggestive of a medial sub-meniscal flap tear. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 51-58.	4.2	4
2	From statistical significance to clinical relevance: The contribution of new assessment instruments. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102879.	2.0	6
3	A higher reliability with a computed tomography scan-based three dimensional technique than with a two dimensional measurement for lower limb discrepancy in total hip arthroplasty planning. <i>International Orthopaedics</i> , 2021, 45, 3129-3137.	1.9	5
4	Facteurs de risque de translation antérieure spontanée passive du genou à l'IRM dans les ruptures complètes du ligament croisé antérieur. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 233-237.	0.0	0
5	Pre-operative bone mineral density is a predictive factor for excellent early patient-reported outcome measures in cementless total hip arthroplasty using a proximally fixed anatomic stem. A prospective study at two year minimum follow-up. <i>International Orthopaedics</i> , 2020, 44, 2253-2259.	1.9	9
6	Risk factors for passive anterior tibial subluxation on MRI in complete ACL tear. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 465-468.	2.0	9
7	Vancomycin-soaked autografts during ACL reconstruction reduce the risk of post-operative infection without affecting return to sport or knee function. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2578-2585.	4.2	31
8	Can primary total hip arthroplasty be performed in an outpatient setting? Prospective feasibility and safety study in 321 patients in a day-surgery unit. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 551-555.	2.0	9
9	Peut-on implanter des prothèses totales de hanche de première intention en ambulatoire? Étude prospective de faisabilité et de sécurité chez 321 patients dans une unité de chirurgie ambulatoire. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 295-300.	0.0	0
10	Bioabsorbable screws, whatever the composition, can result in symptomatic intra-osseous tibial tunnel cysts after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 76-85.	4.2	20
11	Reliability of a new dynamic ultrasound test for quantifying first-ray mobility. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1131-1136.	2.0	4
12	Can the number of surgery delays and postponements due to unavailable instrumentation be reduced? Evaluating the benefits of enhanced collaboration between the sterilization and orthopedic surgery units. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 563-568.	2.0	10
13	Autologous Conditioned Plasma for tendon healing following arthroscopic rotator cuff repair. Prospective comparative assessment with magnetic resonance arthrography at 6 months follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 245-249.	2.0	9
14	Hermes patellofemoral arthroplasty: Annual revision rate and clinical results after two to 20 years of follow-up. <i>Knee</i> , 2019, 26, 484-491.	1.6	9
15	Local infiltration analgesia versus interscalene nerve block for postoperative pain control after shoulder arthroplasty: a prospective, randomized, comparative noninferiority study involving 99 patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 212-219.	2.6	26
16	Professional Athletes Are Not at a Higher Risk of Infections After Anterior Cruciate Ligament Reconstruction: Incidence of Septic Arthritis, Additional Costs, and Clinical Outcomes From the French Prospective Anterior Cruciate Ligament Study (FAST) Cohort. <i>American Journal of Sports Medicine</i> , 2019, 47, 104-111.	4.2	19
17	Are athletes able to resume sport at six-month mean follow-up after anterior cruciate ligament reconstruction? Prospective functional and psychological assessment from the French Anterior Cruciate Ligament Study (FAST) cohort. <i>Knee</i> , 2019, 26, 155-164.	1.6	28
18	A threshold value of 3.5 mm of passive anterior tibial subluxation on MRI is highly specific for complete ACL tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 885-892.	4.2	18

#	ARTICLE	IF	CITATIONS
19	Intérêt du plasma autologue conditionné dans la cicatrisation des tendons de la coiffe des rotateurs après réparation arthroscopique. Évaluation prospective comparative sur arthro-IRM à 6 mois de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2019, 105, 143-148.	0.0	0
20	Aptitude physique et psychologique pour la reprise du sport après reconstruction du ligament croisé antérieur du genou: score ACL-RSI et tests fonctionnels. Journal De Traumatologie Du Sport, 2018, 35, 15-24.	0.1	2
21	Treatment of infected non-unions of the femur and tibia in a French referral center for complex bone and joint infections: Outcomes of 55 patients after 2 to 11 years. Orthopaedics and Traumatology: Surgery and Research, 2018, 104, 137-145.	2.0	16
22	Reliability and validity of preoperative MRI for surgical decision making in chronic lateral ankle instability. European Journal of Orthopaedic Surgery and Traumatology, 2018, 28, 713-719.	1.4	31
23	The Shoulder Instability-Return to Sport after Injury (SIRSI): a valid and reproducible scale to quantify psychological readiness to return to sport after traumatic shoulder instability. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 203-211.	4.2	72
24	Progression of the Psychological ACL-RSI Score and Return to Sport After Anterior Cruciate Ligament Reconstruction: A Prospective 2-Year Follow-up Study From the French Prospective Anterior Cruciate Ligament Reconstruction Cohort Study (FAST). Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711881281.	1.7	80
25	Translation, cross-cultural adaption and validation of the French version of the Forgotten Joint Score in total hip arthroplasty. Orthopaedics and Traumatology: Surgery and Research, 2018, 104, 657-661.	2.0	43
26	Acromial J-bone graft on the acromion for surgical treatment of glenohumeral instability: an anatomical study. Shoulder and Elbow, 2017, 9, 272-278.	1.5	5
27	Cortical onlay strut allograft with cerclage wiring of periprosthetic fractures of the humerus without stem loosening: technique and preliminary results. European Journal of Orthopaedic Surgery and Traumatology, 2017, 27, 553-557.	1.4	15
28	Efficacy of vitamin C in preventing complex regional pain syndrome after wrist fracture: A systematic review and meta-analysis. Orthopaedics and Traumatology: Surgery and Research, 2017, 103, 465-470.	2.0	65
29	Arthroscopic Bankart Repair in Patients Over 30 Years of Age. Clinical and Radiologic Results at More than 10 Years Follow-Up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, e162.	2.7	3
30	Efficacité de la vitamine C en prévention du syndrome douloureux régional complexe de type I après fracture du poignet: revue systématique et méta-analyse. Revue De Chirurgie Orthopedique Et Traumatologique, 2017, 103, 324-329.	0.0	0
31	Return to Sport After Primary and Revision Anterior Cruciate Ligament Reconstruction: A Prospective Comparative Study of 552 Patients From the FAST Cohort. American Journal of Sports Medicine, 2017, 45, 34-41.	4.2	117
32	Description and reproducibility assessment of a new computerised tomography scan index to measure the glenoid orientation in relation to the anterior glenoid surface. International Orthopaedics, 2017, 41, 1017-1022.	1.9	1
33	A Prospective Comparative Study of Arthroscopic Versus Mini-Open Latarjet Procedure With a Minimum 2-Year Follow-up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 269-277.	2.7	55
34	Coracoid graft positioning in the Latarjet procedure. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 496-501.	4.2	34
35	Arthroscopic Bankart shoulder stabilization in athletes: return to sports and functional outcomes. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1877-1883.	4.2	61
36	A Current Review of the Meniscus Imaging: Proposition of a Useful Tool for Its Radiologic Analysis. Radiology Research and Practice, 2016, 2016, 1-25.	1.3	43

#	ARTICLE	IF	CITATIONS
37	Bony defects in chronic anterior posttraumatic dislocation of the shoulder: Is there a correlation between humeral and glenoidal lesions?. European Journal of Orthopaedic Surgery and Traumatology, 2016, 26, 581-586.	1.4	2
38	Infiltration locale pÃ©ri-articulaire d'anesthÃ©sique versus bloc crural dans l'analgÃ©sie postopÃ©ratoire aprÃ©s reconstruction du ligament croisÃ© antÃ©rieur. Ãtude prospective comparative de non-infÃ©rioritÃ©. Revue De Chirurgie Orthopedique Et Traumatologique, 2016, 102, 638-642.	0.0	0
39	Anterior shoulder stabilization by Bristow-Latarjet procedure in athletes: return-to-sport and functional outcomes at minimum 2-year follow-up. European Journal of Orthopaedic Surgery and Traumatology, 2016, 26, 277-282.	1.4	58
40	Ãvaluation prospective comparative de faisabilitÃ© et de sÃ©curitÃ© de la chirurgie ambulatoire dans les stabilisations de l'Ã©paule selon la technique de Latarjet: rÃ©sultats postopÃ©ratoires prÃ©coces et Ã 1 an de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2016, 102, 366-371.		0
41	Return to recreational sport and clinical outcomes with at least 2 years follow-up after arthroscopic repair of rotator cuff tears. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 563-567.	2.0	38
42	Retour au sport habituel aprÃ©s reconstruction itÃ©rative du ligament croisÃ© antÃ©rieur: Ãtude prospective comparative versus ligamentoplastie de premiÃ©re intention. Journal De Traumatologie Du Sport, 2016, 33, 127-133.	0.1	1
43	Peri-articular local infiltration analgesia versus femoral nerve block for postoperative pain control following anterior cruciate ligament reconstruction: Prospective, comparative, non-inferiority study. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 873-877.	2.0	17
44	Suprascapular Nerve Block Versus Interscalene Block as Analgesia After Arthroscopic Rotator Cuff Repair: A Randomized Controlled Noninferiority Trial. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 2203-2209.	2.7	44
45	Outpatient Latarjet surgery for gleno-humeral instability: Prospective comparative assessment of feasibility and safety. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 507-512.	2.0	12
46	Inefficacy of ultrasound-guided local injections of autologous conditioned plasma for recent epicondylitis: results of a double-blind placebo-controlled randomized clinical trial with one-year follow-up. Rheumatology, 2016, 55, 279-285.	1.9	66
47	Does retrograde tibial tunnel drilling decrease subchondral bone lesions during ACL reconstruction? A prospective trial comparing retrograde to antegrade technique. Knee, 2016, 23, 111-115.	1.6	3
48	Return to Sport After Rotator Cuff Tear Repair. American Journal of Sports Medicine, 2016, 44, 1877-1887.	4.2	94
49	Major Causes of Sports Injuries. , 2016, , 15-25.		0
50	Assessment of the feasibility of arthroscopic visualization of the lateral ligament of the ankle: a cadaveric study. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 985-990.	4.2	43
51	Upper limb joint muscle/tendon injury and anthropometric adaptations in French competitive tennis players. European Journal of Sport Science, 2016, 16, 483-489.	2.7	16
52	Treatment of Epicondylitis By Ultrasound-guided Local Injections of Platelet-rich Plasma: A Double-blind Placebo-controlled Randomized Clinical Trial with 1-year Follow-up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, e17.	2.7	1
53	Bicruciate Ligament Reconstruction in a Professional Rugby Player: Clinical Presentation and Literature Review. Case Reports in Orthopedics, 2015, 2015, 1-6.	0.3	1
54	Survival and functional results after a mean follow-up of 9years with the CeragrÃ© highly congruent mobile-bearing TKA. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 455-460.	2.0	8

#	ARTICLE	IF	CITATIONS
55	Analgesia After Arthroscopic Rotator Cuff Repair by Suprascapular Nerve Block: A Randomized Controlled Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, e11.	2.7	0
56	Inefficacy of Kinesio-Taping® on early postoperative pain after ACL reconstruction: Prospective comparative study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 963-967.	2.0	12
57	Non-efficacité du Kinesio-Taping® sur la douleur postopératoire après la reconstruction du LCA: Étude comparative prospective. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 658-662.	0.0	0
58	Direct anterior Hueter approach is a safe and effective approach to perform a bipolar hemiarthroplasty for femoral neck fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 358-362.	3.3	32
59	Postoperative discomfort after outpatient anterior cruciate ligament reconstruction: A prospective comparative study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 163-166.	2.0	25
60	The intra- and inter-observer reliability of the CT-scan based X index to quantify glenoid bone loss in chronic anterior shoulder instability and its impact on decision making. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 699-703.	1.4	6
61	Traitement chirurgical des lésions de la coiffe des rotateurs du sujet de moins de 50ans. <i>Journal De Traumatologie Du Sport</i> , 2015, 32, 75-80.	0.1	0
62	Prothèse totale de genou ultra-congruente à plateau mobile Ceragr®: analyse de survie et résultats fonctionnels au recul moyen de 9ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 293-298.	0.0	0
63	How Accurate Are Anatomic Landmarks for Femoral Tunnel Positioning in Anterior Cruciate Ligament Reconstruction? An In Vivo Imaging Analysis Comparing Both Anteromedial Portal and Outside-In Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 882-889.	2.7	20
64	Symptômes d'inconfort postopératoire après la reconstruction du ligament croisé antérieur en chirurgie ambulatoire: Étude prospective comparative. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 111-115.	0.0	0
65	Diagnostic value of the GNRB® in relation to pressure load for complete ACL tears: A prospective case-control study of 118 subjects. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 297-300.	2.0	27
66	The epidemiology of 1345 shoulder dislocations and subluxations in French Rugby Union players: a five-season prospective study from 2008 to 2013. <i>British Journal of Sports Medicine</i> , 2015, 49, 1535-1540.	6.7	34
67	Reliability of a New Radiological Method for Assessment of the Postoperative Immobilization of the First Metatarsophalangeal Joint. <i>Foot and Ankle International</i> , 2015, 36, 310-317.	2.3	2
68	Metatarsalgia and Morton's Disease: Comparison of Outcomes Between Open Procedure and Neurectomy Versus Percutaneous Metatarsal Osteotomies and Ligament Release With a Minimum of 2 Years of Follow-Up. <i>Journal of Foot and Ankle Surgery</i> , 2015, 54, 373-377.	1.0	38
69	Arthroscopic meniscal allograft transplantation with two tibia tunnels without bone plugs: evaluation of healing on MR arthrography and functional outcomes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 264-269.	4.2	22
70	Complete paralysis of the quadriceps secondary to post-traumatic iliopsoas hematoma: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 39-43.	1.4	18
71	Translation, cross-cultural adaptation and validation of the French version of the Anterior Cruciate Ligament-Return to Sport after Injury (ACL-RSI) scale. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1192-1196.	4.2	106
72	The effect of femoral offset modification on gait after total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 123-127.	3.3	116

#	ARTICLE	IF	CITATIONS
73	Authors' Reply. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2014, 30, 1533-1534.	2.7	0
74	Treatment of Habitual Patellar Dislocation in an Adult by Isolated Medial Patellofemoral Ligament Reconstruction. Case Reports in Orthopedics, 2014, 2014, 1-5.	0.3	0
75	An original arthroscopic fixation of adult's tibial eminence fractures using the Tightrope® device: A report of 8 cases and review of literature. Knee, 2014, 21, 833-839.	1.6	21
76	Les facteurs de risques de rupture du ligament croisé antérieur: le genre féminin. Journal De Traumatologie Du Sport, 2014, 31, 58-62.	0.1	0
77	Ceramic-on-ceramic total hip arthroplasty: Is squeaking related to an inaccurate three-dimensional hip anatomy reconstruction?. Orthopaedics and Traumatology: Surgery and Research, 2014, 100, 437-440.	2.0	23
78	Sensitivity and specificity of bell-hammer tear as an indirect sign of partial anterior cruciate ligament rupture on magnetic resonance imaging. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 1112-1118.	4.2	14
79	The feasibility and results of an arthroscopic removal of humeral locking plates and glenohumeral arthrolysis after proximal humeral fractures. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 456-461.	4.2	21
80	Partial tears of the anterior cruciate ligament: diagnostic performance of isotropic three-dimensional fast spin echo (3D-FSE-Cube) MRI. European Journal of Orthopaedic Surgery and Traumatology, 2014, 24, 85-91.	1.4	24
81	Maqdes A, Levy B, Klouche S, Hardy P. The feasibility and results of an arthroscopic removal of humeral locking plates and glenohumeral arthrolysis after proximal humeral fractures. Knee Surg Sports Traumatol Arthrosc 2013 Feb 9. [Epub ahead of print] Doi 10.1007/s00167-013-2437-8. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 2256-2256.	4.2	1
82	Pain evaluation after all-inside anterior cruciate ligament reconstruction and short term functional results of a prospective randomized study. Knee, 2014, 21, 102-106.	1.6	66
83	Treatment of Pigmented Villonodular Synovitis of the Knee. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2014, 30, 1327-1341.	2.7	82
84	Ostéotomie de la tubérosité tibiale antérieure pédiculée sur le tendon tibial antérieur fixe par cablage circonférentiel dans les reprises de prothèses totales de genou. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 397-402.	0.0	0
85	Outpatient surgery feasibility in anterior cruciate ligament reconstruction: A prospective comparative assessment. Orthopaedics and Traumatology: Surgery and Research, 2014, 100, 521-526.	2.0	24
86	Chirurgie ambulatoire dans les reconstructions du ligament croisé antérieur: une évaluation prospective comparative. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 377-382.	0.0	0
87	Tibial tubercle osteotomy hinged on the tibialis anterior muscle and fixed by circumferential cable cerclage in revision total knee arthroplasty. Orthopaedics and Traumatology: Surgery and Research, 2014, 100, 539-544.	2.0	8
88	Retour au sport après traitement chirurgical des ruptures proximales des tendons ischiojambiers: revue de la littérature. Journal De Traumatologie Du Sport, 2014, 31, 28-36.	0.1	2
89	Hospitalisation en court séjour pour reconstruction du ligament croisé antérieur: Étude prospective comparative. Journal De Traumatologie Du Sport, 2014, 31, 71-75.	0.1	7
90	Prothèse totale de hanche céramique-céramique: le grincement est-il corrélé à une inexactitude de reconstruction de l'anatomie tridimensionnelle?. Revue De Chirurgie Orthopedique Et Traumatologique, 2014, 100, 336.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Validity of GNRB [®] arthrometer compared to Telos [®] in the assessment of partial anterior cruciate ligament tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 285-290.	4.2	54
92	Return to Rugby After Brain Concussion: A Prospective Study in 35 High Level Rugby Players. <i>Asian Journal of Sports Medicine</i> , 2014, 5, e24042.	0.3	21
93	Return to judo after joint replacement. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 2889-2894.	4.2	28
94	Returning to sports after surgical repair of acute proximal hamstring ruptures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 534-539.	4.2	45
95	CT-based quantitative assessment of the surface size and en-face position of the coracoid block post-Latarjet procedure. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 1543-1548.	2.4	23
96	Clinical Evaluation Of A Continuous Series Of 55 Cases Of Partial Ligament Anterior Cruciate Ligament By The Tls Technique [®] (Short Graft Hamstring). <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, e37.	2.7	0
97	Un nouvel outil d'évaluation du profil d'activité des seniors présentant une pathologie de l'épaule: le score SSA (Senior Shoulder Activity). <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, S388-S392.	0.0	0
98	Synovectomie arthroscopique de première intention pour synovite villo-nodulaire pigmentée du genou: taux de récurrence et résultats fonctionnels à sept ans de recul moyen. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, 767-773.	0.0	0
99	A new instrument to measure the activity profile of elderly shoulder pathology patients: The Senior Shoulder Activity score (SSA score). <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, S367-S370.	2.0	6
100	Primary arthroscopic synovectomy for pigmented villo-nodular synovitis of the knee: Recurrence rate and functional outcomes after a mean follow-up of seven years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 937-943.	2.0	28
101	Reliability and validity assessment of a glenoid bone loss measurement using the Bernageau profile view in chronic anterior shoulder instability. <i>Journal of Shoulder and Elbow Surgery</i> , 2013, 22, 1193-1198.	2.6	27
102	Ruptures du ligament croisé antérieur au cours du cycle menstruel chez les skieuses de loisir. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, 476-481.	0.0	0
103	Arthroscopic Meniscal Allograft Transplantation Without Bone Blocks: Evaluation With MR-Arthrography. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, e106.	2.7	2
104	Surgical technique for repair of acute proximal hamstring tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 235-240.	2.0	14
105	Anterior cruciate ligament tear during the menstrual cycle in female recreational skiers. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 571-575.	2.0	34
106	Material costs of anterior cruciate ligament reconstruction with hamstring tendons by two different techniques. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 196-201.	2.0	12
107	Récurrence après reconstruction arthroscopique de type Bankart: l'analyse radiologique quantitative des pertes osseuses a-t-elle une valeur prédictive?. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2012, 98, 446-452.	0.0	0
108	Does arthroscopic rotator cuff repair actually heal? Anatomic evaluation with magnetic resonance arthrography at minimum 2 years follow-up. <i>Journal of Shoulder and Elbow Surgery</i> , 2012, 21, 531-536.	2.6	54

#	ARTICLE	IF	CITATIONS
109	Recurrence after arthroscopic Bankart repair: Is quantitative radiological analysis of bone loss of any predictive value?. Orthopaedics and Traumatology: Surgery and Research, 2012, 98, 514-519.	2.0	46
110	Infected total hip arthroplasty revision: One- or two-stage procedure?. Orthopaedics and Traumatology: Surgery and Research, 2012, 98, 144-150.	2.0	109
111	Ultrasound-guided percutaneous tenotomy of the long head of the biceps tendon: a non-reliable technique. Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 1027-1030.	4.2	14
112	Laxité glénohumérale inférieure résiduelle après stabilisation arthroscopique par Bankart: Évaluation radiologique et résultats fonctionnels. Revue De Chirurgie Orthopedique Et Traumatologique, 2011, 97, 574-578.	0.0	1
113	Infected total hip arthroplasty treated by an irrigation-debridement/component retention protocol. A prospective study in a 12-case series with minimum 2 years' follow-up. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 134-138.	2.0	40
114	Total hip arthroplasty dislocation rate following isolated cup revision using Hueter's direct anterior approach on a fracture table. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 501-505.	2.0	41
115	Residual inferior glenohumeral instability after arthroscopic Bankart repair: Radiological evaluation and functional results. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 590-594.	2.0	9
116	Arthrodesis with Internal Fixation of the Infected Ankle. Journal of Foot and Ankle Surgery, 2011, 50, 25-30.	1.0	19
117	SHART: shoulder hyperabduction radiological test. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 2080-2084.	4.2	4
118	Total hip arthroplasty revision due to infection: A cost analysis approach. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 124-132.	2.0	209
119	Analyse du coût des reprises des prothèses totales de hanche infectées. Revue De Chirurgie Orthopedique Et Traumatologique, 2010, 96, 167-175.	0.0	96