

Sukhleen Bindra Narang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6985507/publications.pdf>

Version: 2024-02-01

66
papers

1,016
citations

430874

18
h-index

454955

30
g-index

66
all docs

66
docs citations

66
times ranked

694
citing authors

#	ARTICLE	IF	CITATIONS
1	Studies on Exchange-Coupled Magnetodielectric Ceramics for Microwave Absorption in K _u -Band. IEEE Transactions on Magnetics, 2021, 57, 1-7.	2.1	3
2	Comparison of Ku (12.4–18 GHz) and K (18–26.5 GHz) Band Microwave Absorption Characterization of Co-Zr Co-substituted Ni-Zn Ferrites. Journal of Electronic Materials, 2021, 50, 5338-5347.	2.2	5
3	Optimization of Performance Parameters of Doped Ferrite-Based Microwave Absorbers: Their Structural, Tunable Reflection Loss, Bandwidth, and Input Impedance Characteristics. IEEE Transactions on Magnetics, 2021, 57, 1-19.	2.1	8
4	Composition dependent magnetic and microwave properties of exchange-coupled hard/soft nanocomposite ferrite. Journal of Alloys and Compounds, 2020, 815, 152391.	5.5	46
5	Structural, magnetic, dielectric, microwave absorption, and optical characterization of $\text{Ni}_{0.1}\text{Co}_{0.9}\text{MnZr}_x\text{Fe}_{2-2x}\text{O}_4/\text{Ba}_y\text{Sr}_{1-y}\text{Fe}_{12}\text{O}_{19}$ nanocomposites. Journal of Materials Science: Materials in Electronics, 2020, 31, 599-609.	2.2	10
6	X-Band Microwave Absorption in Nd ³⁺ -Substituted Mg–Cd Spinel Ferrites Synthesized Under Microwave Sintering. IEEE Transactions on Magnetics, 2020, 56, 1-7.	2.1	3
7	Structural, dielectric, reflection and optical characteristics of the rare-earth (Yb, Er, Dy and Eu) substituted M-phase $\text{Li}_{1+x}\text{Nb}_{1-x-3y}\text{Ti}_x\text{O}_3$ solid solutions. Journal of Alloys and Compounds, 2020, 825, 153979.	5.5	1
8	Tunable M-type nano barium hexaferrite material by Zn ²⁺ /Zr ⁴⁺ co-doping. Materials Research Express, 2019, 6, 116111.	1.6	20
9	Influence of grain size and porosity on X-band properties of Mn-Zr substituted Ni-Co ferrites. Materials Letters, 2019, 244, 186-191.	2.6	44
10	Strain dependence of the thermoelectric performance of porous armchair silicene nanoribbons. Journal of Materials Research, 2019, 34, 3946-3953.	2.6	0
11	Dielectric and microwave reflection properties of M-phase LNT (Li-Nb-Ti-O) solid solutions in X-band frequency range. Journal of Alloys and Compounds, 2019, 784, 668-675.	5.5	10
12	To investigate the relation between pore size and twist angle in enhanced thermoelectric efficient porous armchair graphene nanoribbons. Materials Research Express, 2018, 5, 055023.	1.6	0
13	Absorption Characterization of Mn-Zr-Substituted La-Sr Hexaferrite Using Open-Circuit and Short-Circuit Approaches in 8.2–18 GHz Frequency Range. Journal of Electronic Materials, 2018, 47, 820-827.	2.2	16
14	Sol-gel route approach and improvisation in physico-chemical, structural, magnetic and electrical properties of $\text{BaCo}_{2/2n}\text{Zr}_{2x}\text{Fe}_{12}\text{O}_{19}$ ferrites. Journal of Magnetism and Magnetic Materials, 2018, 447, 32-41.	2.3	24
15	Tunable Thermoelectric Performance in Porous Armchair Graphene Nanoribbons as a Function of Strain, Pore Morphology and Temperature. Journal of Electronic Materials, 2018, 47, 6467-6475.	2.2	2
16	Cobalt substituted nickel ferrites via Pechini's sol-gel citrate route: X-band electromagnetic characterization. Journal of Magnetism and Magnetic Materials, 2018, 466, 430-445.	2.3	109
17	X-Band Microwave Reflection Properties of Samarium/Bismuth-Substituted Barium Lanthanum Titanate Ceramics. Journal of Electronic Materials, 2017, 46, 1770-1776.	2.2	5
18	Dielectric and optical study of the M-phase LNT (Li-Nb-Ti-O) solid solutions. Materials Research Bulletin, 2017, 88, 200-205.	5.2	7

#	ARTICLE	IF	CITATIONS
19	Influence of the pore shape and dimension on the enhancement of thermoelectric performance of graphene nanoribbons. <i>Journal of Materials Research</i> , 2017, 32, 1149-1159.	2.6	9
20	Modulation of electromagnetic and absorption properties in 18–26.5 GHz frequency range of strontium hexaferrites with doping of cobalt–zirconium. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	11
21	Microwave Absorption Properties of Cobalt-Zirconium Doped Strontium Hexaferrites in Ku-Frequency Band. <i>Journal of Superconductivity and Novel Magnetism</i> , 2017, 30, 3465-3470.	1.8	16
22	Structural, dielectric and magnetic properties of BaFe ₁₂ –xAl _x O ₁₉ hexaferrite thick films. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 441, 465-474.	2.3	39
23	Tuning of microwave absorptive behavior of double substituted barium hexaferrites with change in thickness in 26.5–40.0 GHz band. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	12
24	Structural, magnetic and microwave properties of exchange coupled and non-exchange coupled BaFe ₁₂ O ₁₉ /NiFe ₂ O ₄ nanocomposites. <i>Journal of Alloys and Compounds</i> , 2017, 725, 1175-1181.	5.5	56
25	Nano-crystalline Magnesium Substituted Cadmium Ferrites as X-band Microwave Absorbers. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 441, 475-481.	2.3	33
26	Influence of Sn substitution on microwave properties of lead calcium iron niobate. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 100-104.	2.2	2
27	Structural and dielectric properties of Li ₁ –xTa ₁ –xTi _x O ₃ M-phase solid solutions. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 9688-9696.	2.2	4
28	Origin of absorption peaks in reflection loss spectrum in Ku-frequency band of Co-Zr substituted strontium hexaferrites prepared using sucrose precursor. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 426, 202-205.	2.3	24
29	Effect of Cu-Co-Zr Doping on the Properties of Strontium Hexaferrites Synthesized by Sol-Gel Auto-combustion Method. <i>Journal of Superconductivity and Novel Magnetism</i> , 2017, 30, 635-645.	1.8	20
30	Thickness and Composition Tailoring of K- and Ka-Band Microwave Absorption of BaCo _x Ti _x Fe _(12–2x) O ₁₉ Ferrites. <i>Journal of Electronic Materials</i> , 2017, 46, 718-728.	2.2	36
31	Structural, magnetic and microwave absorption behavior of Co-Zr substituted strontium hexaferrites prepared using tartaric acid fuel for electromagnetic interference suppression. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 422, 304-314.	2.3	64
32	Effect of thickness on microwave absorptive behavior of La-Na doped Co-Zr barium hexaferrites in 18.0–26.5 GHz band. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 423, 441-446.	2.3	38
33	Electromagnetic Characterization of Co-Ti-Doped Ba-M Ferrite-Based Frequency-Tunable Microwave Absorber in 12.4–40 GHz. <i>Journal of Superconductivity and Novel Magnetism</i> , 2017, 30, 511-520.	1.8	22
34	Structural, dielectric and electrical analysis of Ba ₂ –xLa ₄ –x/3Ti ₈ O ₂₄ ceramics system with frequency and temperature. <i>Microwave and Optical Technology Letters</i> , 2016, 58, 1679-1686.	1.4	5
35	Single-layer & double-layer microwave absorbers based on Co–Ti substituted barium hexaferrites for application in X and Ku-band. <i>Journal of Materials Research</i> , 2016, 31, 3682-3693.	2.6	24
36	Energy harvesting using piezoelectric materials. <i>Integrated Ferroelectrics</i> , 2016, 176, 268-274.	0.7	5

#	ARTICLE	IF	CITATIONS
37	Effect of precursors on dielectric properties of Co-Zr doped strontium hexaferrites in 20ÂHz â€“ 120ÂMHz frequency range. <i>Ferroelectrics</i> , 2016, 505, 67-73.	0.6	5
38	Frequency and Temperature Dependence of Dielectric and Electrical Properties of Sn-Doped Lead Calcium Iron Niobate. <i>Journal of Electronic Materials</i> , 2016, 45, 959-969.	2.2	8
39	Thermoelectric and electrical properties of Ba _{0.5} Sr _{0.5} Co _x Ru _x Fe _(12-2x) O ₁₉ ferrite*. <i>European Physical Journal B</i> , 2016, 89, 1.	1.5	0
40	Complex permittivity, permeability and microwave absorbing properties of Coâ€“Ti substituted strontium hexaferrite. <i>Materials Science-Poland</i> , 2016, 34, 19-24.	1.0	7
41	Investigation of Microwave Absorptive Behavior of La-Na Substituted M-Type Co-Zr Barium Hexaferrites in X-Band. <i>Journal of Superconductivity and Novel Magnetism</i> , 2016, 29, 2881-2886.	1.8	13
42	Schottkyâ€“Richardson, Pooleâ€“Frenkel, and Space Charge Limited Current Mechanisms in Mâ€“Type Sr(MnTi) _x Fe _(12-2x) O ₁₉ Ferrite. <i>Journal of the American Ceramic Society</i> , 2016, 99, 3639-3644.	3.8	16
43	Low fire M-phase lithium based dielectric ceramics for microwave applications: A review (I). <i>Ferroelectrics</i> , 2016, 502, 49-56.	0.6	16
44	Effect of temperature on dielectric and electrical properties of Coâ€“Zr doped barium hexaferrites prepared by solâ€“gel method. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 11220-11230.	2.2	10
45	Structural and dielectric properties of co-substituted M-type barium hexaferrite. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 10157-10162.	2.2	14
46	Influence of Zr substitution on structural, dielectric and magnetic behavior of lead calcium iron niobate. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 738-743.	2.2	4
47	Variation of Dielectric and Electrical Properties of Zr-Substituted Lead Calcium Iron Niobate with Temperature and Frequency. <i>Journal of Electronic Materials</i> , 2016, 45, 5048-5057.	2.2	1
48	Structural, dielectric and magnetic properties of (Pb _{1-x} Ca _x)(Fe _{0.5} Nb _{0.5})O ₃ solid solution ceramics. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 407, 195-200.	2.3	12
49	Dielectric properties of Sn-substituted lead calcium iron niobate. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 3653-3657.	2.2	3
50	Microwave characterization of Coâ€“Ti substituted barium hexagonal ferrites in X- band. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 405, 17-21.	2.3	48
51	Dielectric and impedance studies of (Pb _{1-x} Ca _x)(Fe _{0.5} Nb _{0.5})O ₃ dielectric ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 1077-1086.	2.2	14
52	A Proactive Solution to Manage Web Service Unavailability in Service Oriented Software Systems. <i>Lecture Notes in Computer Science</i> , 2016, , 243-254.	1.3	0
53	Fabrication and microwave absorption properties of hexaferrite composites in Ku-band. , 2015, , .		1
54	Frequency and temperature dependence of dielectric and electric properties of Ba _{2-x} Sm _{4+2x/3} Ti ₈ O ₂₄ with structural analysis. <i>Materials Science-Poland</i> , 2015, 33, 268-277.	1.0	15

#	ARTICLE	IF	CITATIONS
55	Managing Availability of web services in service oriented systems. , 2015, , .		1
56	Microwave dielectric properties of pure and Zr ⁴⁺ doped lead calcium iron niobate substrates for microwave devices and antenna applications. Microwave and Optical Technology Letters, 2015, 57, 2152-2155.	1.4	5
57	Effect of Substitution of Samarium and Lanthanum on Dielectric and Electrical Properties of Barium Titanate. Ferroelectrics, 2015, 486, 74-85.	0.6	6
58	Comparative Dielectric Analysis of Co-Zr Doped M-Type Barium Hexaferrites BaCo _x Zr _x Fe _(12-2x) O ₁₉ Prepared by Different Wet Chemical Routes. Integrated Ferroelectrics, 2015, 167, 98-106.	0.7	42
59	HEMT for RF Circuits. Advances in Computer and Electrical Engineering Book Series, 2015, , 399-418.	0.3	0
60	Design and Performance Analysis of High Electron Mobility Transistor Based Static Random Access Memory Cell for High Frequency Applications. Journal of Nanoelectronics and Optoelectronics, 2015, 10, 627-632.	0.5	0
61	Analysis of Cellular Automata and Genetic Algorithm based Test Pattern Generators for Built In Self Test. Advances in Intelligent Systems and Computing, 2013, , 429-439.	0.6	0
62	Drain Current and Thermal Analysis of AlGaIn/GaN High Electron Mobility Transistor for MMIC Design. Journal of Computational and Theoretical Nanoscience, 2012, 9, 763-768.	0.4	0
63	Area Overhead and Power Analysis of March Algorithms for Memory BIST. Procedia Engineering, 2012, 30, 930-936.	1.2	3
64	Modeling and Simulation of Efficient March Algorithm for Memory Testing. Communications in Computer and Information Science, 2010, , 96-107.	0.5	5
65	Synthesis and characterization of Ba _{6-3x} Sm _{8+2x} Ti ₁₈ O ₅₄ microwave dielectric ceramics. Ceramics International, 2007, 33, 249-253.	4.8	5
66	Dielectric properties of lanthanum substituted barium titanate microwave ceramics. Materials Letters, 2006, 60, 3179-3182.	2.6	29