Mauro G Mariotti

List of Publications by Citations

Source: https://exaly.com/author-pdf/6986678/mauro-g-mariotti-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

885 26 17 71 h-index g-index citations papers 85 1,076 3.3 3.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
71	Traditional uses of plants in the Eastern Riviera (Liguria, Italy). <i>Journal of Ethnopharmacology</i> , 2009 , 125, 16-30	5	124
70	Ecological and historical factors affecting distribution pattern and richness of endemic plant species: the case of the Maritime and Ligurian Alps hotspot. <i>Diversity and Distributions</i> , 2008 , 14, 47-58	5	60
69	Ethnobotanical and phytomedical knowledge in the North-Western Ligurian Alps. <i>Journal of Ethnopharmacology</i> , 2014 , 155, 463-84	5	40
68	Impact of invasive alien plants on native plant communities and Natura 2000 habitats: State of the art, gap analysis and perspectives in Italy. <i>Journal of Environmental Management</i> , 2020 , 274, 111140	7.9	40
67	New national and regional bryophyte records, 40. <i>Journal of Bryology</i> , 2014 , 36, 223-244	1.1	38
66	Microfungi in highly copper-contaminated soils from an abandoned Fe-Cu sulphide mine: growth responses, tolerance and bioaccumulation. <i>Chemosphere</i> , 2014 , 117, 471-6	8.4	36
65	At the intersection of cultural and natural heritage: Distribution and conservation of the type localities of Italian endemic vascular plants. <i>Biological Conservation</i> , 2017 , 214, 109-118	6.2	35
64	Climate change hastens the urgency of conservation for range-restricted plant species in the central-northern Mediterranean region. <i>Biological Conservation</i> , 2014 , 179, 129-138	6.2	32
63	Nickel phytoremediation potential of the Mediterranean Alyssoides utriculata (L.) Medik. <i>Chemosphere</i> , 2015 , 119, 1372-1378	8.4	27
62	Assessment of Ni accumulation capability by fungi for a possible approach to remove metals from soils and waters. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2017 , 52, 166-170	2.2	24
61	New national and regional bryophyte records, 42. <i>Journal of Bryology</i> , 2015 , 37, 68-79	1.1	24
60	A first checklist of the alien-dominated vegetation in Italy. <i>Plant Sociology</i> , 2020 , 57, 29-54	2.2	23
59	Matsucoccus bast scale in Pinus pinaster forests: a comparison of two systems by means of emergy analysis. <i>Journal of Cleaner Production</i> , 2015 , 96, 539-548	10.3	21
58	NIR spectroscopy as a tool for discriminating between lichens exposed to air pollution. <i>Chemosphere</i> , 2015 , 134, 355-60	8.4	19
57	Level of trace elements in Pteridophytes growing on serpentine and metalliferous soils. <i>Journal of Plant Nutrition and Soil Science</i> , 2007 , 170, 781-787	2.3	19
56	Traditional Uses of Medicinal Plants by Ethnic People in the Kavrepalanchok District, Central Nepal. <i>Plants</i> , 2020 , 9,	4.5	18
55	Trichomes on vegetative and reproductive organs of Stevia rebaudiana (Asteraceae). Structure and secretory products. <i>Plant Biosystems</i> , 2001 , 135, 25-37	1.6	18

(2018-2008)

54	Inactivation of Aspergillus spp. by Ozone Treatment. Ozone: Science and Engineering, 2008, 30, 423-430	2.4	15
53	Penicillium expansum Link strain for a biometallurgical method to recover REEs from WEEE. <i>Waste Management</i> , 2017 , 60, 596-600	8.6	14
52	Fire affects the functional diversity of epilithic lichen communities. Fungal Ecology, 2016, 20, 49-55	4.1	13
51	Zinc tolerance and accumulation in the ferns Polypodium cambricum L. and Pteris vittata L. <i>Ecotoxicology and Environmental Safety</i> , 2010 , 73, 1264-71	7	13
50	Phylogeography of Primula allionii (Primulaceae), a narrow endemic of the Maritime Alps. <i>Botanical Journal of the Linnean Society</i> , 2013 , 173, 637-653	2.2	12
49	Micromorphological investigation on the leaves of the rock samphire (Crithmum maritimum L.): Occurrence of hesperidin and diosmin crystals. <i>Plant Biosystems</i> , 2009 , 143, 283-292	1.6	12
48	La vegetazione di Punta Ala (Prov. di Grosseto). Webbia, 1988, 42, 101-143	0.4	12
47	Interaction of sea salt and atmospheric pollution alters the OJIP fluorescence transient in the lichen Pseudevernia furfuracea (L.) Zopf. <i>Ecological Indicators</i> , 2015 , 50, 251-257	5.8	11
46	Structure and Histochemistry of Embryo Envelope Tissues in the Mature Dry Seed and Early Germination of Phacelia tanacetifolia. <i>Annals of Botany</i> , 2000 , 85, 625-634	4.1	11
45	Local dispersal dynamics determine the occupied niche of the red-listed lichen Seirophora villosa (Ach.) Frdfi in a Mediterranean Juniperus shrubland. <i>Fungal Ecology</i> , 2015 , 13, 77-82	4.1	10
44	The impact of Ni on the physiology of a Mediterranean Ni-hyperaccumulating plant. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 12414-22	5.1	9
43	Rhizosphere response to nickel in a facultative hyperaccumulator. <i>Chemosphere</i> , 2019 , 232, 243-253	8.4	8
42	Floral Diversity of Pollen Collected by Honey Bees (Apis mellifera L.) IValidation of the Chromatic Assessment Method. <i>Journal of Apicultural Science</i> , 2016 , 60, 209-220	1.1	8
41	Pollination ecology in the narrow endemic winter-flowering Primula allionii (Primulaceae). <i>Journal of Plant Research</i> , 2014 , 127, 141-50	2.6	8
40	Plant Colonization on a Contaminated Serpentine Site. Northeastern Naturalist, 2009, 16, 297-308	0.5	8
39	Applying a hierarchisation method to a biodiversity hotspot: Challenges and perspectives in the South-Western Alps flora. <i>Journal for Nature Conservation</i> , 2018 , 42, 19-27	2.3	7
38	The Geological Roles Played by Microfungi in Interaction with Sulfide Minerals from Libiola Mine, Liguria, Italy. <i>Geomicrobiology Journal</i> , 2018 , 35, 564-569	2.5	7
37	Gypsum Biomineralization in Sulphide-rich Hardpans by a Native Trichoderma harzianum Rifai Strain. <i>Geomicrobiology Journal</i> , 2018 , 35, 209-214	2.5	6

36	A hemolytic peptide from the mycophilic fungus Sepedonium chrysospermum (Bull.) Fr. <i>Applied Microbiology and Biotechnology</i> , 2012 , 94, 987-94	5.7	6
35	Ecological Studies on the Serpentine Endemic PlantCerastium utrienseBarberis. <i>Northeastern Naturalist</i> , 2009 , 16, 405-421	0.5	6
34	Arsenic biomonitoring using a hyperaccumulator fern (Pteris vittata). <i>Journal of Environmental Monitoring</i> , 2004 , 6, 23-5		6
33	Ricerche geobotaniche in Val di Merse (Toscana meridionale). 4. Contributo alla conoscenza della Flora della Val di Farma. <i>Webbia</i> , 1993 , 47, 277-311	0.4	6
32	Notulae to the Italian alien vascular flora: 9. <i>Italian Botanist</i> , 9, 71-86		6
31	Woody species diversity as predictor of vascular plant species diversity in forest ecosystems. <i>Forest Ecology and Management</i> , 2015 , 345, 50-55	3.9	5
30	Bryophytic similarity of the Italian regions with a focus on the Ligurian region. <i>Plant Biosystems</i> , 2014 , 148, 851-856	1.6	5
29	Essential Oil Composition and Enantiomeric Distribution of Some Monoterpenoid Components of Coridothymus capitatus (L.) Rchb. Grown on the Island of Kos (Greece). <i>Journal of Essential Oil Research</i> , 1998 , 10, 241-244	2.3	5
28	A Histological and Structural Study of Phacelia tanacetifolia Endosperm in Developing, Mature, and Germinating Seed. <i>International Journal of Plant Sciences</i> , 1998 , 159, 753-761	2.6	5
27	Ricerche geobotaniche in Val di Merse (Toscana meridionale). 1. Contributo alla conoscenza della Flora di Pian di Feccia e Pian Ferrale. <i>Webbia</i> , 1986 , 39, 233-258	0.4	5
26	Notulae to the Italian native vascular flora: 9. Italian Botanist, 9, 71-86		5
25	Climate change and the future of endemic flora in the South Western Alps: relationships between niche properties and extinction risk. <i>Regional Environmental Change</i> , 2020 , 20, 1	4.3	5
24	Ecology and diversity of Cortinarius species (Agaricales, Basidiomycota) associated with Quercus ilex L. in the Mediterranean area of Liguria (North-western Italy). <i>Plant Biosystems</i> , 2014 , 148, 357-366	1.6	4
23	Notulae to the Italian native vascular flora: 2. Italian Botanist, 2, 73-92		4
22	Measuring macrofungal biodiversity quality using two different survey approaches: A case study in broadleaf Mediterranean forests. <i>Ecological Indicators</i> , 2018 , 85, 1210-1230	5.8	4
21	Fungi and Circular Economy: Pleurotus ostreatus Grown on a Substrate with Agricultural Waste of Lavender, and Its Promising Biochemical Profile. <i>Recycling</i> , 2021 , 6, 40	3.2	3
20	Volumetric expression of palynological spectra for nutritional studies. <i>Journal of Apicultural Research</i> , 2019 , 58, 639-641	2	2
19	Preliminary survey of the nutritional and palynological traits of honey bee-foraged pollen from Liguria (Italy). <i>Journal of Apicultural Research</i> , 2018 , 57, 572-579	2	2

18	Notes on some Italian species of Astrantia L. (Umbelliferae). Webbia, 1989 , 43, 1-17	0.4	2
17	Root and Shoot Response to Nickel in Hyperaccumulator and Non-Hyperaccumulator Species. <i>Plants</i> , 2021 , 10,	4.5	2
16	Biophysical Accounting of Forests Value under Different Management Regimes: Conservation vs. Exploitation. <i>Sustainability</i> , 2021 , 13, 4638	3.6	2
15	Immunolocalization of endo-Emannanases in Phacelia tanacetifolia seeds during early phases of germination. <i>Plant Biosystems</i> , 2003 , 137, 255-263	1.6	1
14	Indagini Preliminari Sull'Ecologia di Alcune Piante Vascolari in Siti Minerari della Lombardia. <i>Giornale Botanico Italiano (Florence, Italy: 1962)</i> , 1994 , 128, 307-307		1
13	Remarks on Aspicilia parasitica (Lecanoraceae, Lichenes). <i>Nordic Journal of Botany</i> , 1995 , 15, 557-559	1.1	1
12	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 12. Italian Botanist, 12, 49-62		1
11	New national and regional Annex I Habitat records: from #16 to #20. Plant Sociology, 2020 , 57, 133-144	2.2	1
10	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 11. Italian Botanist,11, 45-61		1
9	The plant endemism in the Maritime and Ligurian Alps. <i>Biogeographia</i> , 2016 , 31,	0.7	1
8	Notulae to the Italian native vascular flora: 12. <i>Italian Botanist</i> ,12, 85-103		О
7	Vegetation of Beni Bousera (northern Morocco) ultramafic soils and adjacent non-ultramafic soils in relation to edaphic factors. <i>Australian Journal of Botany</i> , 2015 , 63, 353	1.2	O
6	IDPlanT: the Italian database of plant translocation. <i>Plant Biosystems</i> ,1-8	1.6	O
5	Tomato (Solanum lycopersicum L.) accumulation and allergenicity in response to nickel stress <i>Scientific Reports</i> , 2022 , 12, 5432	4.9	O
4	Proposals for improvement of Annex I of Directive 92/43/EEC: Central Italy. <i>Plant Sociology</i> , 2021 , 58, 99-118	2.2	О
3	First record of Neofusicoccum buxi Crous on Buxus sempervirens L. infested by Cydalima perspectalis (Walker) in Italy. <i>Plant Biosystems</i> , 2020 , 154, 430-432	1.6	
2	Comparison between Vegetation Data and Different Soil Pollution Conditions. Preliminary Data on the Arno Water Spreading Area (Po Valley). <i>Giornale Botanico Italiano (Florence, Italy: 1962</i>), 1996 , 130, 504-504		
1	La Conservazione Della Natura in Liguria: Considerazioni Sugli Aspetti Botanici. <i>Giornale Botanico</i> Italiano (Florence, Italy: 1962), 1994 , 128, 351-351		