Hongbo He

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6986883/publications.pdf

Version: 2024-02-01

933447 839539 369 20 10 18 h-index citations g-index papers 20 20 20 661 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Altered serum levels of TNF- \hat{i} ±, IL-6, and IL-18 in depressive disorder patients. Human Psychopharmacology, 2017, 32, e2588.	1.5	59
2	Insight in inpatients with schizophrenia: Relationship to symptoms and neuropsychological functioning. Schizophrenia Research, 2015, 161, 376-381.	2.0	40
3	Psychological stress among health care professionals during the 2019 novel coronavirus disease Outbreak: Cases from online consulting customers. Intensive and Critical Care Nursing, 2020, 61, 102905.	2.9	39
4	Profiling the psychotic, depressive and anxiety symptoms in chronic ketamine users. Psychiatry Research, 2016, 237, 311-315.	3.3	37
5	A randomized clinical trial of adjunctive ketamine anesthesia in electro-convulsive therapy for depression. Journal of Affective Disorders, 2018, 227, 372-378.	4.1	35
6	Comparison of burden among family members of patients diagnosed with schizophrenia and bipolar disorder in a large acute psychiatric hospital in China. BMC Psychiatry, 2016, 16, 283.	2.6	32
7	Effect of living with patients on caregiver burden of individual with schizophrenia in China. Psychiatry Research, 2016, 245, 230-237.	3.3	25
8	Elevated serum levels of TNF- \hat{l}_{\pm} , IL-6 and IL-18 in chronic schizophrenic patients. Schizophrenia Research, 2014, 159, 556-557.	2.0	18
9	Factors associated with complete discontinuation of medication among patients with schizophrenia in the year after hospital discharge. Psychiatry Research, 2017, 250, 129-135.	3.3	16
10	Rates and Patient Characteristics of Electroconvulsive Therapy in China and Comparisons With the United States. Journal of ECT, 2019, 35, 251-257.	0.6	11
11	Is severity of family burden a correlate of length of stay?. Psychiatry Research, 2015, 230, 84-89.	3.3	10
12	Elevated serum levels of TNFâ€Î±, ILâ€6, and ILâ€18 in chronic methamphetamine users. Human Psychopharmacology, 2022, 37, e2810.	1.5	9
13	Correlates of readmission risk and readmission days in a large psychiatric hospital in Guangzhou, China. Asia-Pacific Psychiatry, 2014, 6, 342-349.	2.2	8
14	Effectiveness of electroconvulsive therapy in patients with "less treatmentâ€resistantâ€depression by the Maudsley Staging Model. Brain and Behavior, 2020, 10, e01654.	2.2	8
15	Health insurance in China: variation in co-payments and psychiatric hospital utilization. Journal of Mental Health Policy and Economics, 2014, 17, 25-32.	0.6	8
16	Association of symptom severity, insight and increased pharmacologic side effects in acutely hospitalized patients with schizophrenia. Comprehensive Psychiatry, 2014, 55, 1914-1919.	3.1	4
17	Why did China's mental health law have a limited effect on decreasing rates of involuntary hospitalization?. International Journal of Mental Health Systems, 2022, 16, .	2.7	4
18	Brief Chinese version of the Family Experience Interview Schedule to assess caregiver burden of family members of individuals with mental disorders. Shanghai Archives of Psychiatry, 2015, 27, 55-61.	0.7	3

Ноисво Не

#	Article	IF	CITATIONS
19	Comparison of Olanzapine versus Other Second-Generation Antipsychotics in the Improvement of Insight and Medication Discontinuation Rate in Schizophrenia. Shanghai Archives of Psychiatry, 2018, 30, 178-187.	0.7	3
20	Reduction of suicidality among psychiatric patients over the course of a hospital stay. Asian Journal of Psychiatry, 2021, 64, 102787.	2.0	0