

Hongbo He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6986883/publications.pdf>

Version: 2024-02-01

20
papers

369
citations

933447

10
h-index

839539

18
g-index

20
all docs

20
docs citations

20
times ranked

661
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevated serum levels of TNF- α , IL-6, and IL-18 in chronic methamphetamine users. <i>Human Psychopharmacology</i> , 2022, 37, e2810.	1.5	9
2	Why did China's mental health law have a limited effect on decreasing rates of involuntary hospitalization?. <i>International Journal of Mental Health Systems</i> , 2022, 16, .	2.7	4
3	Reduction of suicidality among psychiatric patients over the course of a hospital stay. <i>Asian Journal of Psychiatry</i> , 2021, 64, 102787.	2.0	0
4	Psychological stress among health care professionals during the 2019 novel coronavirus disease Outbreak: Cases from online consulting customers. <i>Intensive and Critical Care Nursing</i> , 2020, 61, 102905.	2.9	39
5	Effectiveness of electroconvulsive therapy in patients with "treatment-resistant" depression by the Maudsley Staging Model. <i>Brain and Behavior</i> , 2020, 10, e01654.	2.2	8
6	Rates and Patient Characteristics of Electroconvulsive Therapy in China and Comparisons With the United States. <i>Journal of ECT</i> , 2019, 35, 251-257.	0.6	11
7	A randomized clinical trial of adjunctive ketamine anesthesia in electro-convulsive therapy for depression. <i>Journal of Affective Disorders</i> , 2018, 227, 372-378.	4.1	35
8	Comparison of Olanzapine versus Other Second-Generation Antipsychotics in the Improvement of Insight and Medication Discontinuation Rate in Schizophrenia. <i>Shanghai Archives of Psychiatry</i> , 2018, 30, 178-187.	0.7	3
9	Factors associated with complete discontinuation of medication among patients with schizophrenia in the year after hospital discharge. <i>Psychiatry Research</i> , 2017, 250, 129-135.	3.3	16
10	Altered serum levels of TNF- α , IL-6, and IL-18 in depressive disorder patients. <i>Human Psychopharmacology</i> , 2017, 32, e2588.	1.5	59
11	Effect of living with patients on caregiver burden of individual with schizophrenia in China. <i>Psychiatry Research</i> , 2016, 245, 230-237.	3.3	25
12	Comparison of burden among family members of patients diagnosed with schizophrenia and bipolar disorder in a large acute psychiatric hospital in China. <i>BMC Psychiatry</i> , 2016, 16, 283.	2.6	32
13	Profiling the psychotic, depressive and anxiety symptoms in chronic ketamine users. <i>Psychiatry Research</i> , 2016, 237, 311-315.	3.3	37
14	Insight in inpatients with schizophrenia: Relationship to symptoms and neuropsychological functioning. <i>Schizophrenia Research</i> , 2015, 161, 376-381.	2.0	40
15	Is severity of family burden a correlate of length of stay?. <i>Psychiatry Research</i> , 2015, 230, 84-89.	3.3	10
16	Brief Chinese version of the Family Experience Interview Schedule to assess caregiver burden of family members of individuals with mental disorders. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 55-61.	0.7	3
17	Correlates of readmission risk and readmission days in a large psychiatric hospital in Guangzhou, China. <i>Asia-Pacific Psychiatry</i> , 2014, 6, 342-349.	2.2	8
18	Elevated serum levels of TNF- α , IL-6 and IL-18 in chronic schizophrenic patients. <i>Schizophrenia Research</i> , 2014, 159, 556-557.	2.0	18

#	ARTICLE	IF	CITATIONS
19	Association of symptom severity, insight and increased pharmacologic side effects in acutely hospitalized patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2014, 55, 1914-1919.	3.1	4
20	Health insurance in China: variation in co-payments and psychiatric hospital utilization. <i>Journal of Mental Health Policy and Economics</i> , 2014, 17, 25-32.	0.6	8