

Sven-Erik Jacobsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6987421/sven-erik-jacobsen-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109 papers	5,910 citations	45 h-index	75 g-index
109 ext. papers	7,036 ext. citations	4 avg, IF	6.04 L-index

#	Paper	IF	Citations
109	Application of natural and synthetic growth promoters improves the productivity and quality of quinoa crop through enhanced photosynthetic and antioxidant activities.. <i>Plant Physiology and Biochemistry</i> , 2022 , 182, 1-10	5.4	0
108	Climate Change: Challenge of Introducing Quinoa in Southeast European Agriculture 2021 , 345		
107	Nutritional and antinutritional compounds in leaves of quinoa. <i>Food Bioscience</i> , 2021 , 101494	4.9	3
106	Assessment of cadmium and lead tolerance potential of quinoa (<i>Chenopodium quinoa</i> Willd) and its implications for phytoremediation and human health. <i>Environmental Geochemistry and Health</i> , 2021 , 1	4.7	6
105	PsJN Stimulate Growth and Yield of Quinoa under Salinity Stress. <i>Plants</i> , 2020 , 9,	4.5	13
104	Defoliation timing for optimal leaf nutrition in dual-use amaranth production systems. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 4745-4755	4.3	4
103	Prospects for the accelerated improvement of the resilient crop quinoa. <i>Journal of Experimental Botany</i> , 2020 , 71, 5333-5347	7	19
102	Biochar Mitigates Combined Effects of Drought and Salinity Stress in Quinoa. <i>Agronomy</i> , 2020 , 10, 912	3.6	16
101	Physiological characteristics and irrigation water productivity of quinoa (<i>Chenopodium quinoa</i> Willd.) in response to deficit irrigation imposed at different growing stagesA field study from Southern Iran. <i>Journal of Agronomy and Crop Science</i> , 2020 , 206, 390-404	3.9	8
100	Cañhua (<i>Chenopodium pallidicaule</i>): A Promising New Crop for Arid Areas. <i>Environment & Policy</i> , 2020 , 221-243	0.5	3
99	Quinoa (<i>Chenopodium quinoa</i> Willd.) and its relationship with agroclimatic characteristics: A Colombian perspective. <i>Chilean Journal of Agricultural Research</i> , 2020 , 80, 290-302	1.9	5
98	The Extraordinary Salt Tolerance of Quinoa. <i>Environment & Policy</i> , 2020 , 125-143	0.5	4
97	Current uses of Andean Roots and Tuber Crops in South American gourmet restaurants. <i>International Journal of Gastronomy and Food Science</i> , 2020 , 22, 100270	2.8	2
96	Global expansion of quinoa and challenges for the Andean region. <i>Global Food Security</i> , 2020 , 26, 100428	9.3	29
95	Comparative physiological and biochemical evaluation of salt and nickel tolerance mechanisms in two contrasting tomato genotypes. <i>Physiologia Plantarum</i> , 2020 , 168, 27-37	4.6	10
94	A Comparative Analysis of Salinity and Nickel Tolerance of Tomato (<i>Solanum lycopersicum</i> L.). <i>Communications in Soil Science and Plant Analysis</i> , 2019 , 50, 2294-2308	1.5	2
93	Yield potential and salt tolerance of quinoa on salt-degraded soils of Pakistan. <i>Journal of Agronomy and Crop Science</i> , 2019 , 205, 13-21	3.9	26

92	Assessing the Nutritional Value of Root and Tuber Crops from Bolivia and Peru. <i>Foods</i> , 2019 , 8,	4.9	8
91	Saponin seed priming improves salt tolerance in quinoa. <i>Journal of Agronomy and Crop Science</i> , 2018 , 204, 31-39	3.9	33
90	Trends and drivers of on-farm conservation of the root legume ahipa (<i>Pachyrhizus ahipa</i>) in Bolivia over the period 1994/96-2012. <i>Genetic Resources and Crop Evolution</i> , 2018 , 65, 449-469	2	4
89	Andean roots and tubers crops as sources of functional foods. <i>Journal of Functional Foods</i> , 2018 , 51, 86-93	5.1	21
88	The effect of lactic acid bacteria inoculation, molasses, or wilting on the fermentation quality and nutritive value of amaranth (<i>Amaranthus hypochondriacus</i>) silage1. <i>Journal of Animal Science</i> , 2018 , 96, 3983-3992	0.7	9
87	Quinoa seed coats as an expanding and sustainable source of bioactive compounds: An investigation of genotypic diversity in saponin profiles. <i>Industrial Crops and Products</i> , 2017 , 104, 156-163	5.9	32
86	Combined effects of soil salinity and high temperature on photosynthesis and growth of quinoa plants (<i>Chenopodium quinoa</i>). <i>Functional Plant Biology</i> , 2017 , 44, 665-678	2.7	42
85	Seed Shattering of Cañihua (<i>Chenopodium pallidicaule</i> Aellen). <i>Journal of Agronomy and Crop Science</i> , 2017 , 203, 254-267	3.9	4
84	The scope for adaptation of quinoa in Northern Latitudes of Europe. <i>Journal of Agronomy and Crop Science</i> , 2017 , 203, 603-613	3.9	37
83	A comparative analysis of cytosolic Na ⁺ changes under salinity between halophyte quinoa (<i>Chenopodium quinoa</i>) and glycophyte pea (<i>Pisum sativum</i>). <i>Environmental and Experimental Botany</i> , 2017 , 141, 154-160	5.9	20
82	Physiological response cascade of spring wheat to soil warming and drought. <i>Crop and Pasture Science</i> , 2016 , 67, 480	2.2	1
81	Quinoa as Model Crop for Understanding Salt-tolerance Mechanisms in Halophytes. <i>Plant Biosystems</i> , 2016 , 150, 357-371	1.6	76
80	Drought and Salinity Differently Affect Growth and Secondary Metabolites of <i>Chenopodium quinoa</i> Willd. Seedlings 2016 , 259-275		2
79	The Global Expansion of Quinoa: Trends and Limits. <i>Frontiers in Plant Science</i> , 2016 , 7, 622	6.2	135
78	Germination Responses of Cañihua (<i>Chenopodium pallidicaule</i> Aellen) to Temperature and Sowing Depth: A Crop Growing Under Extreme Conditions. <i>Journal of Agronomy and Crop Science</i> , 2016 , 202, 542-553	3.9	7
77	Nitrogen Sustains Seed Yield of Quinoa Under Intermediate Drought. <i>Journal of Agronomy and Crop Science</i> , 2016 , 202, 281-291	3.9	27
76	Growth and Physiological Responses of Quinoa to Drought and Temperature Stress. <i>Journal of Agronomy and Crop Science</i> , 2016 , 202, 445-453	3.9	53
75	Some Agronomic Strategies for Organic Quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Journal of Agronomy and Crop Science</i> , 2016 , 202, 454-463	3.9	10

74	Enhancing salt tolerance in quinoa by halotolerant bacterial inoculation. <i>Functional Plant Biology</i> , 2016 , 43, 632-642	2.7	65
73	Saline water irrigation of quinoa (<i>Chenopodium quinoa</i>) under Mediterranean conditions. <i>Crop and Pasture Science</i> , 2015 , 66, 993	2.2	25
72	Using our agrobiodiversity: plant-based solutions to feed the world. <i>Agronomy for Sustainable Development</i> , 2015 , 35, 1217-1235	6.8	45
71	Ionic and photosynthetic homeostasis in quinoa challenged by salinity and drought - mechanisms of tolerance. <i>Functional Plant Biology</i> , 2015 , 42, 136-148	2.7	62
70	Rutin, a flavonoid with antioxidant activity, improves plant salinity tolerance by regulating K retention and Na exclusion from leaf mesophyll in quinoa and broad beans. <i>Functional Plant Biology</i> , 2015 , 43, 75-86	2.7	56
69	Antioxidative Response of Quinoa Exposed to Iso-Osmotic, Ionic and Non-Ionic Salt Stress. <i>Journal of Agronomy and Crop Science</i> , 2015 , 201, 452-460	3.9	43
68	The Potential for Utilizing the Seed Crop Amaranth (<i>Amaranthus</i> spp.) in East Africa as an Alternative Crop to Support Food Security and Climate Change Mitigation. <i>Journal of Agronomy and Crop Science</i> , 2015 , 201, 321-329	3.9	71
67	A Crossing Method for Quinoa. <i>Sustainability</i> , 2015 , 7, 3230-3243	3.6	22
66	Breeding quinoa (<i>Chenopodium quinoa</i> Willd.): potential and perspectives. <i>Molecular Breeding</i> , 2014 , 34, 13-30	3.4	83
65	Integrating role of ethylene and ABA in tomato plants adaptation to salt stress. <i>Scientia Horticulturae</i> , 2014 , 172, 109-116	4.1	54
64	A Short Overview of Measures for Securing Water Resources for Irrigated Crop Production. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 333-343	3.9	26
63	Water Harvesting for Improved Water Productivity in Dry Environments of the Mediterranean Region Case study: Pistachio in Turkey. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 361-370	3.9	7
62	Quinoa in Morocco Effect of Sowing Dates on Development and Yield. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 371-377	3.9	33
61	Saline Water Irrigation of Quinoa and Chickpea: Seedling Rate, Stomatal Conductance and Yield Responses. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 378-389	3.9	24
60	Deficit Irrigation and Organic Compost Improve Growth and Yield of Quinoa and Pea. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 390-398	3.9	38
59	Growth and Ionic Content of Quinoa Under Saline Irrigation. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 246-260	3.9	28
58	Sensitivity of Two Quinoa (<i>Chenopodium quinoa</i> Willd.) Varieties to Progressive Drought Stress. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 12-23	3.9	58
57	Quinoa's Potential in the Mediterranean Region. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 344-350	3.9	38

56	Photoperiodic effects on short-pulse ¹⁴ C assimilation and overall carbon and nitrogen allocation patterns in contrasting quinoa cultivars. <i>Environmental and Experimental Botany</i> , 2014 , 104, 9-15	5.9	17
55	Quinoa biodiversity and sustainability for food security under climate change. A review. <i>Agronomy for Sustainable Development</i> , 2014 , 34, 349-359	6.8	161
54	New Climate-Proof Cropping Systems in Dry Areas of the Mediterranean Region. <i>Journal of Agronomy and Crop Science</i> , 2014 , 200, 399-401	3.9	15
53	Soil and foliar application of potassium enhances fruit yield and quality of tomato under salinity. <i>Turkish Journal of Biology</i> , 2014 , 38, 208-218	3.1	29
52	The combined effect of deficit irrigation by treated wastewater and organic amendment on quinoa (<i>Chenopodium quinoa</i> Willd.) productivity. <i>Desalination and Water Treatment</i> , 2014 , 52, 2208-2213		30
51	Non-destructive evaluation of chlorophyll content in quinoa and amaranth leaves by simple and multiple regression analysis of RGB image components. <i>Photosynthesis Research</i> , 2014 , 120, 263-72	3.7	53
50	Differentiation of Photoperiod-Induced ABA and Soluble Sugar Responses of Two Quinoa (<i>Chenopodium quinoa</i> Willd.) Cultivars. <i>Journal of Plant Growth Regulation</i> , 2014 , 33, 562-570	4.7	24
49	A Model for Quantification of Temperature Profiles via Germination Times. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2013 , 18, 87-101	1.9	1
48	Improving Crop Production in the Arid Mediterranean Climate 2013 , 187-209		1
47	Feeding the world: genetically modified crops versus agricultural biodiversity. <i>Agronomy for Sustainable Development</i> , 2013 , 33, 651-662	6.8	132
46	Salt tolerance mechanisms in quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Environmental and Experimental Botany</i> , 2013 , 92, 43-54	5.9	195
45	Genotypic difference in salinity tolerance in quinoa is determined by differential control of xylem Na(+) loading and stomatal density. <i>Journal of Plant Physiology</i> , 2013 , 170, 906-14	3.6	131
44	Differential activity of plasma and vacuolar membrane transporters contributes to genotypic differences in salinity tolerance in a Halophyte Species, <i>Chenopodium quinoa</i> . <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9267-85	6.3	78
43	Agronomical and nutritional evaluation of quinoa seeds (<i>Chenopodium quinoa</i> Willd.) as an ingredient in bread formulations. <i>Journal of Cereal Science</i> , 2012 , 55, 132-138	3.8	150
42	Effects of Salinity and Soil Drying on Radiation Use Efficiency, Water Productivity and Yield of Quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Journal of Agronomy and Crop Science</i> , 2012 , 198, 173-184	3.9	52
41	What is Wrong With the Sustainability of Quinoa Production in Southern Bolivia [A Reply to Winkel et al. (2012)]. <i>Journal of Agronomy and Crop Science</i> , 2012 , 198, 320-323	3.9	16
40	Effects of quinoa hull meal on piglet performance and intestinal epithelial physiology. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2012 , 96, 198-205	2.6	15
39	Improving crop production in the arid Mediterranean climate. <i>Field Crops Research</i> , 2012 , 128, 34-47	5.5	109

38	Effect of nitrogen and water availability of three soil types on yield, radiation use efficiency and evapotranspiration in field-grown quinoa. <i>Agricultural Water Management</i> , 2012 , 109, 20-29	5.9	59
37	Varietal differences of quinoa's tolerance to saline conditions. <i>Plant and Soil</i> , 2012 , 357, 117-129	4.2	114
36	Oxidative stress protection and stomatal patterning as components of salinity tolerance mechanism in quinoa (<i>Chenopodium quinoa</i>). <i>Physiologia Plantarum</i> , 2012 , 146, 26-38	4.6	145
35	Water Relations and Transpiration of Quinoa (<i>Chenopodium quinoa</i> Willd.) Under Salinity and Soil Drying. <i>Journal of Agronomy and Crop Science</i> , 2011 , 197, 348-360	3.9	104
34	The Situation for Quinoa and Its Production in Southern Bolivia: From Economic Success to Environmental Disaster. <i>Journal of Agronomy and Crop Science</i> , 2011 , 197, 390-399	3.9	112
33	Integrated approach for the quality assessment of freshwater resources in a vineyard area (South Portugal). <i>Environmental Monitoring and Assessment</i> , 2011 , 176, 331-41	3.1	11
32	Ionic and osmotic relations in quinoa (<i>Chenopodium quinoa</i> Willd.) plants grown at various salinity levels. <i>Journal of Experimental Botany</i> , 2011 , 62, 185-93	7	222
31	Photoperiodic effect on flowering and seed development in quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2010 , 60, 539-544	1.1	10
30	Weed Harrowing and Inter-Row Hoeing in Organic Grown Quinoa (<i>Chenopodium Quinoa</i> Willd.). <i>Outlook on Agriculture</i> , 2010 , 39, 223-227	2.9	23
29	Deficit irrigation based on drought tolerance and root signalling in potatoes and tomatoes. <i>Agricultural Water Management</i> , 2010 , 98, 403-413	5.9	109
28	Does root-sourced ABA play a role for regulation of stomata under drought in quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Scientia Horticulturae</i> , 2009 , 122, 281-287	4.1	112
27	Sustainable water use securing food production in dry areas of the Mediterranean region – an introduction to a new EU FP7 Project. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009 , 6, 372020	0.3	
26	Nitrogen dynamics in the soil-plant system under deficit and partial root-zone drying irrigation strategies in potatoes. <i>European Journal of Agronomy</i> , 2008 , 28, 65-73	5	72
25	Measurement and modelling of ABA signalling in potato (<i>Solanum tuberosum</i> L.) during partial root-zone drying. <i>Environmental and Experimental Botany</i> , 2008 , 63, 385-391	5.9	49
24	Frost resistance mechanisms in quinoa (<i>Chenopodium quinoa</i> Willd.). <i>European Journal of Agronomy</i> , 2007 , 26, 471-475	5	91
23	Effects of partial root-zone drying on yield, tuber size and water use efficiency in potato under field conditions. <i>Field Crops Research</i> , 2007 , 100, 117-124	5.5	143
22	Agroclimatic constraints for rainfed agriculture in the Bolivian Altiplano. <i>Journal of Arid Environments</i> , 2007 , 71, 109-121	2.5	86
21	Physiological responses of potato (<i>Solanum tuberosum</i> L.) to partial root-zone drying: ABA signalling, leaf gas exchange, and water use efficiency. <i>Journal of Experimental Botany</i> , 2006 , 57, 3727-337		164

20	Effects of deficit irrigation (DI) and partial root drying (PRD) on gas exchange, biomass partitioning, and water use efficiency in potato. <i>Scientia Horticulturae</i> , 2006 , 109, 113-117	4.1	108
19	ABA regulated stomatal control and photosynthetic water use efficiency of potato (<i>Solanum tuberosum</i> L.) during progressive soil drying. <i>Plant Science</i> , 2005 , 168, 831-836	5.3	203
18	Plant responses of quinoa (<i>Chenopodium quinoa</i> Willd.) to frost at various phenological stages. <i>European Journal of Agronomy</i> , 2005 , 22, 131-139	5	118
17	Stomatal control and water use efficiency of soybean (<i>Glycine max</i> L. Merr.) during progressive soil drying. <i>Environmental and Experimental Botany</i> , 2005 , 54, 33-40	5.9	148
16	Current Production and Potential of Quinoa (<i>Chenopodium quinoa</i> Willd.) in Peru. <i>Food Reviews International</i> , 2003 , 19, 149-154	5.5	1
15	Horizontal, Technical Cooperation in Research on Quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Food Reviews International</i> , 2003 , 19, 25-29	5.5	3
14	Cultivation of Quinoa on the Peruvian Altiplano. <i>Food Reviews International</i> , 2003 , 19, 31-41	5.5	43
13	Evapotranspiration analysis and irrigation requirements of quinoa (<i>Chenopodium quinoa</i>) in the Bolivian highlands. <i>Agricultural Water Management</i> , 2003 , 60, 119-134	5.9	88
12	The Resistance of Quinoa (<i>Chenopodium quinoa</i> Willd.) to Adverse Abiotic Factors. <i>Food Reviews International</i> , 2003 , 19, 99-109	5.5	245
11	The Worldwide Potential for Quinoa (<i>Chenopodium quinoa</i> Willd.). <i>Food Reviews International</i> , 2003 , 19, 167-177	5.5	239
10	Ecophysiological Analysis Of Drought And Salinity Stress Of Quinoa (<i>Chenopodium Quinoa</i> Willd.). <i>Food Reviews International</i> , 2003 , 19, 111-119	5.5	53
9	First Report of Downy Mildew of Quinoa Caused by <i>Peronospora farinosa</i> f. sp. <i>chenopodii</i> in Denmark. <i>Plant Disease</i> , 2002 , 86, 1175	1.5	16
8	Leaf gas exchange and water relation characteristics of field quinoa (<i>Chenopodium quinoa</i> Willd.) during soil drying. <i>European Journal of Agronomy</i> , 2000 , 13, 11-25	5	136
7	Validating a core collection of Peruvian quinoa germplasm. <i>Genetic Resources and Crop Evolution</i> , 1999 , 46, 285-290	2	14
6	Developmental stability of quinoa under European conditions. <i>Industrial Crops and Products</i> , 1998 , 7, 169-174	5.9	19
5	Effect of dietary inclusion of quinoa on broiler growth performance. <i>Animal Feed Science and Technology</i> , 1997 , 65, 5-14	3	13
4	Adaptation of quinoa (<i>Chenopodium quinoa</i>) to Northern European agriculture: studies on developmental pattern. <i>Euphytica</i> , 1997 , 96, 41-48	2.1	31
3	Cultivation of quinoa (<i>Chenopodium quinoa</i>) under temperate climatic conditions in Denmark. <i>Journal of Agricultural Science</i> , 1994 , 122, 47-52	1	47

2	Quinoa - Morphology, phenology and prospects for its production as a new crop in Europe. <i>European Journal of Agronomy</i> , 1993 , 2, 19-29	5	97
1	Impact of natural and synthetic growth enhancers on the productivity and yield of quinoa (<i>Chenopodium quinoa</i> Willd.) cultivated under normal and late sown circumstances. <i>Journal of Agronomy and Crop Science</i> ,	3.9	4