

Aleksander Krag

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6988176/aleksander-krag-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

211 papers	6,620 citations	43 h-index	75 g-index
247 ext. papers	8,823 ext. citations	6.1 avg, IF	6.07 L-index

#	Paper	IF	Citations
211	EASL Clinical Practice Guidelines for the management of patients with decompensated cirrhosis. <i>Journal of Hepatology</i> , 2018 , 69, 406-460	13.4	930
210	Spontaneous bacterial peritonitis: recent guidelines and beyond. <i>Gut</i> , 2012 , 61, 297-310	19.2	246
209	Low cardiac output predicts development of hepatorenal syndrome and survival in patients with cirrhosis and ascites. <i>Gut</i> , 2010 , 59, 105-10	19.2	235
208	Assessment of biopsy-proven liver fibrosis by two-dimensional shear wave elastography: An individual patient data-based meta-analysis. <i>Hepatology</i> , 2018 , 67, 260-272	11.2	213
207	Systematic review of randomized trials on vasoconstrictor drugs for hepatorenal syndrome. <i>Hepatology</i> , 2010 , 51, 576-84	11.2	200
206	Novel insights into the function and dynamics of extracellular matrix in liver fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, G807-30	5.1	156
205	Epidemiology and Effects of Bacterial Infections in Patients With Cirrhosis Worldwide. <i>Gastroenterology</i> , 2019 , 156, 1368-1380.e10	13.3	149
204	The window hypothesis: haemodynamic and non-haemodynamic effects of β -blockers improve survival of patients with cirrhosis during a window in the disease. <i>Gut</i> , 2012 , 61, 967-9	19.2	140
203	Transient and 2-Dimensional Shear-Wave Elastography Provide Comparable Assessment of Alcoholic Liver Fibrosis and Cirrhosis. <i>Gastroenterology</i> , 2016 , 150, 123-33	13.3	131
202	Systematic review with meta-analysis: the effects of rifaximin in hepatic encephalopathy. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 123-32	6.1	115
201	Terlipressin improves renal function in patients with cirrhosis and ascites without hepatorenal syndrome. <i>Hepatology</i> , 2007 , 46, 1863-71	11.2	101
200	ADAPT: An Algorithm Incorporating PRO-C3 Accurately Identifies Patients With NAFLD and Advanced Fibrosis. <i>Hepatology</i> , 2019 , 69, 1075-1086	11.2	100
199	Accuracy of the Enhanced Liver Fibrosis Test vs FibroTest, Elastography, and Indirect Markers in Detection of Advanced Fibrosis in Patients With Alcoholic Liver Disease. <i>Gastroenterology</i> , 2018 , 154, 1369-1379	13.3	97
198	Association Between Portosystemic Shunts and Increased Complications and Mortality in Patients With Cirrhosis. <i>Gastroenterology</i> , 2018 , 154, 1694-1705.e4	13.3	90
197	Shear-wave elastography of the liver and spleen identifies clinically significant portal hypertension: A prospective multicentre study. <i>Liver International</i> , 2017 , 37, 396-405	7.9	90
196	Screening for liver fibrosis in the general population: a call for action. <i>The Lancet Gastroenterology and Hepatology</i> , 2016 , 1, 256-260	18.8	81
195	Banding ligation versus beta-blockers for primary prevention in oesophageal varices in adults. <i>The Cochrane Library</i> , 2012 , CD004544	5.2	79

194	Preemptive-TIPS Improves Outcome in High-Risk Variceal Bleeding: An Observational Study. <i>Hepatology</i> , 2019 , 69, 282-293	11.2	73
193	Novel serological neo-epitope markers of extracellular matrix proteins for the detection of portal hypertension. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 1086-96	6.1	73
192	Nonselective β -blockers do not affect mortality in cirrhosis patients with ascites: Post Hoc analysis of three randomized controlled trials with 1198 patients. <i>Hepatology</i> , 2016 , 63, 1968-76	11.2	72
191	Nutritional therapy in cirrhosis or alcoholic hepatitis: a systematic review and meta-analysis. <i>Liver International</i> , 2015 , 35, 2072-8	7.9	71
190	Meta-analysis: banding ligation and medical interventions for the prevention of rebleeding from oesophageal varices. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 1155-65	6.1	70
189	Review article: the efficacy of biomarkers in chronic fibroproliferative diseases - early diagnosis and prognosis, with liver fibrosis as an exemplar. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 233-49	6.1	61
188	Terlipressin for hepatorenal syndrome. <i>Cochrane Database of Systematic Reviews</i> , 2012 , CD005162		61
187	The effect of anti-tumor necrosis factor alpha agents on postoperative anastomotic complications in Crohn's disease: a systematic review. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 1423-33	3.1	58
186	Controlled attenuation parameter and alcoholic hepatic steatosis: Diagnostic accuracy and role of alcohol detoxification. <i>Journal of Hepatology</i> , 2018 , 68, 1025-1032	13.4	55
185	Endotoxin and tumor necrosis factor-receptor levels in portal and hepatic vein of patients with alcoholic liver cirrhosis receiving elective transjugular intrahepatic portosystemic shunt. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 1218-25	2.2	55
184	Non-invasive diagnosis of liver fibrosis in patients with alcohol-related liver disease by transient elastography: an individual patient data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 614-625	18.8	54
183	Effects of a single terlipressin administration on cardiac function and perfusion in cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 1085-92	2.2	54
182	Meta-analysis: the safety and efficacy of vaptans (tolvaptan, satavaptan and lixivaptan) in cirrhosis with ascites or hyponatraemia. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 619-26	6.1	53
181	Fibrogenesis assessed by serological type III collagen formation identifies patients with progressive liver fibrosis and responders to a potential antifibrotic therapy. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, G1009-G1017	5.1	53
180	Rebleeding and mortality risk are increased by ACLF but reduced by pre-emptive TIPS. <i>Journal of Hepatology</i> , 2020 , 73, 1082-1091	13.4	52
179	Meta-analysis: isosorbide-mononitrate alone or with either beta-blockers or endoscopic therapy for the management of oesophageal varices. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 859-71	6.1	52
178	Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. <i>Journal of Hepatology</i> , 2019 , 71, 1141-1151	13.4	51
177	Liver Fibrosis and Metabolic Alterations in Adults With alpha-1-antitrypsin Deficiency Caused by the Pi*ZZ Mutation. <i>Gastroenterology</i> , 2019 , 157, 705-719.e18	13.3	50

176	The cardiorenal link in advanced cirrhosis. <i>Medical Hypotheses</i> , 2012 , 79, 53-5	3.8	50
175	Liver cirrhosis. <i>Lancet, The</i> , 2021 , 398, 1359-1376	4.0	50
174	Rifaximin has no effect on hemodynamics in decompensated cirrhosis: A randomized, double-blind, placebo-controlled trial. <i>Hepatology</i> , 2017 , 65, 592-603	11.2	47
173	Treatment of acute variceal bleeding. <i>Digestive and Liver Disease</i> , 2008 , 40, 328-36	3.3	46
172	Markers of Collagen Remodeling Detect Clinically Significant Fibrosis in Chronic Hepatitis C Patients. <i>PLoS ONE</i> , 2015 , 10, e0137302	3.7	46
171	Fragments of Citrullinated and MMP-degraded Vimentin and MMP-degraded Type III Collagen Are Novel Serological Biomarkers to Differentiate Crohn's Disease from Ulcerative Colitis. <i>Journal of Crohns and Colitis</i> , 2015 , 9, 863-72	1.5	43
170	Algorithm to rule out clinically significant portal hypertension combining Shear-wave elastography of liver and spleen: a prospective multicentre study. <i>Gut</i> , 2016 , 65, 1057-8	19.2	43
169	Non-selective beta-blockers may reduce risk of hepatocellular carcinoma: a meta-analysis of randomized trials. <i>Liver International</i> , 2015 , 35, 2009-16	7.9	43
168	Efficacy and safety of terlipressin in cirrhotic patients with variceal bleeding or hepatorenal syndrome. <i>Advances in Therapy</i> , 2008 , 25, 1105-40	4.1	43
167	Total area of spontaneous portosystemic shunts independently predicts hepatic encephalopathy and mortality in liver cirrhosis. <i>Journal of Hepatology</i> , 2020 , 72, 1140-1150	13.4	41
166	Systematic review and meta-analysis of randomized trials on probiotics for hepatic encephalopathy. <i>Hepatology Research</i> , 2012 , 42, 1008-15	5.1	39
165	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , 2021 , 74, 1109-1116	13.4	39
164	The heart and the liver. <i>Expert Review of Gastroenterology and Hepatology</i> , 2009 , 3, 51-64	4.2	38
163	Cardiac dysfunction in cirrhosis - does adrenal function play a role? A hypothesis. <i>Liver International</i> , 2012 , 32, 1327-32	7.9	36
162	Assessment of hepatic steatosis by controlled attenuation parameter using the M and XL probes: an individual patient data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 185-198	18.8	36
161	Reliability Criteria for Liver Stiffness Measurements with Real-Time 2D Shear Wave Elastography in Different Clinical Scenarios of Chronic Liver Disease. <i>Ultraschall in Der Medizin</i> , 2017 , 38, 648-654	3.8	35
160	Kidney injury in cirrhosis: pathophysiological and therapeutic aspects of hepatorenal syndromes. <i>Liver International</i> , 2014 , 34, 1153-63	7.9	35
159	High-sensitivity C-reactive protein levels predict survival and are related to haemodynamics in alcoholic cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 619-26	2.2	35

158	Effects of terlipressin on the aquaretic system: evidence of antidiuretic effects. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F1295-300	4.3	35
157	High risk of misinterpreting liver and spleen stiffness using 2D shear-wave and transient elastography after a moderate or high calorie meal. <i>PLoS ONE</i> , 2017 , 12, e0173992	3.7	34
156	Rifaximin has minor effects on bacterial composition, inflammation, and bacterial translocation in cirrhosis: A randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 307-314	4	34
155	Pro-C5, a marker of true type V collagen formation and fibrillation, correlates with portal hypertension in patients with alcoholic cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 584-92	2.4	33
154	Serum markers of the extracellular matrix remodeling reflect antifibrotic therapy in bile-duct ligated rats. <i>Frontiers in Physiology</i> , 2013 , 4, 195	4.6	33
153	Acute kidney injury and hepatorenal syndrome in cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 236-43	4	32
152	Pulmonary dysfunction and hepatopulmonary syndrome in cirrhosis and portal hypertension. <i>Liver International</i> , 2009 , 29, 1528-37	7.9	32
151	Effects of Early Placement of Transjugular Portosystemic Shunts in Patients With High-Risk Acute Variceal Bleeding: a Meta-analysis of Individual Patient Data. <i>Gastroenterology</i> , 2021 , 160, 193-205.e10	13.3	32
150	Acute decompensation boosts hepatic collagen type III deposition and deteriorates experimental and human cirrhosis. <i>Hepatology Communications</i> , 2018 , 2, 211-222	6	30
149	Liver Phenotypes of European Adults Heterozygous or Homozygous for Pi*Z Variant of AAT (Pi*MZ vs Pi*ZZ genotype) and Noncarriers. <i>Gastroenterology</i> , 2020 , 159, 534-548.e11	13.3	29
148	Soluble TNF-alpha-receptors I are prognostic markers in TIPS-treated patients with cirrhosis and portal hypertension. <i>PLoS ONE</i> , 2013 , 8, e83341	3.7	29
147	Keep the sick from harm in spontaneous bacterial peritonitis: Dose of beta blockers matters. <i>Journal of Hepatology</i> , 2016 , 64, 1455-6	13.4	28
146	Utilizing the gut microbiome in decompensated cirrhosis and acute-on-chronic liver failure. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 , 18, 167-180	24.2	28
145	PRO-C3-levels in patients with HIV/HCV-Co-infection reflect fibrosis stage and degree of portal hypertension. <i>PLoS ONE</i> , 2014 , 9, e108544	3.7	27
144	Antiviral therapy for prevention of hepatocellular carcinoma and mortality in chronic hepatitis B: systematic review and meta-analysis. <i>BMJ Open</i> , 2013 , 3,	3	27
143	Ulcerative colitis, Crohn's disease, and irritable bowel syndrome have different profiles of extracellular matrix turnover, which also reflects disease activity in Crohn's disease. <i>PLoS ONE</i> , 2017 , 12, e0185855	3.7	27
142	Large variations in risk of hepatocellular carcinoma and mortality in treatment naïve hepatitis B patients: systematic review with meta-analyses. <i>PLoS ONE</i> , 2014 , 9, e107177	3.7	26
141	Fibrosis is not just fibrosis - basement membrane modelling and collagen metabolism differs between hepatitis B- and C-induced injury. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 1242-1252	6.1	25

140	The recent reduction in mortality from bleeding oesophageal varices is primarily observed from Days 1 to 5. <i>Liver International</i> , 2010 , 30, 455-62	7.9	25
139	Antiviral therapy for prevention of hepatocellular carcinoma in chronic hepatitis C: systematic review and meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2012 , 2,	3	25
138	Terlipressin versus other vasoactive drugs for hepatorenal syndrome. <i>The Cochrane Library</i> , 2017 , 9, CD011532	22	
137	2D shear wave liver elastography by Aixplorer to detect portal hypertension in cirrhosis: An individual patient data meta-analysis. <i>Liver International</i> , 2020 , 40, 1435-1446	7.9	22
136	Spleen stiffness to liver stiffness ratio significantly differs between ALD and HCV and predicts disease-specific complications. <i>JHEP Reports</i> , 2019 , 1, 99-106	10.3	21
135	Assessment of response to beta-blockers by expression of Arr2 and RhoA/ROCK2 in antrum mucosa in cirrhotic patients. <i>Journal of Hepatology</i> , 2016 , 64, 1265-73	13.4	21
134	Targeting the gut-liver axis in cirrhosis: antibiotics and non-selective β -blockers. <i>Advances in Therapy</i> , 2013 , 30, 659-70	4.1	21
133	Combined antiretroviral therapy attenuates hepatic extracellular matrix remodeling in HIV patients assessed by novel protein fingerprint markers. <i>Aids</i> , 2014 , 28, 2081-90	3.5	21
132	Pathophysiological aspects of pulmonary complications of cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 419-27	2.4	21
131	The Use of Rifaximin in Patients With Cirrhosis. <i>Hepatology</i> , 2021 , 74, 1660-1673	11.2	20
130	Clinical features and evolution of bacterial infection-related acute-on-chronic liver failure. <i>Journal of Hepatology</i> , 2021 , 74, 330-339	13.4	20
129	Terlipressin versus placebo or no intervention for people with cirrhosis and hepatorenal syndrome. <i>The Cochrane Library</i> , 2017 , 6, CD005162	5.2	19
128	Transcriptional Dynamics of Hepatic Sinusoid-Associated Cells After Liver Injury. <i>Hepatology</i> , 2020 , 72, 2119-2133	11.2	19
127	Betablockers induce cardiac chronotropic incompetence. <i>Journal of Hepatology</i> , 2012 , 56, 298-9	13.4	19
126	Combination of CCl with alcoholic and metabolic injuries mimics human liver fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G182-G194	5.1	18
125	Is the Total Amount as Important as Localization and Type of Collagen in Liver Fibrosis Attributable to Steatohepatitis?. <i>Hepatology</i> , 2020 , 71, 346-351	11.2	18
124	Collagen type IV remodelling gender-specifically predicts mortality in decompensated cirrhosis. <i>Liver International</i> , 2019 , 39, 885-893	7.9	17
123	Nutrition impact symptoms, handgrip strength and nutritional risk in hospitalized patients with gastroenterological and liver diseases. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 1191-8	2.4	17

122	Feasibility of transient elastography versus real-time two-dimensional shear wave elastography in difficult-to-scan patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1354-9	2.4	17
121	Diastolic and autonomic dysfunction in early cirrhosis: a dobutamine stress study. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 362-72	2.4	17
120	Can non-selective beta-blockers prevent hepatocellular carcinoma in patients with cirrhosis?. <i>Medical Hypotheses</i> , 2013 , 81, 871-4	3.8	17
119	Serum neutrophil gelatinase-associated lipocalin - a sensitive novel marker of renal impairment in liver cirrhosis?. <i>Digestion</i> , 2011 , 84, 82-3	3.6	17
118	Two-dimensional shear wave elastography predicts survival in advanced chronic liver disease. <i>Gut</i> , 2021 ,	19.2	16
117	Cutaneous Porphyrrias: Causes, Symptoms, Treatments and the Danish Incidence 1989-2013. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 868-872	2.2	15
116	Contemporary use of elastography in liver fibrosis and portal hypertension. <i>Clinical Physiology and Functional Imaging</i> , 2017 , 37, 235-242	2.4	14
115	Effect of paracentesis on metabolic activity in patients with advanced cirrhosis and ascites. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 601-9	2.4	14
114	Safety, efficacy, and patient acceptability of rifaximin for hepatic encephalopathy. <i>Patient Preference and Adherence</i> , 2014 , 8, 331-8	2.4	14
113	Circulating Elastin Fragments Are Not Affected by Hepatic, Renal and Hemodynamic Changes, But Reflect Survival in Cirrhosis with TIPS. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 3456-64	4	12
112	Prediction of liver fibrosis severity in alcoholic liver disease by human microfibrillar-associated protein 4. <i>Liver International</i> , 2020 , 40, 1701-1712	7.9	12
111	Allocation of patients with liver cirrhosis and organ failure to intensive care: Systematic review and a proposal for clinical practice. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8964-73	5.6	12
110	Combining liver stiffness with hyaluronic acid provides superior prognostic performance in chronic hepatitis C. <i>PLoS ONE</i> , 2019 , 14, e0212036	3.7	12
109	Extracellular Matrix Fragments of the Basement Membrane and the Interstitial Matrix Are Serological Markers of Intestinal Tissue Remodeling and Disease Activity in Dextran Sulfate Sodium Colitis. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 3134-3142	4	11
108	Serum markers of type III and IV procollagen processing predict recurrence of fibrosis in liver transplanted patients. <i>Scientific Reports</i> , 2019 , 9, 14857	4.9	11
107	Profermin is efficacious in patients with active ulcerative colitis--a randomized controlled trial. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2584-92	4.5	11
106	Does cardiac dysfunction explain deleterious effects of beta-blockers in cirrhosis and refractory ascites?. <i>Hepatology</i> , 2011 , 53, 370-1	11.2	11
105	Impaired free water excretion in child C cirrhosis and ascites: relations to distal tubular function and the vasopressin system. <i>Liver International</i> , 2010 , 30, 1364-70	7.9	11

104	Cameron lesions: an often overlooked cause of iron deficiency anaemia in patients with large hiatal hernias. <i>BMJ Case Reports</i> , 2010 , 2010,	0.9	11
103	Hyponatraemia during terlipressin therapy. <i>Gut</i> , 2010 , 59, 417-8	19.2	11
102	Characteristics of randomised trials on diseases in the digestive system registered in ClinicalTrials.gov: a retrospective analysis. <i>BMJ Open</i> , 2011 , 1, e000309	3	11
101	Adherence to guidelines in bleeding oesophageal varices and effects on outcome: comparison between a specialized unit and a community hospital. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 1221-7	2.2	11
100	Cardiac function in patients with early cirrhosis during maximal beta-adrenergic drive: a dobutamine stress study. <i>PLoS ONE</i> , 2014 , 9, e109179	3.7	11
99	Sequential shear-wave elastography of liver and spleen rules out clinically significant portal hypertension in compensated advanced chronic liver disease. <i>Gut</i> , 2017 , 66, 558-559	19.2	10
98	Serum type XVI collagen is associated with colorectal cancer and ulcerative colitis indicating a pathological role in gastrointestinal disorders. <i>Cancer Medicine</i> , 2018 , 7, 4619-4626	4.8	10
97	Antifibrotic and molecular aspects of rifaximin in alcoholic liver disease: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 143	2.8	10
96	Research report: do general practitioners tell their patients about side effects to common treatments?. <i>Social Science and Medicine</i> , 2004 , 59, 1677-83	5.1	10
95	Cost-Effectiveness of Noninvasive Screening for Alcohol-Related Liver Fibrosis. <i>Hepatology</i> , 2020 , 71, 2093-2104	11.2	10
94	Bacterial infections in patients with acute variceal bleeding in the era of antibiotic prophylaxis. <i>Journal of Hepatology</i> , 2021 , 75, 342-350	13.4	10
93	Expression of vasoactive proteins in gastric antral mucosa reflects vascular dysfunction in patients with cirrhosis and portal hypertension. <i>Liver International</i> , 2015 , 35, 1393-402	7.9	9
92	Metabolic and Genetic Risk Factors Are the Strongest Predictors of Severity of Alcohol-Related Liver Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	9
91	To block, or not to block in advanced cirrhosis and ascites: that is the question. <i>Gut</i> , 2015 , 64, 1015-7	19.2	8
90	Describing the fecal metabolome in cryogenically collected samples from healthy participants. <i>Scientific Reports</i> , 2020 , 10, 885	4.9	8
89	O018 : 2D-shear wave elastography is equivalent or superior to transient elastography for liver fibrosis assessment: Results from an individual patient data based meta-analysis. <i>Journal of Hepatology</i> , 2015 , 62, S199-S200	13.4	8
88	Prescribing of acid suppressive therapy: interactions between hospital and primary care. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 1713-8	6.1	8
87	Safety and efficacy of Profermin [®] to induce remission in ulcerative colitis. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1773-80	5.6	8

86	Endpoints and design of clinical trials in patients with decompensated cirrhosis: Position paper of the LiverHope Consortium. <i>Journal of Hepatology</i> , 2021 , 74, 200-219	13.4	8
85	Population screening for liver fibrosis: Toward early diagnosis and intervention for chronic liver diseases. <i>Hepatology</i> , 2021 ,	11.2	8
84	Pharmacological interventions for alcoholic liver disease (alcohol-related liver disease): an attempted network meta-analysis. <i>The Cochrane Library</i> , 2017 , 3, CD011646	5.2	7
83	Hyponatremia in patients treated with terlipressin: mechanisms and implications for clinical practice. <i>Hepatology</i> , 2011 , 53, 368-9; author reply 369-70	11.2	7
82	Reduced baroreflex sensitivity and pulmonary dysfunction in alcoholic cirrhosis: effect of hyperoxia. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, G784-90	5.1	7
81	Alcoholic liver disease: A registry view on comorbidities and disease prediction. <i>PLoS Computational Biology</i> , 2020 , 16, e1008244	5	7
80	Prognostic performance of 7 biomarkers compared to liver biopsy in early alcohol-related liver disease. <i>Journal of Hepatology</i> , 2021 , 75, 1017-1025	13.4	7
79	Lack of consensus for usage of β -blockers in end-stage liver disease. <i>Gut</i> , 2016 , 65, 1058-60	19.2	7
78	Development and prognostic relevance of a histologic grading and staging system for alcohol-related liver disease. <i>Journal of Hepatology</i> , 2021 , 75, 810-819	13.4	7
77	O073 : Non-selective beta-blockers and mortality in cirrhosis patients with or without refractory ascites: Post hoc analysis of three large RCTs with 1198 patients. <i>Journal of Hepatology</i> , 2015 , 62, S227	13.4	6
76	Dobutamine reverses the cardio-suppressive effects of terlipressin without improving renal function in cirrhosis and ascites: a randomized controlled trial. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, G313-G321	5.1	6
75	168 REDUCED MORTALITY WITH NON-SELECTIVE BETABLOCKERS COMPARED TO BANDING IS NOT RELATED TO PREVENTION OF BLEEDING OR BLEEDING RELATED MORTALITY: SYSTEMATIC REVIEW OF RANDOMIZED TRIALS. <i>Journal of Hepatology</i> , 2011 , 54, S72	13.4	5
74	Cardiorenal Syndrome [A New Entity?]. <i>Frontiers of Gastrointestinal Research</i> , 2010 , 102-111		5
73	Serological Assessment of the Quality of Wound Healing Processes in Crohn's Disease. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019 , 28, 175-182	1.4	5
72	A paired liver biopsy and plasma proteomics study reveals circulating biomarkers for alcohol-related liver disease		5
71	A Dynamic Aspartate-to-Alanine Aminotransferase Ratio Provides Valid Predictions of Incident Severe Liver Disease. <i>Hepatology Communications</i> , 2021 , 5, 1021-1035	6	5
70	PRO-C3 and ADAPT algorithm accurately identify patients with advanced fibrosis due to alcohol-related liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 699-708	6.1	5
69	Hepatobiliary phenotypes of adults with alpha-1 antitrypsin deficiency. <i>Gut</i> , 2021 ,	19.2	5

68	Progressive alcohol-related liver fibrosis is characterised by imbalanced collagen formation and degradation. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 1070-1080	6.1	5
67	Low accuracy of FIB-4 and NAFLD fibrosis scores for screening for liver fibrosis in the population.. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	5
66	Alcoholic Cirrhosis Increases Risk for Autoimmune Diseases: A Nationwide Registry-Based Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 2017-22	6.9	4
65	Effects of a single dose of terlipressin on transcutaneous oxygen pressures. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 953-8	2.4	4
64	Effects of the vasopressin agonist terlipressin on plasma cAMP and ENaC excretion in the urine in patients with cirrhosis and water retention. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011 , 71, 112-6	2	4
63	[234] CARDIAC EFFECTS OF TERLIPRESSIN IN CIRRHOSIS. UNMASKING A CIRRHOTIC CARDIOMYOPATHY?. <i>Journal of Hepatology</i> , 2007 , 46, S96	13.4	4
62	Collagen proportionate area predicts clinical outcomes in patients with alcohol-related liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 1728-1739	6.1	4
61	Variation in Bile Microbiome by the Etiology of Cholestatic Liver Disease. <i>Liver Transplantation</i> , 2020 , 26, 1652-1657	4.5	4
60	Internal dysregulation of the renin system in patients with stable liver cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017 , 77, 298-309	2	3
59	Design of the Prospective Real-world Outcomes Study of hepatic encephalopathy Patients' Experience on Rifaximin- π (PROSPER): an observational study among 550 patients. <i>Hepatology, Medicine and Policy</i> , 2018 , 3, 4		3
58	Is liver stiffness equal to liver fibrosis?. <i>Hepatology</i> , 2017 , 65, 749	11.2	3
57	Aquaporin-2 excretion in hospitalized patients with cirrhosis: Relation to development of renal insufficiency and mortality. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1087-1093	4	3
56	Terlipressin versus other vasoactive drugs for hepatorenal syndrome 2015 ,		3
55	Rifaximin for people with hepatic encephalopathy. <i>The Cochrane Library</i> , 2015 ,	5.2	3
54	Effects of treatment with β -blocker and aldosterone antagonist on central and peripheral haemodynamics and oxygenation in cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 334-42	2.2	3
53	Fluoroquinolones in the primary prophylaxis of spontaneous bacterial peritonitis. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1444; author reply 1444-5	0.7	3
52	Safety of Terlipressin for Hepatorenal Syndrome. <i>Frontiers of Gastrointestinal Research</i> , 2010 , 178-188		3
51	295 LOW CARDIAC INDEX PREDICTS SURVIVAL AND RENAL FAILURE IN PATIENTS WITH ASCITES. EVIDENCE OF A HEART-KIDNEY AXIS IN CIRRHOSIS. <i>Journal of Hepatology</i> , 2008 , 48, S118	13.4	3

50	Effect of meal and propranolol on whole body and splanchnic oxygen consumption in patients with cirrhosis. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, G8-15	5.1	3
49	Comprehensive lipidomics reveals phenotypic differences in hepatic lipid turnover in ALD and NAFLD during alcohol intoxication. <i>JHEP Reports</i> , 2021 , 3, 100325	10.3	3
48	Remote ischemic conditioning in active ulcerative colitis: An explorative randomized clinical trial. <i>Scientific Reports</i> , 2020 , 10, 9537	4.9	2
47	Terlipressin and hyponatraemia: the cause or the treatment?. <i>Internal Medicine Journal</i> , 2013 , 43, 606-7	1.6	2
46	Terlipressin vs. octreotide in bleeding esophageal varices. <i>American Journal of Gastroenterology</i> , 2009 , 104, 2351; author reply 2351-2	0.7	2
45	Endoscopic treatment of bleeding esophageal varices. <i>Endoscopy</i> , 2007 , 39, 373; author reply 374	3.4	2
44	Stage-dependent expression of fibrogenic markers in alcohol-related liver disease.. <i>Pathology Research and Practice</i> , 2022 , 231, 153798	3.4	2
43	A rare cause of severe hepatomegaly with an improving outcome. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	2
42	Extracellular Matrix Remodeling with Focus on Biochemical Markers in Liver Fibrosis: Limitations and Possibilities 2019 , 265-286		2
41	2D Shear Wave Elastography Predicts Survival in Advanced Chronic Liver Disease: AIXPLORER PREDICT and VALIDATE 2021 , 59,		2
40	The Negative Bidirectional Interaction Between Climate Change and the Prevalence and Care of Liver Disease: A Joint BSG, BASL, EASL, and AASLD Commentary.. <i>Gastroenterology</i> , 2022 ,	13.3	2
39	Prediction of presence of oesophageal varices just by shear-wave elastography of the liver and spleen. <i>Liver International</i> , 2017 , 37, 1406-1407	7.9	1
38	Variceal Rebleeding: Drugs, Endoscopy or Both 2014 , 213-228		1
37	Letter: the effects of rifaximin in hepatic encephalopathy--authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 858-9	6.1	1
36	Endoscopic variceal ligation alone or with pharmacological therapy for recurrent variceal bleeding: the importance of intention-to-treat analyses. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 341-3	6.1	1
35	Binge drinking induces an acute burst of markers of hepatic fibrogenesis (PRO-C3). <i>Liver International</i> , 2021 ,	7.9	1
34	Biomarkers of Extracellular Matrix Remodeling in Liver Diseases. <i>Biomarkers in Disease</i> , 2017 , 221-246		1
33	Beta-blockers alone or in combination with isosorbide mononitrate for secondary prevention of bleeding from gastro-esophageal varices in adults with cirrhosis and gastro-oesophageal varices. <i>The Cochrane Library</i> , 2016 ,	5.2	1

32	How to achieve a smooth transition from fellowship to faculty. <i>United European Gastroenterology Journal</i> , 2016 , 4, 717-718	5.3	1
31	Diagnostic accuracy of routine liver function tests to identify patients with significant and advanced alcohol-related liver fibrosis. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 1088-1095	2.4	1
30	How to increase value and reduce waste in research: initial experiences of applying Lean thinking and visual management in research leadership. <i>BMJ Open</i> , 2022 , 12, e058179	3	1
29	P301 A serological biomarker of type VIII collagen that contains the anti-angiogenic signalling molecule, vastatin, is associated with the extension of disease in ulcerative colitis. <i>Journal of Crohns and Colitis</i> , 2019 , 13, S250-S251	1.5	0
28	Diagnostic challenges in patients with alcohol-related liver disease.. <i>Zeitschrift Fur Gastroenterologie</i> , 2022 , 60, 45-57	1.6	0
27	2D-shear wave elastography: number of acquisitions can be reduced according to clinical setting. <i>Insights Into Imaging</i> , 2021 , 12, 145	5.6	0
26	Addition of trans fat and alcohol has divergent effects on atherogenic diet-induced liver injury in rodent models of steatohepatitis. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, G410-G418	5.1	0
25	Endotrophin and C6Ma3, serological biomarkers of type VI collagen remodelling, reflect endoscopic and clinical disease activity in IBD. <i>Scientific Reports</i> , 2021 , 11, 14713	4.9	0
24	Artificial intelligence outperforms standard blood-based scores in identifying liver fibrosis patients in primary care.. <i>Scientific Reports</i> , 2022 , 12, 2914	4.9	0
23	Screening studies of transient elastography and FibroTest in the general population - Authors' reply. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 246-247	18.8	
22	P217 Serological biomarkers of type VI collagen remodelling reflect endoscopically and clinically active Crohn's disease. <i>Journal of Crohns and Colitis</i> , 2019 , 13, S203-S205	1.5	
21	P357 Serological biomarkers of interstitial matrix and basement membrane remodelling correlate to disease activity in Crohn's disease. <i>Journal of Crohns and Colitis</i> , 2019 , 13, S282-S283	1.5	
20	P125 Basement membrane remodelling as a biomarker for monitoring disease activity in Crohn's disease patients: the role of laminin. <i>Journal of Crohns and Colitis</i> , 2018 , 12, S155-S156	1.5	
19	Letter: vaptans for the treatment of hyponatraemia and ascites in patients with cirrhosis [Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 1104-1104	6.1	
18	Pitfalls in the assessment of intrapulmonary shunt using lung perfusion scintigraphy in patients with cirrhosis: authors' reply. <i>Liver International</i> , 2011 , 31, 139-140	7.9	
17	Liver Fibrosis and Metabolic Alterations in Adults with Homozygous Alpha1-antitrypsin Deficiency (PiZZ Genotype). <i>Zeitschrift Fur Gastroenterologie</i> , 2018 , 56, E2-E89	1.6	
16	Serological assessment of type VII collagen in patients with colorectal cancer and ulcerative colitis.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 698-698	2.2	
15	Leberfibrose und metabolische Veränderungen bei Erwachsenen mit homozygotem Alpha1-Antitrypsin-Mangel (Pi*ZZ-Genotyp) [Eine europaweite Studie. <i>Zeitschrift Fur Gastroenterologie</i> , 2018 , 56, e281-e281	1.6	

14	Die Substitutionstherapie mit Alpha1-Antitrypsin bei Patienten mit homozygotem Alpha1-Antitrypsin-Mangel (Pi*ZZ-Genotyp) ist mit einer Verbesserung Leber-bezogener Parameter assoziiert. <i>Zeitschrift Fur Gastroenterologie</i> , 2018 , 56, e280-e280	1.6
13	Biomarkers of Extracellular Matrix Remodeling in Liver Diseases. <i>Exposure and Health</i> , 2015 , 1-26	8.8
12	Introduction: Prevention of Decompensation Versus Prevention of First Bleeding 2016 , 195-204	
11	Result of the Questionnaire 2016 , 187-194	
10	P235 Serological biomarkers of interstitial matrix and basement membrane remodelling correlate the Modified Mayo Endoscopic Score (mMES) for ulcerative colitis. <i>Journal of Crohns and Colitis</i> , 2020 , 14, S260-S261	1.5
9	P165 Non-invasive biomarkers of type III collagen cross-linking reflects fibrolysis in patient with luminal CROHN'S DISEASE. <i>Journal of Crohns and Colitis</i> , 2021 , 15, S241-S242	1.5
8	Level of MFAP4 in ascites independently predicts 1-year transplant-free survival in patients with cirrhosis. <i>JHEP Reports</i> , 2021 , 3, 100287	10.3
7	Reply. <i>Hepatology</i> , 2016 , 64, 1808	11.2
6	Reply. <i>Gastroenterology</i> , 2016 , 150, 1252-1253	13.3
5	P637 MMP-2 and -8 degraded and citrullinated-vimentin (VICM) correlates to disease activity in inflammatory bowel diseases. <i>Journal of Crohns and Colitis</i> , 2019 , 13, S436-S437	1.5
4	Clinical Aspects of Alcoholic Liver Disease 2019 , 3-21	
3	Effects of Ethanol Feeding in Early-Stage NAFLD Mice Induced by Western Diet. <i>Livers</i> , 2021 , 1, 27-39	
2	A Serological Biomarker of Laminin Gamma 1 Chain Degradation Reflects Altered Basement Membrane Remodeling in Crohn's Disease and DSS Colitis. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4
1	Reply. When to stop non-selective beta-blockers: the window hypothesis in clinical practice. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2014 , 23, 458	1.4