Malin Eberhard-Gran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6988490/publications.pdf

Version: 2024-02-01

201385 205818 2,617 56 27 48 citations g-index h-index papers 60 60 60 3030 docs citations times ranked citing authors all docs

#	Article	lF	Citations
1	The impact of subjective birth experiences on post-traumatic stress symptoms: a longitudinal study. Archives of Women's Mental Health, 2013, 16, 1-10.	1.2	200
2	The impact of previous birth experiences on maternal fear of childbirth. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 318-324.	1.3	148
3	Fear of childbirth and elective caesarean section: a population-based study. BMC Pregnancy and Childbirth, 2015, 15, 221.	0.9	145
4	The Edinburgh Postnatal Depression Scale: Validation in a Norwegian community sample. Nordic Journal of Psychiatry, 2001, 55, 113-117.	0.7	128
5	Insomnia and Depressive Symptoms in Late Pregnancy: A Population-Based Study. Behavioral Sleep Medicine, 2012, 10, 152-166.	1.1	127
6	Research priorities for public mental health in Europe: recommendations of the ROAMER project. European Journal of Public Health, 2015, 25, 249-254.	0.1	113
7	Trajectories of maternal sleep problems before and after childbirth: a longitudinal population-based study. BMC Pregnancy and Childbirth, 2015, 15, 129.	0.9	110
8	Can Insomnia in Pregnancy Predict Postpartum Depression? A Longitudinal, Population-Based Study. PLoS ONE, 2014, 9, e94674.	1.1	102
9	The Role of Labor Pain and Overall Birth Experience in the Development of Posttraumatic Stress Symptoms: A Longitudinal Cohort Study. Birth, 2014, 41, 108-115.	1.1	100
10	Use of Psychotropic Medications in Treating Mood Disorders during Lactation. CNS Drugs, 2006, 20, 187-198.	2.7	93
11	The Impact of Perinatal Depression on Children's Social-Emotional Development: A Longitudinal Study. Maternal and Child Health Journal, 2017, 21, 607-615.	0.7	93
12	The Impact of Postpartum Posttraumatic Stress and Depression Symptoms on Couples' Relationship Satisfaction: A Population-Based Prospective Study. Frontiers in Psychology, 2018, 9, 1728.	1.1	84
13	Pediatric sleep problems and social-emotional problems. A population-based study. , 2016, 42, 111-118.		80
14	A prospective cohort study of depression in pregnancy, prevalence and risk factors in a multi-ethnic population. BMC Pregnancy and Childbirth, 2015, 15, 5.	0.9	74
15	Somatic Symptoms and Diseases are more Common in Women Exposed to Violence. Journal of General Internal Medicine, 2007, 22, 1668-1673.	1.3	69
16	Behavioural effects of fetal antidepressant exposure in a Norwegian cohort of discordant siblings. International Journal of Epidemiology, 2015, 44, 1397-1407.	0.9	65
17	A comparison of anxiety and depressive symptomatology in postpartum and non-postpartum mothers. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 551-556.	1.6	61
18	The influence of postpartum <scp>PTSD</scp> on breastfeeding: A longitudinal populationâ€based study. Birth, 2018, 45, 193-201.	1.1	55

#	Article	IF	CITATIONS
19	Treating Mood Disorders During Pregnancy. Drug Safety, 2005, 28, 695-706.	1.4	53
20	Impact of Maternal Perinatal Anxiety on Social-Emotional Development of 2-Year-Olds, A Prospective Study of Norwegian Mothers and Their Offspring. Maternal and Child Health Journal, 2019, 23, 386-396.	0.7	53
21	Postnatal care: a cross-cultural and historical perspective. Archives of Women's Mental Health, 2010, 13, 459-466.	1.2	47
22	Maintaining factors of posttraumatic stress symptoms following childbirth: A population-based, two-year follow-up study. Journal of Affective Disorders, 2015, 172, 146-152.	2.0	44
23	Pregnancy complications and birth outcomes among women experiencing nausea only or nausea and vomiting during pregnancy in the Norwegian Mother and Child Cohort Study. BMC Pregnancy and Childbirth, 2015, 15, 138.	0.9	42
24	Labor pain in women with and without severe fear of childbirth: A populationâ€based, longitudinal study. Birth, 2018, 45, 469-477.	1.1	42
25	Insomnia late in pregnancy is associated with perinatal anxiety: A longitudinal cohort study. Journal of Affective Disorders, 2019, 248, 155-165.	2.0	38
26	History of depression and risk of hyperemesis gravidarum: a population-based cohort study. Archives of Women's Mental Health, 2017, 20, 397-404.	1.2	32
27	Hyperemesis gravidarum and the risk of emotional distress during and after pregnancy. Archives of Women's Mental Health, 2017, 20, 747-756.	1.2	30
28	The prospective relationship between postpartum PTSD and child sleep: A 2-year follow-up study. Journal of Affective Disorders, 2018, 241, 71-79.	2.0	30
29	Obstetric and psychological characteristics of women choosing epidural analgesia during labour: A cohort study. PLoS ONE, 2017, 12, e0186564.	1.1	27
30	Prevalence of postpartum depressive symptoms in a multiethnic population and the role of ethnicity and integration. Journal of Affective Disorders, 2018, 241, 49-58.	2.0	27
31	Childbirth preferences and related fears - comparison between Norway and Israel. BMC Pregnancy and Childbirth, 2018, 18, 362.	0.9	26
32	Prevalence and severity of low back- and pelvic girdle pain in pregnant Nepalese women. BMC Pregnancy and Childbirth, 2019, 19, 247.	0.9	24
33	Mid-pregnancy insomnia is associated with concurrent and postpartum maternal anxiety and obsessive-compulsive symptoms: A prospective cohort study. Journal of Affective Disorders, 2020, 266, 319-326.	2.0	23
34	Fear during labor: the impact of sexual abuse in adult life. Journal of Psychosomatic Obstetrics and Gynaecology, 2008, 29, 258-261.	1.1	22
35	Insomnia before and after childbirth: The risk of developing postpartum pain—A longitudinal population-based study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 210, 348-354.	0.5	22
36	The association between the degree of nausea in pregnancy and subsequent posttraumatic stress. Archives of Women's Mental Health, 2019, 22, 493-501.	1.2	22

3

#	Article	IF	Citations
37	Mid-Pregnancy Insomnia and its Association with Perinatal Depressive Symptoms: A Prospective Cohort Study. Behavioral Sleep Medicine, 2021, 19, 285-302.	1.1	22
38	Physical activity in pregnancy and postpartum depressive symptoms in a multiethnic cohort. Journal of Affective Disorders, 2018, 236, 93-100.	2.0	18
39	Parents' Prenatal Mental Health and Emotional, Behavioral and Social Development in Their Children. Child Psychiatry and Human Development, 2015, 46, 874-883.	1.1	16
40	Exercise level before pregnancy and engaging in high-impact sports reduce the risk of pelvic girdle pain: a population-based cohort study of 39â€184 women. British Journal of Sports Medicine, 2016, 50, 817-822.	3.1	16
41	The Impact of Maternal Symptoms of Perinatal Insomnia on Social-emotional Child Development: A Population-based, 2-year Follow-up Study. Behavioral Sleep Medicine, 2021, 19, 303-317.	1.1	11
42	Cross-Cultural Adaptation and Validation of the Nepali Version of the Pelvic Girdle Questionnaire. Journal of Manipulative and Physiological Therapeutics, 2020, 43, 257-265.	0.4	10
43	Antidepressant and mental health care utilization in pregnant women with depression and/or anxiety: An interrupted time-series analysis. Journal of Affective Disorders, 2022, 308, 458-465.	2.0	9
44	Self-reported short sleep duration and insomnia symptoms as predictors of post-pregnancy weight change: Results from a cohort study. Women's Health, 2016, 12, 465-474.	0.7	8
45	Diabetes mellitus and pelvic girdle syndrome in pregnancy – Is there an association?. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1015-1019.	1.3	7
46	Antenatal Maternal Emotional Distress and Duration of Pregnancy. PLoS ONE, 2014, 9, e101682.	1.1	6
47	The relationship between early administration of morphine or nitrous oxide gas and PTSD symptom development. Journal of Affective Disorders, 2021, 281, 557-566.	2.0	6
48	Perinatal mental health around the world: priorities for research and service development in Norway. BJPsych International, 2021, 18, 1-3.	0.8	6
49	Nausea and vomiting in pregnancy – association with pelvic girdle pain during pregnancy and 4-6Âmonths post-partum. BMC Pregnancy and Childbirth, 2018, 18, 137.	0.9	5
50	Severe recalled labor pain and elective cesarean section in a subsequent delivery: a cohort study of Norwegian parous women. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1678-1687.	1.3	5
51	Prenatal insomnia and childbirth-related PTSD symptoms: A prospective population-based cohort study. Journal of Affective Disorders, 2021, 295, 305-315.	2.0	5
52	Does progestin-only contraceptive use after pregnancy affect recovery from pelvic girdle pain? A prospective population study. PLoS ONE, 2017, 12, e0184071.	1.1	2
53	Perinatal mental health: how nordic data sources have contributed to existing evidence and future avenues to explore. Nordic Journal of Psychiatry, 2022, 76, 423-432.	0.7	2
54	Pregnancy and postpartum psychiatric episodes in fathers: A population-based study on treatment incidence and prevalence. Journal of Affective Disorders, 2022, 296, 130-135.	2.0	1

#	Article	IF	CITATIONS
55	Perinatal stress, mood and anxiety disorders. From bench to bedside. Acta Psychiatrica Scandinavica, 2006, 113, 159-159.	2.2	O
56	Reply: Response to Letter to the Editor "Labor pain, birth experience and postpartum depressionâ€∙ Scandinavian Journal of Pain, 2020, 20, 861-863.	0.5	0