

Flavia R C Costa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6989103/flavia-r-c-costa-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

4,178

citations

31

h-index

63

g-index

92

ext. papers

5,250

ext. citations

6.6

avg, IF

5.1

L-index

#	Paper	IF	Citations
88	The other side of tropical forest drought: do shallow water table regions of Amazonia act as large-scale hydrological refugia from drought?. <i>New Phytologist</i> , 2022 ,	9.8	3
87	Temporal changes in rainfall affect taxonomic and functional composition of stream fish assemblages in central Amazonia. <i>Freshwater Biology</i> , 2021 , 66, 753-764	3.1	1
86	Amazon tree dominance across forest strata. <i>Nature Ecology and Evolution</i> , 2021 , 5, 757-767	12.3	5
85	The other side of droughts: wet extremes and topography as buffers of negative drought effects in an Amazonian forest. <i>New Phytologist</i> , 2021 , 229, 1995-2006	9.8	15
84	Taking the pulse of Earth's tropical forests using networks of highly distributed plots. <i>Biological Conservation</i> , 2021 , 260, 108849	6.2	15
83	Intraspecific Variation on Palm Leaf Traits of Co-occurring Species Does Local Hydrology Play a Role?. <i>Frontiers in Forests and Global Change</i> , 2021 , 4,	3.7	1
82	Local hydrological gradients structure high intra-species variability in plant hydraulic traits in two dominant central Amazonian tree species. <i>Journal of Experimental Botany</i> , 2021 ,	7	4
81	Long-term thermal sensitivity of Earth's tropical forests. <i>Science</i> , 2020 , 368, 869-874	33.3	92
80	Biased-corrected richness estimates for the Amazonian tree flora. <i>Scientific Reports</i> , 2020 , 10, 10130	4.9	24
79	Pre-Columbian soil fertilization and current management maintain food resource availability in old-growth Amazonian forests. <i>Plant and Soil</i> , 2020 , 450, 29-48	4.2	8
78	The global abundance of tree palms. <i>Global Ecology and Biogeography</i> , 2020 , 29, 1495-1514	6.1	21
77	Palms and trees resist extreme drought in Amazon forests with shallow water tables. <i>Journal of Ecology</i> , 2020 , 108, 2070-2082	6	13
76	Palm distribution patterns in the southwestern Brazilian Amazon: Impact of a large hydroelectric dam. <i>Forest Ecology and Management</i> , 2020 , 463, 118032	3.9	7
75	EFFECTS OF CLIMATE CHANGE ON CENTRAL AMAZONIAN FORESTS: A TWO DECADES SYNTHESIS OF MONITORING TROPICAL BIODIVERSITY 2020 , 24, 317-335		8
74	Quantifying Tropical Plant Diversity Requires an Integrated Technological Approach. <i>Trends in Ecology and Evolution</i> , 2020 , 35, 1100-1109	10.9	7
73	The role of environmental filtering, geographic distance and dispersal barriers in shaping the turnover of plant and animal species in Amazonia. <i>Biodiversity and Conservation</i> , 2020 , 29, 3609-3634	3.4	12
72	The importance of soils in predicting the future of plant habitat suitability in a tropical forest. <i>Plant and Soil</i> , 2020 , 450, 151-170	4.2	19

71	Interaction between extreme weather events and mega-dams increases tree mortality and alters functional status of Amazonian forests. <i>Journal of Applied Ecology</i> , 2019 , 56, 2641-2651	5.8	8
70	Rarity of monodominance in hyperdiverse Amazonian forests. <i>Scientific Reports</i> , 2019 , 9, 13822	4.9	19
69	Historical landscape domestication in ancestral forests with nutrient-poor soils in northwestern Amazonia. <i>Forest Ecology and Management</i> , 2019 , 446, 317-330	3.9	17
68	Amazonian rainforest tree mortality driven by climate and functional traits. <i>Nature Climate Change</i> , 2019 , 9, 384-388	21.4	84
67	Long-term effect of selective logging on floristic composition: A 25 year experiment in the Brazilian Amazon. <i>Forest Ecology and Management</i> , 2019 , 440, 258-266	3.9	12
66	Making the most of scarce data: Mapping soil gradients in data-poor areas using species occurrence records. <i>Methods in Ecology and Evolution</i> , 2019 , 10, 788-801	7.7	10
65	Alternative functional trajectories along succession after different land uses in central Amazonia. <i>Journal of Applied Ecology</i> , 2019 , 56, 2472-2481	5.8	11
64	Embolism resistance drives the distribution of Amazonian rainforest tree species along hydro-topographic gradients. <i>New Phytologist</i> , 2019 , 221, 1457-1465	9.8	62
63	Species Distribution Modelling: Contrasting presence-only models with plot abundance data. <i>Scientific Reports</i> , 2018 , 8, 1003	4.9	78
62	Local dynamic variation of lianas along topography maintains unchanging abundance at the landscape scale in central Amazonia. <i>Journal of Vegetation Science</i> , 2018 , 29, 651-661	3.1	5
61	How People Domesticated Amazonian Forests. <i>Frontiers in Ecology and Evolution</i> , 2018 , 5,	3.7	100
60	Beyond climate control on species range: The importance of soil data to predict distribution of Amazonian plant species. <i>Journal of Biogeography</i> , 2018 , 45, 190-200	4.1	51
59	Near-infrared spectrometry allows fast and extensive predictions of functional traits from dry leaves and branches 2018 , 28, 1157-1167		8
58	Can traits predict individual growth performance? A test in a hyperdiverse tropical forest. <i>New Phytologist</i> , 2018 , 219, 109-121	9.8	57
57	Forest conservation: HumansThandprints. <i>Science</i> , 2017 , 355, 466-467	33.3	6
56	Persistent effects of pre-Columbian plant domestication on Amazonian forest composition. <i>Science</i> , 2017 , 355, 925-931	33.3	280
55	The effect of forest fragmentation on the soil seed bank of Central Amazonia. <i>Forest Ecology and Management</i> , 2017 , 393, 105-112	3.9	18
54	The importance of hydraulic architecture to the distribution patterns of trees in a central Amazonian forest. <i>New Phytologist</i> , 2017 , 215, 113-125	9.8	48

53	Discrimination of taxonomic identity at species, genus and family levels using Fourier Transformed Near-Infrared Spectroscopy (FT-NIR). <i>Forest Ecology and Management</i> , 2017 , 406, 219-227	3.9	27
52	Response to Comment on "Persistent effects of pre-Columbian plant domestication on Amazonian forest composition". <i>Science</i> , 2017 , 358,	33.3	13
51	Understory host plant and insect gall diversity changes across topographic habitats differing in nutrient and water stress in the Brazilian Amazon rainforest. <i>Acta Amazonica</i> , 2017 , 47, 237-246	0.8	2
50	Restriction limits and main drivers of fruit production in palm in central Amazonia. <i>Acta Oecologica</i> , 2016 , 77, 75-84	1.7	2
49	Climate seasonality limits leaf carbon assimilation and wood productivity in tropical forests. <i>Biogeosciences</i> , 2016 , 13, 2537-2562	4.6	79
48	Forest structure along a 600 km transect of natural disturbances and seasonality gradients in central-southern Amazonia. <i>Journal of Ecology</i> , 2016 , 104, 1335-1346	6	20
47	Busy Nights: High Seed Dispersal by Crickets in a Neotropical Forest. <i>American Naturalist</i> , 2016 , 188, E126-E133	3.7	5
46	Phylogenetic analysis of <i>Attalea</i> (Arecaceae): insights into the historical biogeography of a recently diversified Neotropical plant group. <i>Botanical Journal of the Linnean Society</i> , 2016 , 182, 287-302	2.2	16
45	Hyperdominance in Amazonian forest carbon cycling. <i>Nature Communications</i> , 2015 , 6, 6857	17.4	157
44	Synthesis of the first 10 years of long-term ecological research in Amazonian Forest ecosystem □ implications for conservation and management. <i>Natureza A Conservacao</i> , 2015 , 13, 3-14		18
43	Estimating the global conservation status of more than 15,000 Amazonian tree species. <i>Science Advances</i> , 2015 , 1, e1500936	14.3	91
42	Diversity enhances carbon storage in tropical forests. <i>Global Ecology and Biogeography</i> , 2015 , 24, 1314-1328		245
41	Near Infrared Spectroscopy Facilitates Rapid Identification of Both Young and Mature Amazonian Tree Species. <i>PLoS ONE</i> , 2015 , 10, e0134521	3.7	31
40	Mapping hydrological environments in central Amazonia: ground validation and surface model based on SRTM DEM data corrected for deforestation. <i>Earth System Science Data</i> , 2015 , 7, 29-34	10.5	2
39	Predicting environmental gradients with fern species composition in Brazilian Amazonia. <i>Journal of Vegetation Science</i> , 2014 , 25, 1195-1207	3.1	40
38	Phylogenetic structure of a palm community in the central Amazon: changes along a hydro-edaphic gradient. <i>Plant Ecology</i> , 2014 , 215, 1173-1185	1.7	3
37	Local Hydrological Conditions Explain Floristic Composition in Lowland Amazonian Forests. <i>Biotropica</i> , 2014 , 46, 395-403	2.3	16
36	Vertical distance from drainage drives floristic composition changes in an Amazonian rainforest. <i>Plant Ecology and Diversity</i> , 2014 , 7, 241-253	2.2	77

35	Soil physical conditions limit palm and tree basal area in Amazonian forests. <i>Plant Ecology and Diversity</i> , 2014 , 7, 215-229	2.2	35
34	Validating forest types based on geological and land-form features in central Amazonia. <i>Journal of Vegetation Science</i> , 2014 , 25, 198-212	3.1	21
33	Biogeographical patterns of liana abundance and diversity 2014 , 131-146		30
32	Markedly divergent estimates of Amazon forest carbon density from ground plots and satellites. <i>Global Ecology and Biogeography</i> , 2014 , 23, 935-946	6.1	205
31	Multi-taxa Surveys: Integrating Ecosystem Processes and User Demands 2014 , 177-187		5
30	Hyperdominance in the Amazonian tree flora. <i>Science</i> , 2013 , 342, 1243092	33.3	637
29	Spatial Scale or Amplitude of Predictors as Determinants of the Relative Importance of Environmental Factors to Plant Community Structure. <i>Biotropica</i> , 2013 , 45, 299-307	2.3	24
28	Sustainable Use of <i>Calathea lutea</i> in Handicrafts: A Case Study from the Amanã Sustainable Development Reserve in the Brazilian Amazon. <i>Economic Botany</i> , 2013 , 67, 30-40	1.7	1
27	Plant ontogeny, spatial distance, and soil type influence patterns of relatedness in a common Amazonian tree. <i>PLoS ONE</i> , 2013 , 8, e62639	3.7	3
26	Broad Scale Distribution of Ferns and Lycophytes along Environmental Gradients in Central and Northern Amazonia, Brazil. <i>Biotropica</i> , 2012 , 44, 752-762	2.3	34
25	Amazon forest carbon dynamics predicted by profiles of canopy leaf area and light environment. <i>Ecology Letters</i> , 2012 , 15, 1406-14	10	132
24	How far can we go in simplifying biomonitoring assessments? An integrated analysis of taxonomic surrogacy, taxonomic sufficiency and numerical resolution in a megadiverse region. <i>Ecological Indicators</i> , 2012 , 23, 366-373	5.8	61
23	Historical human footprint on modern tree species composition in the Purus-Madeira interfluve, central Amazonia. <i>PLoS ONE</i> , 2012 , 7, e48559	3.7	72
22	The spatial distribution of illegal logging in the Anavilhanas archipelago (Central Amazonia) and logging impacts on species. <i>Environmental Conservation</i> , 2012 , 39, 111-121	3.3	69
21	Litter as a filter of emergence for herbaceous seedlings and sporophytes in central Amazonia. <i>Journal of Tropical Ecology</i> , 2012 , 28, 445-452	1.3	7
20	Environmental variables and Piper assemblage composition: a mesoscale study in the Madeira-Purus interfluve, Central Amazonia. <i>Biota Neotropica</i> , 2011 , 11, 83-91		3
19	Liana Abundance Patterns: The Role of Ecological Filters during Development. <i>Biotropica</i> , 2011 , 43, 442-449	4.9	17
18	Assessing the relationship between forest types and canopy tree beta diversity in Amazonia. <i>Ecography</i> , 2010 , 33, 738-747	6.5	21

17	The Need for Large-Scale, Integrated Studies of Biodiversity - the Experience of the Program for Biodiversity Research in Brazilian Amazonia. <i>Natureza A Conservacao</i> , 2010 , 08, 3-12		55
16	Temporary Pond Availability and Tadpole Species Composition in Central Amazonia. <i>Herpetologica</i> , 2010 , 66, 124-130	1.9	16
15	Distribution of pteridophyte communities along environmental gradients in Central Amazonia, Brazil. <i>Biodiversity and Conservation</i> , 2009 , 18, 151-166	3.4	20
14	Gradients within gradients: The mesoscale distribution patterns of palms in a central Amazonian forest. <i>Journal of Vegetation Science</i> , 2009 , 20, 69-78	3.1	84
13	How wide is the riparian zone of small streams in tropical forests? A test with terrestrial herbs. <i>Journal of Tropical Ecology</i> , 2008 , 24, 65-74	1.3	53
12	A Program for Monitoring Biological Diversity in the Amazon: An Alternative Perspective to Threat-based Monitoring. <i>Biotropica</i> , 2008 , 40, 409-411	2.3	10
11	Biologia reprodutiva de <i>Psychotria spectabilis</i> Steyrm. e <i>Palicourea</i> cf. <i>virens</i> (Poepp & Endl.) Standl. (Rubiaceae) em uma floresta tropical hida na regiõ de Manaus, AM, Brasil. <i>Acta Botanica Brasilica</i> , 2008 , 22, 275-285	1	3
10	Mesoscale Gradients of Herb Richness and Abundance in Central Amazonia ¹ . <i>Biotropica</i> , 2006 , 38, 711-717	1.7	33
9	Mesoscale distribution patterns of Amazonian understory herbs in relation to topography, soil and watersheds. <i>Journal of Ecology</i> , 2005 , 93, 863-878	6	132
8	RAPELD: a modification of the Gentry method for biodiversity surveys in long-term ecological research sites. <i>Biota Neotropica</i> , 2005 , 5, 19-24		256
7	Effects of Selective Logging on the Diversity and Abundance of Flowering and Fruiting Understory Plants in a Central Amazonian Forest. <i>Biotropica</i> , 2003 , 35, 103-114	2.3	35
6	Effects of Selective Logging on the Diversity and Abundance of Flowering and Fruiting Understory Plants in a Central Amazonian Forest ¹ . <i>Biotropica</i> , 2003 , 35, 103	2.3	27
5	Effects of Selective Logging on Populations of Two Tropical Understory Herbs in an Amazonian Forest ¹ . <i>Biotropica</i> , 2002 , 34, 289-296	2.3	13
4	SELECTIVE LOGGING EFFECTS ON ABUNDANCE, DIVERSITY, AND COMPOSITION OF TROPICAL UNDERSTORY HERBS 2002 , 12, 807-819		44
3	Dispersal of Amazonian Trees: Hydrochory in <i>Pentaclethra macroloba</i> ¹ . <i>Biotropica</i> , 2000 , 32, 548-552	2.3	11
2	Dispersal of Amazonian Trees: Hydrochory in <i>Pentaclethra macroloba</i> ¹ . <i>Biotropica</i> , 2000 , 32, 548	2.3	13
1	Dispersal of Amazonian Trees: Hydrochory in <i>Swartzia polyphylla</i> ¹ . <i>Biotropica</i> , 1999 , 31, 460-465	2.3	23