

Vural Gökmen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6989615/publications.pdf>

Version: 2024-02-01

273
papers

11,957
citations

22146

59
h-index

42393

92
g-index

281
all docs

281
docs citations

281
times ranked

10100
citing authors

#	ARTICLE	IF	CITATIONS
1	Interactions between free and bound antioxidants under different conditions in food systems. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 5766-5782.	10.3	9
2	Interactions of epicatechin and cysteine with certain other dicarbonyl scavengers during their reaction with methylglyoxal under simulated physiological conditions. <i>Food Chemistry</i> , 2022, 369, 130884.	8.2	1
3	Optimization of microwave-assisted extraction of anthocyanins in red cabbage by response surface methodology. <i>Journal of Food Processing and Preservation</i> , 2022, 46, e16120.	2.0	5
4	Effect of food combinations and their co-digestion on total antioxidant capacity under simulated gastrointestinal conditions. <i>Current Research in Food Science</i> , 2022, 5, 414-422.	5.8	9
5	Acrylamide in Corn-Based Thermally Processed Foods: A Review. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 4165-4181.	5.2	16
6	Formation of acrylamide in coffee. <i>Current Opinion in Food Science</i> , 2022, 45, 100842.	8.0	11
7	Mitigation of acrylamide formation during malt processing. <i>Journal of Cereal Science</i> , 2022, 106, 103485.	3.7	2
8	Effects of sprouting and fermentation on the formation of Maillard reaction products in different cereals heated as wholemeal. <i>Food Chemistry</i> , 2022, 389, 133075.	8.2	8
9	Optimization of reaction conditions for the design of cereal-based dietary fibers with high antioxidant capacity. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 6502-6510.	3.5	1
10	Safety concerns of processed foods in terms of neo-formed contaminants and NOVA classification. <i>Current Opinion in Food Science</i> , 2022, 47, 100876.	8.0	4
11	Dietary exposure to acrylamide: A critical appraisal on the conversion of disregarded intermediates into acrylamide and possible reactions during digestion. <i>Current Research in Food Science</i> , 2022, 5, 1118-1126.	5.8	8
12	Kinetic modeling of Maillard and caramelization reactions in sucrose-rich and low moisture foods applied for roasted nuts and seeds. <i>Food Chemistry</i> , 2022, 395, 133583.	8.2	21
13	Mitigation of Acrylamide in Thermally Processed Foods. , 2021, , 32-43.		0
14	Formation of amino acid derivatives in white and red wines during fermentation: Effects of non-Saccharomyces yeasts and <i>Oenococcus oeni</i> . <i>Food Chemistry</i> , 2021, 343, 128415.	8.2	22
15	Effects of fermentation time and shooting period on amino acid derivatives and free amino acid profiles of tea. <i>LWT - Food Science and Technology</i> , 2021, 137, 110481.	5.2	20
16	Investigations on the formation of β -dicarbonyl compounds and 5-hydroxymethylfurfural in apple juice, orange juice and peach puree under industrial processing conditions. <i>European Food Research and Technology</i> , 2021, 247, 797-805.	3.3	9
17	Mitigation of acrylamide in baked potato chips by vacuum baking and combined conventional and vacuum baking processes. <i>LWT - Food Science and Technology</i> , 2021, 144, 111211.	5.2	17
18	Formation of β -dicarbonyl compounds and glycation products in sesame (<i>Sesamum indicum</i> L.) seeds during roasting: a multiresponse kinetic modelling approach. <i>European Food Research and Technology</i> , 2021, 247, 2285-2298.	3.3	6

#	ARTICLE	IF	CITATIONS
19	Investigations on the formation of Maillard reaction products in sweet cookies made of different cereals. <i>Food Research International</i> , 2021, 144, 110352.	6.2	25
20	Effects of Sprouting and Fermentation on Free Asparagine and Reducing Sugars in Wheat, Einkorn, Oat, Rye, Barley, and Buckwheat and on Acrylamide and 5-Hydroxymethylfurfural Formation during Heating. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 9419-9433.	5.2	6
21	Pea protein properties are altered following glycation by microwave heating. <i>LWT - Food Science and Technology</i> , 2021, 150, 111939.	5.2	22
22	Investigations on the formation of β -dicarbonyl compounds and 5-hydroxymethylfurfural in fruit products during storage: New insights into the role of Maillard reaction. <i>Food Chemistry</i> , 2021, 363, 130280.	8.2	19
23	Formation of Bioactive Tyrosine Derivatives during Sprouting and Fermenting of Selected Whole Grains. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 12517-12526.	5.2	7
24	Perspective on the Formation, Analysis, and Health Effects of Neuroactive Compounds in Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 13364-13372.	5.2	2
25	Investigation of free amino acids, bioactive and neuroactive compounds in different types of tea and effect of black tea processing. <i>LWT - Food Science and Technology</i> , 2020, 117, 108655.	5.2	40
26	Neuroactive compounds in foods: Occurrence, mechanism and potential health effects. <i>Food Research International</i> , 2020, 128, 108744.	6.2	127
27	Relationship between color and antioxidant capacity of fruits and vegetables. <i>Current Research in Food Science</i> , 2020, 2, 1-10.	5.8	115
28	Acrylamide formation in biscuits made of different wholegrain flours depending on their free asparagine content and baking conditions. <i>Food Research International</i> , 2020, 132, 109109.	6.2	51
29	Multiresponse kinetic modelling of 5-hydroxymethylfurfural and acrylamide formation in sesame (<i>Sesamum indicum</i> L.) seeds during roasting. <i>European Food Research and Technology</i> , 2020, 246, 2399-2410.	3.3	16
30	Potential reactions of thermal process contaminants during digestion. <i>Trends in Food Science and Technology</i> , 2020, 106, 198-208.	15.1	16
31	Investigation of the methylglyoxal scavenging kinetics of different food matrices under simulated intestinal conditions. <i>European Food Research and Technology</i> , 2020, 246, 2461-2470.	3.3	4
32	Physiological relevance of food antioxidants. <i>Advances in Food and Nutrition Research</i> , 2020, 93, 205-250.	3.0	5
33	Modulation of gastrointestinal digestion of β -lactoglobulin and micellar casein following binding by (β)-epigallocatechin-3-gallate (EGCG) and green tea flavanols. <i>Food and Function</i> , 2020, 11, 6038-6053.	4.6	17
34	Formation of Maillard reaction products in bread crust-like model system made of different whole cereal flours. <i>European Food Research and Technology</i> , 2020, 246, 1207-1218.	3.3	28
35	Effects of different cooking methods on methylglyoxal scavenging potential of meat under simulated gastrointestinal conditions. <i>LWT - Food Science and Technology</i> , 2020, 132, 109833.	5.2	10
36	5-Hydroxymethylfurfural accumulation plays a critical role on acrylamide formation in coffee during roasting as confirmed by multiresponse kinetic modelling. <i>Food Chemistry</i> , 2020, 318, 126467.	8.2	58

#	ARTICLE	IF	CITATIONS
37	Multiresponse kinetic modelling of $\hat{\pm}$ -dicarbonyl compounds formation in fruit juices during storage. Food Chemistry, 2020, 320, 126620.	8.2	15
38	Effects of fermentation and heat treatments on bound-ferulic acid content and total antioxidant capacity of bread crust-like systems made of different whole grain flours. Journal of Cereal Science, 2020, 93, 102978.	3.7	11
39	A survey of the occurrence of $\hat{\pm}$ -dicarbonyl compounds and 5-hydroxymethylfurfural in dried fruits, fruit juices, puree and concentrates. Journal of Food Composition and Analysis, 2020, 91, 103523.	3.9	19
40	Caramelization in Foods: A Food Quality and Safety Perspective. , 2019, , 18-29.		12
41	Determination of serotonin in nuts and nut containing products by liquid chromatography tandem mass spectrometry. Food Chemistry, 2019, 272, 347-353.	8.2	22
42	Acrylamide: An Overview of the Chemistry and Occurrence in Foods. , 2019, , 492-499.		7
43	Lactose hydrolysis and protein fortification pose an increased risk for the formation of Maillard reaction products in UHT treated milk products. Journal of Food Composition and Analysis, 2019, 84, 103308.	3.9	35
44	Effect of Chitosan-Ascorbic Acid Coatings on the Refrigerated Storage Stability of Fresh-Cut Apples. Coatings, 2019, 9, 503.	2.6	24
45	A new procedure to measure cysteine equivalent methylglyoxal scavenging activity (CEMSA) of foods under simulated physiological conditions. Journal of Functional Foods, 2019, 63, 103575.	3.4	5
46	Time dependent change of ethanol consumption biomarkers, ethyl glucuronide and ethyl sulphate, after single dose ethanol intake. Biyokimya Dergisi, 2019, 44, 379-387.	0.5	1
47	Kinetic evaluation of the formation of tryptophan derivatives in the kynurenine pathway during wort fermentation using <i>Saccharomyces pastorianus</i> and <i>Saccharomyces cerevisiae</i> . Food Chemistry, 2019, 297, 124975.	8.2	19
48	Kinetic evaluation of the reaction between methylglyoxal and certain scavenging compounds and determination of their in vitro dicarbonyl scavenging activity. Food Research International, 2019, 121, 257-268.	6.2	23
49	Investigations on the Maillard Reaction in Sesame (<i>Sesamum indicum</i> L.) Seeds Induced by Roasting. Journal of Agricultural and Food Chemistry, 2019, 67, 4923-4930.	5.2	57
50	Formation of Acrylamide in Thermally Processed Foods and Its Reactions during <i>in vitro</i> Digestion. ACS Symposium Series, 2019, , 45-66.	0.5	2
51	Investigations on the effect of broccoli and wine sulphur compounds on glyoxal scavenging under simulated physiological conditions. Journal of Functional Foods, 2019, 55, 220-228.	3.4	5
52	Effect of refining on bioactive composition and oxidative stability of hazelnut oil. Food Research International, 2019, 116, 586-591.	6.2	63
53	Effect of Roasting and Storage on the Formation of Maillard Reaction and Sugar Degradation Products in Hazelnuts (<i>Corylus avellana</i> L.). Journal of Agricultural and Food Chemistry, 2019, 67, 415-424.	5.2	22
54	Interactions of dietary fiber bound antioxidants with hydroxycinnamic and hydroxybenzoic acids in aqueous and liposome media. Food Chemistry, 2019, 278, 294-304.	8.2	11

#	ARTICLE	IF	CITATIONS
55	Investigation of lipid-derived formation of decadien-1-amine, 2-pentylpyridine, and acrylamide in potato chips fried in repeatedly used sunflower oil. <i>Food Research International</i> , 2019, 121, 919-925.	6.2	7
56	Investigation of serotonin, free and protein-bound tryptophan in Turkish hazelnut varieties and effect of roasting on serotonin content. <i>Food Research International</i> , 2019, 120, 865-871.	6.2	14
57	Furan. , 2019, , 87-105.		2
58	Advanced Glycation End Products (AGEs). , 2019, , 121-151.		2
59	A study on interactions between the insoluble fractions of different coffee infusions and major cocoa free antioxidants and different coffee infusions and dark chocolate. <i>Food Chemistry</i> , 2018, 255, 8-14.	8.2	22
60	Effect of high hydrostatic pressure on background microflora and furan formation in fruit purée based baby foods. <i>Journal of Food Science and Technology</i> , 2018, 55, 985-991.	2.8	7
61	Interactions of coffee and bread crust melanoidins with hydroxycinnamic and hydroxybenzoic acids in aqueous radical environment. <i>Food Research International</i> , 2018, 108, 286-294.	6.2	10
62	Investigation and kinetic evaluation of the reactions of hydroxymethylfurfural with amino and thiol groups of amino acids. <i>Food Chemistry</i> , 2018, 240, 354-360.	8.2	28
63	Determination of tryptophan derivatives in kynurenine pathway in fermented foods using liquid chromatography tandem mass spectrometry. <i>Food Chemistry</i> , 2018, 243, 420-427.	8.2	52
64	Behaviour of Trolox with macromolecule-bound antioxidants in aqueous medium: Inhibition of auto-regeneration mechanism. <i>Food Chemistry</i> , 2018, 243, 428-434.	8.2	9
65	Effects of ultrasound and high pressure on physicochemical properties and HMF formation in Turkish honey types. <i>Journal of Food Engineering</i> , 2018, 219, 129-136.	5.2	60
66	Evolution of food antioxidants as a core topic of food science for a century. <i>Food Research International</i> , 2018, 105, 76-93.	6.2	134
67	Comparative evaluation of the formations of gamma-aminobutyric acid and other bioactive amines during unhopped wort fermentation. <i>Journal of Food Processing and Preservation</i> , 2018, 42, e13405.	2.0	3
68	Parameters affecting 5-hydroxymethylfurfural exposure from beer. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018, 35, 1464-1471.	2.3	13
69	Profiling of the Contents of Amino Acids, Water-Soluble Vitamins, Minerals, Sugars and Organic Acids in Turkish Hazelnut Varieties. <i>Polish Journal of Food and Nutrition Sciences</i> , 2018, 68, 223-234.	1.7	10
70	Mitigation of ovalbumin glycation in vitro by its treatment with green tea polyphenols. <i>European Food Research and Technology</i> , 2017, 243, 11-19.	3.3	8
71	Phenolic compounds in natural and roasted nuts and their skins: a brief review. <i>Current Opinion in Food Science</i> , 2017, 14, 103-109.	8.0	63
72	Formation of tyramine in yoghurt during fermentation – Interaction between yoghurt starter bacteria and <i>Lactobacillus plantarum</i> . <i>Food Research International</i> , 2017, 97, 288-295.	6.2	27

#	ARTICLE	IF	CITATIONS
73	Interactions between macromolecule-bound antioxidants and Trolox during liposome autoxidation: A multivariate approach. <i>Food Chemistry</i> , 2017, 237, 989-996.	8.2	8
74	Antioxidants Bound to an Insoluble Food Matrix: Their Analysis, Regeneration Behavior, and Physiological Importance. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2017, 16, 382-399.	11.7	66
75	Maillard reaction and caramelization during hazelnut roasting: A multiresponse kinetic study. <i>Food Chemistry</i> , 2017, 221, 1911-1922.	8.2	78
76	Syneresis and rheological behaviors of set yogurt containing green tea and green coffee powders. <i>Journal of Dairy Science</i> , 2017, 100, 901-907.	3.4	90
77	Microbial inactivation and evaluation of furan formation in high hydrostatic pressure (HHP) treated vegetable-based infant food. <i>Food Research International</i> , 2017, 101, 17-23.	6.2	22
78	Inhibitory effect of hawthorn extract on heterocyclic aromatic amine formation in beef and chicken breast meat. <i>Food Research International</i> , 2017, 99, 586-595.	6.2	57
79	Formation and elimination reactions of 5-hydroxymethylfurfural during in vitro digestion of biscuits. <i>Food Research International</i> , 2017, 99, 308-314.	6.2	21
80	Extending the shelf-life of pomegranate arils with chitosan-ascorbic acid coating. <i>LWT - Food Science and Technology</i> , 2017, 76, 172-180.	5.2	70
81	Evolution of surface temperature and its relationship with acrylamide formation during conventional and vacuum-combined baking of cookies. <i>Journal of Food Engineering</i> , 2017, 197, 17-23.	5.2	19
82	Monitoring protein glycation by electrospray ionization (ESI) quadrupole time-of-flight (Q-TOF) mass spectrometer. <i>Food Chemistry</i> , 2017, 217, 65-73.	8.2	6
83	Effect of chitosan on the formation of acrylamide and hydroxymethylfurfural in model, biscuit and crust systems. <i>Food and Function</i> , 2016, 7, 3431-3436.	4.6	21
84	Multiresponse kinetic modelling of Maillard reaction and caramelisation in a heated glucose/wheat flour system. <i>Food Chemistry</i> , 2016, 211, 892-902.	8.2	80
85	Effects of Sodium Chloride, Potassium Chloride, and Calcium Chloride on the Formation of $\hat{1}\pm$ -Dicarbonyl Compounds and Furfurals and the Development of Browning in Cookies during Baking. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 7838-7848.	5.2	27
86	Effect of Sodium Chloride on $\hat{1}\pm$ -Dicarbonyl Compound and 5-Hydroxymethyl-2-furfural Formations from Glucose under Caramelization Conditions: A Multiresponse Kinetic Modeling Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6333-6342.	5.2	30
87	pH dependent antioxidant activity of lettuce (<i>L. sativa</i>) and synergism with added phenolic antioxidants. <i>Food Chemistry</i> , 2016, 190, 25-32.	8.2	66
88	Effect of alkalization on the Maillard reaction products formed in cocoa during roasting. <i>Food Research International</i> , 2016, 89, 930-936.	6.2	34
89	Thermal process contaminants: acrylamide, chloropropanols and furan. <i>Current Opinion in Food Science</i> , 2016, 7, 86-92.	8.0	36
90	Investigations on the reactions of $\hat{1}\pm$ -dicarbonyl compounds with amino acids and proteins during in vitro digestion of biscuits. <i>Food and Function</i> , 2016, 7, 2544-2550.	4.6	28

#	ARTICLE	IF	CITATIONS
91	Effect of roasting and brewing on the antioxidant capacity of espresso brews determined by the QUENCHER procedure. Food Research International, 2016, 89, 976-981.	6.2	12
92	Acrylamide Formation in Foods: Role of Composition and Processing. Food Engineering Series, 2016, , 67-80.	0.7	1
93	Kinetic evaluation of the inhibition of protein glycation during heating. Food Chemistry, 2016, 196, 1117-1124.	8.2	12
94	Acrylamide mitigation strategies: critical appraisal of the FoodDrinkEurope toolbox. Food and Function, 2016, 7, 2516-2525.	4.6	39
95	Introduction: Potential Safety Risks Associated with Thermal Processing of Foods. , 2016, , xxi-xxvi.		3
96	Effects of baking conditions and dough formulations on phenolic compound stability, antioxidant capacity and color of cookies made from anthocyanin-rich corn flour. LWT - Food Science and Technology, 2016, 65, 597-603.	5.2	98
97	Formation of α -dicarbonyl compounds in cookies made from wheat, hull-less barley and colored corn and its relation with phenolic compounds, free amino acids and sugars. European Food Research and Technology, 2016, 242, 51-60.	3.3	39
98	Metabolism of Acrylamide in Humans and Biomarkers of Exposure to Acrylamide. , 2016, , 109-128.		7
99	Interaction between Bioactive Carbonyl Compounds and Asparagine and Impact on Acrylamide. , 2016, , 355-376.		10
100	Analysis of Acrylamide in Foods with Special Emphasis on Sample Preparation and Gas Chromatography-Mass Spectrometry Detection. , 2016, , 445-461.		1
101	Alkali-based pre-treatment may prevent ochratoxin A in grapes. World Mycotoxin Journal, 2016, 9, 517-523.	1.4	4
102	Use of Microencapsulated Ingredients in Bakery Products. , 2015, , 301-311.		6
103	Future perspectives in Orbitrap [®] -high-resolution mass spectrometry in food analysis: a review. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1568-1606.	2.3	73
104	Investigation and kinetic evaluation of furan formation in tomato paste and pulp during heating. Food Research International, 2015, 78, 224-230.	6.2	22
105	Synergism between Soluble and Dietary Fiber Bound Antioxidants. Journal of Agricultural and Food Chemistry, 2015, 63, 2338-2343.	5.2	30
106	Mechanism of the interaction between insoluble wheat bran and polyphenols leading to increased antioxidant capacity. Food Research International, 2015, 69, 189-193.	6.2	15
107	Effect of vacuum-combined baking of cookies on acrylamide content, texture and color. European Food Research and Technology, 2015, 240, 243-249.	3.3	23
108	Bioactive compounds in different hazelnut varieties and their skins. Journal of Food Composition and Analysis, 2015, 43, 203-208.	3.9	50

#	ARTICLE	IF	CITATIONS
109	Effect of microencapsulation on the reactivity of ascorbic acid, sodium chloride and vanillin during heating. <i>Journal of Food Engineering</i> , 2015, 167, 204-209.	5.2	21
110	Profiling triacylglycerols, fatty acids and tocopherols in hazelnut varieties grown in Turkey. <i>Journal of Food Composition and Analysis</i> , 2015, 44, 115-121.	3.9	32
111	Osmotic and membrane distillation for the concentration of tomato juice: Effects on quality and safety characteristics. <i>Innovative Food Science and Emerging Technologies</i> , 2015, 31, 131-138.	5.6	33
112	Investigation of the reactions of acrylamide during in vitro multistep enzymatic digestion of thermally processed foods. <i>Food and Function</i> , 2015, 6, 108-113.	4.6	32
113	Prediction of acrylamide formation in biscuits based on fingerprint data generated by ambient ionization mass spectrometry employing direct analysis in real time (DART) ion source. <i>Food Chemistry</i> , 2015, 173, 290-297.	8.2	31
114	Adding Calcium to Foods and Effect on Acrylamide. <i>Food and Nutritional Components in Focus</i> , 2015, , 274-290.	0.1	1
115	An aqueous pomegranate seed extract ameliorates oxidative stress of human hepatoma <scp>HepG2</scp> cells. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 1622-1627.	3.5	14
116	Effects of Hydrophobic and Ionic Interactions on Glycation of Casein during Maillard Reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 11289-11295.	5.2	27
117	Effects of extrusion, infrared and microwave processing on Maillard reaction products and phenolic compounds in soybean. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 45-51.	3.5	56
118	Computer vision-based analysis of foods: A non-destructive colour measurement tool to monitor quality and safety. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 1259-1263.	3.5	49
119	Effects of formulation, extrusion cooking conditions, and <scp>CO₂</scp> injection on the formation of acrylamide in corn extrudates. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 2562-2568.	3.5	23
120	Mitigation of acrylamide and hydroxymethylfurfural in biscuits using a combined partial conventional baking and vacuum post-baking process: Preliminary study at the lab scale. <i>Innovative Food Science and Emerging Technologies</i> , 2014, 26, 265-270.	5.6	44
121	Investigation of the interaction between soluble antioxidants in green tea and insoluble dietary fiber bound antioxidants. <i>Food Research International</i> , 2014, 63, 266-270.	6.2	21
122	Mitigation of acrylamide and hydroxymethyl furfural in instant coffee by yeast fermentation. <i>Food Research International</i> , 2014, 61, 252-256.	6.2	45
123	Effect of combining conventional frying with radio-frequency post-drying on acrylamide level and quality attributes of potato chips. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 2002-2008.	3.5	22
124	Determination of melatonin and its isomer in foods by liquid chromatography tandem mass spectrometry. <i>Food Chemistry</i> , 2014, 153, 151-156.	8.2	94
125	Hazelnut skin powder: A new brown colored functional ingredient. <i>Food Research International</i> , 2014, 65, 291-297.	6.2	44
126	Processing Treatments for Mitigating Acrylamide Formation in Sweetpotato French Fries. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 310-316.	5.2	36

#	ARTICLE	IF	CITATIONS
127	Formation of Monochloropropane-1,2-diol and Its Esters in Biscuits during Baking. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7297-7301.	5.2	23
128	Investigation of Î±-Dicarbonyl Compounds in Baby Foods by High-Performance Liquid Chromatography Coupled with Electrospray Ionization Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7714-7720.	5.2	64
129	Acrylamide and 5-hydroxymethylfurfural formation during baking of biscuits: NaCl and temperatureâ€™time profile effects and kinetics. <i>Food Research International</i> , 2014, 57, 210-217.	6.2	77
130	Formation of Melatonin and Its Isomer during Bread Dough Fermentation and Effect of Baking. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 2900-2905.	5.2	32
131	Release of Antioxidant Capacity from Five Plant Foods during a Multistep Enzymatic Digestion Protocol. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 4119-4126.	5.2	58
132	A perspective on the evaluation of safety risks in thermal processing of foods with an example for acrylamide formation in biscuits. <i>Quality Assurance and Safety of Crops and Foods</i> , 2014, 6, 319-325.	3.4	10
133	Comparisons of phenolic compounds, isoflavones, antioxidant capacity and oxidative enzymes in yellow and black soybeans seed coat and dehulled bean. <i>European Food Research and Technology</i> , 2013, 237, 409-418.	3.3	31
134	Raising agents strongly influence acrylamide and HMF formation in cookies and conditions for asparaginase activity in dough. <i>European Food Research and Technology</i> , 2013, 237, 1-8.	3.3	25
135	Acrylamide formation and colour development in low-fat baked potato products as influenced by baking conditions and oil type. <i>European Food Research and Technology</i> , 2013, 236, 843-851.	3.3	14
136	Compositional, Nutritional, and Functional Characteristics of Instant Teas Produced from Low- and High-Quality Black Teas. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 7529-7536.	5.2	49
137	Palatability and chemical safety of apple juice fortified with pomegranate peel extract. <i>Food and Function</i> , 2013, 4, 1468.	4.6	18
138	Oxidative stability and chemical safety of mayonnaise enriched with grape seed extract. <i>Food and Function</i> , 2013, 4, 1647.	4.6	40
139	Role of curcumin in the conversion of asparagine into acrylamide during heating. <i>Amino Acids</i> , 2013, 44, 1419-1426.	2.7	33
140	Accumulation of 5â€™Hydroxymethylfurfural in Oil During Frying of Model Dough. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2013, 90, 413-417.	1.9	9
141	Effects of infusion conditions and decaffeination on free amino acid profiles of green and black tea. <i>Food Research International</i> , 2013, 53, 720-725.	6.2	45
142	Soluble Antioxidant Compounds Regenerate the Antioxidants Bound to Insoluble Parts of Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 10329-10334.	5.2	41
143	Kinetics of Furan Formation from Ascorbic Acid during Heating under Reducing and Oxidizing Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 10191-10196.	5.2	23
144	Antioxidant capacity versus chemical safety of wheat bread enriched with pomegranate peel powder. <i>Food and Function</i> , 2013, 4, 722.	4.6	59

#	ARTICLE	IF	CITATIONS
145	Investigation of heat induced reactions between lipid oxidation products and amino acids in lipid rich model systems and hazelnuts. <i>Food and Function</i> , 2013, 4, 1061.	4.6	6
146	Compositional characteristics of sour cherry kernel and its oil as influenced by different extraction and roasting conditions. <i>Industrial Crops and Products</i> , 2013, 49, 130-135.	5.2	73
147	Effects of infrared heating on phenolic compounds and Maillard reaction products in maize flour. <i>Journal of Cereal Science</i> , 2013, 58, 1-7.	3.7	52
148	Antiglycative effect of fruit and vegetable seed extracts: inhibition of AGE formation and carbonyl trapping abilities. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 2037-2044.	3.5	73
149	Modelling thermal degradation of zearalenone in maize bread during baking. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 528-533.	2.3	20
150	Thermal degradation of deoxynivalenol during maize bread baking. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1-8.	2.3	7
151	Phenolic Compounds, Carotenoids, Anthocyanins, and Antioxidant Capacity of Colored Maize (<i>Zea mays</i> L.) Cultivars. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 10808-10814.	5.2	260
152	Mitigation of acrylamide formation in cookies by using Maillard reaction products as recipe modifier in a combined partial conventional baking and radio frequency post-baking process. <i>European Food Research and Technology</i> , 2012, 235, 711-717.	3.3	30
153	Role of bioactive carbonyl compounds on the conversion of asparagine into acrylamide during heating. <i>European Food Research and Technology</i> , 2012, 235, 1093-1099.	3.3	28
154	Effects of isolation, enzymatic hydrolysis, heating, hydration and Maillard reaction on the antioxidant capacity of cereal and legume proteins. <i>Food Research International</i> , 2012, 49, 1-6.	6.2	51
155	In depth study of acrylamide formation in coffee during roasting: role of sucrose decomposition and lipid oxidation. <i>Food and Function</i> , 2012, 3, 970.	4.6	87
156	Nutritional and Functional Characteristics of Seven Grades of Black Tea Produced in Turkey. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 7682-7689.	5.2	30
157	Controlling the Maillard Reaction by Reactant Encapsulation: Sodium Chloride in Cookies. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 10808-10814.	5.2	61
158	Effects of different grain mixtures on Maillard reaction products and total antioxidant capacities of breads. <i>Journal of Food Composition and Analysis</i> , 2012, 26, 160-168.	3.9	25
159	Solvent effects on total antioxidant capacity of foods measured by direct QUENCHER procedure. <i>Journal of Food Composition and Analysis</i> , 2012, 26, 52-57.	3.9	39
160	Total antioxidant capacities of raw and cooked meats. <i>Meat Science</i> , 2012, 90, 60-65.	5.5	186
161	Flavor Characteristics of Seven Grades of Black Tea Produced in Turkey. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 6323-6332.	5.2	142
162	Distributions of phenolic compounds, yellow pigments and oxidative enzymes in wheat grains and their relation to antioxidant capacity of bran and debranned flour. <i>Journal of Cereal Science</i> , 2012, 56, 652-658.	3.7	126

#	ARTICLE	IF	CITATIONS
163	Rapid determination of amino acids in foods by hydrophilic interaction liquid chromatography coupled to high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2915-2922.	3.7	57
164	EFFECT OF GRAPE SEED EXTRACT ON PHENOLIC PROFILE AND BROWNING OF FRESH-CUT LETTUCE (L.) Tj ETQq0 0.0 rgBT /Overlock 10	2.9	10
165	Model studies on the role of 5-hydroxymethyl-2-furfural in acrylamide formation from asparagine. <i>Food Chemistry</i> , 2012, 132, 168-174.	8.2	97
166	Effect of Radio Frequency Postdrying of Partially Baked Cookies on Acrylamide Content, Texture, and Color of the Final Product. <i>Journal of Food Science</i> , 2012, 77, E113-7.	3.1	34
167	Partial purification and characterization of polyphenoloxidase from durum wheat (<i>Triticum durum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 18	3.7	18
168	Effect of Calcium on Acrylamide Level and Sensory Properties of Cookies. <i>Food and Bioprocess Technology</i> , 2012, 5, 519-526.	4.7	47
169	ADSORPTION OF DARK COLORED COMPOUNDS IN APPLE JUICE â€œ EFFECTS OF INITIAL SOLUBLE SOLID CONCENTRATION ON ADSORPTION KINETICS AND MECHANISM. <i>Journal of Food Process Engineering</i> , 2011, 34, 108-124.	2.9	5
170	Multiple-stage extraction strategy for the determination of deoxynivalenol in maize. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2011, 28, 80-85.	2.3	5
171	Changes in oxidative stability, antioxidant capacity and phytochemical composition of Pistacia terebinthus oil with roasting. <i>Food Chemistry</i> , 2011, 128, 410-414.	8.2	80
172	Development of functional bread containing nanoencapsulated omega-3 fatty acids. <i>Journal of Food Engineering</i> , 2011, 105, 585-591.	5.2	148
173	Degradation of 5-hydroxymethylfurfural during yeast fermentation. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2011, 28, 1-7.	2.3	14
174	Pomegranate peel extract prevents liver fibrosis in biliary-obstructed rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 1287-1295.	2.4	68
175	Computer vision-based image analysis for rapid detection of acrylamide in heated foods. <i>Quality Assurance and Safety of Crops and Foods</i> , 2010, 2, 203-207.	3.4	25
176	Inhibition of enzymatic browning in actual food systems by the Maillard reaction products. <i>Journal of the Science of Food and Agriculture</i> , 2010, 90, 2556-2562.	3.5	22
177	Impacts of roasting oily seeds and nuts on their extracted oils. <i>Lipid Technology</i> , 2010, 22, 179-182.	0.3	33
178	Effect of microwave pre-thawing of frozen potato strips on acrylamide level and quality of French fries. <i>Journal of Food Engineering</i> , 2010, 97, 261-266.	5.2	22
179	A new approach to evaluate the risk arising from acrylamide formation in cookies during baking: Total risk calculation. <i>Journal of Food Engineering</i> , 2010, 100, 642-648.	5.2	16
180	Determination of 5-hydroxymethyl-2-furfural and 2-furfural in oils as indicators of heat pre-treatment. <i>Food Chemistry</i> , 2010, 123, 912-916.	8.2	58

#	ARTICLE	IF	CITATIONS
181	Effect of Cooking Method (Baking Compared with Frying) on Acrylamide Level of Potato Chips. Journal of Food Science, 2010, 75, E25-9.	3.1	47
182	Lipid oxidation promotes acrylamide formation in fat-rich model systems. Food Research International, 2010, 43, 1021-1026.	6.2	84
183	Selection of the Indicator Enzyme for Blanching of Vegetables. , 2010, , 123-144.		1
184	Determination of Furosine in Thermally Processed Foods by Hydrophilic Interaction Liquid Chromatography. Journal of AOAC INTERNATIONAL, 2009, 92, 1460-1463.	1.5	25
185	Assessing food additives: the good, the bad and the ugly. Quality Assurance and Safety of Crops and Foods, 2009, 1, 101-110.	3.4	8
186	Investigation of acrylamide formation on bakery products using a crustâ€like model. Molecular Nutrition and Food Research, 2009, 53, 1521-1525.	3.3	55
187	Measurement of evaporated acrylamide during frying of potatoes: Effect of frying conditions and surface area-to-volume ratio. Journal of Food Engineering, 2009, 93, 172-176.	5.2	16
188	Antioxidant activity of cookies and its relationship with heat-processing contaminants: a risk/benefit approach. European Food Research and Technology, 2009, 228, 345-354.	3.3	60
189	A generic procedure to monitor Maillard-derived fluorescent compounds in cookies by flow-injection analysis. European Food Research and Technology, 2009, 229, 843-851.	3.3	3
190	Direct evaluation of the total antioxidant capacity of raw and roasted pulses, nuts and seeds. European Food Research and Technology, 2009, 229, 961-969.	3.3	95
191	MODELING DEADâ€END ULTRAFILTRATION OF APPLE JUICE USING ARTIFICIAL NEURAL NETWORK. Journal of Food Process Engineering, 2009, 32, 248-264.	2.9	7
192	Multiple-stage extraction strategy for the determination of acrylamide in foods. Journal of Food Composition and Analysis, 2009, 22, 142-147.	3.9	65
193	Evaluation of the Maillard reaction in potato crisps by acrylamide, antioxidant capacity and color. Journal of Food Composition and Analysis, 2009, 22, 589-595.	3.9	103
194	Antioxidant activity of lettuce extract (Lactuca sativa) and synergism with added phenolic antioxidants. Food Chemistry, 2009, 115, 163-168.	8.2	48
195	Effect of various anti-browning agents on phenolic compounds profile of fresh lettuce (L. sativa). Food Chemistry, 2009, 117, 122-126.	8.2	103
196	Effect of flour type on Maillard reaction and acrylamide formation during toasting of bread crisp model systems and mitigation strategies. Food Research International, 2009, 42, 1295-1302.	6.2	145
197	Direct measurement of the total antioxidant capacity of foods: the â€QUENCHERâ€™ approach. Trends in Food Science and Technology, 2009, 20, 278-288.	15.1	193
198	Punica Granatum Peel Extract Protects Against Ionizing Radiation-Induced Enteritis And Leukocyte Apoptosis In Rats. Journal of Radiation Research, 2009, 50, 345-353.	1.6	28

#	ARTICLE	IF	CITATIONS
199	Determination of furosine in thermally processed foods by hydrophilic interaction liquid chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 2009, 92, 1460-3.	1.5	2
200	Effect of leavening agents and sugars on the formation of hydroxymethylfurfural in cookies during baking. <i>European Food Research and Technology</i> , 2008, 226, 1031-1037.	3.3	91
201	Acrylamide Formation in Foods during Thermal Processing with a Focus on Frying. <i>Food and Bioprocess Technology</i> , 2008, 1, 35-42.	4.7	93
202	Investigating the correlation between acrylamide content and browning ratio of model cookies. <i>Journal of Food Engineering</i> , 2008, 87, 380-385.	5.2	50
203	Effect of various inhibitors on enzymatic browning, antioxidant activity and total phenol content of fresh lettuce (<i>Lactuca sativa</i>). <i>Food Chemistry</i> , 2008, 107, 1173-1179.	8.2	216
204	Reduction of Acrylamide Level in French Fries by Employing a Temperature Program during Frying. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6162-6166.	5.2	39
205	Development and Experimental Validation of a Frying Model to Estimate Acrylamide Levels in French Fries. <i>Journal of Food Science</i> , 2008, 73, E109-E114.	3.1	20
206	Direct measurement of the total antioxidant capacity of cereal products. <i>Journal of Cereal Science</i> , 2008, 48, 816-820.	3.7	171
207	Significance of furosine as heat-induced marker in cookies. <i>Journal of Cereal Science</i> , 2008, 48, 843-847.	3.7	33
208	Phytochemical Quantification and Total Antioxidant Capacities of Emmer (<i>Triticum dicoccon</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 <i>Food Chemistry</i> , 2008, 56, 7285-7292.	5.2	107
209	A Practical Spectrophotometric Approach for the Determination of Lipoxygenase Activity of Durum Wheat. <i>Cereal Chemistry</i> , 2007, 84, 290-293.	2.2	12
210	A Non-Contact Computer Vision Based Analysis of Color in Foods. <i>International Journal of Food Engineering</i> , 2007, 3, .	1.5	34
211	Potential of furan formation in hazelnuts during heat treatment. <i>Food Additives and Contaminants</i> , 2007, 24, 136-142.	2.0	27
212	Degradation of Free Tryptophan in a Cookie Model System and Its Application in Commercial Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 6793-6797.	5.2	15
213	An Overview of Signal Processing for Food Inspection [Applications Corner]. <i>IEEE Signal Processing Magazine</i> , 2007, 24, 106-109.	5.6	19
214	A New Procedure To Measure the Antioxidant Activity of Insoluble Food Components. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 7676-7681.	5.2	298
215	Modeling of acrylamide formation and browning ratio in potato chips by artificial neural network. <i>Molecular Nutrition and Food Research</i> , 2007, 51, 383-389.	3.3	12
216	Reduction of acrylamide formation in French fries by microwave pre-cooking of potato strips. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 133-137.	3.5	60

#	ARTICLE	IF	CITATIONS
217	Computer vision-based image analysis for the estimation of acrylamide concentrations of potato chips and french fries. <i>Food Chemistry</i> , 2007, 101, 791-798.	8.2	55
218	Acrylamide formation is prevented by divalent cations during the Maillard reaction. <i>Food Chemistry</i> , 2007, 103, 196-203.	8.2	169
219	Effects of dough formula and baking conditions on acrylamide and hydroxymethylfurfural formation in cookies. <i>Food Chemistry</i> , 2007, 104, 1136-1142.	8.2	170
220	Reversible degradation kinetics of ascorbic acid under reducing and oxidizing conditions. <i>Food Chemistry</i> , 2007, 104, 721-725.	8.2	66
221	Adsorption of Maillard reaction products from aqueous solutions and sugar syrups using adsorbent resin. <i>Journal of Food Engineering</i> , 2007, 82, 342-350.	5.2	28
222	Analysis of heat-induced contaminants (acrylamide, chloropropanols and furan) in carbohydrate-rich food. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 389, 119-137.	3.7	117
223	Effects of controlled atmosphere storage and low-dose irradiation on potato tuber components affecting acrylamide and color formations upon frying. <i>European Food Research and Technology</i> , 2007, 224, 681-687.	3.3	39
224	Effects of Î²-carotene on soybean lipoxygenase activity: kinetic studies. <i>European Food Research and Technology</i> , 2007, 224, 743-748.	3.3	17
225	Reversible degradation kinetics of vitamin C in peas during frozen storage. <i>European Food Research and Technology</i> , 2007, 224, 749-753.	3.3	27
226	Effects of some cations on the formation of acrylamide and furfurals in glucose-asparagine model system. <i>European Food Research and Technology</i> , 2007, 225, 815-820.	3.3	104
227	Effect of pretreatment with gelatin and bentonite on permeate flux and fouling layer resistance during apple juice ultrafiltration. <i>Journal of Food Engineering</i> , 2007, 80, 300-305.	5.2	39
228	Improved Method for the Determination of Hydroxymethylfurfural in Baby Foods Using Liquid Chromatography-Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 2845-2849.	5.2	94
229	ASSESSMENT OF AN EXPONENTIAL MODEL FOR ULTRAFILTRATION OF APPLE JUICE. <i>Journal of Food Process Engineering</i> , 2006, 29, 508-518.	2.9	8
230	Study of colour and acrylamide formation in coffee, wheat flour and potato chips during heating. <i>Food Chemistry</i> , 2006, 99, 238-243.	8.2	114
231	A generic method for the determination of acrylamide in thermally processed foods. <i>Journal of Chromatography A</i> , 2006, 1120, 194-198.	3.7	43
232	Interference-free determination of acrylamide in potato and cereal-based foods by a laboratory validated liquid chromatography-mass spectrometry method. <i>Food Chemistry</i> , 2006, 97, 539-545.	8.2	75
233	Relation between the acrylamide formation and time-temperature history of surface and core regions of French fries. <i>Journal of Food Engineering</i> , 2006, 77, 972-976.	5.2	130
234	Computer vision based analysis of potato chips - A tool for rapid detection of acrylamide level. <i>Molecular Nutrition and Food Research</i> , 2006, 50, 805-810.	3.3	23

#	ARTICLE	IF	CITATIONS
235	A proposed mechanism for the inhibition of soybean lipoxygenase by β -carotene. Journal of the Science of Food and Agriculture, 2006, 86, 401-406.	3.5	13
236	A simplified approach for the kinetic characterization of acrylamide formation in fructose-asparagine model system. Food Additives and Contaminants, 2006, 23, 348-354.	2.0	62
237	Study of lipoxygenase and peroxidase as indicator enzymes in green beans: change of enzyme activity, ascorbic acid and chlorophylls during frozen storage. Journal of Food Engineering, 2005, 66, 187-192.	5.2	185
238	Liquid chromatographic method for the determination of patulin in apple juice using solid-phase extraction. Analytica Chimica Acta, 2005, 543, 64-69.	5.4	37
239	Determination of acrylamide in potato chips and crisps by high-performance liquid chromatography. Journal of Chromatography A, 2005, 1088, 193-199.	3.7	137
240	Formation of guaiacol from vanillin by Alicyclobacillus acidoterrestris in apple juice: a model study. European Food Research and Technology, 2005, 220, 196-199.	3.3	43
241	Degradation of β -carotene with the effects of light and sulfur dioxide may be responsible for the formation of white spot in dried apricots. European Food Research and Technology, 2005, 221, 357-360.	3.3	2
242	Analysis of furan in foods. Is headspace sampling a fit-for-purpose technique?. Food Additives and Contaminants, 2005, 22, 1198-1202.	2.0	46
243	Survey of acrylamide in Turkish foods by an in-house validated LC-MS method. Food Additives and Contaminants, 2005, 22, 204-209.	2.0	60
244	Study of lipoxygenase and peroxidase as blanching indicator enzymes in peas: change of enzyme activity, ascorbic acid and chlorophylls during frozen storage. LWT - Food Science and Technology, 2005, 38, 903-908.	5.2	52
245	Study of acrylamide in coffee using an improved liquid chromatography mass spectrometry method: Investigation of colour changes and acrylamide formation in coffee during roasting. Food Additives and Contaminants, 2005, 22, 214-220.	2.0	108
246	Fumaric acid in apple juice: a potential indicator of microbial spoilage of apples used as raw material. Food Additives and Contaminants, 2004, 21, 626-631.	2.0	13
247	The effects of different technologies on Alicyclobacillus acidoterrestris during apple juice production. European Food Research and Technology, 2003, 217, 249-252.	3.3	17
248	INFLUENCE OF CONVENTIONAL CLARIFICATION AND ULTRAFILTRATION ON THE PHENOLIC COMPOSITION OF GOLDEN DELICIOUS APPLE JUICE. Journal of Food Quality, 2003, 26, 257-266.	2.6	20
249	LIQUID CHROMATOGRAPHIC METHOD FOR THE DETERMINATION OF CHLOROPHYLLS, CAROTENOIDS, AND THEIR DERIVATIVES IN FRESH AND PROCESSED VEGETABLES. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 1201-1213.	1.0	21
250	Organic Acids and Phenolic Compounds in Pomegranates (Punica granatum L.) Grown in Turkey. Journal of Food Composition and Analysis, 2002, 15, 567-575.	3.9	268
251	Organic Acids and Phenolic Compounds in Pomegranates (Punica granatum L.) Grown in Turkey. Journal of Food Composition and Analysis, 2002, 15, 567-575.	3.9	195
252	Characterization of crude lipoxygenase extract from green pea using a modified spectrophotometric method. European Food Research and Technology, 2002, 215, 42-45.	3.3	44

#	ARTICLE	IF	CITATIONS
253	Equilibrium and kinetic studies on the adsorption of dark colored compounds from apple juice using adsorbent resin. Journal of Food Engineering, 2002, 53, 221-227.	5.2	118
254	Effects of various clarification treatments on patulin, phenolic compound and organic acid compositions of apple juice. European Food Research and Technology, 2001, 213, 194-199.	3.3	108
255	CHARACTERIZATION OF SURFACE AUXIN RESIDUE IN GREENHOUSE TOMATOES (LYCOPERSICON) Tj ETQq1 1 0,784314 rgBT /Ov	2.6	2
256	Selective removal of polyphenols and brown colour in apple juices using PES/PVP membranes in a single ultrafiltration process. Separation and Purification Technology, 2001, 22-23, 53-61.	7.9	45
257	Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables. Journal of Chromatography A, 2000, 881, 309-316.	3.7	144
258	INVESTIGATIONS ON THE SYNTHETIC AUXIN RESIDUES OF GREENHOUSE TOMATOES (LYCOPERSICON) Tj ETQq0 0,0 rgBT /Ov	2.6	8
259	Long-term survey of patulin in apple juice concentrates produced in Turkey. Food Additives and Contaminants, 2000, 17, 933-936.	2.0	30
260	Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography. Journal of Chromatography A, 1999, 847, 69-74.	3.7	94
261	An investigation into the formation of fumaric acid in apple juice concentrates. European Food Research and Technology, 1999, 209, 308-312.	3.3	2
262	Improved Ultrafiltration for Color Reduction and Stabilization of Apple Juice. Journal of Food Science, 1998, 63, 504-507.	3.1	54
263	Liquid chromatographic determination of 1 ² -naphthoxyacetic acid in tomatoes. Journal of Chromatography A, 1998, 798, 167-171.	3.7	8
264	Incidence of patulin in apple juice concentrates produced in Turkey. Journal of Chromatography A, 1998, 815, 99-102.	3.7	81
265	Determination of effective mass transfer coefficient (k _c) of patulin adsorption on activated carbon packed bed columns with recycling. Journal of Food Engineering, 1998, 35, 259-266.	5.2	15
266	An Investigation on the Relationship between Patulin and Fumaric Acid in Apple Juice Concentrates. LWT - Food Science and Technology, 1998, 31, 480-483.	5.2	19
267	Patulin Adsorption Kinetics on Activated Carbon, Activation Energy and Heat of Adsorption. Journal of Food Science, 1997, 62, 128-130.	3.1	14
268	Selective removal of polyphenols and brown colour in apple juices using PES/PVP membranes in a single-ultrafiltration process. Journal of Membrane Science, 1997, 134, 191-197.	8.2	21
269	Rapid reversed-phase liquid chromatographic determination of patulin in apple juice. Journal of Chromatography A, 1996, 730, 53-58.	3.7	47
270	Dynamic Behaviour of C ₁₈ HPLC Columns by Stimulus-Response Analysis Part II: Determination of Dispersion Coefficients Via Peclet Numbers. Journal of Liquid Chromatography and Related Technologies, 1996, 19, 3193-3199.	1.0	0

#	ARTICLE	IF	CITATIONS
271	A Study on the Possibility of Using HPLC for the Determination of 2,4-D in Tomatoes. Journal of Liquid Chromatography and Related Technologies, 1996, 19, 1917-1926.	1.0	10
272	Comparison of Dynamic Behavior of C18 HPLC Columns by Stimulus-Response Analysis. I. Determination of Peclet Numbers. Journal of Liquid Chromatography and Related Technologies, 1995, 18, 1747-1755.	1.0	1
273	Acrylamide in Heated Foods. , 0, , 254-290.		3