

Andrew D Clouston

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6989747/andrew-d-clouston-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

11,892
citations

58
h-index

106
g-index

179
ext. papers

13,476
ext. citations

6.8
avg, IF

5.81
L-index

#	Paper	IF	Citations
168	Complexity of ballooned hepatocyte feature recognition: Defining a training atlas for artificial intelligence-based imaging in NAFLD.. <i>Journal of Hepatology</i> , 2022 ,	13.4	5
167	ROCK2 inhibition attenuates profibrogenic immune cell function to reverse thioacetamide-induced liver fibrosis.. <i>JHEP Reports</i> , 2022 , 4, 100386	10.3	3
166	Consensus Recommendations for Histological Criteria of Autoimmune Hepatitis from the International AIH Pathology Group.. <i>Liver International</i> , 2022 ,	7.9	7
165	IFN- γ therapy prevents severe gastrointestinal graft-versus-host disease. <i>Blood</i> , 2021 , 138, 722-737	2.2	12
164	Fifty years of impact on liver pathology: a history of the Gnomes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 191-200	5.1	
163	Bone Marrow Regulatory T Cells Are a Unique Population, Supported by Niche-Specific Cytokines and Plasmacytoid Dendritic Cells, and Required for Chronic Graft-Versus-Host Disease Control. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 737880	5.7	0
162	Randomized, Placebo Controlled Trial of Experimental Hookworm Infection for Improving Gluten Tolerance in Celiac Disease. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00274	4.2	7
161	Regression of Fibrosis Stage With Treatment Reduces Long-Term Risk of Liver Cancer in Patients With Hemochromatosis Caused by Mutation in HFE. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1851-1857	6.9	13
160	Adult onset of genetic disorders in bile acid transport in the liver. <i>Human Pathology</i> , 2020 , 96, 2-7	3.7	2
159	MHC Class II Antigen Presentation by the Intestinal Epithelium Initiates Graft-versus-Host Disease and Is Influenced by the Microbiota. <i>Immunity</i> , 2019 , 51, 885-898.e7	32.3	84
158	Inhibitors of class I histone deacetylases attenuate thioacetamide-induced liver fibrosis in mice by suppressing hepatic type 2 inflammation. <i>British Journal of Pharmacology</i> , 2019 , 176, 3775-3790	8.6	13
157	Standardising the interpretation of liver biopsies in non-alcoholic fatty liver disease clinical trials. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 1100-1111	6.1	11
156	Donor T-cell-derived GM-CSF drives alloantigen presentation by dendritic cells in the gastrointestinal tract. <i>Blood Advances</i> , 2019 , 3, 2859-2865	7.8	12
155	IL-6 dysregulation originates in dendritic cells and mediates graft-versus-host disease via classical signaling. <i>Blood</i> , 2019 , 134, 2092-2106	2.2	18
154	Myeloid cell deletion of Aryl hydrocarbon Receptor Nuclear Translocator (ARNT) induces non-alcoholic steatohepatitis. <i>PLoS ONE</i> , 2019 , 14, e0225332	3.7	3
153	Disease-free Survival and Local Recurrence After Laparoscopic-assisted Resection or Open Resection for Rectal Cancer: The Australasian Laparoscopic Cancer of the Rectum Randomized Clinical Trial. <i>Annals of Surgery</i> , 2019 , 269, 596-602	7.8	126
152	Polycythemia Rubra Vera: Where Does the Truth Lie?. <i>Gastroenterology</i> , 2018 , 155, e7-e8	13.3	

151	Pathologic Features of Hereditary Cholestatic Diseases. <i>Surgical Pathology Clinics</i> , 2018 , 11, 313-327	3.9	3
150	Underappreciation of non-alcoholic fatty liver disease by primary care clinicians: limited awareness of surrogate markers of fibrosis. <i>Internal Medicine Journal</i> , 2018 , 48, 144-151	1.6	53
149	Immunomodulatory liposomes targeting liver macrophages arrest progression of nonalcoholic steatohepatitis. <i>Metabolism: Clinical and Experimental</i> , 2018 , 78, 80-94	12.7	18
148	A critical role for donor-derived IL-22 in cutaneous chronic GVHD. <i>American Journal of Transplantation</i> , 2018 , 18, 810-820	8.7	35
147	Subclassification of hepatocellular adenomas: practical considerations in the implementation of the Bordeaux criteria. <i>Pathology</i> , 2018 , 50, 593-599	1.6	9
146	Hepatic expression profiling identifies steatosis-independent and steatosis-driven advanced fibrosis genes. <i>JCI Insight</i> , 2018 , 3,	9.9	21
145	Recipient mucosal-associated invariant T cells control GVHD within the colon. <i>Journal of Clinical Investigation</i> , 2018 , 128, 1919-1936	15.9	60
144	Transplantation Pathology 2018 , 880-965		2
143	Clinicopathological and molecular features of sessile serrated adenomas with dysplasia or carcinoma. <i>Gut</i> , 2017 , 66, 97-106	19.2	119
142	Acute graft-versus-host disease is regulated by an IL-17-sensitive microbiome. <i>Blood</i> , 2017 , 129, 2172-2185		55
141	Eomesodermin promotes the development of type 1 regulatory T (T1) cells. <i>Science Immunology</i> , 2017 , 2,	28	78
140	Alcohol Consumption in Diabetic Patients with Nonalcoholic Fatty Liver Disease. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2017 , 2017, 7927685	2.8	10
139	Corruption of dendritic cell antigen presentation during acute GVHD leads to regulatory T-cell failure and chronic GVHD. <i>Blood</i> , 2016 , 128, 794-804	2.2	37
138	The Enhanced liver fibrosis score is associated with clinical outcomes and disease progression in patients with chronic liver disease. <i>Liver International</i> , 2016 , 36, 370-7	7.9	32
137	Identification of the CIMP-like subtype and aberrant methylation of members of the chromosomal segregation and spindle assembly pathways in esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2016 , 37, 356-65	4.6	30
136	Spatiotemporal Characterization of the Cellular and Molecular Contributors to Liver Fibrosis in a Murine Hepatotoxic-Injury Model. <i>American Journal of Pathology</i> , 2016 , 186, 524-38	5.8	18
135	Stereological Analysis of Liver Biopsy Histology Sections as a Reference Standard for Validating Non-Invasive Liver Fat Fraction Measurements by MRI. <i>PLoS ONE</i> , 2016 , 11, e0160789	3.7	12
134	Independent effects of diet and exercise training on fat oxidation in non-alcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2016 , 8, 1137-1148	3.4	1

133	Autophagy-dependent regulatory T cells are critical for the control of graft-versus-host disease. <i>JCI Insight</i> , 2016 , 1, e86850	9.9	33
132	Multiplex Serum Protein Analysis Identifies Novel Biomarkers of Advanced Fibrosis in Patients with Chronic Liver Disease with the Potential to Improve Diagnostic Accuracy of Established Biomarkers. <i>PLoS ONE</i> , 2016 , 11, e0167001	3.7	22
131	Serrated tubulovillous adenoma of the large intestine. <i>Histopathology</i> , 2016 , 68, 578-87	7.3	23
130	Point Mutations in Exon 1B of APC Reveal Gastric Adenocarcinoma and Proximal Polyposis of the Stomach as a Familial Adenomatous Polyposis Variant. <i>American Journal of Human Genetics</i> , 2016 , 98, 830-842	11	153
129	Well-differentiated hepatocellular neoplasm of uncertain malignant potential--reply. <i>Human Pathology</i> , 2015 , 46, 635-6	3.7	4
128	Inconsistent hepatic antifibrotic effects with the iron chelator deferasirox. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 638-45	4	7
127	Effect of resveratrol on experimental non-alcoholic steatohepatitis. <i>Pharmacological Research</i> , 2015 , 95-96, 34-41	10.2	30
126	Clonal expansion of hepatocytes with a selective advantage occurs during all stages of chronic hepatitis B virus infection. <i>Journal of Viral Hepatitis</i> , 2015 , 22, 737-53	3.4	55
125	Effect of Laparoscopic-Assisted Resection vs Open Resection on Pathological Outcomes in Rectal Cancer: The ALaCaRT Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 1356-63	27.4	626
124	A clinicopathological and molecular analysis of 200 traditional serrated adenomas. <i>Modern Pathology</i> , 2015 , 28, 414-27	9.8	119
123	Experimental hookworm infection and gluten microchallenge promote tolerance in celiac disease. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 508-16	11.5	127
122	Tc17 cells are a proinflammatory, plastic lineage of pathogenic CD8+ T cells that induce GVHD without antileukemic effects. <i>Blood</i> , 2015 , 126, 1609-20	2.2	78
121	Acute GVHD results in a severe DC defect that prevents T-cell priming and leads to fulminant cytomegalovirus disease in mice. <i>Blood</i> , 2015 , 126, 1503-14	2.2	18
120	Deletion of Wntless in myeloid cells exacerbates liver fibrosis and the ductular reaction in chronic liver injury. <i>Fibrogenesis and Tissue Repair</i> , 2015 , 8, 19		22
119	Lack of efficacy of mTOR inhibitors and ACE pathway inhibitors as antifibrotic agents in evolving and established fibrosis in Mdr2 ^{+/+} mice. <i>Liver International</i> , 2015 , 35, 1451-63	7.9	5
118	ELF score 9.8 indicates advanced hepatic fibrosis and is influenced by age, steatosis and histological activity. <i>Liver International</i> , 2015 , 35, 1673-81	7.9	43
117	Aspartate aminotransferase to platelet ratio and fibrosis-4 as biomarkers in biopsy-validated pediatric cystic fibrosis liver disease. <i>Hepatology</i> , 2015 , 62, 1576-83	11.2	56
116	Lung parenchyma-derived IL-6 promotes IL-17A-dependent acute lung injury after allogeneic stem cell transplantation. <i>Blood</i> , 2015 , 125, 2435-44	2.2	61

115	Australian clinical practice guidelines for the diagnosis and management of Barrett's esophagus and early esophageal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 804-20	4	76
114	New Paradigms in the Histopathology of NAFLD. <i>Current Hepatology Reports</i> , 2014 , 13, 81-87	1	
113	Pathology of the liver sinusoids. <i>Histopathology</i> , 2014 , 64, 907-20	7.3	52
112	Experimental nonalcoholic steatohepatitis compromises ureagenesis, an essential hepatic metabolic function. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, G295-301	5.1	34
111	Well-differentiated hepatocellular neoplasm of uncertain malignant potential: proposal for a new diagnostic category. <i>Human Pathology</i> , 2014 , 45, 658-60	3.7	45
110	Analysis of the intrahepatic ductular reaction and progenitor cell responses in hepatitis C virus recurrence after liver transplantation. <i>Liver Transplantation</i> , 2014 , 20, 1508-19	4.5	20
109	Non-alcoholic steatohepatitis weakens the acute phase response to endotoxin in rats. <i>Liver International</i> , 2014 , 34, 1584-92	7.9	8
108	Ductular reaction in hereditary hemochromatosis: the link between hepatocyte senescence and fibrosis progression. <i>Hepatology</i> , 2014 , 59, 848-57	11.2	58
107	The portal inflammatory infiltrate and ductular reaction in human nonalcoholic fatty liver disease. <i>Hepatology</i> , 2014 , 59, 1393-405	11.2	235
106	Critical appraisal of the diagnosis of the sessile serrated adenoma. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 158-66	6.7	73
105	Links between hepatic fibrosis, ductular reaction, and progenitor cell expansion. <i>Gastroenterology</i> , 2014 , 146, 349-56	13.3	213
104	CSF-1-dependant donor-derived macrophages mediate chronic graft-versus-host disease. <i>Journal of Clinical Investigation</i> , 2014 , 124, 4266-80	15.9	125
103	Senescent human hepatocytes express a unique secretory phenotype and promote macrophage migration. <i>World Journal of Gastroenterology</i> , 2014 , 20, 17851-62	5.6	37
102	Excess iron modulates endoplasmic reticulum stress-associated pathways in a mouse model of alcohol and high-fat diet-induced liver injury. <i>Laboratory Investigation</i> , 2013 , 93, 1295-312	5.9	69
101	Induced regulatory T cells promote tolerance when stabilized by rapamycin and IL-2 in vivo. <i>Journal of Immunology</i> , 2013 , 191, 5291-303	5.3	84
100	Portal, but not lobular, macrophages express matrix metalloproteinase-9: association with the ductular reaction and fibrosis in chronic hepatitis C. <i>Liver International</i> , 2013 , 33, 569-79	7.9	35
99	Awareness and opinions of non-alcoholic fatty liver disease by hospital specialists. <i>Internal Medicine Journal</i> , 2013 , 43, 247-53	1.6	45
98	Heterogeneity of fibrosis patterns in non-alcoholic fatty liver disease supports the presence of multiple fibrogenic pathways. <i>Liver International</i> , 2013 , 33, 624-32	7.9	40

97	The serrated pathway to colorectal carcinoma: current concepts and challenges. <i>Histopathology</i> , 2013 , 62, 367-86	7.3	302
96	BMI but not stage or etiology of nonalcoholic liver disease affects the diagnostic utility of carbohydrate-deficient transferrin. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1771-8	3.7	6
95	Whole-body substrate metabolism is associated with disease severity in patients with non-alcoholic fatty liver disease. <i>Gut</i> , 2013 , 62, 1625-33	19.2	55
94	A corn oil-based diet protects against combined ethanol and iron-induced liver injury in a mouse model of hemochromatosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1619-31	3.7	5
93	Promoting regulation via the inhibition of DNAM-1 after transplantation. <i>Blood</i> , 2013 , 121, 3511-20	2.2	36
92	Lung Parenchyma-Derived IL-6 Induces Alloantigen Specific Th17 Differentiation Within The Lung and Idiopathic Pneumonia Syndrome After Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2013 , 122, 2011-2011 ¹	2.2	1
91	Gastric adenocarcinoma and proximal polyposis of the stomach (GAPPS): a new autosomal dominant syndrome. <i>Gut</i> , 2012 , 61, 774-9	19.2	193
90	Polyps and Tumour-Like Lesions of the Large Intestine 2012 , 647-684		
89	Transplantation pathology 2012 , 853-933		5
88	Identification and expansion of highly suppressive CD8(+)FoxP3(+) regulatory T cells after experimental allogeneic bone marrow transplantation. <i>Blood</i> , 2012 , 119, 5898-908	2.2	95
87	Macrophage secretory products induce an inflammatory phenotype in hepatocytes. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1732-44	5.6	29
86	Type I-IFNs control GVHD and GVL responses after transplantation. <i>Blood</i> , 2011 , 118, 3399-409	2.2	54
85	No evidence of the unfolded protein response in patients with chronic hepatitis C virus infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 319-27	4	14
84	Interleukin-32: a new proinflammatory cytokine involved in hepatitis C virus-related liver inflammation and fibrosis. <i>Hepatology</i> , 2011 , 53, 1819-29	11.2	64
83	Ductular reactions in human liver: diversity at the interface. <i>Hepatology</i> , 2011 , 54, 1853-63	11.2	189
82	Altered lipid metabolism in Hfe-knockout mice promotes severe NAFLD and early fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, G865-76	5.1	26
81	Suppression of inflammatory immune responses in celiac disease by experimental hookworm infection. <i>PLoS ONE</i> , 2011 , 6, e24092	3.7	93
80	Not every cell is as it seems: a role for ductular epithelial cells in fibrosis?. <i>Gut</i> , 2011 , 60, 1-2	19.2	1

79	Recipient nonhematopoietic antigen-presenting cells are sufficient to induce lethal acute graft-versus-host disease. <i>Nature Medicine</i> , 2011 , 18, 135-42	50.5	170
78	Effect of hookworm infection on wheat challenge in celiac disease--a randomised double-blinded placebo controlled trial. <i>PLoS ONE</i> , 2011 , 6, e17366	3.7	158
77	Whole genome expression array profiling highlights differences in mucosal defense genes in Barrett's esophagus and esophageal adenocarcinoma. <i>PLoS ONE</i> , 2011 , 6, e22513	3.7	29
76	Metabolic factors and non-alcoholic fatty liver disease as co-factors in other liver diseases. <i>Digestive Diseases</i> , 2010 , 28, 186-91	3.2	36
75	Soluble lymphotoxin is an important effector molecule in GVHD and GVL. <i>Blood</i> , 2010 , 115, 122-32	2.2	37
74	An antibody against the colony-stimulating factor 1 receptor depletes the resident subset of monocytes and tissue- and tumor-associated macrophages but does not inhibit inflammation. <i>Blood</i> , 2010 , 116, 3955-63	2.2	322
73	Stem cell mobilization with G-CSF induces type 17 differentiation and promotes scleroderma. <i>Blood</i> , 2010 , 116, 819-28	2.2	121
72	SOCS3 regulates graft-versus-host disease. <i>Blood</i> , 2010 , 116, 287-96	2.2	34
71	Risk stratification for early esophageal adenocarcinoma: analysis of lymphatic spread and prognostic factors. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2494-502	3.1	75
70	Successful immunotherapy of HCMV disease using virus-specific T cells expanded from an allogeneic stem cell transplant recipient. <i>American Journal of Transplantation</i> , 2010 , 10, 173-9	8.7	24
69	Detection of clonally expanded hepatocytes in chimpanzees with chronic hepatitis B virus infection. <i>Journal of Virology</i> , 2009 , 83, 8396-408	6.6	55
68	Serum hyaluronic acid with serum ferritin accurately predicts cirrhosis and reduces the need for liver biopsy in C282Y hemochromatosis. <i>Hepatology</i> , 2009 , 49, 418-25	11.2	35
67	Rapamycin inhibits hepatic fibrosis in rats by attenuating multiple profibrogenic pathways. <i>Liver Transplantation</i> , 2009 , 15, 1315-24	4.5	52
66	Nesidioblastosis as a cause of focal pancreatic ¹¹¹ In-pentetreotide uptake in a patient with putative VIPoma: another differential diagnosis. <i>Annals of Nuclear Medicine</i> , 2009 , 23, 497-9	2.5	6
65	Hepatobiliary and pancreatic: papillary cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 1893	4	
64	Combined approach for non-invasive measurement of liver pathology by MR. <i>Journal of Hepatology</i> , 2009 , 51, 1083-1084	13.4	1
63	Magnetic resonance imaging and spectroscopy accurately estimate the severity of steatosis provided the stage of fibrosis is considered. <i>Journal of Hepatology</i> , 2009 , 51, 389-97	13.4	133
62	Invariant natural killer T cell-natural killer cell interactions dictate transplantation outcome after alpha-galactosylceramide administration. <i>Blood</i> , 2009 , 113, 5999-6010	2.2	25

61	Similarity of aberrant DNA methylation in Barrett's esophagus and esophageal adenocarcinoma. <i>Molecular Cancer</i> , 2008 , 7, 75	42.1	45
60	Investigation of the role of SREBP-1c in the pathogenesis of HCV-related steatosis. <i>Journal of Hepatology</i> , 2008 , 49, 1046-54	13.4	41
59	Recognition of genetic factors influencing the progression of hepatitis C : potential for personalized therapy. <i>Molecular Diagnosis and Therapy</i> , 2008 , 12, 209-18	4.5	12
58	Genome-wide copy number analysis in esophageal adenocarcinoma using high-density single-nucleotide polymorphism arrays. <i>Cancer Research</i> , 2008 , 68, 4163-72	10.1	76
57	Blocking indoleamine dioxygenase activity early after rat liver transplantation prevents long-term survival but does not cause acute rejection. <i>Transplantation</i> , 2008 , 85, 1357-61	1.8	17
56	Magnetic resonance imaging and spectroscopy for monitoring liver steatosis. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 937-45	5.6	149
55	Obesity and steatosis influence serum and hepatic inflammatory markers in chronic hepatitis C. <i>Hepatology</i> , 2008 , 48, 80-7	11.2	60
54	Progressive fibrosis in nonalcoholic steatohepatitis: association with altered regeneration and a ductular reaction. <i>Gastroenterology</i> , 2007 , 133, 80-90	13.3	363
53	IFNgamma differentially controls the development of idiopathic pneumonia syndrome and GVHD of the gastrointestinal tract. <i>Blood</i> , 2007 , 110, 1064-72	2.2	138
52	Steatosis as a cofactor in other liver diseases: hepatitis C virus, alcohol, hemochromatosis, and others. <i>Clinics in Liver Disease</i> , 2007 , 11, 173-89, x	4.6	34
51	Liver biopsy interpretation for causes of late liver allograft dysfunction. <i>Hepatology</i> , 2006 , 44, 489-501	11.2	276
50	Liver fluke-associated and sporadic cholangiocarcinoma: an immunohistochemical study of bile duct, peribiliary gland and tumour cell phenotypes. <i>Journal of Clinical Pathology</i> , 2006 , 59, 1073-8	3.9	40
49	Non-response to antiviral therapy is associated with obesity and increased hepatic expression of suppressor of cytokine signalling 3 (SOCS-3) in patients with chronic hepatitis C, viral genotype 1. <i>Gut</i> , 2006 , 55, 529-35	19.2	216
48	Host B cells produce IL-10 following TBI and attenuate acute GVHD after allogeneic bone marrow transplantation. <i>Blood</i> , 2006 , 108, 2485-92	2.2	108
47	Characterization of tumour-infiltrating lymphocytes and apoptosis in colitis-associated neoplasia: comparison with sporadic colorectal cancer. <i>Journal of Pathology</i> , 2006 , 208, 381-7	9.4	14
46	Adiponectin and its receptors in patients with chronic hepatitis C. <i>Journal of Hepatology</i> , 2005 , 43, 929-36	3.4	86
45	Steatosis is a cofactor in liver injury in hemochromatosis. <i>Gastroenterology</i> , 2005 , 129, 1937-43	13.3	129
44	TGF-beta in allogeneic stem cell transplantation: friend or foe?. <i>Blood</i> , 2005 , 106, 2206-14	2.2	126

43	Fibrosis correlates with a ductular reaction in hepatitis C: roles of impaired replication, progenitor cells and steatosis. <i>Hepatology</i> , 2005 , 41, 809-18	11.2	284
42	Steatosis: co-factor in other liver diseases. <i>Hepatology</i> , 2005 , 42, 5-13	11.2	290
41	Cytokine expanded myeloid precursors function as regulatory antigen-presenting cells and promote tolerance through IL-10-producing regulatory T cells. <i>Journal of Immunology</i> , 2005 , 174, 1841-50 ³	5.3	118
40	A combination of genetic polymorphisms increases the risk of progressive disease in chronic hepatitis C. <i>Journal of Medical Genetics</i> , 2005 , 42, e45	5.8	38
39	Nonalcoholic fatty liver disease: is all the fat bad?. <i>Internal Medicine Journal</i> , 2004 , 34, 187-91	1.6	27
38	CCR5-Delta32 mutation is strongly associated with primary sclerosing cholangitis. <i>Genes and Immunity</i> , 2004 , 5, 444-50	4.4	51
37	Chronic hepatitis C and steatosis. <i>Current Hepatitis Reports</i> , 2004 , 3, 123-128		18
36	Virus-specific CD8+ T lymphocytes within the normal human liver. <i>European Journal of Immunology</i> , 2004 , 34, 1526-31	6.1	29
35	Steatosis and liver cell apoptosis in chronic hepatitis C: a mechanism for increased liver injury. <i>Hepatology</i> , 2004 , 39, 1230-8	11.2	120
34	Increased mononuclear cell activation and apoptosis early after human liver transplantation is associated with a reduced frequency of acute rejection. <i>Liver Transplantation</i> , 2004 , 10, 397-403	4.5	4
33	Modest weight loss and physical activity in overweight patients with chronic liver disease results in sustained improvements in alanine aminotransferase, fasting insulin, and quality of life. <i>Gut</i> , 2004 , 53, 413-9	19.2	310
32	Chronic graft-versus-host disease after granulocyte colony-stimulating factor-mobilized allogeneic stem cell transplantation: the role of donor T-cell dose and differentiation. <i>Biology of Blood and Marrow Transplantation</i> , 2004 , 10, 373-85	4.7	24
31	An approach to the surgical pathology of tumours and tumour-like conditions of the liver. <i>Pathology</i> , 2004 , 36, 5-18	1.6	2
30	Donor treatment with pegylated G-CSF augments the generation of IL-10-producing regulatory T cells and promotes transplantation tolerance. <i>Blood</i> , 2004 , 103, 3573-81	2.2	115
29	Donor pretreatment with progenipoietin-1 is superior to granulocyte colony-stimulating factor in preventing graft-versus-host disease after allogeneic stem cell transplantation. <i>Blood</i> , 2003 , 101, 2033-42 ²	2.2	61
28	Steatosis in chronic hepatitis C: association with increased messenger RNA expression of collagen I, tumor necrosis factor-alpha and cytochrome P450 2E1. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 386-92	4	62
27	Tumor progression in hepatocellular carcinoma: relationship with tumor stroma and parenchymal disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 666-72	4	30
26	In overweight patients with chronic hepatitis C, circulating insulin is associated with hepatic fibrosis: implications for therapy. <i>Journal of Hepatology</i> , 2003 , 39, 1042-8	13.4	145

25	Interaction of non-alcoholic fatty liver disease with other liver diseases. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2002 , 16, 767-81	2.5	41
24	Effect of weight reduction on liver histology and biochemistry in patients with chronic hepatitis C. <i>Gut</i> , 2002 , 51, 89-94	19.2	204
23	Lymphocyte apoptosis and cell replacement in human liver allografts. <i>Transplantation</i> , 2002 , 73, 1828-34	1.8	14
22	Cyclosporin A pretreatment in a rat model of warm ischaemia/reperfusion injury. <i>Journal of Hepatology</i> , 2002 , 36, 241-7	13.4	24
21	Role of cytokine gene polymorphisms in acute rejection and renal impairment after liver transplantation. <i>Liver Transplantation</i> , 2001 , 7, 255-63	4.5	28
20	Angiotensin-converting enzyme inhibition attenuates the progression of rat hepatic fibrosis. <i>Gastroenterology</i> , 2001 , 121, 148-55	13.3	244
19	Steatosis and chronic hepatitis C: analysis of fibrosis and stellate cell activation. <i>Journal of Hepatology</i> , 2001 , 34, 314-20	13.4	120
18	Host genetic factors influence disease progression in chronic hepatitis C. <i>Hepatology</i> , 2000 , 31, 828-33	11.2	340
17	Increased hepatic iron and cirrhosis: no evidence for an adverse effect on patient outcome following liver transplantation. <i>Hepatology</i> , 2000 , 32, 1200-7	11.2	35
16	Fibrous obliterative lesions of veins contribute to progressive fibrosis in chronic liver allograft rejection. <i>Hepatology</i> , 2000 , 32, 1240-7	11.2	33
15	Detection of male DNA in the liver of female patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2000 , 33, 690-5	13.4	70
14	Expression of cytokines and factors modulating apoptosis by human sinusoidal leucocytes. <i>Journal of Hepatology</i> , 2000 , 32, 392-8	13.4	16
13	Clinicopathological analysis of liver allograft biopsies with late centrilobular necrosis: a comparative study in 54 patients. <i>Transplantation</i> , 2000 , 69, 1599-608	1.8	29
12	Spur cell anaemia and hepatic iron stores in patients with alcoholic liver disease undergoing orthotopic liver transplantation. <i>Gut</i> , 1999 , 45, 301-5	19.2	49
11	Case report: lamivudine therapy for submassive hepatic necrosis due to reactivation of hepatitis B following chemotherapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999 , 14, 801-3	4	23
10	Fibrosis in chronic hepatitis C correlates significantly with body mass index and steatosis. <i>Hepatology</i> , 1999 , 29, 1215-9	11.2	559
9	Role of donor leukocyte chimerism in establishing the etiology of neutropenia after liver transplantation. <i>Transplantation</i> , 1999 , 67, 1358-61	1.8	6
8	Coincidental Splenectomy in Chronic Fatigue Syndrome. <i>The Journal of Chronic Fatigue Syndrome: Multidisciplinary Innovations in Research and Clinical Practice</i> , 1998 , 4, 37-42		

7	Persistence of donor-reactive CD4+ T cells in liver and spleen of rats tolerant to a liver allograft. <i>Transplantation</i> , 1998 , 66, 132-5	1.8	19
6	Evidence that "myofibroblast-like" cells are the cellular source of capsular collagen in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 1997 , 26, 798-807	13.4	76
5	Peripheral blood chimerism following human liver transplantation. <i>Hepatology</i> , 1997 , 25, 1233-6	11.2	50
4	Eosinophilic enteritis in northeastern Australia. Pathology, association with <i>Ancylostoma caninum</i> , and implications. <i>American Journal of Surgical Pathology</i> , 1995 , 19, 328-37	6.7	76
3	Gamma glutamyl transferase as a marker of liver transplant rejection. <i>Transplantation</i> , 1994 , 57, 1278-80	1.8	9
2	Does NASH or NAFLD Contribute to Comorbidity of Other Liver Diseases?276-288		
1	Hepatitis B Virus		2