
## Ebrahim Shakiba

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6990542/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Oxidative stress parameters and keap 1 variants in T2DM: Association with T2DM, diabetic neuropathy, diabetic retinopathy, and obesity. Journal of Clinical Laboratory Analysis, 2022, 36, e24163.	0.9	11
2	Metabolically healthy versus unhealthy obese phenotypes in relation to hypertension incidence; a prospective cohort study. BMC Cardiovascular Disorders, 2022, 22, 106.	0.7	5
3	Association of a pro-inflammatory diet with type 2 diabetes and hypertension: results from the Ravansar non-communicable diseases cohort study. Archives of Public Health, 2022, 80, 102.	1.0	3
4	New inflammatory biomarkers (lymphocyte and monocyte percentage to high-density lipoprotein) Tj ETQq0 0 0 i cardiometabolic diseases. Wiener Klinische Wochenschrift, 2022, 134, 626-635.	rgBT /Overl 1.0	ock 10 Tf 50 6
5	Diagnostic Value of D-Dimer and INR in Patients Suspected to Have Prosthetic Valve Dysfunction. Brazilian Journal of Cardiovascular Surgery, 2022, , .	0.2	0
6	The Spatiality of COVID-19 in Kermanshah Metropolis, Iran. Urban Science, 2022, 6, 30.	1.1	2
7	SARS-CoV-2 antibody seroprevalence in the general population and high-risk occupational groups across 18 cities in Iran: a population-based cross-sectional study. Lancet Infectious Diseases, The, 2021, 21, 473-481.	4.6	132
8	Gene variants and haplotypes of Vitamin D biosynthesis, transport, and function in preeclampsia. Hypertension in Pregnancy, 2021, 40, 1-8.	0.5	8
9	Establishing hematological reference intervals in healthy adults: Ravansar nonâ€communicable disease cohort study, Iran. International Journal of Laboratory Hematology, 2021, 43, 199-209.	0.7	3
10	Variants of Genes Involved in Metabolism of Folate among Patients with Breast Cancer: Association of TYMS 3R Allele with Susceptibility to Breast Cancer and Metastasis. Iranian Journal of Pathology, 2021, 16, 62-68.	0.2	5
11	Epidemiological features of HIV/AIDS in the Middle East and North Africa from 1990 to 2017. International Journal of STD and AIDS, 2021, 32, 257-265.	0.5	13
12	Liver Enzymes and Their Association with Some Cardiometabolic Diseases: Evidence from a Large Kurdish Cohort. BioMed Research International, 2021, 2021, 1-8.	0.9	14
13	Vitamin D level, lipid profile, and vitamin D receptor and transporter gene variants in sickle cell disease patients from Kurdistan of Iraq. Journal of Clinical Laboratory Analysis, 2021, 35, e23908.	0.9	4
14	p53 p.Pro72Arg (rs1042522) and Mouse Double Minute 2 (MDM2) Single-Nucleotide Polymorphism (SNP) 309 Variants and Their Interaction in Chronic Lymphocytic Leukemia(CLL): A Survey in CLL Patients from Western Iran. International Journal of Hematology-Oncology and Stem Cell Research, 2021, 15, 160-169.	0.3	1
15	Visceral adiposity index and atherogenic index of plasma as useful predictors of risk of cardiovascular diseases: evidence from a cohort study in Iran. Lipids in Health and Disease, 2021, 20, 82.	1.2	29
16	Association between RBC Indices, Anemia, and Obesity-Related Diseases Affected by Body Mass Index in Iranian Kurdish Population: Results from a Cohort Study in Western Iran. International Journal of Endocrinology, 2021, 2021, 1-13.	0.6	5
17	Anti-inflammatory diet consumption reduced fatty liver indices. Scientific Reports, 2021, 11, 22601.	1.6	19
18	Correlates of injecting paraphernalia sharing among male drug injectors in Kermanshah, Iran: implications for HCV prevention. Journal of Substance Use, 2020, 25, 330-335.	0.3	2

EBRAHIM SHAKIBA

#	Article	IF	CITATIONS
19	Better muscle strength can decrease the risk of arthralgia and back &joint stiffness in Kurdish men; a cross-sectional study using data from RaNCD cohort study. BMC Musculoskeletal Disorders, 2020, 21, 686.	0.8	3
20	Association between dyslipidemia and blood lipids concentration with smoking habits in the Kurdish population of Iran. BMC Public Health, 2020, 20, 673.	1.2	26
21	Lifetime Prevalence of Abortion and Risk Factors in Women: Evidence from a Cohort Study. Journal of Pregnancy, 2020, 2020, 1-8.	1.1	21
22	The Insulin-like Growth Factor-1 (G>A) and 5,10-methylenetetrahydrofolate Reductase (C677T) Gene Variants and the Serum Levels of Insulin-like Growth Factor-1, Insulin, and Homeostasis Model Assessment in Patients with Acne Vulgaris. Iranian Journal of Pathology, 2020, 15, 23-29.	0.2	4
23	Primary Symptoms, Comorbidities, and Outcomes of 431 Hospitalized Patients with Confirmative RT-PCR Results for COVID-19. American Journal of Tropical Medicine and Hygiene, 2020, 103, 834-837.	0.6	18
24	Pattern of cigarette smoking: intensity, cessation, and age of beginning: evidence from a cohort study in West of Iran. Substance Abuse Treatment, Prevention, and Policy, 2020, 15, 83.	1.0	14
25	The type of training program affects appetite-regulating hormones and body weight in overweight sedentary men. Applied Physiology, Nutrition and Metabolism, 2019, 44, 282-287.	0.9	14
26	A systematic review and meta-analysis of evaluation of serum interleukin 8 levels in hepatocellular carcinoma. Clinical and Experimental Hepatology, 2019, 5, 123-128.	0.6	10
27	Prevalence, awareness, treatment, and control of hypertension and their determinants: Results from the first cohort of non-communicable diseases in a Kurdish settlement. Scientific Reports, 2019, 9, 12409.	1.6	29
28	Cohort Profile: Ravansar Non-Communicable Disease cohort study: the first cohort study in a Kurdish population. International Journal of Epidemiology, 2019, 48, 682-683f.	0.9	94
29	The concentration of estrogen in water resources: a systematic review and meta-analysis. International Journal of Environmental Analytical Chemistry, 2019, , 1-10.	1.8	5
30	Association between the â~'11377 C/G and â~'11391 G/A polymorphisms of adiponectin gene and adiponectin levels with susceptibility to type 1 and type 2 diabetes mellitus in population from the west of Iran, correlation with lipid profile. Journal of Cellular Biochemistry, 2019, 120, 3574-3582.	1.2	8
31	Association between activity and genotypes of paraoxonase1 L55M (rs854560) increases the disease activity of rheumatoid arthritis through oxidative stress. Molecular Biology Reports, 2019, 46, 741-749.	1.0	8
32	Angiotensinâ€converting enzyme insertion/deletion (rs106180) and angiotensin type 1 receptor A 1166 C (rs106165) genotypes and psoriasis: Correlation with cellular immunity, lipid profile, and oxidative stress markers. Journal of Cellular Biochemistry, 2019, 120, 2627-2633.	1.2	6
33	Validity of Self-reported Hypertension and Factors Related to Discordance Between Self-reported and Objectively Measured Hypertension: Evidence From a Cohort Study in Iran. Journal of Preventive Medicine and Public Health, 2019, 52, 131-139.	0.7	18
34	Dietary patterns, nutrition, and risk of breast cancer: a case-control study in the west of Iran. Epidemiology and Health, 2019, 41, e2019003.	0.8	38
35	Association between CYP19A <g 162-168.<="" 2019,="" 8,="" acne="" and="" cellular="" hormones="" influence="" international="" its="" journal="" level.="" medicine,="" molecular="" of="" on="" polymorphism="" rs700518="" severity:="" sex="" td="" vulgaris="" with=""><td>1.1</td><td>5</td></g>	1.1	5
36	Chemerin rs17173608 and vaspin rs2236242 gene variants on the risk of end stage renal disease (ESRD) and correlation with plasma malondialdehyde (MDA) level. Renal Failure, 2018, 40, 350-356.	0.8	10

EBRAHIM SHAKIBA

#	Article	IF	CITATIONS
37	Synergism between apolipoprotein E Æ4 allele and paraoxonase (PON1) 55-M allele is associated with risk of systemic lupus erythematosus. Clinical Rheumatology, 2018, 37, 971-977.	1.0	11
38	MMP-8 C-799T and MMP-8 C+17G polymorphisms in mild and severe preeclampsia: Association between MMP-8 C-799T with susceptibility to severe preeclampsia. Clinical and Experimental Hypertension, 2018, 40, 175-178.	0.5	6
39	Matrix metalloproteinase-2 C-735T and its interaction with matrix metalloproteinase-7 A-181G polymorphism are associated with the risk of preeclampsia: influence on total antioxidant capacity and blood pressure. Journal of Obstetrics and Gynaecology, 2018, 38, 327-332.	0.4	10
40	PPARÎ <sup>3</sup> Pro12Ala and C161T polymorphisms in patients with acne vulgaris: Contribution to lipid and lipoprotein profile. Advances in Medical Sciences, 2018, 63, 147-151.	0.9	11
41	Evaluation of serum interleukin-6 levels in hepatocellular carcinoma patients: aÂsystematic review and meta-analysis. Clinical and Experimental Hepatology, 2018, 4, 182-190.	0.6	38
42	Evaluation of serum interleukin-10 levels in hepatocellular carcinoma patients: a systematic review and meta-analysis. Clinical and Experimental Hepatology, 2018, 4, 35-40.	0.6	24
43	The Association of PPARÎ <sup>3</sup> Pro12Ala and C161T Polymorphisms with Polycystic Ovary Syndrome and Their Influence on Lipid and Lipoprotein Profiles. International Journal of Fertility & Sterility, 2018, 12, 147-151.	0.2	4
44	Preparation and characterization of Pistacia khinjuk gum nanoparticles using Response Surface Method: evaluation of its anti-bacterial performance and cytotoxicity. Advanced Pharmaceutical Bulletin, 2017, 7, 159-164.	0.6	4
45	Subgroup dairy products consumption on the risk of stroke and CHD: A systematic review and meta-analysis. Medical Journal of the Islamic Republic of Iran, 2017, 31, 143-149.	0.9	8
46	Preparation and in vitro characterization of retinoic acid-loaded poly( $\hat{l}\mu$ -caprolactone)-poly(ethylene) Tj ETQqO	0 0 rgBT /0	overlock 10 Tf
47	Dairy Products Consumption and Risk of Type 2 Diabetes: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. Iranian Red Crescent Medical Journal, 2017, 19, .	0.5	4
48	Association of Body Mass Index with Dyslipidemia among the Government Staff of Kermanshah, Iran: A Cross-Sectional Study. Iranian Red Crescent Medical Journal, 2017, 19, .	0.5	2
49	Methylenetetrahydrofolate Reductase (MTHFR) C677T and A1298C Variants, Folate Intake, and Susceptibility to Breast Cancer. International Journal of Cancer Management, 2017, 10, .	0.2	1
50	Preparation and characterization of Ceftazidime loaded electrospun silk fibroin/gelatin mat for wound dressing. Fibers and Polymers, 2016, 17, 744-750.	1.1	55
51	Association between GSTM1, GSTT1, and GSTP1 variants and the risk of end stage renal disease. Renal Failure, 2016, 38, 1455-1461.	0.8	29
52	Functional Promoter Polymorphisms of MMP-2 C-735T and MMP-9 C-1562T and Their Synergism with MMP-7 A-181G in Multiple Sclerosis. Immunological Investigations, 2016, 45, 543-552.	1.0	19
53	Deciphering the binding mode of dinitramine herbicide to ct-DNA, a thermodynamic discussion. Food and Agricultural Immunology, 2016, 27, 23-39.	0.7	2
54	Brain-Derived Neurotrophic Factor Val66Met Polymorphism and Its Synergism with L/S Polymorphism in the Promoter Region of Serotonin Transporter in Bipolar I Disorder Patients in Western Iran. Iranian Journal of Psychiatry and Behavioral Sciences, 2016, In Press, .	0.1	0

#	Article	IF	CITATIONS
55	Plasma lipids and lipoproteins in children and young adults with major β-thalassemia from western Iran: influence of genotype. Molecular Biology Reports, 2011, 38, 2573-2578.	1.0	11
56	Paraoxonase Arg 192 allele is an independent risk factor for three-vessel stenosis of coronary artery disease. Molecular Biology Reports, 2011, 38, 5421-5428.	1.0	24
57	Synergistic effects of the MTHFR C677T and A1298C polymorphisms on the increased risk of micro- and macro-albuminuria and progression of diabetic nephropathy among Iranians with type 2 diabetes mellitus. Clinical Biochemistry, 2010, 43, 1333-1339.	0.8	39