

Ris B Goldstein

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6990785/rise-b-goldstein-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

11,479
citations

47
h-index

106
g-index

106
ext. papers

12,867
ext. citations

4.5
avg, IF

5.99
L-index

#	Paper	IF	Citations
105	Maternal Immune activity during pregnancy and socioeconomic disparities in children's self-regulation. <i>Brain, Behavior, and Immunity</i> , 2020 , 90, 346-352	16.6	3
104	Neighbourhood disadvantage and depressive symptoms among adolescents followed into emerging adulthood. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 590-597	5.1	8
103	Gestational cytokine concentrations and neurocognitive development at 7 years. <i>Translational Psychiatry</i> , 2018 , 8, 64	8.6	27
102	The Epidemiology of Antisocial Behavioral Syndromes in Adulthood: Results From the National Epidemiologic Survey on Alcohol and Related Conditions-III. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 90-98	4.6	31
101	Income inequality among American states and the conditional risk of post-traumatic stress disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1195-1204	4.5	12
100	Association of respondent psychiatric comorbidity with family history of comorbidity: Results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. <i>Comprehensive Psychiatry</i> , 2016 , 71, 49-56	7.3	10
99	The epidemiology of DSM-5 posttraumatic stress disorder in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1137-48	4.5	240
98	Epidemiology of DSM-5 Drug Use Disorder: Results From the National Epidemiologic Survey on Alcohol and Related Conditions-III. <i>JAMA Psychiatry</i> , 2016 , 73, 39-47	14.5	508
97	The Epidemiology of DSM-5 Nicotine Use Disorder: Results From the National Epidemiologic Survey on Alcohol and Related Conditions-III. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1404-1412	4.6	68
96	Nonmedical Prescription Opioid Use and DSM-5 Nonmedical Prescription Opioid Use Disorder in the United States. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 772-80	4.6	161
95	The association between post-traumatic stress disorder and lifetime DSM-5 psychiatric disorders among veterans: Data from the National Epidemiologic Survey on Alcohol and Related Conditions-III (NESARC-III). <i>Journal of Psychiatric Research</i> , 2016 , 82, 16-22	5.2	99
94	Patterns of use of other drugs among those with alcohol dependence: Associations with drinking behavior and psychopathology. <i>Addictive Behaviors</i> , 2015 , 50, 192-8	4.2	55
93	Prevalence of Marijuana Use Disorders in the United States Between 2001-2002 and 2012-2013. <i>JAMA Psychiatry</i> , 2015 , 72, 1235-42	14.5	659
92	Nosologic Comparisons of DSM-IV and DSM-5 Alcohol and Drug Use Disorders: Results From the National Epidemiologic Survey on Alcohol and Related Conditions-III. <i>Journal of Studies on Alcohol and Drugs</i> , 2015 , 76, 378-88	1.9	51
91	Regularly Drinking Alcohol Before Sexual Activity in a Nationally Representative Sample: Prevalence, Sociodemographics, and Associations With Psychiatric and Substance Use Disorders. <i>American Journal of Public Health</i> , 2015 , 105, 1387-93	5.1	22
90	Epidemiology of DSM-5 Alcohol Use Disorder: Results From the National Epidemiologic Survey on Alcohol and Related Conditions III. <i>JAMA Psychiatry</i> , 2015 , 72, 757-66	14.5	1439
89	Changes in alcohol consumption: United States, 2001-2002 to 2012-2013. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 56-61	4.9	159

88	The Alcohol Use Disorder and Associated Disabilities Interview Schedule-5 (AUDADIS-5): procedural validity of substance use disorders modules through clinical re-appraisal in a general population sample. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 40-6	4.9	152
87	The Alcohol Use Disorder and Associated Disabilities Interview Schedule-5 (AUDADIS-5): reliability of substance use and psychiatric disorder modules in a general population sample. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 27-33	4.9	219
86	Sociodemographic and psychiatric diagnostic predictors of 3-year incidence of DSM-IV substance use disorders among men and women in the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Psychology of Addictive Behaviors</i> , 2015 , 29, 924-32	3.4	4
85	Nonresponse bias in survey estimates of alcohol consumption and its association with harm. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 695-703	1.9	21
84	Crosswalk between DSM-IV dependence and DSM-5 substance use disorders for opioids, cannabis, cocaine and alcohol. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 387-90	4.9	72
83	Temporal associations between physical illnesses and mental disorders--results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). <i>Comprehensive Psychiatry</i> , 2013 , 54, 627-38	7.3	19
82	Differences in the profiles of DSM-IV and DSM-5 alcohol use disorders: implications for clinicians. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37 Suppl 1, E305-13	3.7	37
81	Prospective correlates of drinking cessation: variation across the life-course. <i>Addiction</i> , 2013 , 108, 712-22.6	4.6	32
80	Correlates of recovery from alcohol dependence: a prospective study over a 3-year follow-up interval. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 1268-77	3.7	44
79	Antisocial behavioral syndromes and 3-year quality-of-life outcomes in United States adults. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 137-50	6.5	11
78	Psychiatric comorbidity of full and partial posttraumatic stress disorder among older adults in the United States: results from wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 380-90	6.5	115
77	Factors associated with first utilization of different types of care for alcohol problems. <i>Journal of Studies on Alcohol and Drugs</i> , 2012 , 73, 647-56	1.9	25
76	Physical health conditions associated with posttraumatic stress disorder in U.S. older adults: results from wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 296-303	5.6	98
75	Relationship of substance abuse to dependence in the U.S. general population. <i>Journal of Studies on Alcohol and Drugs</i> , 2012 , 73, 368-78	1.9	4
74	Sex differences in prevalence and comorbidity of alcohol and drug use disorders: results from wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Studies on Alcohol and Drugs</i> , 2012 , 73, 938-50	1.9	79
73	Prevalence and Axis I comorbidity of full and partial posttraumatic stress disorder in the United States: results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Anxiety Disorders</i> , 2011 , 25, 456-65	10.9	603
72	Medical comorbidity of full and partial posttraumatic stress disorder in US adults: results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Psychosomatic Medicine</i> , 2011 , 73, 697-707	3.7	110
71	Personality disorders associated with full and partial posttraumatic stress disorder in the U.S. population: results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Psychiatric Research</i> , 2011 , 45, 678-86	5.2	39

70	Temporal relationships between overweight and obesity and DSM-IV substance use, mood, and anxiety disorders: results from a prospective study, the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1494-502	4.6	56
69	Antisocial behavioral syndromes and additional psychiatric comorbidity in posttraumatic stress disorder among u.s. Adults: results from wave 2 of the national epidemiologic survey on alcohol and related conditions. <i>Journal of the American Psychiatric Nurses Association</i> , 2010 , 16, 145-65	1.8	4
68	Antisocial Behavioral Syndromes in Adulthood and Alcohol Use Disorder Treatment over Three-Year Follow-Up: Results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of the American Psychiatric Nurses Association</i> , 2010 , 16, 212-26	1.8	8
67	Gender differences in the relationship of internalizing and externalizing psychopathology to alcohol dependence: likelihood, expression and course. <i>Drug and Alcohol Dependence</i> , 2010 , 112, 9-17	4.9	49
66	Examining perceived alcoholism stigma effect on racial-ethnic disparities in treatment and quality of life among alcoholics. <i>Journal of Studies on Alcohol and Drugs</i> , 2010 , 71, 231-6	1.9	35
65	Three-year follow-up of syndromal antisocial behavior in adults: results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1237-49	4.6	23
64	Prevalence, correlates, disability, and comorbidity of DSM-IV schizotypal personality disorder: results from the wave 2 national epidemiologic survey on alcohol and related conditions. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009 , 11, 53-67		87
63	Age at first drink and the first incidence of adult-onset DSM-IV alcohol use disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 2149-60	3.7	369
62	The alcohol use disorder and associated disabilities interview schedule-IV (AUDADIS-IV): reliability of new psychiatric diagnostic modules and risk factors in a general population sample. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 27-36	4.9	484
61	Antisocial behavioral syndromes and body mass index among adults in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Comprehensive Psychiatry</i> , 2008 , 49, 225-37	7.3	21
60	Current Practice of Family-Based Interventions for Child Traumatic Stress: Results from a National Survey. <i>Journal of Child and Adolescent Trauma</i> , 2008 , 1, 47-61	1.5	2
59	Receipt of prevention services among HIV-infected men who have sex with men. <i>American Journal of Public Health</i> , 2008 , 98, 1011-4	5.1	9
58	Violent behavior and DSM-IV psychiatric disorders: results from the national epidemiologic survey on alcohol and related conditions. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 12-22	4.6	97
57	Antisocial behavioral syndromes and past-year physical health among adults in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 368-80	4.6	38
56	Prevalence, correlates, disability, and comorbidity of DSM-IV borderline personality disorder: results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 533-45	4.6	888
55	Prevalence, correlates, disability, and comorbidity of DSM-IV narcissistic personality disorder: results from the wave 2 national epidemiologic survey on alcohol and related conditions. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1033-45	4.6	237
54	Correlates of "non-problematic" and "problematic" substance use among depressed adolescents in primary care. <i>Journal of Addictive Diseases</i> , 2007 , 26, 39-52	1.7	2
53	Antisocial behavioral syndromes and DSM-IV alcohol use disorders: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 814-28	3.7	56

52	Rates and correlates of relapse among individuals in remission from DSM-IV alcohol dependence: a 3-year follow-up. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 2036-45	3.7	186
51	Using theory to understand how interventions work: Project RESPECT, condom use, and the Integrative Model. <i>AIDS and Behavior</i> , 2007 , 11, 393-407	4.3	44
50	Opening Up Windows When Clients Keep Closing Doors. <i>Journal of HIV/AIDS and Social Services</i> , 2007 , 6, 5-28	0.9	
49	The epidemiology of DSM-IV specific phobia in the USA: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Psychological Medicine</i> , 2007 , 37, 1047-59	6.9	228
48	Antisocial behavioral syndromes and DSM-IV drug use disorders in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Drug and Alcohol Dependence</i> , 2007 , 90, 145-58	4.9	67
47	Perceived partner serostatus, attribution of responsibility for prevention of HIV transmission, and sexual risk behavior with "MAIN" partner among adults living with HIV. <i>AIDS Education and Prevention</i> , 2006 , 18, 150-62	2	11
46	Positive provider interactions, adherence self-efficacy, and adherence to antiretroviral medications among HIV-infected adults: A mediation model. <i>AIDS Patient Care and STDs</i> , 2006 , 20, 258-68	5.8	117
45	Race-ethnicity and the prevalence and co-occurrence of Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, alcohol and drug use disorders and Axis I and II disorders: United States, 2001 to 2002. <i>Comprehensive Psychiatry</i> , 2006 , 47, 252-7	7.3	94
44	Lack of remorse in antisocial personality disorder: sociodemographic correlates, symptomatic presentation, and comorbidity with Axis I and Axis II disorders in the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Comprehensive Psychiatry</i> , 2006 , 47, 289-97	7.3	22
43	Race/ethnic differences in the prevalence and co-occurrence of substance use disorders and independent mood and anxiety disorders: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Psychological Medicine</i> , 2006 , 36, 987-98	6.9	94
42	Use of outpatient mental health services by depressed and anxious children as they grow up. <i>Psychiatric Services</i> , 2006 , 57, 966-75	3.3	12
41	Antisocial personality disorder with childhood- vs. adolescence-onset conduct disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 667-75	1.8	43
40	The epidemiology of DSM-IV panic disorder and agoraphobia in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 363-74	4.6	195
39	Depressive symptomatology among HIV-positive women in the era of HAART: a stress and coping model. <i>American Journal of Community Psychology</i> , 2006 , 38, 275-85	3.5	60
38	Subjective unmet need for mental health services in depressed children grown up. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2006 , 33, 666-73	3.1	13
37	Prevalence, correlates, and comorbidity of nonmedical prescription drug use and drug use disorders in the United States: Results of the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1062-73	4.6	229
36	Predictors of substance use frequency and reductions in seriousness of use among persons living with HIV. <i>Drug and Alcohol Dependence</i> , 2005 , 77, 129-38	4.9	27
35	Insurance coverage, usual source of care, and receipt of clinically indicated care for comorbid conditions among adults living with human immunodeficiency virus. <i>Medical Care</i> , 2005 , 43, 401-10	3.1	31

34	Perceived adverse effects of antiretroviral therapy. <i>Journal of Pain and Symptom Management</i> , 2005 , 29, 193-205	4.8	48
33	Psychological distress, substance use, and adjustment among parents living with HIV. <i>Journal of the American Board of Family Medicine</i> , 2005 , 18, 362-73	1.6	10
32	Prevalence, correlates, co-morbidity, and comparative disability of DSM-IV generalized anxiety disorder in the USA: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Psychological Medicine</i> , 2005 , 35, 1747-59	6.9	348
31	Predicting HIV transmission risk among HIV-infected men who have sex with men: findings from the healthy living project. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005 , 40, 226-35	3.1	87
30	The epidemiology of social anxiety disorder in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1351-61	4.6	425
29	"Throwing the Dice" Pregnancy Decision-Making Among HIV-Positive Women in Four U.S. Cities. <i>Perspectives on Sexual and Reproductive Health</i> , 2004 , 36, 106-113	3.7	91
28	"Throwing the dice": pregnancy decision-making among HIV-positive women in four U.S. cities. <i>Perspectives on Sexual and Reproductive Health</i> , 2004 , 36, 106-13	3.7	43
27	Neurological soft signs and disruptive behavior among children of opiate dependent parents. <i>Child Psychiatry and Human Development</i> , 2003 , 34, 19-34	3.3	4
26	Psychiatric diagnosis and weight loss following gastric surgery for obesity. <i>Obesity Surgery</i> , 2003 , 13, 746-51	3.7	48
25	Antisocial behavioral syndromes and return to drug use following residential relapse prevention/health education treatment. <i>American Journal of Drug and Alcohol Abuse</i> , 2001 , 27, 453-82	3.7	18
24	Genetic and environmental factors in conduct problems and adult antisocial behavior among adult female twins. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 201-9	1.8	44
23	Maternal life history--versus gestation-focused assessment of prenatal exposure to substances of abuse. <i>Journal of Substance Abuse</i> , 2000 , 11, 355-68		4
22	Psychiatric disorders and impairment in the children of opiate addicts: prevalences and distribution by ethnicity. <i>American Journal on Addictions</i> , 2000 , 9, 232-41	3.7	26
21	Physical health problems in depressed and nondepressed children and adolescents of parents with opiate dependence 1999 , 9, 61-69		1
20	Risk/protective factors among addicted mothers' offspring: a replication study. <i>American Journal of Drug and Alcohol Abuse</i> , 1999 , 25, 661-79	3.7	46
19	Children with prepubertal-onset major depressive disorder and anxiety grown up. <i>Archives of General Psychiatry</i> , 1999 , 56, 794-801		293
18	Familial aggregation of delusional depression: re-examination in a recent family study. <i>Depression and Anxiety</i> , 1998 , 8, 160-5	8.4	6
17	Antisocial behavioral syndromes among residential drug abuse treatment clients. <i>Drug and Alcohol Dependence</i> , 1998 , 49, 201-16	4.9	28

LIST OF PUBLICATIONS

16	Psychopathology in children of parents with opiate dependence and/or major depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1998 , 37, 1142-51	7.2	54
15	Familial aggregation and phenomenology of 'early'-onset (at or before age 20 years) panic disorder. <i>Archives of General Psychiatry</i> , 1997 , 54, 271-8		141
14	Perceived effectiveness of community-based measures against alcohol misuse among "problem" and "nonproblem" drinkers. <i>Substance Use and Misuse</i> , 1997 , 32, 507-54	2.2	4
13	Lack of Remorse in Antisocial Personality Disorder Among Drug Abusers in Residential Treatment. <i>Journal of Personality Disorders</i> , 1996 , 10, 321-334	2.6	8
12	Comparison of RDC, DSM-III, DSM-III-R diagnostic criteria for generalized anxiety disorder. <i>Anxiety</i> , 1996 , 2, 71-9		9
11	Psychiatric status and HIV risk reduction among residential drug abuse treatment clients. <i>Addiction</i> , 1995 , 90, 1377-87	4.6	7
10	Personality Characteristics in 60 Subjects with Psychosexual Dysfunction: A Nonpatient Sample. <i>Journal of Personality Disorders</i> , 1995 , 9, 275-285	2.6	4
9	Psychiatric status and HIV risk reduction among residential drug abuse treatment clients. <i>Addiction</i> , 1995 , 90, 1377-1387	4.6	25
8	Relationship between dysthymia and major depression: an analysis of family study data. <i>Depression</i> , 1994 , 2, 252-258		9
7	Psychiatric disorders in relatives of probands with panic disorder and/or major depression. <i>Archives of General Psychiatry</i> , 1994 , 51, 383-94		94
6	Familial Aggregation of Early Onset (≥20 Years) Panic Disorder. <i>Neuropsychopharmacology</i> , 1994 , 11, 271-271	8.7	
5	Measures of distress in 26 "environmentally ill" subjects. <i>Psychosomatics</i> , 1993 , 34, 131-8	2.6	38
4	The prediction of recovery using a multivariate model in 1471 depressed inpatients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1991 , 241, 41-5	5.1	13
3	The prediction of suicide. Sensitivity, specificity, and predictive value of a multivariate model applied to suicide among 1906 patients with affective disorders. <i>Archives of General Psychiatry</i> , 1991 , 48, 418-22		309
2	DSM-III Personality Disorder in Bariatric Clinic Patients. <i>Annals of Clinical Psychiatry</i> , 1989 , 1, 33-37	1.4	18
1	Sociodemographic Correlates of DSM-IV Narcissistic Personality Disorder		165-180