

Lincoln R Potter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/699086/publications.pdf>

Version: 2024-02-01

74
papers

4,680
citations

159358

30
h-index

118652

62
g-index

78
all docs

78
docs citations

78
times ranked

3778
citing authors

#	ARTICLE	IF	CITATIONS
1	Guanylyl cyclaseâ€A phosphorylation decreases cardiac hypertrophy and improves systolic function in male, but not female, mice. <i>FASEB Journal</i> , 2022, 36, e22069.	0.2	6
2	Signals Natriuretic Peptides, Their Receptors and Therapeutic Applications. , 2021, , 95-98.		0
3	Cyclic AMP links luteinizing hormone signaling to dephosphorylation and inactivation of the NPR2 guanylyl cyclase in ovarian folliclesâ€. <i>Biology of Reproduction</i> , 2021, 104, 939-941.	1.2	5
4	Prevention of guanylyl cyclaseâ€B dephosphorylation rescues achondroplastic dwarfism. <i>JCI Insight</i> , 2021, 6, .	2.3	12
5	Male mice with elevated C-type natriuretic peptide-dependent guanylyl cyclase-B activity have increased osteoblasts, bone mass and bone strength. <i>Bone</i> , 2020, 135, 115320.	1.4	17
6	The pseudokinase domains of guanylyl cyclaseâ€A and â€B allosterically increase the affinity of their catalytic domains for substrate. <i>Science Signaling</i> , 2019, 12, .	1.6	12
7	Regulation of the Natriuretic Peptide Receptor 2 (Npr2) by Phosphorylation of Juxtamembrane Serine and Threonine Residues Is Essential for Bifurcation of Sensory Axons. <i>Journal of Neuroscience</i> , 2018, 38, 9768-9780.	1.7	14
8	A Glutamate-Substituted Mutant Mimics the Phosphorylated and Active Form of Guanylyl Cyclase-A. <i>Molecular Pharmacology</i> , 2017, 92, 67-74.	1.0	9
9	Skeletal overgrowth-causing mutations mimic an allosterically activated conformation of guanylyl cyclase-B that is inhibited by 2,4,6,-trinitrophenyl ATP. <i>Journal of Biological Chemistry</i> , 2017, 292, 10220-10229.	1.6	4
10	Dephosphorylation is the mechanism of fibroblast growth factor inhibition of guanylyl cyclase-B. <i>Cellular Signalling</i> , 2017, 40, 222-229.	1.7	21
11	Dephosphorylation of the NPR2 guanylyl cyclase contributes to inhibition of bone growth by fibroblast growth factor. <i>ELife</i> , 2017, 6, .	2.8	27
12	Dephosphorylation of juxtamembrane serines and threonines of the NPR2 guanylyl cyclase is required for rapid resumption of oocyte meiosis in response to luteinizing hormone. <i>Developmental Biology</i> , 2016, 409, 194-201.	0.9	49
13	Catalytically Active Guanylyl Cyclase B Requires Endoplasmic Reticulum-mediated Glycosylation, and Mutations That Inhibit This Process Cause Dwarfism. <i>Journal of Biological Chemistry</i> , 2016, 291, 11385-11393.	1.6	19
14	Dephosphorylation of juxtamembrane serines and threonines of the NPR2 guanylyl cyclase regulates oocyte meiotic resumption. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, .	1.0	0
15	Catalytically active guanylyl cyclase-B requires glycosylation and mutations that inhibit this process cause dwarfism. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, .	1.0	0
16	Mutation of a conserved lysine in the kinase homology domain reduces the natriuretic peptide-dependent activity and phosphorylation of guanylyl cyclase-A. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, .	1.0	0
17	Heterozygous Mutations in Natriuretic Peptide Receptor-B (<i>NPR2</i>) Gene as a Cause of Short Stature. <i>Human Mutation</i> , 2015, 36, 474-481.	1.1	86
18	Regulation of intraocular pressure by soluble and membrane guanylate cyclases and their role in glaucoma. <i>Frontiers in Molecular Neuroscience</i> , 2014, 7, 38.	1.4	43

#	ARTICLE	IF	CITATIONS
19	Dephosphorylation and inactivation of NPR2 guanylyl cyclase in granulosa cells contributes to the LH-induced decrease in cGMP that causes resumption of meiosis in rat oocytes. <i>Development (Cambridge)</i> , 2014, 141, 3594-3604.	1.2	92
20	A human skeletal overgrowth mutation increases maximal velocity and blocks desensitization of guanylyl cyclase-B. <i>Bone</i> , 2013, 56, 375-382.	1.4	17
21	A twenty year journey to understand how ATP activates guanylyl cyclase A and B. <i>BMC Pharmacology & Toxicology</i> , 2013, 14, .	1.0	0
22	Cyclic GMP-mediated intercellular communication in mammalian ovarian follicles. <i>BMC Pharmacology & Toxicology</i> , 2013, 14, .	1.0	0
23	Guanylyl cyclase (GC)-A and GC-B activities in ventricles and cardiomyocytes from failed and non-failed human hearts: GC-A is inactive in the failed cardiomyocyte. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 727-732.	0.9	26
24	Guanylyl Cyclases A and B Are Asymmetric Dimers That Are Allosterically Activated by ATP Binding to the Catalytic Domain. <i>Science Signaling</i> , 2012, 5, ra65.	1.6	25
25	Luteinizing hormone reduces the activity of the NPR2 guanylyl cyclase in mouse ovarian follicles, contributing to the cyclic GMP decrease that promotes resumption of meiosis in oocytes. <i>Developmental Biology</i> , 2012, 366, 308-316.	0.9	128
26	A Functional Screen Provides Evidence for a Conserved, Regulatory, Juxtamembrane Phosphorylation Site in Guanylyl Cyclase A and B. <i>PLoS ONE</i> , 2012, 7, e36747.	1.1	29
27	Insulin-degrading Enzyme Modulates the Natriuretic Peptide-mediated Signaling Response. <i>Journal of Biological Chemistry</i> , 2011, 286, 4670-4679.	1.6	65
28	Dendroaspis natriuretic peptide and the designer natriuretic peptide, CD-NP, are resistant to proteolytic inactivation. <i>Journal of Molecular and Cellular Cardiology</i> , 2011, 51, 67-71.	0.9	56
29	The indolocarbazole, GÅ¶6976, inhibits guanylyl cyclaseâ€A and â€B. <i>British Journal of Pharmacology</i> , 2011, 164, 499-506.	2.7	7
30	Natriuretic peptide metabolism, clearance and degradation. <i>FEBS Journal</i> , 2011, 278, 1808-1817.	2.2	285
31	Regulation and therapeutic targeting of peptide-activated receptor guanylyl cyclases. , 2011, 130, 71-82.		123
32	Guanylyl cyclase structure, function and regulation. <i>Cellular Signalling</i> , 2011, 23, 1921-1926.	1.7	237
33	ProBNP1â€“108 Is Resistant to Degradation and Activates Guanylyl Cyclase-A with Reduced Potency. <i>Clinical Chemistry</i> , 2011, 57, 1272-1278.	1.5	32
34	ATP Potentiates Competitive Inhibition of Guanylyl Cyclase A and B by the Staurosporine Analog, GÅ¶6976. <i>Journal of Biological Chemistry</i> , 2011, 286, 33841-33844.	1.6	11
35	Antibody Tracking Demonstrates Cell Type-Specific and Ligand-Independent Internalization of Guanylyl Cyclase A and Natriuretic Peptide Receptor C. <i>Molecular Pharmacology</i> , 2011, 80, 155-162.	1.0	12
36	The indolocarbazole, GÅ¶6976, is a competitive inhibitor of guanylyl cyclaseâ€A and â€B. <i>FASEB Journal</i> , 2011, 25, .	0.2	0

#	ARTICLE	IF	CITATIONS
37	Human B-type natriuretic peptide is not degraded by meprin A. <i>Biochemical Pharmacology</i> , 2010, 80, 1007-1011.	2.0	24
38	Guanylyl Cyclases. , 2010, , 1399-1407.		1
39	Arg13 of B-Type Natriuretic Peptide Reciprocally Modulates Binding to Guanylyl Cyclase but Not Clearance Receptors. <i>Molecular Pharmacology</i> , 2010, 78, 431-435.	1.0	9
40	Prolonged Atrial Natriuretic Peptide Exposure Stimulates Guanylyl Cyclase-A Degradation. <i>Endocrinology</i> , 2010, 151, 2769-2776.	1.4	19
41	Mass Spectrometric Identification of Phosphorylation Sites in Guanylyl Cyclase A and B. <i>Biochemistry</i> , 2010, 49, 10137-10145.	1.2	32
42	Inactivation of Natriuretic Peptides by Human Insulinâ€Degrading Enzyme Reveals New Insights on Substrate Recognition and Selectivity. <i>FASEB Journal</i> , 2010, 24, 681.13.	0.2	0
43	A Familial Mutation Renders Atrial Natriuretic Peptide Resistant to Proteolytic Degradation. <i>Journal of Biological Chemistry</i> , 2009, 284, 19196-19202.	1.6	60
44	Natriuretic Peptides: Their Structures, Receptors, Physiologic Functions and Therapeutic Applications. <i>Handbook of Experimental Pharmacology</i> , 2009, , 341-366.	0.9	444
45	Reduced ability of C-type natriuretic peptide (CNP) to activate natriuretic peptide receptor B (NPR-B) causes dwarfism in <i>lbat</i> ^{+/+} mice. <i>Peptides</i> , 2008, 29, 1575-1581.	1.2	17
46	Novel Bifunctional Natriuretic Peptides as Potential Therapeutics. <i>Journal of Biological Chemistry</i> , 2008, 283, 35003-35009.	1.6	76
47	Renal hyporesponsiveness to atrial natriuretic peptide in congestive heart failure results from reduced atrial natriuretic peptide receptor concentrations. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1636-F1644.	1.3	51
48	Differential Regulation of Membrane Guanylyl Cyclases in Congestive Heart Failure: Natriuretic Peptide Receptor (NPR)-B, Not NPR-A, Is the Predominant Natriuretic Peptide Receptor in the Failing Heart. <i>Endocrinology</i> , 2007, 148, 3518-3522.	1.4	103
49	Adenine nucleotides decrease the apparent <i>K_m</i> of endogenous natriuretic peptide receptors for GTP. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E1756-E1763.	1.8	23
50	A Sensitive Method for Determining the Phosphorylation Status of Natriuretic Peptide Receptors:â€cGK-Î± Does Not Regulate NPR-A. <i>Biochemistry</i> , 2006, 45, 1295-1303.	1.2	28
51	Natriuretic Peptides, Their Receptors, and Cyclic Guanosine Monophosphate-Dependent Signaling Functions. <i>Endocrine Reviews</i> , 2006, 27, 47-72.	8.9	865
52	Heterozygous Mutations in Natriuretic Peptide Receptor-B (NPR2) Are Associated with Short Stature. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1229-1232.	1.8	149
53	ATPâ€Independent Activation of Natriuretic Peptide Receptors. <i>FASEB Journal</i> , 2006, 20, A972.	0.2	0
54	Differential regulation of NPR-B/GC-B by protein kinase c and calcium. <i>Biochemical Pharmacology</i> , 2005, 70, 686-694.	2.0	31

#	ARTICLE	IF	CITATIONS
55	Domain analysis of human transmembrane guanylyl cyclase receptors: implications for regulation. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 1205.	3.0	60
56	ATP-independent Activation of Natriuretic Peptide Receptors. <i>Journal of Biological Chemistry</i> , 2005, 280, 26928-26932.	1.6	38
57	Down-Regulation Does Not Mediate Natriuretic Peptide-Dependent Desensitization of Natriuretic Peptide Receptor (NPR)-A or NPR-B: Guanylyl Cyclase-Linked Natriuretic Peptide Receptors Do Not Internalize. <i>Molecular Pharmacology</i> , 2005, 67, 174-183.	1.0	38
58	â€œCorinationâ€•of the proANP converting enzyme. <i>Cell Metabolism</i> , 2005, 1, 88-90.	7.2	8
59	Phosphorylation-dependent regulation of the guanylyl cyclase-linked natriuretic peptide receptors. <i>Peptides</i> , 2005, 26, 1001-1008.	1.2	20
60	Sphingosine-1-Phosphate Inhibits C-Type Natriuretic Peptide Activation of Guanylyl Cyclase B (GC-B/NPR-B). <i>Hypertension</i> , 2004, 43, 1103-1109.	1.3	32
61	Spatiotemporal Regulation of the Two Atrial Natriuretic Peptide Receptors in Testis. <i>Endocrinology</i> , 2004, 145, 1392-1401.	1.4	27
62	Calcium-dependent Dephosphorylation Mediates the Hyperosmotic and Lysophosphatidic Acid-dependent Inhibition of Natriuretic Peptide Receptor-B/Guanylyl Cyclase-B. <i>Journal of Biological Chemistry</i> , 2004, 279, 48513-48519.	1.6	31
63	Lysophosphatidic Acid Inhibits C-Type Natriuretic Peptide Activation of Guanylyl Cyclase-B. <i>Endocrinology</i> , 2003, 144, 240-246.	1.4	44
64	Vasopressin-dependent Inhibition of the C-type Natriuretic Peptide Receptor, NPR-B/GC-B, Requires Elevated Intracellular Calcium Concentrations. <i>Journal of Biological Chemistry</i> , 2002, 277, 42423-42430.	1.6	54
65	The Atrial Natriuretic Peptide Receptor (NPR-A/GC-A) Is Dephosphorylated by Distinct Microcystin-sensitive and Magnesium-dependent Protein Phosphatases. <i>Journal of Biological Chemistry</i> , 2002, 277, 16041-16047.	1.6	40
66	Guanylyl Cyclase-linked Natriuretic Peptide Receptors: Structure and Regulation. <i>Journal of Biological Chemistry</i> , 2001, 276, 6057-6060.	1.6	197
67	Activation of Protein Kinase C Stimulates the Dephosphorylation of Natriuretic Peptide Receptor-B at a Single Serine Residue. <i>Journal of Biological Chemistry</i> , 2000, 275, 31099-31106.	1.6	47
68	A Constitutively â€œPhosphorylatedâ€•Guanylyl Cyclase-linked Atrial Natriuretic Peptide Receptor Mutant Is Resistant to Desensitization. <i>Molecular Biology of the Cell</i> , 1999, 10, 1811-1820.	0.9	68
69	Identification and Characterization of the Phosphorylation Sites of the Guanylyl Cyclase-Linked Natriuretic Peptide Receptors A and B. <i>Methods</i> , 1999, 19, 506-520.	1.9	32
70	Phosphorylation-Dependent Regulation of the Guanylyl Cyclase-Linked Natriuretic Peptide Receptor B:â€•Dephosphorylation Is a Mechanism of Desensitizationâ€•. <i>Biochemistry</i> , 1998, 37, 2422-2429.	1.2	99
71	Identification and Characterization of the Major Phosphorylation Sites of the B-type Natriuretic Peptide Receptor. <i>Journal of Biological Chemistry</i> , 1998, 273, 15533-15539.	1.6	117
72	Phosphorylation of the Kinase Homology Domain Is Essential for Activation of the A-Type Natriuretic Peptide Receptor. <i>Molecular and Cellular Biology</i> , 1998, 18, 2164-2172.	1.1	149

#	ARTICLE	IF	CITATIONS
73	A new form of guanylyl cyclase is preferentially expressed in rat kidney. <i>Biochemistry</i> , 1990, 29, 10872-10878.	1.2	176
74	Natriuretic Peptides. , 0, , 125-141.		1