

# Felipe Garcia

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6991474/felipe-garcia-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99  
papers

2,491  
citations

25  
h-index

45  
g-index

125  
ext. papers

2,845  
ext. citations

6.5  
avg, IF

5.35  
L-index

#	Paper	IF	Citations
99	Robust Cobalt Catalyst for Nitrile/Alkyne [2+2+2] Cycloaddition: Synthesis of Polyarylpyridines and Their Mechanochemical Cyclodehydrogenation to Nitrogen-Containing Polyaromatics**. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 9713-9720	3.6	2
98	Robust Cobalt Catalyst for Nitrile/Alkyne [2+2+2] Cycloaddition: Synthesis of Polyarylpyridines and Their Mechanochemical Cyclodehydrogenation to Nitrogen-Containing Polyaromatics*. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 9627-9634	16.4	12
97	Upscaling Mechanochemistry: Challenges and Opportunities for Sustainable Industry. <i>Trends in Chemistry</i> , <b>2021</b> , 3, 335-339	14.8	14
96	Mechanosynthesis of Higher-Order Cocrystals: Tuning Order, Functionality and Size in Cocrystal Design**. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 17622-17631	3.6	0
95	Mechanochemical Rearrangements. <i>Journal of Organic Chemistry</i> , <b>2021</b> , 86, 13885-13894	4.2	15
94	Multigram Mechanochemical synthesis of a Salophen Complex: A Comparative Analysis. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 1152-1160	8.3	11
93	Alkyl aryl modifications: a comparative study on modular modifications of triphenylphosphonium mitochondrial vectors.. <i>RSC Chemical Biology</i> , <b>2021</b> , 2, 1643-1650	3	2
92	Rhenium carbonyl complexes bearing methylated triphenylphosphonium cations as antibody-free mitochondria trackers for X-ray fluorescence imaging. <i>Inorganic Chemistry Frontiers</i> , <b>2021</b> , 8, 3905-3915	6.8	2
91	Size-control in the synthesis of oxo-bridged phosphazane macrocycles via a modular addition approach. <i>Communications Chemistry</i> , <b>2021</b> , 4,	6.3	3
90	Mechanochemical Synthesis of Tripodal Tris[4-(1,2,3-triazol-5-ylidene)methyl]amine Mesoionic Carbene Ligands and Their Complexation with Silver(I). <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 3556-3564	5.1	3
89	Mechanosynthesis of Higher-Order Cocrystals: Tuning Order, Functionality and Size in Cocrystal Design*. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 17481-17490	16.4	8
88	Mechanochemical transformation of planar polyarenes to curved fused-ring systems. <i>Nature Communications</i> , <b>2021</b> , 12, 5187	17.4	4
87	Metal Complexes in Mechanochemistry <b>2021</b> , 620-679		2
86	Site-selective aromatic C-H iodination with a cyclic iodine(III) electrophile in solution and solid phases. <i>Chemical Science</i> , <b>2020</b> , 11, 7356-7361	9.4	7
85	European Research in Focus: Mechanochemistry for Sustainable Industry (COST Action MechSustInd). <i>European Journal of Organic Chemistry</i> , <b>2020</b> , 2020, 8-9	3.2	24
84	N-Bridged Acyclic Trimeric Poly-Cyclodiphosphazanes: Highly Tuneable Cyclodiphosphazane Building Blocks. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 22100-22108	16.4	3
83	Investigating the solid-state assembly of pharmaceutically-relevant N,N-dimethyl-O-thiocarbamates in the absence of labile hydrogen bonds. <i>CrystEngComm</i> , <b>2020</b> , 22, 8290-8298	3.3	298

82	Mechanochemical Synthesis of Corannulene-Based Curved Nanographenes. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 21620-21626	16.4	17
81	Mechanochemical Synthesis of Corannulene-Based Curved Nanographenes. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 21804-21810	3.6	6
80	N-Bridged Acyclic Trimeric Poly-Cyclodiphosphazanes: Highly Tuneable Cyclodiphosphazane Building Blocks. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 22284-22292	3.6	2
79	Synthesis, properties, and catalysis of p-block complexes supported by bis(arylimino)acenaphthene ligands. <i>Communications Chemistry</i> , <b>2020</b> , 3,	6.3	1
78	Completely Solvent-free Protocols to Access Phase-Pure, Metastable Metal Halide Perovskites and Functional Photodetectors from the Precursor Salts. <i>IScience</i> , <b>2019</b> , 16, 312-325	6.1	46
77	Enabling Mitochondrial Uptake of Lipophilic Dications Using Methylated Triphenylphosphonium Moieties. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 8293-8299	5.1	12
76	Main group mechanochemistry: from curiosity to established protocols. <i>Chemical Society Reviews</i> , <b>2019</b> , 48, 2274-2292	58.5	214
75	Orthogonality in main group compounds: a direct one-step synthesis of air- and moisture-stable cyclophosphazanes by mechanochemistry. <i>Chemical Communications</i> , <b>2018</b> , 54, 6800-6803	5.8	16
74	Synthesis of Unique Phosphazane Macrocycles via Steric Activation of C-N Bonds. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 10993-11004	5.1	6
73	cis-Cyclodiphosph(V/V)azanes as highly stable and robust main group supramolecular building blocks. <i>CrystEngComm</i> , <b>2018</b> , 20, 5998-6004	3.3	8
72	Mechanochemical Synthesis of Phosphazane-Based Frameworks. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 11279-11285	4.8	17
71	Unique Triphenylphosphonium Derivatives for Enhanced Mitochondrial Uptake and Photodynamic Therapy. <i>Bioconjugate Chemistry</i> , <b>2017</b> , 28, 590-599	6.3	36
70	Aryl-NHC-group 13 trimethyl complexes: structural, stability and bonding insights. <i>Dalton Transactions</i> , <b>2017</b> , 46, 854-864	4.3	12
69	Main group mechanochemistry. <i>Beilstein Journal of Organic Chemistry</i> , <b>2017</b> , 13, 2068-2077	2.5	47
68	Bay-Region Functionalisation of Ar-BIAN Ligands and Their Use Within Highly Absorptive Cationic Iridium(III) Dyes. <i>Scientific Reports</i> , <b>2017</b> , 7, 15520	4.9	10
67	Synthesis and the Optical and Electrochemical Properties of Indium(III) Bis(arylimino)acenaphthene Complexes. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 7811-7820	5.1	20
66	The First Synthesis of the Sterically Encumbered Adamantoid Phosphazane P4(NtBu)6: Enabled by Mechanochemistry. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 12928-12932	3.6	21
65	The First Synthesis of the Sterically Encumbered Adamantoid Phosphazane P4(N(t) Bu)6 : Enabled by Mechanochemistry. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 12736-40	16.4	69

64	A multi-step solvent-free mechanochemical route to indium(iii) complexes. <i>Dalton Transactions</i> , <b>2016</b> , 45, 7941-6	4.3	33
63	Synthesis and Hydrolytic Studies on the Air-Stable [(4-CN-PhO)(E)P(EN(t)Bu)] <sub>2</sub> (E = O, S, and Se) Cyclodiphosphazanes. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 6423-32	5.1	20
62	Steric C-N bond activation on the dimeric macrocycle [P(ENR)] <sub>2</sub> [ENR] <sub>2</sub> . <i>Chemical Communications</i> , <b>2015</b> , 51, 16468-71	5.8	12
61	Synthesis, structural studies and ligand influence on the stability of aryl-NHC stabilised trimethylaluminium complexes. <i>Dalton Transactions</i> , <b>2015</b> , 44, 15166-74	4.3	14
60	Switching between halogen- and hydrogen-bonding in stoichiometric variations of a cocrystal of a phosphine oxide. <i>CrystEngComm</i> , <b>2012</b> , 14, 6110	3.3	35
59	Confinement of halide ions within homologous inverse coordination hosts; modification of halide-ion selectivity. <i>Chemical Communications</i> , <b>2011</b> , 47, 1821-3	5.8	6
58	Syntheses and structures of [Me <sub>2</sub> Si{As(PtBu) <sub>3</sub> }] <sub>2</sub> and [(CyP) <sub>3</sub> SiMe <sub>2</sub> ] (Cy=cyclohexyl, C <sub>6</sub> H <sub>11</sub> ). <i>Journal of Organometallic Chemistry</i> , <b>2010</b> , 695, 1069-1073	2.3	3
57	Synthesis and structure of the Li <sub>13</sub> cage [[[O-P(mu-NtBu)] <sub>2</sub> Li <sub>2</sub> ] <sub>3</sub> (LiCl) <sub>6</sub> Li(Cl/OnBu) <sub>0.5</sub> (thf) <sub>7</sub> ], containing a [O-P(mu-NtBu)] <sub>2</sub> ( <sup>2-</sup> ) dianion. <i>Chemical Communications</i> , <b>2008</b> , 2251-3	5.8	9
56	pi-Bonding versus oligomerisation in the aromatic anions [C(6)H(4)N(2)E] <sup>(-)</sup> : formation of the cyclic tetrameric tetraanion [C(6)H(4)N(2)Sb] <sup>(4-)</sup> (4). <i>Dalton Transactions</i> , <b>2008</b> , 997-9	4.3	7
55	Direct synthesis of the 1,2,3-[C <sub>6</sub> H <sub>4</sub> P...P...P] <sup>-</sup> anion, isoelectronic with the indenyl anion [C <sub>6</sub> H <sub>4</sub> CH...CH...CH] <sup>-</sup> . <i>Chemical Communications</i> , <b>2008</b> , 859-61	5.8	25
54	Mixed alkylamido aluminate as a kinetically controlled base. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 16193-200	16.4	69
53	Suppressing the Anionic Fries Rearrangement of Aryl Dialkylcarbamates; the Isolation of a Crystalline ortho-Deprotonated Carbamate. <i>European Journal of Organic Chemistry</i> , <b>2008</b> , 2008, 644-647 <sup>3.2</sup>		28
52	Ansa-tris(allyl) complexes of alkali metals: tripodal analogues of cyclopentadienyl and ansa-metallocene ligands. <i>Chemical Communications</i> , <b>2007</b> , 5081-3	5.8	20
51	Pyridyl Ring-flipping in the dimers [Me <sub>2</sub> E(2-py)] <sub>2</sub> (E=B, Al, Ga; 2-py=2-pyridyl). <i>Chemical Communications</i> , <b>2007</b> , 586-8	5.8	13
50	Stepwise nucleophilic substitution of manganocene, syntheses and structures of the dimer [CpMn(hpp)] <sub>2</sub> and the unusual manganate cage [LiMn(hpp) <sub>3</sub> ] <sub>2</sub> (hppH = 1,3,4,6,7,8-hexahydro-2H-pyrimido[1,2,a]pyrimidine). <i>Dalton Transactions</i> , <b>2007</b> , 1570-2	4.3	16
49	Reactions of Sn(NMe <sub>2</sub> ) <sub>2</sub> with MPH <sub>2</sub> Cy: the effects of alkali metal phosphide coupling (Cy=cyclohexyl; M=Li, Na, K, Rb). <i>Chemistry - A European Journal</i> , <b>2007</b> , 13, 1078-89	4.8	14
48	Structural, solid-state NMR and theoretical studies of the inverse-coordination of lithium chloride using group 13 phosphide hosts. <i>Chemistry - A European Journal</i> , <b>2007</b> , 13, 1251-60	4.8	13
47	An unexpected pathway in the cage opening and aggregation of P <sub>4</sub> . <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 3084-6	16.4	54

46	Trapping of oligomeric cyclopentadienyllithium cationic and anionic fragments by a V[triple bond]V-bonded ligand. <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 5425-7	16.4	27
45	Formation and structure of the [(1,2-C(6)H(4)P(2)Sb(2))(4-)] ion: implications for an extended family of isoelectronic main-group radicals. <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 7827-30	16.4	25
44	An Unexpected Pathway in the Cage Opening and Aggregation of P <sub>4</sub> . <i>Angewandte Chemie</i> , <b>2007</b> , 119, 3144-3146	3.6	30
43	Trapping of Oligomeric Cyclopentadienyllithium Cationic and Anionic Fragments by a V-V-Bonded Ligand. <i>Angewandte Chemie</i> , <b>2007</b> , 119, 5521-5523	3.6	5
42	Formation and Structure of the [(1,2-C <sub>6</sub> H <sub>4</sub> P <sub>2</sub> Sb) <sub>2</sub> ] <sub>4</sub> Ion: Implications for an Extended Family of Isoelectronic Main-Group Radicals. <i>Angewandte Chemie</i> , <b>2007</b> , 119, 7973-7976	3.6	14
41	Syntheses and structures of the heterometallic complexes [(MeIn(EP <sub>2</sub> Cy)) <sub>2</sub> (EP <sub>2</sub> Cy)] <sub>2</sub> (Li [Et <sub>2</sub> O]) <sub>4</sub> , [Me <sub>2</sub> In(PhMes) <sub>2</sub> ][Li(TMEDA)] <sup>+</sup> and [Me <sub>2</sub> (PHMes) <sub>2</sub> In][K(PMDETA)] <sup>+</sup> [Cy = cyclohexyl, Mes = 2,4,6-Me <sub>3</sub> C <sub>6</sub> H <sub>2</sub> , TMEDA = (Me <sub>2</sub> NCH <sub>2</sub> ) <sub>2</sub> , PMDETA = (Me <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> NMe]. <i>Inorganica Chimica Acta</i> , <b>2007</b> , 310, 1211-1218	2.7	3
40	Effective visible light-activated B-doped and B,N-codoped TiO <sub>2</sub> photocatalysts. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 13790-1	16.4	528
39	Adventures in Tin(II) phosphinidene chemistry; insights into the mechanism of P-B and Sn-B bond formation. <i>Journal of Organometallic Chemistry</i> , <b>2006</b> , 691, 1673-1680	2.3	16
38	Targeting large phosph(III)azane macrocycles [(P(μ-NR)) <sub>2</sub> (LL)] <sub>n</sub> (n > or = 2). <i>Dalton Transactions</i> , <b>2006</b> , 4235-43	4.3	23
37	Efficient visible light-active N-doped TiO <sub>2</sub> photocatalysts by a reproducible and controllable synthetic route. <i>Chemical Communications</i> , <b>2006</b> , 4236-8	5.8	70
36	The cationic cluster Grignard [(MgCl(thf)) <sub>2</sub> ] <sub>3</sub> (μ <sub>3</sub> -C <sub>3</sub> H <sub>5</sub> ) <sub>2</sub> <sup>+</sup> . <i>Chemical Communications</i> , <b>2006</b> , 2039-41	5.8	17
35	Encapsulation of hydride by molecular main group metal clusters: manipulating the source and coordination sphere of the interstitial ion. <i>Dalton Transactions</i> , <b>2006</b> , 5574-82	4.3	30
34	Syntheses and Structure of Heterometallic Complexes Containing Tripodal Group 13 Ligands [RE(2-py) <sub>3</sub> ] <sup>-</sup> (E = Al, In). <i>Organometallics</i> , <b>2006</b> , 25, 2561-2568	3.8	27
33	Reactions of Sn(NMe <sub>2</sub> ) <sub>2</sub> with Alkali-Metal-tert-Butylphosphidate BuPHM (M = Li, Na, K): Evidence for Metal-Induced Modification of the Tin(II) Phosphinidene Anions. <i>Organometallics</i> , <b>2006</b> , 25, 3275-3281	3.8	20
32	Efficient synthesis of brominated tetrathiafulvalene (TTF) derivatives: solid-state structure and electrochemical behaviour. <i>Tetrahedron</i> , <b>2006</b> , 62, 8152-8157	2.4	6
31	Synthesis and structure of the calixarene-like phosph(III)azane macrocycle [(P(μ-N(t)Bu)) <sub>2</sub> {1,5-(NH) <sub>2</sub> C <sub>10</sub> H <sub>6</sub> }] <sub>3</sub> . <i>Chemical Communications</i> , <b>2005</b> , 3733-5	5.8	31
30	The folded, tetrameric phosph(III)azane macrocycle [(P(μ-NtBu)) <sub>2</sub> (1,4-(NH) <sub>2</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> ] <sub>4</sub> . <i>Chemical Communications</i> , <b>2005</b> , 5041-3	5.8	24
29	Highly selective epoxidation of styrene using a transition metal-aluminium(III) complex containing the [MeAl(2-py) <sub>3</sub> ] <sup>-</sup> anion (2-py = 2-pyridyl). <i>Chemical Communications</i> , <b>2005</b> , 198-200	5.8	37

28	Triphosph(III)azanes to diphosph(III)azanes; a cracking transformation. <i>Dalton Transactions</i> , <b>2005</b> , 2495-64.3	4.3	13
27	Selection of the cis and trans phosph(III)azane macrocycles $[[P(\mu\text{-NtBu})_2(1\text{-Y-2-NH-C}_6\text{H}_4)]_2(Y=\text{O}, \text{S})]$ . <i>Dalton Transactions</i> , <b>2005</b> , 1764-73	4.3	26
26	Reactions of $\text{Sn}(\text{NMe}_2)_2$ with Primary Aryl Phosphides, $\text{ArPH}$ -. Synthesis and Structures of the Heteroleptic Cages $[[\{\text{PhP}(\text{PPh})\text{Sn}(\text{PPh})\}_2(\text{Na}[\text{PMDETA}])_4$ and $[[\text{Sn}(\text{B-Ppy})_3\{\text{Sn}(\text{B},\text{P-pyP}(\text{Ppy})\}_3]$ . <i>Organometallics</i> , <b>2005</b> , 24, 1813-1818	3.8	14
25	The first complex of the pentameric phosphazane macrocycle $[[P(\text{EntBu})_2(\text{NH})]_5$ with a neutral molecular guest: Synthesis and structure of $[[P(\text{EntBu})_2(\text{NH})]_5(\text{CH}_2\text{Cl}_2)_2]$ . <i>Inorganic Chemistry Communication</i> , <b>2005</b> , 8, 1060-1062	3.1	19
24	Quadruple deprotonation of 2-aminophenylphosphane with a p-block-metal/alkali-metal base. <i>Angewandte Chemie - International Edition</i> , <b>2005</b> , 44, 3456-9	16.4	16
23	Inverse coordination of an ionic lattice by a metal host. <i>Angewandte Chemie - International Edition</i> , <b>2005</b> , 44, 5729-33	16.4	19
22	Quadruple Deprotonation of 2-Aminophenylphosphane with a p-Block-Metal/Alkali-Metal Base. <i>Angewandte Chemie</i> , <b>2005</b> , 117, 3522-3525	3.6	8
21	Inverse Coordination of an Ionic Lattice by a Metal Host. <i>Angewandte Chemie</i> , <b>2005</b> , 117, 5875-5879	3.6	6
20	thermodynamic/kinetic control in the isomerization of the $[[\text{tBuNP}(\mu\text{-NtBu})]_2]_2^-$ ion. <i>Chemistry - A European Journal</i> , <b>2004</b> , 10, 2271-6	4.8	16
19	Selection of a pentameric host in the host-guest complexes $[[[[P(\mu\text{-NtBu})_2(\mu\text{-NH})]_5]^-] \cdot [\text{Li}(\text{thf})_4]^+$ and $[[[P(\mu\text{-NtBu})_2(\mu\text{-NH})]_5] \cdot \text{HBr} \cdot \text{THF}]$ . <i>Chemistry - A European Journal</i> , <b>2004</b> , 10, 6066-72	4.8	50
18	Selective formation of the $[\text{PhP}(\text{H})\text{-PPh}]^-$ anion in the reaction of $\text{PhPHLi}$ with $\text{MeAlCl}_2$ ; synthesis and structure of the unusual tetramer $[(\text{PhP}(\text{H})\text{-PPh})\text{Li} \cdot \text{thf}]_4$ . <i>Dalton Transactions</i> , <b>2004</b> , 977-9	4.3	10
17	Reductive-elimination of phosphide units; the basis of a general approach to a range of alloys and materials. <i>Journal of Materials Chemistry</i> , <b>2004</b> , 14, 3093-3100		5
16	The formation of dimeric phosph(III)azane macrocycles $[[P(\mu\text{-NtBu})_2.\text{LL}]_2$ [LL = organic spacer]. <i>Dalton Transactions</i> , <b>2004</b> , 2904-9	4.3	33
15	A one-pot synthesis to $[(\text{Me}_3\text{Si})_3\text{SiSb}]_4$ ; a potential precursor for $\text{Sb}^{4-}$ . <i>Dalton Transactions</i> , <b>2004</b> , 2051-2.3	4.3	8
14	Steric control in the oligomerisation of phosphazane dimers; towards new phosphorus-nitrogen macrocycles. <i>Dalton Transactions</i> , <b>2004</b> , 807-12	4.3	20
13	Synthesis and Structure of $[[\text{Sn}_2(\text{PMes})_3]_2\text{K}_2[\text{BTHF}]]$ Exhibiting Multifunctional Coordination of $[\text{Sn}_2(\text{PMes})_3]_2^-$ Anions to $\text{K}^+$ . <i>Organometallics</i> , <b>2004</b> , 23, 4821-4823	3.8	7
12	Synthesis of the $[\text{MeAl}(\text{2-py})_3]^-$ Anion and Its Application as a Stable and Mild Pyridyl-Transfer Reagent (2-py = 2-Pyridyl). <i>Organometallics</i> , <b>2004</b> , 23, 3884-3890	3.8	33
11	The first example of a Si-bridged tris(pyridyl) ligand; synthesis and structure of $[\text{MeSi}(\text{2-C}_5\text{H}_4\text{N})_3\text{LiX}]$ (X = 0.2Br, 0.8Cl). <i>Dalton Transactions</i> , <b>2004</b> , 361-2	4.3	21

10	Primary amido and phosphido complexes of zinc: potential precursors to heterometallic arrangements. <i>Inorganica Chimica Acta</i> , <b>2003</b> , 354, 41-48	2.7	6
9	Reactions of metallated cyclohexyl phosphine (CyPHM) with As(NMe <sub>2</sub> ) <sub>3</sub> ; synthesis of [(CyP) <sub>4</sub> As] <sup>n-</sup> anions (M = Li or Na, Cy = cyclohexyl). <i>Dalton Transactions</i> , <b>2003</b> , 1143-1147	4.3	11
8	Synthesis and structure of [[MeAl(μ-PMe <sub>3</sub> )(PMe <sub>3</sub> ) <sub>2</sub> Li <sub>4</sub> ] <sub>2</sub> × 7thf, containing a [MeAl(μ-PMe <sub>3</sub> )(PMe <sub>3</sub> ) <sub>2</sub> ] <sub>2</sub> (4-) tetraanion (Mes = 2,4,6-Me <sub>3</sub> C <sub>6</sub> H <sub>2</sub> ). <i>Chemical Communications</i> , <b>2003</b> , 2052-3 <sup>5.8</sup>		4
7	Exo-metal coordination by a tricyclic [(P(μ-N-2-NC <sub>5</sub> H <sub>4</sub> )) <sub>2</sub> (μ-O)] <sub>2</sub> dimer in [(P(μ-N-2-NC <sub>5</sub> H <sub>4</sub> )) <sub>2</sub> (μ-O)] <sub>2</sub> (CuCl × (C <sub>5</sub> H <sub>5</sub> N) <sub>2</sub> ) <sub>4</sub> (2-NC <sub>5</sub> H <sub>4</sub> = 2-pyridyl, C <sub>5</sub> H <sub>5</sub> N = pyridine). <i>Chemical Communications</i> , <b>2003</b> , 2990-1	5.8	28
6	Templating and selection in the formation of macrocycles containing [[P(μ-NtBu)(2)](μ-NH)](n) frameworks: observation of halide ion coordination. <i>Chemistry - A European Journal</i> , <b>2002</b> , 8, 3377-85	4.8	68
5	Suggestion of a "twist" mechanism in the oligomerisation of a dimeric phospho(III)zane: insights into the selection of adamantoid and macrocyclic alternatives. <i>Chemistry - A European Journal</i> , <b>2002</b> , 8, 5723-31	4.8	21
4	Syntheses and structures of the cubanes [PhOSb(μ <sup>3</sup> -NCy)] <sub>4</sub> and [pyOBi(μ <sup>3</sup> -NCy)] <sub>4</sub> (Cy = cyclohexyl, py = 2-pyridyl). <i>Dalton Transactions RSC</i> , <b>2002</b> , 4629-4633		5
3	Synthesis and structure of [{Sb(ENCy)} <sub>2</sub> (EN)] <sub>3</sub> (Li⊖THF) <sub>3</sub> (LiNNH), containing a macrocyclic [{Sb(ENCy)} <sub>2</sub> N] <sub>3</sub> <sup>3-</sup> trianion. <i>Dalton Transactions RSC</i> , <b>2002</b> , 481-483		11
2	Synthesis of a deca-lithium cage containing an [(RN) <sub>2</sub> As(μ-NR)As(NR) <sub>2</sub> ] <sub>4</sub> - tetraanion; a homologue of group 15 trianions of the type [E(NR) <sub>3</sub> ] <sub>3</sub> <sup>-</sup> . <i>Chemical Communications</i> , <b>2002</b> , 1276-7	5.8	3
1	Formation and decomposition of the Sb(III)/Li cage [{Sb(P-t-Bu) <sub>3</sub> }] <sub>2</sub> Li <sub>6</sub> [6THF]. <i>Canadian Journal of Chemistry</i> , <b>2002</b> , 80, 1421-1427	0.9	12