

Ricardo Celestino

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6991603/ricardo-celestino-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29
papers

1,662
citations

16
h-index

30
g-index

30
ext. papers

1,956
ext. citations

5.2
avg, IF

3.77
L-index

#	Paper	IF	Citations
29	Frequency of TERT promoter mutations in human cancers. <i>Nature Communications</i> , 2013 , 4, 2185	17.4	590
28	TERT promoter mutations are a major indicator of poor outcome in differentiated thyroid carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E754-65	5.6	357
27	Telomerase promoter mutations in cancer: an emerging molecular biomarker?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 119-33	5.1	80
26	Molecular mechanism of dynein recruitment to kinetochores by the Rod-Zw10-Zwilch complex and Spindly. <i>Journal of Cell Biology</i> , 2017 , 216, 943-960	7.3	72
25	Genetic alterations in poorly differentiated and undifferentiated thyroid carcinomas. <i>Current Genomics</i> , 2011 , 12, 609-17	2.6	61
24	Cribiform-morular variant of papillary thyroid carcinoma: molecular characterization of a case with neuroendocrine differentiation and aggressive behavior. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 134-42	1.9	56
23	Prognostic biomarkers in thyroid cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 464, 333-46	5.1	42
22	Papillary thyroid microcarcinoma: how to diagnose and manage this epidemic?. <i>International Journal of Surgical Pathology</i> , 2014 , 22, 113-9	1.2	37
21	RET/PTC rearrangement is prevalent in follicular Hürthle cell carcinomas. <i>Histopathology</i> , 2012 , 61, 833-43	7.3	37
20	Self-Assembly of the RZZ Complex into Filaments Drives Kinetochores Expansion in the Absence of Microtubule Attachment. <i>Current Biology</i> , 2018 , 28, 3408-3421.e8	6.3	35
19	Hobnail Variant of Papillary Thyroid Carcinoma: Clinicopathologic and Molecular Evidence of Progression to Undifferentiated Carcinoma in 2 Cases. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 854-860	6.7	31
18	Cribiform-morular variant of papillary thyroid carcinoma displaying poorly differentiated features. <i>International Journal of Surgical Pathology</i> , 2013 , 21, 379-89	1.2	29
17	Immunohistochemical molecular phenotypes of gastric cancer based on SOX2 and CDX2 predict patient outcome. <i>BMC Cancer</i> , 2014 , 14, 753	4.8	26
16	Low frequency of TERT promoter mutations in gastrointestinal stromal tumors (GISTs). <i>European Journal of Human Genetics</i> , 2015 , 23, 877-9	5.3	23
15	A follicular variant of papillary thyroid carcinoma in struma ovarii. Case report with unique molecular alterations. <i>Histopathology</i> , 2009 , 55, 482-7	7.3	18
14	Survey of 548 oncogenic fusion transcripts in thyroid tumors supports the importance of the already established thyroid fusions genes. <i>Genes Chromosomes and Cancer</i> , 2012 , 51, 1154-64	5	17
13	A novel germline SDHB mutation in a gastrointestinal stromal tumor patient without bona fide features of the Carney-Stratakis dyad. <i>Familial Cancer</i> , 2012 , 11, 189-94	3	16

12	A transient helix in the disordered region of dynein light intermediate chain links the motor to structurally diverse adaptors for cargo transport. <i>PLoS Biology</i> , 2019 , 17, e3000100	9.7	16
11	CRABP1, C1QL1 and LCN2 are biomarkers of differentiated thyroid carcinoma, and predict extrathyroidal extension. <i>BMC Cancer</i> , 2018 , 18, 68	4.8	15
10	Follicular thyroid carcinoma with an unusual glomeruloid pattern of growth. <i>Human Pathology</i> , 2008 , 39, 1540-7	3.7	15
9	NudE regulates dynein at kinetochores but is dispensable for other dynein functions in the early embryo. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	14
8	Identification of a paired box gene 8-peroxisome proliferator-activated receptor gamma (PAX8-PPARgamma) rearrangement mosaicism in a patient with an autonomous functioning follicular thyroid carcinoma bearing an activating mutation in the TSH receptor. <i>Endocrine-Related Cancer</i> , 2010 , 17, 599-610	5.7	14
7	Molecular alterations and expression of succinate dehydrogenase complex in wild-type KIT/PDGFRA/BRAF gastrointestinal stromal tumors. <i>European Journal of Human Genetics</i> , 2013 , 21, 503-10	5.3	13
6	Primary squamous cell carcinoma of the thyroid diagnosed as anaplastic carcinoma: failure in fine-needle aspiration cytology?. <i>Case Reports in Pathology</i> , 2014 , 2014, 301780	0.9	13
5	Fusion gene microarray reveals cancer type-specificity among fusion genes. <i>Genes Chromosomes and Cancer</i> , 2011 , 50, 348-57	5	13
4	Genetic alterations in thyroid tumors from patients irradiated in childhood for tinea capitis treatment. <i>European Journal of Endocrinology</i> , 2013 , 169, 673-9	6.5	8
3	Comprehensive Assessment of mRNA Expression across a Large Cohort of Benign and Malignant Thyroid Tumours. <i>Cancers</i> , 2020 , 12,	6.6	5
2	Reassessing the Evolutionary History of the 17q21 Inversion Polymorphism. <i>Genome Biology and Evolution</i> , 2015 , 7, 3239-48	3.9	4
1	JIP3 regulates bi-directional organelle transport in neurons through its interaction with dynein and kinesin-1		1