

Ricardo Celestino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6991603/publications.pdf>

Version: 2024-02-01

29
papers

2,156
citations

489802

18
h-index

536525

29
g-index

30
all docs

30
docs citations

30
times ranked

4220
citing authors

#	ARTICLE	IF	CITATIONS
1	JIP3 interacts with dynein and kinesin-1 to regulate bidirectional organelle transport. <i>Journal of Cell Biology</i> , 2022, 221, .	2.3	20
2	Comprehensive Assessment of TERT mRNA Expression across a Large Cohort of Benign and Malignant Thyroid Tumours. <i>Cancers</i> , 2020, 12, 1846.	1.7	11
3	A transient helix in the disordered region of dynein light intermediate chain links the motor to structurally diverse adaptors for cargo transport. <i>PLoS Biology</i> , 2019, 17, e3000100.	2.6	39
4	NudE/L regulates dynein at kinetochores but is dispensable for other dynein functions in the <i>C. elegans</i> early embryo. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	24
5	Self-Assembly of the RZZ Complex into Filaments Drives Kinetochores Expansion in the Absence of Microtubule Attachment. <i>Current Biology</i> , 2018, 28, 3408-3421.e8.	1.8	62
6	CRABP1, C1QL1 and LCN2 are biomarkers of differentiated thyroid carcinoma, and predict extrathyroidal extension. <i>BMC Cancer</i> , 2018, 18, 68.	1.1	26
7	Hobnail Variant of Papillary Thyroid Carcinoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 854-860.	2.1	38
8	Molecular mechanism of dynein recruitment to kinetochores by the Rod α -Zw10 β -Zw12 complex and Spindly. <i>Journal of Cell Biology</i> , 2017, 216, 943-960.	2.3	116
9	Reassessing the Evolutionary History of the 17q21 Inversion Polymorphism. <i>Genome Biology and Evolution</i> , 2015, 7, 3239-3248.	1.1	11
10	Low frequency of TERT promoter mutations in gastrointestinal stromal tumors (GISTs). <i>European Journal of Human Genetics</i> , 2015, 23, 877-879.	1.4	27
11	Primary Squamous Cell Carcinoma of the Thyroid Diagnosed as Anaplastic Carcinoma: Failure in Fine-Needle Aspiration Cytology?. <i>Case Reports in Pathology</i> , 2014, 2014, 1-4.	0.2	18
12	Immunohistochemical molecular phenotypes of gastric cancer based on SOX2 and CDX2 predict patient outcome. <i>BMC Cancer</i> , 2014, 14, 753.	1.1	33
13	Prognostic biomarkers in thyroid cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 464, 333-346.	1.4	49
14	Papillary Thyroid Microcarcinoma. <i>International Journal of Surgical Pathology</i> , 2014, 22, 113-119.	0.4	41
15	Telomerase promoter mutations in cancer: an emerging molecular biomarker?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 119-133.	1.4	104
16	TERT Promoter Mutations Are a Major Indicator of Poor Outcome in Differentiated Thyroid Carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E754-E765.	1.8	451
17	Frequency of TERT promoter mutations in human cancers. <i>Nature Communications</i> , 2013, 4, 2185.	5.8	740
18	Molecular alterations and expression of succinate dehydrogenase complex in wild-type KIT/PDGFR α /BRAF gastrointestinal stromal tumors. <i>European Journal of Human Genetics</i> , 2013, 21, 503-510.	1.4	15

#	ARTICLE	IF	CITATIONS
19	Genetic alterations in thyroid tumors from patients irradiated in childhood for tinea capitis treatment. <i>European Journal of Endocrinology</i> , 2013, 169, 673-679.	1.9	9
20	Cribriform-Morular Variant of Papillary Thyroid Carcinoma Displaying Poorly Differentiated Features. <i>International Journal of Surgical Pathology</i> , 2013, 21, 379-389.	0.4	34
21	Survey of 548 oncogenic fusion transcripts in thyroid tumors supports the importance of the already established thyroid fusions genes. <i>Genes Chromosomes and Cancer</i> , 2012, 51, 1154-1164.	1.5	20
22	A novel germline SDHB mutation in a gastrointestinal stromal tumor patient without bona fide features of the Carney-Stratakis dyad. <i>Familial Cancer</i> , 2012, 11, 189-194.	0.9	19
23	<i>RET/PTC</i> rearrangement is prevalent in follicular Hürthle cell carcinomas. <i>Histopathology</i> , 2012, 61, 833-843.	1.6	42
24	Fusion gene microarray reveals cancer type-specificity among fusion genes. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 348-357.	1.5	15
25	Genetic Alterations in Poorly Differentiated and Undifferentiated Thyroid Carcinomas. <i>Current Genomics</i> , 2011, 12, 609-617.	0.7	71
26	Identification of a paired box gene 8-peroxisome proliferator-activated receptor gamma (PAX8-PPAR γ) rearrangement mosaicism in a patient with an autonomous functioning follicular thyroid carcinoma bearing an activating mutation in the TSH receptor. <i>Endocrine-Related Cancer</i> , 2010, 17, 599-610.	1.6	15
27	Cribriform-Morular Variant of Papillary Thyroid Carcinoma. <i>American Journal of Clinical Pathology</i> , 2009, 131, 134-142.	0.4	68
28	A follicular variant of papillary thyroid carcinoma in struma ovarii. Case report with unique molecular alterations. <i>Histopathology</i> , 2009, 55, 482-487.	1.6	20
29	Follicular thyroid carcinoma with an unusual glomeruloid pattern of growth. <i>Human Pathology</i> , 2008, 39, 1540-1547.	1.1	15